

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3817	1;A	NE	51.7	45.5
1	3817	1;B	NW	52.8	46.6
1	3817	1;C	SW	41.8	35.6
1	3817	1;D	SE	40.9	34.6
1	3818	;A	NE	46.2	40.0
1	3818	;B	NW	53.2	47.1
1	3818	;C	SW	48.8	42.6
1	3818	;D	SE	37.1	31.0
1	3819	;A	SW	51.3	45.1
1	3819	;B	SW	52.0	45.8
1	3819	;C	SE	53.0	46.9
1	3819	;D	NE	48.0	41.8
1	3819	;E	NE	46.2	40.1
1	3819	;F	NE	42.8	36.6
1	3819	;G	NW	37.7	31.7
1	3819	;H	SW	50.6	44.4
1	3820	;A	NW	31.5	25.4
1	3820	;B	SW	50.2	44.0
1	3820	;C	SE	51.5	45.3
1	3820	;D	SE	50.4	44.2
1	3820	;E	SE	50.6	44.4
1	3820	;F	NE	42.4	36.3
1	3820	;G	N	29.7	23.6
1	3821	;A	NE	51.9	45.9
1	3821	;B	NW	33.5	27.7
1	3821	;C	SW	34.7	28.9
1	3821	;D	SE	54.5	48.7
1	3821	;E	NE	53.7	47.8
1	3822	;A	W	28.5	22.8
1	3822	;B	S	47.3	41.3
1	3822	;C	E	51.0	45.1
1	3822	;D	E	50.5	44.5
1	3822	;E	E	51.1	45.1
1	3822	;F	E	51.0	45.1
1	3822	;G	N	47.0	41.0
1	3822	;H	N	40.0	34.2
1	3822	;I	W	28.5	22.8
1	3823	;A	E	50.8	44.9
1	3823	;B	E	51.1	45.1
1	3823	;C	N	47.3	41.4
1	3823	;D	W	28.6	22.8
1	3823	;E	W	28.7	22.9
1	3823	;F	W	33.8	27.7
1	3823	;G	W	34.7	28.7
1	3823	;H	NW	30.3	24.5
1	3823	;I	SW	32.6	26.7
1	3823	;J	SE	48.8	42.8
1	3823	;K	E	51.0	45.1
1	3824	;A	SW	37.5	31.0
1	3824	;B	SE	53.3	46.7
1	3825	;A	SW	42.4	36.2
1	3825	;B	SE	48.9	42.6
1	3825	;C	NE	41.7	35.4
1	3825	;D	NW	29.6	23.5
1	3826	;A	NW	37.3	31.1
1	3826	;B	SW	51.2	45.0
1	3826	;C	SE	54.6	48.4
1	3826	;D	NE	45.4	39.3
1	3827	;A	NE	43.3	37.2
1	3827	;B	NW	38.9	32.8
1	3827	;C	NW	40.0	33.8
1	3827	;D	SE	53.6	47.4
1	3827	;E	SE	53.3	47.2
1	3828	;A	E	37.6	31.3
1	3828	;B	E	33.7	27.5
1	3828	;C	N	47.9	41.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3828	;D	W	51.5	45.4
1	3828	;E	S	48.8	42.7
1	3828	;F	E	41.7	35.4
1	3828	;G	E	39.5	33.3
1	3829	;A	SW	40.6	34.2
1	3829	;B	SE	51.8	45.4
1	3829	;C	NE	55.6	49.2
1	3829	;D	NW	49.4	43.1
1	3829	;E	SW	40.3	33.9
1	3830	;A	SE	48.3	42.0
1	3830	;B	SE	52.4	46.0
1	3830	;C	NE	53.1	46.7
1	3830	;D	NE	52.1	45.8
1	3830	;E	NW	41.3	34.9
1	3830	;F	SW	31.9	25.6
1	3830	;G	NW	32.3	25.9
1	3830	;H	SW	32.0	25.7
1	3831	;A	NW	47.4	41.1
1	3831	;B	NW	47.2	40.9
1	3831	;C	SW	42.4	36.1
1	3831	;D	SE	34.7	28.2
1	3831	;E	NE	46.3	40.0
1	3831	;F	NW	47.6	41.3
1	3832	;A	NE	28.0	21.8
1	3832	;C	NW	45.6	39.3
1	3832	;D	NW	46.2	39.9
1	3832	;E	SW	39.2	32.8
1	3832	;F	SE	29.2	22.8
1	3832	;G	NE	31.3	25.1
1	3832	;H	SE	29.0	22.7
1	3832	;I	SE	29.2	22.9
1	3832	;J	SE	28.9	22.6
1	3832	;K	SW	28.5	22.3
1	3832	;L	SW	29.5	23.4
1	3833	;A	W	27.9	22.1
1	3833	;B	SE	43.6	37.5
1	3833	;C	SE	47.0	40.9
1	3833	;D	SE	49.3	43.3
1	3833	;E	E	50.6	44.7
1	3833	;F	E	50.3	44.3
1	3833	;G	E	51.0	45.0
1	3833	;H	N	48.4	42.4
1	3833	;I	NW	43.6	37.5
1	3833	;J	W	37.1	30.8
1	3833	;K	W	34.9	28.7
1	3833	;L	NW	35.5	29.2
1	3837	;A	SW	30.6	24.3
1	3837	;B	SE	45.5	39.1
1	3837	;C	NE	47.8	41.5
1	3837	;D	SE	47.4	41.1
1	3837	;E	NE	47.1	40.7
1	3837	;F	NW	47.0	40.7
1	3837	;G	NE	46.3	40.0
1	3837	;H	NW	46.0	39.7
1	3838	;A	NE	38.1	31.6
1	3838	;B	NW	55.8	49.3
1	3838	;C	SW	59.4	52.9
1	3838	;D	SW	60.6	54.0
1	3838	;E	SE	55.6	49.1
1	3838	;F	SE	52.1	45.6
1	3838	;G	NE	37.5	31.0
1	3838	;H	SE	38.5	31.9
1	3838	;I	NE	37.9	31.4
1	3838	;J	NW	49.5	43.0
1	3839	;A	SW	42.4	36.3
1	3839	;B	SE	37.7	31.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3839	;C	NE	33.6	27.5
1	3839	;D	NW	41.4	35.2
1	3840	;A	SW	40.0	33.8
1	3840	;B	SE	38.1	32.1
1	3840	;C	NE	33.8	27.8
1	3840	;D	NE	33.5	27.4
1	3840	;E	NW	45.3	39.2
1	3840	;F	SW	46.3	40.1
1	3840	;G	SW	45.0	38.9
1	3841	;B	NW	47.9	41.5
1	3841	;C	SW	43.5	37.1
1	3842	;A	SW	28.8	22.6
1	3842	;B	SW	29.5	23.4
1	3842	;C	SE	28.0	21.7
1	3842	;D	NE	45.1	38.7
1	3842	;E	NE	45.6	39.2
1	3842	;F	NW	47.5	41.1
1	3842	;G	NE	47.4	41.1
1	3843	;A	NW	41.3	35.0
1	3843	;B	SW	38.5	32.2
1	3843	;C	SE	31.3	25.0
1	3843	;D	SW	33.0	26.8
1	3843	;E	SE	29.2	22.9
1	3843	;F	NE	27.7	21.5
1	3843	;G	SE	26.6	20.4
1	3844	;B	NW	38.1	31.8
1	3844	;C	SW	36.7	30.4
1	3844	;D	SW	34.4	28.2
1	3846	;A	NE	38.0	31.7
1	3846	;B	NW	35.3	29.0
1	3846	;C	SW	33.8	27.6
1	3846	;D	SE	27.8	21.5
1	3847	;A	NW	36.5	30.1
1	3847	;B	SW	32.9	26.6
1	3847	;C	SE	27.2	20.8
1	3847	;D	NE	36.8	30.4
1	3848	;A	NW	37.1	30.7
1	3848	;B	NE	36.6	30.2
1	3848	;C	NW	35.5	29.1
1	3848	;D	SW	29.0	22.7
1	3848	;E	SE	25.4	19.1
1	3848	;F	NE	35.9	29.5
1	3849	;B	SW	34.1	27.8
1	3849	;C	SW	31.3	25.1
1	3849	;D	SE	25.5	19.2
1	3849	;E	SE	25.8	19.6
1	3849	;F	SE	24.9	18.7
1	3849	;G	NE	34.3	27.9
1	3849	;H	NE	31.4	25.1
1	3849	;K	NE	29.3	23.1
1	3849	;L	NE	29.5	23.3
1	3849	;M	NW	35.1	28.8
1	3849	;N	NW	37.0	30.6
1	3849	;O	SW	34.3	28.1
1	3849	;P	SW	31.0	24.8
1	3850	;B	SW	36.5	30.2
1	3850	;C	SW	34.7	28.4
1	3850	;D	SE	30.9	24.4
1	3850	;E	SE	29.8	23.4
1	3850	;F	SE	29.4	22.9
1	3850	;G	NE	33.9	27.6
1	3850	;H	NE	32.4	26.1
1	3850	;I	NE	29.7	23.5
1	3850	;L	NE	27.3	21.1
1	3850	;M	NE	31.4	25.0
1	3850	;P	NE	31.8	25.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3850	;Q	NW	37.9	31.6
1	3851	;A	SW	28.3	22.1
1	3851	;B	SE	27.9	21.7
1	3851	;C	SW	31.3	25.1
1	3851	;D	SE	28.8	22.6
1	3851	;E	NE	39.3	33.0
1	3851	;F	NW	42.0	35.7
1	3851	;G	NW	41.3	35.0
1	3851	;H	SW	38.5	32.2
1	3851	;I	SE	31.3	25.0
1	3851	;J	SW	33.0	26.8
1	3851	;K	SE	29.2	22.9
1	3851	;L	NE	27.7	21.5
1	3851	;M	SE	26.6	20.4
1	3852	;A	SW	41.9	35.8
1	3852	;B	SW	41.5	35.4
1	3852	;C	SW	40.8	34.6
1	3852	;D	SW	38.9	32.6
1	3852	;E	SE	29.2	23.1
1	3852	;F	NE	38.4	32.2
1	3852	;G	NE	33.4	27.2
1	3852	;H	SE	31.2	24.9
1	3852	;I	NE	42.9	36.6
1	3852	;J	SW	42.0	35.8
1	3853	;A	NW	36.1	30.0
1	3853	;B	SW	41.5	35.8
1	3853	;C	SE	52.5	46.6
1	3853	;D	SE	53.2	47.4
1	3853	;E	NE	52.5	46.6
1	3853	;F	NW	33.4	27.5
1	3853	;G	NE	36.0	30.1
1	3854	;A	E	29.2	23.2
1	3854	;B	S	33.9	27.8
1	3854	;C	E	28.6	22.6
1	3854	;D	E	28.8	22.7
1	3854	;E	N	28.6	22.8
1	3854	;F	W	29.8	24.0
1	3854	;G	N	28.9	23.1
1	3854	;H	W	42.7	36.5
1	3854	;I	S	42.6	36.4
1	3854	;J	S	40.9	34.7
1	3855	;A	S	46.8	40.5
1	3855	;B	N	45.9	39.7
1	3856	;A	NW	40.2	34.1
1	3856	;B	NE	41.3	35.2
1	3856	;C	NW	37.7	31.6
1	3856	;D	NW	27.8	21.9
1	3856	;E	SW	35.4	29.5
1	3856	;F	SE	46.1	40.0
1	3856	;G	SE	45.9	39.9
1	3856	;H	SE	45.0	38.9
1	3856	;I	SE	49.0	42.9
1	3856	;J	NE	49.1	43.0
1	3857	;A	NE	59.3	53.2
1	3857	;B	NW	60.4	54.3
1	3857	;C	SW	53.2	47.0
1	3857	;D	SE	48.7	42.5
1	3858	;A	SE	55.0	48.8
1	3858	;B	NE	50.3	44.1
1	3858	;C	NW	42.4	36.1
1	3858	;D	SW	50.7	44.5
1	3859	;A	NW	33.6	27.4
1	3859	;B	SW	45.2	38.9
1	3859	;C	SE	47.8	41.6
1	3859	;D	SE	44.9	38.8
1	3859	;E	NE	41.8	35.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3860	:A	NW	43.9	37.7
1	3860	:B	SW	43.3	37.2
1	3860	:C	SE	36.3	30.1
1	3860	:D	NE	46.6	40.4
1	3861	:A	W	40.3	34.4
1	3861	:B	W	45.0	38.9
1	3861	:C	S	54.0	47.8
1	3861	:D	E	52.4	46.1
1	3861	:E	E	48.8	42.6
1	3861	:F	N	38.6	32.3
1	3862	:B	SW	55.0	48.8
1	3862	:C	SE	42.2	36.0
1	3862	:D	NE	57.4	51.2
1	3863	:A	NW	41.6	35.5
1	3863	:B	SW	31.2	25.5
1	3863	:C	SE	43.8	37.8
1	3863	:D	NE	46.8	40.8
1	3864	:A	SW	50.1	44.3
1	3864	:B	SE	57.0	51.2
1	3864	:C	NE	56.3	50.5
1	3864	:D	NW	47.4	41.5
1	3865	:A	SW	63.1	56.6
1	3865	:B	SE	58.3	51.7
1	3865	:C	NE	46.4	39.9
1	3865	:D	NW	58.5	52.0
1	3866	:A	NE	50.6	44.4
1	3866	:B	NE	38.9	32.8
1	3866	:C	NW	56.2	50.0
1	3866	:D	SW	49.1	42.9
1	3866	:E	SE	40.1	33.9
1	3867	:A	NE	60.4	54.2
1	3867	:B	NW	61.1	54.9
1	3867	:C	SW	56.6	50.5
1	3868	:A	SW	63.1	56.6
1	3868	:B	SE	59.3	52.8
1	3868	:C	NE	44.2	37.6
1	3868	:D	NW	58.3	51.8
1	3869	:A	S	61.5	55.0
1	3869	:B	SE	59.1	52.6
1	3869	:C	SW	59.3	52.8
1	3869	:D	S	58.4	51.9
1	3869	:E	NE	45.8	39.2
1	3869	:F	NW	57.1	50.5
1	3870	:A	NW	39.0	32.8
1	3870	:B	SW	41.8	35.8
1	3870	:C	SE	49.4	43.5
1	3870	:D	NE	53.0	47.0
1	3870	:E	NW	43.6	37.5
1	3874	:A	SW	48.4	42.4
1	3874	:B	SE	41.2	35.2
1	3874	:C	NE	40.6	34.6
1	3874	:D	NW	48.2	42.2
1	3875	:A	SW	49.7	43.7
1	3875	:B	SW	48.9	42.8
1	3875	:C	SW	48.8	42.7
1	3875	:D	SE	40.4	34.3
1	3875	:E	NE	36.7	30.7
1	3875	:F	NE	34.4	28.3
1	3875	:G	NE	37.0	31.0
1	3875	:H	NW	48.9	42.9
1	3876	:A	N	30.5	24.6
1	3876	:B	E	29.1	23.3
1	3876	:C	S	30.6	24.8
1	3876	:D	E	29.5	23.5
1	3876	:E	N	30.8	25.0
1	3876	:F	E	29.2	23.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3876	;G	S	30.9	25.0
1	3876	;H	E	29.7	23.7
1	3876	;I	N	47.0	41.0
1	3876	;J	W	51.2	45.2
1	3876	;K	S	47.5	41.5
1	3876	;L	E	30.2	24.3
1	3876	;M	S	39.9	33.9
1	3876	;N	E	29.4	23.4
1	3876	;O	N	30.7	24.8
1	3876	;P	E	29.1	23.3
1	3876	;Q	S	30.8	25.0
1	3876	;R	E	29.3	23.3
1	3876	;S	N	30.6	24.7
1	3876	;T	E	29.1	23.3
1	3876	;U	S	30.7	24.8
1	3876	;V	E	29.3	23.4
1	3876	;W	N	30.7	24.8
1	3876	;X	E	29.1	23.3
1	3876	;Y	S	30.7	24.9
1	3876	;Z	E	29.3	23.3
1	3876	;AA	N	30.5	24.7
1	3876	;AB	E	29.1	23.3
1	3876	;AC	S	30.6	24.8
1	3876	;AD	E	29.4	23.4
1	3876	;AE	N	30.6	24.7
1	3876	;AF	E	29.1	23.3
1	3876	;AG	S	30.7	24.9
1	3876	;AH	E	29.4	23.4
1	3876	;AI	N	30.4	24.6
1	3876	;AJ	E	29.1	23.3
1	3876	;AK	S	30.7	24.8
1	3876	;AL	E	29.4	23.4
1	3877	;A	W	29.5	23.3
1	3877	;B	S	48.6	42.3
1	3877	;C	E	52.8	46.5
1	3877	;D	N	47.8	41.5
1	3878	;A	S	41.9	35.7
1	3878	;B	S	43.0	36.7
1	3878	;C	E	41.9	35.7
1	3878	;D	N	32.7	26.6
1	3878	;E	N	30.4	24.4
1	3878	;F	NW	29.7	23.6
1	3878	;G	W	27.6	21.6
1	3879	;A	N	45.7	39.6
1	3879	;B	W	46.9	40.8
1	3879	;C	S	42.0	35.9
1	3879	;D	E	29.6	23.7
1	3879	;E	S	30.1	24.2
1	3879	;F	E	35.6	29.5
1	3880	;B	SW	47.5	41.4
1	3880	;C	SE	43.1	37.1
1	3880	;D	E	39.0	32.9
1	3881	;A	N	43.0	37.0
1	3881	;B	SW	43.2	37.2
1	3881	;C	S	39.7	33.6
1	3881	;D	NE	33.4	27.3
1	3882	;A	SE	45.9	40.0
1	3882	;B	SE	43.9	37.9
1	3882	;C	NE	40.8	34.7
1	3882	;D	NW	49.9	43.9
1	3882	;E	SW	52.9	47.0
1	3883	;A	N	29.6	23.7
1	3883	;B	E	28.7	22.7
1	3883	;C	N	34.6	28.6
1	3883	;D	W	46.9	40.7
1	3883	;E	S	45.5	39.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3883	;F	E	29.5	23.3
1	3884	;A	NE	39.6	33.1
1	3884	;B	NW	58.6	52.1
1	3884	;C	SW	63.5	57.0
1	3884	;D	SE	58.6	52.1
1	3885	;A	SW	52.5	46.0
1	3885	;B	SE	40.2	33.7
1	3885	;C	NE	37.7	31.2
1	3885	;D	NW	55.5	48.9
1	3886	;A	SW	47.7	41.2
1	3886	;B	SE	49.4	42.8
1	3886	;C	NE	38.3	31.8
1	3886	;D	NW	42.6	36.0
1	3887	;A	SW	45.5	39.0
1	3887	;B	SE	54.9	48.4
1	3887	;C	NE	38.1	31.6
1	3887	;D	NW	52.6	46.0
1	3892	;A	SE	47.0	40.6
1	3892	;B	NE	49.4	43.0
1	3892	;C	NW	42.1	35.7
1	3892	;D	SW	27.1	20.8
1	3893	;A	NE	44.5	38.2
1	3893	;B	NW	46.5	40.2
1	3893	;C	SW	41.1	34.8
1	3893	;D	NW	41.9	35.7
1	3893	;E	SW	39.2	33.0
1	3893	;F	NW	40.9	34.6
1	3893	;G	SW	36.3	30.2
1	3893	;H	SE	27.7	21.4
1	3893	;I	NE	40.6	34.3
1	3893	;J	SE	33.3	27.0
1	3893	;K	NE	41.8	35.4
1	3894	2;A	E	52.2	45.9
1	3894	2;B	E	52.7	46.4
1	3894	2;C	E	52.3	45.9
1	3894	2;D	E	52.7	46.4
1	3894	2;E	E	52.4	46.0
1	3894	2;F	E	52.7	46.4
1	3894	2;G	E	52.2	45.9
1	3894	2;H	E	52.8	46.4
1	3894	2;I	E	52.3	46.0
1	3894	2;J	E	52.8	46.4
1	3894	2;K	N	48.5	42.2
1	3894	2;L	W	30.9	24.7
1	3894	2;M	W	30.9	24.7
1	3894	2;N	W	30.7	24.5
1	3894	2;O	W	30.7	24.5
1	3894	2;P	W	30.7	24.4
1	3894	2;Q	W	30.8	24.5
1	3894	2;R	W	30.7	24.4
1	3894	2;S	W	30.8	24.5
1	3894	2;T	W	30.6	24.4
1	3894	2;U	W	30.7	24.5
1	3894	2;V	W	30.6	24.4
1	3894	2;W	W	30.7	24.5
1	3894	2;X	W	30.6	24.4
1	3894	2;Y	W	30.7	24.5
1	3894	2;Z	W	30.6	24.4
1	3894	2;AA	W	30.7	24.5
1	3894	2;AB	W	30.6	24.4
1	3894	2;AC	S	48.7	42.3
1	3894	2;AD	E	52.7	46.4
1	3894	2;AE	E	52.2	45.9
1	3894	2;AF	E	52.7	46.4
2	3894	2;A	E	54.8	48.5
2	3894	2;B	E	55.2	48.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3894	2;C	E	54.8	48.5
2	3894	2;D	E	55.2	48.9
2	3894	2;E	E	54.9	48.6
2	3894	2;F	E	55.2	48.9
2	3894	2;G	E	54.8	48.5
2	3894	2;H	E	55.2	49.0
2	3894	2;I	E	54.8	48.6
2	3894	2;J	E	55.2	49.0
2	3894	2;K	N	51.2	44.9
2	3894	2;L	W	30.9	24.7
2	3894	2;M	W	30.9	24.7
2	3894	2;N	W	30.7	24.5
2	3894	2;O	W	30.8	24.5
2	3894	2;P	W	30.7	24.5
2	3894	2;Q	W	30.8	24.5
2	3894	2;R	W	30.7	24.4
2	3894	2;S	W	30.8	24.5
2	3894	2;T	W	30.6	24.4
2	3894	2;U	W	30.7	24.5
2	3894	2;V	W	30.6	24.4
2	3894	2;W	W	30.7	24.5
2	3894	2;X	W	30.6	24.4
2	3894	2;Y	W	30.7	24.5
2	3894	2;Z	W	30.6	24.4
2	3894	2;AA	W	30.7	24.5
2	3894	2;AB	W	30.6	24.4
2	3894	2;AC	S	51.2	44.9
2	3894	2;AD	E	55.2	48.9
2	3894	2;AE	E	54.8	48.5
2	3894	2;AF	E	55.2	48.9
3	3894	2;A	E	55.5	49.2
3	3894	2;B	E	55.9	49.7
3	3894	2;C	E	55.5	49.2
3	3894	2;D	E	55.9	49.7
3	3894	2;E	E	55.6	49.4
3	3894	2;F	E	56.0	49.7
3	3894	2;G	E	55.5	49.2
3	3894	2;H	E	56.0	49.7
3	3894	2;I	E	55.5	49.2
3	3894	2;J	E	56.0	49.7
3	3894	2;K	N	52.1	45.8
3	3894	2;L	W	30.9	24.7
3	3894	2;M	W	30.9	24.6
3	3894	2;N	W	30.7	24.5
3	3894	2;O	W	30.7	24.5
3	3894	2;P	W	30.7	24.4
3	3894	2;Q	W	30.8	24.5
3	3894	2;R	W	30.7	24.4
3	3894	2;S	W	30.7	24.5
3	3894	2;T	W	30.6	24.4
3	3894	2;U	W	30.7	24.5
3	3894	2;V	W	30.6	24.4
3	3894	2;W	W	30.7	24.5
3	3894	2;X	W	30.6	24.4
3	3894	2;Y	W	30.7	24.5
3	3894	2;Z	W	30.6	24.3
3	3894	2;AA	W	30.7	24.4
3	3894	2;AB	W	30.6	24.4
3	3894	2;AC	S	52.1	45.9
3	3894	2;AD	E	55.9	49.7
3	3894	2;AE	E	55.5	49.2
3	3894	2;AF	E	55.9	49.7
4	3894	2;A	E	55.7	49.4
4	3894	2;B	E	56.2	49.9
4	3894	2;C	E	55.7	49.5
4	3894	2;D	E	56.2	50.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	3894	2;E	E	55.9	49.6
4	3894	2;F	E	56.2	50.0
4	3894	2;G	E	55.7	49.4
4	3894	2;H	E	56.3	50.0
4	3894	2;I	E	55.7	49.5
4	3894	2;J	E	56.3	50.0
4	3894	2;K	N	52.4	46.1
4	3894	2;L	W	30.9	24.6
4	3894	2;M	W	30.8	24.6
4	3894	2;N	W	30.7	24.5
4	3894	2;O	W	30.7	24.5
4	3894	2;P	W	30.6	24.4
4	3894	2;Q	W	30.7	24.5
4	3894	2;R	W	30.6	24.4
4	3894	2;S	W	30.7	24.5
4	3894	2;T	W	30.6	24.4
4	3894	2;U	W	30.7	24.4
4	3894	2;V	W	30.6	24.4
4	3894	2;W	W	30.7	24.4
4	3894	2;X	W	30.6	24.4
4	3894	2;Y	W	30.7	24.4
4	3894	2;Z	W	30.6	24.3
4	3894	2;AA	W	30.7	24.4
4	3894	2;AB	W	30.6	24.3
4	3894	2;AC	S	52.5	46.3
4	3894	2;AD	E	56.2	50.0
4	3894	2;AE	E	55.7	49.4
4	3894	2;AF	E	56.2	50.0
5	3894	2;A	E	55.7	49.5
5	3894	2;B	E	56.4	50.1
5	3894	2;C	E	55.8	49.5
5	3894	2;D	E	56.4	50.1
5	3894	2;E	E	56.0	49.7
5	3894	2;F	E	56.4	50.1
5	3894	2;G	E	55.8	49.5
5	3894	2;H	E	56.4	50.1
5	3894	2;I	E	55.8	49.5
5	3894	2;J	E	56.4	50.1
5	3894	2;K	N	52.6	46.3
5	3894	2;L	W	30.8	24.6
5	3894	2;M	W	30.8	24.6
5	3894	2;N	W	30.7	24.4
5	3894	2;O	W	30.7	24.4
5	3894	2;P	W	30.6	24.4
5	3894	2;Q	W	30.7	24.5
5	3894	2;R	W	30.6	24.4
5	3894	2;S	W	30.7	24.5
5	3894	2;T	W	30.6	24.3
5	3894	2;U	W	30.7	24.4
5	3894	2;V	W	30.6	24.3
5	3894	2;W	W	30.7	24.4
5	3894	2;X	W	30.6	24.3
5	3894	2;Y	W	30.7	24.4
5	3894	2;Z	W	30.5	24.3
5	3894	2;AA	W	30.6	24.4
5	3894	2;AB	W	30.6	24.3
5	3894	2;AC	S	52.7	46.5
5	3894	2;AD	E	56.4	50.1
5	3894	2;AE	E	55.8	49.5
5	3894	2;AF	E	56.4	50.1
6	3894	2;A	E	55.7	49.5
6	3894	2;B	E	56.4	50.2
6	3894	2;C	E	55.8	49.5
6	3894	2;D	E	56.4	50.2
6	3894	2;E	E	56.0	49.7
6	3894	2;F	E	56.4	50.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	3894	2;G	E	55.8	49.5
6	3894	2;H	E	56.4	50.2
6	3894	2;I	E	55.8	49.6
6	3894	2;J	E	56.4	50.2
6	3894	2;K	N	52.6	46.4
6	3894	2;L	W	30.8	24.6
6	3894	2;M	W	30.8	24.6
6	3894	2;N	W	30.6	24.4
6	3894	2;O	W	30.6	24.4
6	3894	2;P	W	30.6	24.3
6	3894	2;Q	W	30.7	24.4
6	3894	2;R	W	30.6	24.3
6	3894	2;S	W	30.7	24.4
6	3894	2;T	W	30.5	24.3
6	3894	2;U	W	30.6	24.4
6	3894	2;V	W	30.5	24.3
6	3894	2;W	W	30.6	24.4
6	3894	2;X	W	30.5	24.3
6	3894	2;Y	W	30.6	24.4
6	3894	2;Z	W	30.5	24.2
6	3894	2;AA	W	30.6	24.3
6	3894	2;AB	W	30.5	24.3
6	3894	2;AC	S	52.9	46.6
6	3894	2;AD	E	56.4	50.2
6	3894	2;AE	E	55.8	49.5
6	3894	2;AF	E	56.4	50.2
7	3894	2;A	E	55.7	49.4
7	3894	2;B	E	56.4	50.2
7	3894	2;C	E	55.8	49.5
7	3894	2;D	E	56.4	50.2
7	3894	2;E	E	56.0	49.7
7	3894	2;F	E	56.5	50.2
7	3894	2;G	E	55.7	49.5
7	3894	2;H	E	56.5	50.2
7	3894	2;I	E	55.8	49.5
7	3894	2;J	E	56.5	50.2
7	3894	2;K	N	52.7	46.4
7	3894	2;L	W	30.7	24.5
7	3894	2;M	W	30.7	24.5
7	3894	2;N	W	30.6	24.3
7	3894	2;O	W	30.6	24.4
7	3894	2;P	W	30.5	24.3
7	3894	2;Q	W	30.6	24.4
7	3894	2;R	W	30.5	24.3
7	3894	2;S	W	30.6	24.4
7	3894	2;T	W	30.5	24.2
7	3894	2;U	W	30.6	24.3
7	3894	2;V	W	30.5	24.2
7	3894	2;W	W	30.6	24.3
7	3894	2;X	W	30.5	24.2
7	3894	2;Y	W	30.6	24.3
7	3894	2;Z	W	30.5	24.2
7	3894	2;AA	W	30.6	24.3
7	3894	2;AB	W	30.5	24.2
7	3894	2;AC	S	52.9	46.7
7	3894	2;AD	E	56.4	50.2
7	3894	2;AE	E	55.7	49.5
7	3894	2;AF	E	56.5	50.2
8	3894	2;A	E	55.6	49.4
8	3894	2;B	E	56.4	50.2
8	3894	2;C	E	55.7	49.5
8	3894	2;D	E	56.4	50.2
8	3894	2;E	E	55.9	49.6
8	3894	2;F	E	56.4	50.2
8	3894	2;G	E	55.7	49.4
8	3894	2;H	E	56.4	50.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
8	3894	2;I	E	55.7	49.5
8	3894	2;J	E	56.4	50.2
8	3894	2;K	N	52.7	46.4
8	3894	2;L	W	30.7	24.5
8	3894	2;M	W	30.7	24.5
8	3894	2;N	W	30.5	24.3
8	3894	2;O	W	30.5	24.3
8	3894	2;P	W	30.5	24.2
8	3894	2;Q	W	30.6	24.3
8	3894	2;R	W	30.5	24.2
8	3894	2;S	W	30.5	24.3
8	3894	2;T	W	30.4	24.2
8	3894	2;U	W	30.5	24.3
8	3894	2;V	W	30.4	24.2
8	3894	2;W	W	30.5	24.3
8	3894	2;X	W	30.4	24.2
8	3894	2;Y	W	30.5	24.3
8	3894	2;Z	W	30.4	24.1
8	3894	2;AA	W	30.5	24.3
8	3894	2;AB	W	30.4	24.2
8	3894	2;AC	S	53.0	46.7
8	3894	2;AD	E	56.4	50.2
8	3894	2;AE	E	55.7	49.4
8	3894	2;AF	E	56.4	50.2
9	3894	2;A	E	55.6	49.3
9	3894	2;B	E	56.4	50.1
9	3894	2;C	E	55.7	49.4
9	3894	2;D	E	56.4	50.1
9	3894	2;E	E	55.8	49.6
9	3894	2;F	E	56.4	50.2
9	3894	2;G	E	55.6	49.3
9	3894	2;H	E	56.4	50.2
9	3894	2;I	E	55.7	49.4
9	3894	2;J	E	56.4	50.2
9	3894	2;K	N	52.7	46.4
9	3894	2;L	W	30.6	24.4
9	3894	2;M	W	30.6	24.4
9	3894	2;N	W	30.5	24.2
9	3894	2;O	W	30.5	24.3
9	3894	2;P	W	30.4	24.2
9	3894	2;Q	W	30.5	24.3
9	3894	2;R	W	30.4	24.2
9	3894	2;S	W	30.5	24.3
9	3894	2;T	W	30.4	24.1
9	3894	2;U	W	30.5	24.2
9	3894	2;V	W	30.4	24.1
9	3894	2;W	W	30.5	24.2
9	3894	2;X	W	30.4	24.1
9	3894	2;Y	W	30.5	24.2
9	3894	2;Z	W	30.3	24.1
9	3894	2;AA	W	30.5	24.2
9	3894	2;AB	W	30.4	24.2
9	3894	2;AC	S	53.0	46.7
9	3894	2;AD	E	56.4	50.1
9	3894	2;AE	E	55.6	49.3
9	3894	2;AF	E	56.4	50.1
10	3894	2;A	E	55.5	49.2
10	3894	2;B	E	56.3	50.1
10	3894	2;C	E	55.6	49.3
10	3894	2;D	E	56.3	50.1
10	3894	2;E	E	55.8	49.5
10	3894	2;F	E	56.3	50.1
10	3894	2;G	E	55.5	49.3
10	3894	2;H	E	56.3	50.1
10	3894	2;I	E	55.6	49.3
10	3894	2;J	E	56.3	50.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
10	3894	2;K	N	52.6	46.4
10	3894	2;L	W	30.6	24.4
10	3894	2;M	W	30.6	24.4
10	3894	2;N	W	30.4	24.2
10	3894	2;O	W	30.4	24.2
10	3894	2;P	W	30.4	24.1
10	3894	2;Q	W	30.4	24.2
10	3894	2;R	W	30.4	24.1
10	3894	2;S	W	30.4	24.2
10	3894	2;T	W	30.3	24.1
10	3894	2;U	W	30.4	24.2
10	3894	2;V	W	30.3	24.1
10	3894	2;W	W	30.4	24.1
10	3894	2;X	W	30.3	24.1
10	3894	2;Y	W	30.4	24.1
10	3894	2;Z	W	30.3	24.0
10	3894	2;AA	W	30.4	24.2
10	3894	2;AB	W	30.4	24.1
10	3894	2;AC	S	53.0	46.7
10	3894	2;AD	E	56.3	50.1
10	3894	2;AE	E	55.5	49.2
10	3894	2;AF	E	56.3	50.1
11	3894	2;A	E	55.4	49.1
11	3894	2;B	E	56.3	50.0
11	3894	2;C	E	55.5	49.2
11	3894	2;D	E	56.3	50.0
11	3894	2;E	E	55.7	49.4
11	3894	2;F	E	56.3	50.0
11	3894	2;G	E	55.4	49.2
11	3894	2;H	E	56.3	50.0
11	3894	2;I	E	55.5	49.2
11	3894	2;J	E	56.3	50.0
11	3894	2;K	N	52.6	46.3
11	3894	2;L	W	30.7	24.5
11	3894	2;M	W	30.6	24.4
11	3894	2;N	W	30.4	24.2
11	3894	2;O	W	30.4	24.2
11	3894	2;P	W	30.4	24.1
11	3894	2;Q	W	30.5	24.2
11	3894	2;R	W	30.4	24.1
11	3894	2;S	W	30.5	24.2
11	3894	2;T	W	30.3	24.1
11	3894	2;U	W	30.4	24.2
11	3894	2;V	W	30.3	24.1
11	3894	2;W	W	30.4	24.2
11	3894	2;X	W	30.3	24.1
11	3894	2;Y	W	30.4	24.2
11	3894	2;Z	W	30.3	24.1
11	3894	2;AA	W	30.5	24.2
11	3894	2;AB	W	30.5	24.3
11	3894	2;AC	S	52.9	46.7
11	3894	2;AD	E	56.3	50.0
11	3894	2;AE	E	55.4	49.1
11	3894	2;AF	E	56.3	50.0
12	3894	2;A	E	55.3	49.0
12	3894	2;B	E	56.2	49.9
12	3894	2;C	E	55.4	49.1
12	3894	2;D	E	56.2	49.9
12	3894	2;E	E	55.6	49.3
12	3894	2;F	E	56.2	49.9
12	3894	2;G	E	55.3	49.1
12	3894	2;H	E	56.2	50.0
12	3894	2;I	E	55.4	49.1
12	3894	2;J	E	56.2	50.0
12	3894	2;K	N	52.5	46.2
12	3894	2;L	W	31.2	25.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
12	3894	2;M	W	31.1	24.8
12	3894	2;N	W	30.8	24.6
12	3894	2;O	W	30.8	24.6
12	3894	2;P	W	30.7	24.5
12	3894	2;Q	W	30.8	24.6
12	3894	2;R	W	30.7	24.5
12	3894	2;S	W	30.8	24.6
12	3894	2;T	W	30.7	24.4
12	3894	2;U	W	30.8	24.5
12	3894	2;V	W	30.7	24.4
12	3894	2;W	W	30.8	24.5
12	3894	2;X	W	30.7	24.4
12	3894	2;Y	W	30.8	24.5
12	3894	2;Z	W	30.7	24.5
12	3894	2;AA	W	31.1	24.8
12	3894	2;AB	W	31.4	25.2
12	3894	2;AC	S	52.9	46.6
12	3894	2;AD	E	56.2	49.9
12	3894	2;AE	E	55.3	49.0
12	3894	2;AF	E	56.2	49.9
1	3895	22;A	N	43.4	37.2
1	3895	22;B	N	41.5	35.3
1	3895	22;C	W	27.8	21.7
1	3895	22;D	S	28.7	22.6
1	3895	22;E	W	29.4	23.3
1	3895	22;F	S	30.1	24.0
1	3895	22;G	N	31.5	25.3
1	3895	22;H	W	30.6	24.4
1	3895	22;I	W	30.7	24.6
1	3895	22;J	W	30.6	24.5
1	3895	22;K	W	30.7	24.5
1	3895	22;L	W	30.7	24.5
1	3895	22;M	W	30.9	24.7
1	3895	22;N	W	31.0	24.8
1	3895	22;O	S	48.3	41.9
1	3895	22;P	E	52.8	46.4
1	3895	22;Q	E	52.3	46.0
1	3895	22;R	E	52.8	46.5
1	3895	22;S	E	52.2	45.9
1	3895	22;T	E	52.7	46.4
1	3895	22;U	E	52.2	45.9
1	3895	22;V	E	52.5	46.2
1	3895	22;W	E	52.9	46.6
1	3895	22;X	E	52.5	46.2
1	3895	22;Y	N	48.7	42.6
1	3895	22;Z	N	46.8	40.6
1	3895	22;AA	E	47.1	40.9
2	3895	22;A	N	45.9	39.9
2	3895	22;B	N	43.9	37.9
2	3895	22;C	W	27.8	21.7
2	3895	22;D	S	28.7	22.6
2	3895	22;E	W	29.5	23.3
2	3895	22;F	S	30.2	24.0
2	3895	22;G	N	31.5	25.3
2	3895	22;H	W	30.6	24.4
2	3895	22;I	W	30.7	24.6
2	3895	22;J	W	30.6	24.5
2	3895	22;K	W	30.7	24.5
2	3895	22;L	W	30.7	24.5
2	3895	22;M	W	30.9	24.7
2	3895	22;N	W	31.0	24.8
2	3895	22;O	S	51.0	44.7
2	3895	22;P	E	55.2	49.0
2	3895	22;Q	E	54.9	48.6
2	3895	22;R	E	55.2	49.0
2	3895	22;S	E	54.7	48.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3895	22;T	E	55.2	48.9
2	3895	22;U	E	54.7	48.4
2	3895	22;V	E	55.0	48.8
2	3895	22;W	E	55.3	49.1
2	3895	22;X	E	55.0	48.8
2	3895	22;Y	N	51.2	45.1
2	3895	22;Z	N	49.5	43.4
2	3895	22;AA	E	49.8	43.7
3	3895	22;A	N	47.1	41.2
3	3895	22;B	N	45.3	39.3
3	3895	22;C	W	27.8	21.7
3	3895	22;D	S	28.7	22.6
3	3895	22;E	W	29.4	23.3
3	3895	22;F	S	30.1	24.0
3	3895	22;G	N	31.5	25.3
3	3895	22;H	W	30.6	24.4
3	3895	22;I	W	30.7	24.5
3	3895	22;J	W	30.6	24.5
3	3895	22;K	W	30.7	24.5
3	3895	22;L	W	30.6	24.5
3	3895	22;M	W	30.9	24.7
3	3895	22;N	W	31.0	24.8
3	3895	22;O	S	51.8	45.6
3	3895	22;P	E	56.0	49.7
3	3895	22;Q	E	55.6	49.3
3	3895	22;R	E	56.0	49.7
3	3895	22;S	E	55.4	49.2
3	3895	22;T	E	55.9	49.7
3	3895	22;U	E	55.4	49.1
3	3895	22;V	E	55.7	49.5
3	3895	22;W	E	56.0	49.8
3	3895	22;X	E	55.7	49.5
3	3895	22;Y	N	52.0	46.0
3	3895	22;Z	N	50.7	44.7
3	3895	22;AA	E	51.0	45.1
4	3895	22;A	N	48.0	42.0
4	3895	22;B	N	46.1	40.1
4	3895	22;C	W	27.8	21.7
4	3895	22;D	S	28.7	22.6
4	3895	22;E	W	29.4	23.3
4	3895	22;F	S	30.1	24.0
4	3895	22;G	N	31.4	25.3
4	3895	22;H	W	30.6	24.4
4	3895	22;I	W	30.7	24.5
4	3895	22;J	W	30.6	24.4
4	3895	22;K	W	30.7	24.5
4	3895	22;L	W	30.6	24.4
4	3895	22;M	W	30.8	24.6
4	3895	22;N	W	30.9	24.7
4	3895	22;O	S	52.2	45.9
4	3895	22;P	E	56.2	50.0
4	3895	22;Q	E	55.8	49.5
4	3895	22;R	E	56.2	50.0
4	3895	22;S	E	55.6	49.4
4	3895	22;T	E	56.2	50.0
4	3895	22;U	E	55.6	49.4
4	3895	22;V	E	56.0	49.7
4	3895	22;W	E	56.3	50.1
4	3895	22;X	E	56.0	49.8
4	3895	22;Y	N	52.3	46.3
4	3895	22;Z	N	51.2	45.2
4	3895	22;AA	E	51.7	45.8
5	3895	22;A	N	48.3	42.4
5	3895	22;B	N	46.7	40.7
5	3895	22;C	W	27.7	21.7
5	3895	22;D	S	28.7	22.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	3895	22;E	W	29.4	23.3
5	3895	22;F	S	30.1	24.0
5	3895	22;G	N	31.4	25.3
5	3895	22;H	W	30.5	24.4
5	3895	22;I	W	30.6	24.5
5	3895	22;J	W	30.6	24.4
5	3895	22;K	W	30.6	24.4
5	3895	22;L	W	30.6	24.4
5	3895	22;M	W	30.8	24.6
5	3895	22;N	W	30.9	24.7
5	3895	22;O	S	52.3	46.0
5	3895	22;P	E	56.4	50.1
5	3895	22;Q	E	55.9	49.6
5	3895	22;R	E	56.4	50.1
5	3895	22;S	E	55.7	49.5
5	3895	22;T	E	56.3	50.1
5	3895	22;U	E	55.7	49.4
5	3895	22;V	E	56.1	49.9
5	3895	22;W	E	56.4	50.2
5	3895	22;X	E	56.1	49.9
5	3895	22;Y	N	52.4	46.5
5	3895	22;Z	N	51.4	45.5
5	3895	22;AA	E	52.0	46.0
6	3895	22;A	N	48.5	42.6
6	3895	22;B	N	46.9	40.9
6	3895	22;C	W	27.7	21.7
6	3895	22;D	S	28.7	22.6
6	3895	22;E	W	29.4	23.3
6	3895	22;F	S	30.1	24.0
6	3895	22;G	N	31.4	25.2
6	3895	22;H	W	30.5	24.3
6	3895	22;I	W	30.6	24.4
6	3895	22;J	W	30.5	24.4
6	3895	22;K	W	30.6	24.4
6	3895	22;L	W	30.6	24.4
6	3895	22;M	W	30.8	24.6
6	3895	22;N	W	30.9	24.7
6	3895	22;O	S	52.4	46.1
6	3895	22;P	E	56.4	50.2
6	3895	22;Q	E	55.9	49.6
6	3895	22;R	E	56.4	50.2
6	3895	22;S	E	55.7	49.5
6	3895	22;T	E	56.4	50.2
6	3895	22;U	E	55.7	49.5
6	3895	22;V	E	56.1	49.9
6	3895	22;W	E	56.4	50.3
6	3895	22;X	E	56.1	50.0
6	3895	22;Y	N	52.5	46.5
6	3895	22;Z	N	51.5	45.6
6	3895	22;AA	E	52.1	46.2
7	3895	22;A	N	48.6	42.6
7	3895	22;B	N	47.0	41.0
7	3895	22;C	W	27.7	21.6
7	3895	22;D	S	28.8	22.7
7	3895	22;E	W	29.4	23.2
7	3895	22;F	S	30.0	23.9
7	3895	22;G	N	31.3	25.2
7	3895	22;H	W	30.4	24.3
7	3895	22;I	W	30.6	24.4
7	3895	22;J	W	30.5	24.3
7	3895	22;K	W	30.5	24.4
7	3895	22;L	W	30.5	24.3
7	3895	22;M	W	30.7	24.5
7	3895	22;N	W	30.8	24.6
7	3895	22;O	S	52.4	46.1
7	3895	22;P	E	56.5	50.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
7	3895	22;Q	E	55.8	49.6
7	3895	22;R	E	56.4	50.2
7	3895	22;S	E	55.7	49.5
7	3895	22;T	E	56.4	50.2
7	3895	22;U	E	55.7	49.4
7	3895	22;V	E	56.1	49.9
7	3895	22;W	E	56.4	50.3
7	3895	22;X	E	56.1	50.0
7	3895	22;Y	N	52.4	46.5
7	3895	22;Z	N	51.6	45.6
7	3895	22;AA	E	52.2	46.3
8	3895	22;A	N	48.6	42.7
8	3895	22;B	N	47.0	41.1
8	3895	22;C	W	27.7	21.6
8	3895	22;D	S	28.8	22.7
8	3895	22;E	W	29.3	23.2
8	3895	22;F	S	30.0	23.9
8	3895	22;G	N	31.3	25.1
8	3895	22;H	W	30.4	24.2
8	3895	22;I	W	30.5	24.3
8	3895	22;J	W	30.4	24.3
8	3895	22;K	W	30.5	24.3
8	3895	22;L	W	30.5	24.3
8	3895	22;M	W	30.7	24.5
8	3895	22;N	W	30.8	24.6
8	3895	22;O	S	52.3	46.1
8	3895	22;P	E	56.4	50.2
8	3895	22;Q	E	55.8	49.5
8	3895	22;R	E	56.4	50.2
8	3895	22;S	E	55.7	49.4
8	3895	22;T	E	56.4	50.2
8	3895	22;U	E	55.6	49.4
8	3895	22;V	E	56.1	49.9
8	3895	22;W	E	56.4	50.3
8	3895	22;X	E	56.1	50.0
8	3895	22;Y	N	52.4	46.5
8	3895	22;Z	N	51.6	45.6
8	3895	22;AA	E	52.2	46.3
9	3895	22;A	N	48.6	42.7
9	3895	22;B	N	47.0	41.1
9	3895	22;C	W	27.7	21.6
9	3895	22;D	S	28.9	22.8
9	3895	22;E	W	29.3	23.2
9	3895	22;F	S	30.0	23.9
9	3895	22;G	N	31.2	25.1
9	3895	22;H	W	30.3	24.2
9	3895	22;I	W	30.4	24.3
9	3895	22;J	W	30.4	24.2
9	3895	22;K	W	30.4	24.3
9	3895	22;L	W	30.4	24.2
9	3895	22;M	W	30.6	24.4
9	3895	22;N	W	30.7	24.5
9	3895	22;O	S	52.3	46.1
9	3895	22;P	E	56.4	50.2
9	3895	22;Q	E	55.7	49.5
9	3895	22;R	E	56.4	50.2
9	3895	22;S	E	55.6	49.4
9	3895	22;T	E	56.3	50.1
9	3895	22;U	E	55.5	49.3
9	3895	22;V	E	56.1	49.9
9	3895	22;W	E	56.4	50.2
9	3895	22;X	E	56.1	49.9
9	3895	22;Y	N	52.4	46.5
9	3895	22;Z	N	51.6	45.6
9	3895	22;AA	E	52.2	46.3
10	3895	22;A	N	48.6	42.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
10	3895	22;B	N	47.1	41.1
10	3895	22;C	W	27.7	21.6
10	3895	22;D	S	29.1	23.0
10	3895	22;E	W	29.3	23.2
10	3895	22;F	S	30.1	24.0
10	3895	22;G	N	31.2	25.1
10	3895	22;H	W	30.3	24.1
10	3895	22;I	W	30.4	24.2
10	3895	22;J	W	30.3	24.2
10	3895	22;K	W	30.4	24.2
10	3895	22;L	W	30.3	24.2
10	3895	22;M	W	30.6	24.4
10	3895	22;N	W	30.7	24.5
10	3895	22;O	S	52.2	46.0
10	3895	22;P	E	56.3	50.1
10	3895	22;Q	E	55.6	49.4
10	3895	22;R	E	56.3	50.1
10	3895	22;S	E	55.5	49.3
10	3895	22;T	E	56.3	50.1
10	3895	22;U	E	55.4	49.2
10	3895	22;V	E	56.0	49.8
10	3895	22;W	E	56.3	50.2
10	3895	22;X	E	56.0	49.9
10	3895	22;Y	N	52.3	46.4
10	3895	22;Z	N	51.6	45.6
10	3895	22;AA	E	52.2	46.3
11	3895	22;A	N	48.6	42.7
11	3895	22;B	N	47.1	41.2
11	3895	22;C	W	27.7	21.6
11	3895	22;D	S	29.4	23.3
11	3895	22;E	W	29.3	23.2
11	3895	22;F	S	30.5	24.3
11	3895	22;G	N	31.4	25.2
11	3895	22;H	W	30.3	24.2
11	3895	22;I	W	30.4	24.3
11	3895	22;J	W	30.3	24.2
11	3895	22;K	W	30.4	24.2
11	3895	22;L	W	30.4	24.2
11	3895	22;M	W	30.6	24.4
11	3895	22;N	W	30.8	24.6
11	3895	22;O	S	52.2	45.9
11	3895	22;P	E	56.3	50.0
11	3895	22;Q	E	55.5	49.3
11	3895	22;R	E	56.2	50.0
11	3895	22;S	E	55.4	49.2
11	3895	22;T	E	56.2	50.0
11	3895	22;U	E	55.3	49.1
11	3895	22;V	E	55.9	49.7
11	3895	22;W	E	56.2	50.1
11	3895	22;X	E	55.9	49.8
11	3895	22;Y	N	52.3	46.4
11	3895	22;Z	N	51.5	45.6
11	3895	22;AA	E	52.2	46.3
12	3895	22;A	N	48.6	42.6
12	3895	22;B	N	47.1	41.2
12	3895	22;C	W	28.2	22.1
12	3895	22;D	S	30.1	24.0
12	3895	22;E	W	29.7	23.6
12	3895	22;F	S	31.5	25.3
12	3895	22;G	N	32.5	26.4
12	3895	22;H	W	30.7	24.6
12	3895	22;I	W	30.8	24.7
12	3895	22;J	W	30.7	24.6
12	3895	22;K	W	30.8	24.6
12	3895	22;L	W	30.7	24.6
12	3895	22;M	W	31.1	24.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
12	3895	22;N	W	31.5	25.3
12	3895	22;O	S	52.1	45.9
12	3895	22;P	E	56.2	50.0
12	3895	22;Q	E	55.4	49.2
12	3895	22;R	E	56.2	50.0
12	3895	22;S	E	55.3	49.1
12	3895	22;T	E	56.1	49.9
12	3895	22;U	E	55.2	49.0
12	3895	22;V	E	55.8	49.6
12	3895	22;W	E	56.1	50.0
12	3895	22;X	E	55.8	49.7
12	3895	22;Y	N	52.2	46.3
12	3895	22;Z	N	51.5	45.6
12	3895	22;AA	E	52.2	46.3
1	3896	28;A	E	53.1	46.8
1	3896	28;B	E	53.4	47.0
1	3896	28;C	E	53.3	46.9
1	3896	28;D	E	53.4	47.0
1	3896	28;E	E	53.3	46.9
1	3896	28;F	E	53.4	47.0
1	3896	28;G	E	53.4	47.1
1	3896	28;H	N	49.3	43.0
1	3896	28;I	W	33.9	27.6
1	3896	28;J	W	34.0	27.7
1	3896	28;K	W	35.8	29.5
1	3896	28;L	W	37.3	31.0
1	3896	28;M	W	38.2	31.8
1	3896	28;N	W	38.2	31.8
1	3896	28;O	W	38.0	31.7
1	3896	28;P	W	37.9	31.6
1	3896	28;Q	W	37.1	30.8
1	3896	28;R	W	36.8	30.5
1	3896	28;S	W	37.2	30.8
1	3896	28;T	W	37.2	30.8
1	3896	28;U	W	36.6	30.2
1	3896	28;V	W	36.8	30.4
1	3896	28;W	S	49.0	42.6
2	3896	28;A	E	56.1	49.8
2	3896	28;B	E	56.4	50.0
2	3896	28;C	E	56.3	50.0
2	3896	28;D	E	56.4	50.0
2	3896	28;E	E	56.3	50.0
2	3896	28;F	E	56.4	50.1
2	3896	28;G	E	56.4	50.1
2	3896	28;H	N	52.3	46.0
2	3896	28;I	W	34.4	28.1
2	3896	28;J	W	34.6	28.3
2	3896	28;K	W	36.5	30.2
2	3896	28;L	W	38.4	32.0
2	3896	28;M	W	39.4	33.1
2	3896	28;N	W	39.4	33.1
2	3896	28;O	W	39.4	33.1
2	3896	28;P	W	39.6	33.2
2	3896	28;Q	W	39.1	32.7
2	3896	28;R	W	39.0	32.7
2	3896	28;S	W	39.7	33.3
2	3896	28;T	W	39.6	33.3
2	3896	28;U	W	39.6	33.2
2	3896	28;V	W	39.4	33.0
2	3896	28;W	S	51.9	45.6
3	3896	28;A	E	57.2	50.9
3	3896	28;B	E	57.4	51.1
3	3896	28;C	E	57.3	51.0
3	3896	28;D	E	57.4	51.1
3	3896	28;E	E	57.4	51.0
3	3896	28;F	E	57.4	51.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	3896	28;G	E	57.5	51.1
3	3896	28;H	N	53.5	47.2
3	3896	28;I	W	35.2	28.8
3	3896	28;J	W	35.6	29.3
3	3896	28;K	W	37.8	31.5
3	3896	28;L	W	39.9	33.6
3	3896	28;M	W	41.3	35.0
3	3896	28;N	W	41.7	35.4
3	3896	28;O	W	42.0	35.6
3	3896	28;P	W	41.9	35.6
3	3896	28;Q	W	41.3	35.0
3	3896	28;R	W	41.2	34.9
3	3896	28;S	W	41.8	35.4
3	3896	28;T	W	41.7	35.4
3	3896	28;U	W	42.2	35.8
3	3896	28;V	W	41.7	35.4
3	3896	28;W	S	53.3	47.0
4	3896	28;A	E	57.6	51.3
4	3896	28;B	E	57.8	51.5
4	3896	28;C	E	57.7	51.4
4	3896	28;D	E	57.8	51.5
4	3896	28;E	E	57.8	51.4
4	3896	28;F	E	57.8	51.5
4	3896	28;G	E	57.8	51.5
4	3896	28;H	N	54.0	47.7
4	3896	28;I	W	36.0	29.7
4	3896	28;J	W	36.4	30.1
4	3896	28;K	W	39.1	32.8
4	3896	28;L	W	41.1	34.8
4	3896	28;M	W	42.7	36.4
4	3896	28;N	W	43.1	36.8
4	3896	28;O	W	43.4	37.1
4	3896	28;P	W	43.0	36.7
4	3896	28;Q	W	42.3	36.0
4	3896	28;R	W	42.5	36.2
4	3896	28;S	W	42.6	36.3
4	3896	28;T	W	42.3	36.0
4	3896	28;U	W	42.6	36.3
4	3896	28;V	W	42.0	35.6
4	3896	28;W	S	53.8	47.5
5	3896	28;A	E	57.9	51.5
5	3896	28;B	E	58.0	51.7
5	3896	28;C	E	58.0	51.6
5	3896	28;D	E	58.0	51.7
5	3896	28;E	E	57.9	51.6
5	3896	28;F	E	58.0	51.7
5	3896	28;G	E	58.0	51.7
5	3896	28;H	N	54.2	47.9
5	3896	28;I	W	37.4	31.0
5	3896	28;J	W	37.5	31.2
5	3896	28;K	W	40.4	34.1
5	3896	28;L	W	42.2	35.9
5	3896	28;M	W	43.8	37.4
5	3896	28;N	W	44.0	37.7
5	3896	28;O	W	44.4	38.0
5	3896	28;P	W	43.9	37.6
5	3896	28;Q	W	43.2	36.9
5	3896	28;R	W	43.4	37.1
5	3896	28;S	W	43.5	37.2
5	3896	28;T	W	43.2	36.9
5	3896	28;U	W	43.5	37.1
5	3896	28;V	W	42.8	36.5
5	3896	28;W	S	54.1	47.8
1	3897	41;A	NW	37.4	30.9
1	3897	41;B	NE	36.8	30.3
1	3897	41;C	NW	37.8	31.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3897	41;D	SW	35.6	29.1
1	3897	41;E	SW	38.7	32.2
1	3897	41;F	SE	45.6	39.0
1	3897	41;G	SE	47.1	40.6
1	3897	41;H	NE	45.7	39.2
2	3897	41;A	NW	37.5	31.0
2	3897	41;B	NE	37.0	30.4
2	3897	41;C	NW	39.0	32.5
2	3897	41;D	SW	35.7	29.1
2	3897	41;E	SW	40.8	34.3
2	3897	41;F	SE	48.7	42.2
2	3897	41;G	SE	50.5	44.0
2	3897	41;H	NE	49.2	42.7
3	3897	41;A	NW	37.7	31.1
3	3897	41;B	NE	37.2	30.7
3	3897	41;C	NW	40.0	33.5
3	3897	41;D	SW	35.2	28.7
3	3897	41;E	SW	41.9	35.4
3	3897	41;F	SE	50.2	43.7
3	3897	41;G	SE	51.8	45.3
3	3897	41;H	NE	50.5	44.0
4	3897	41;A	NW	38.0	31.5
4	3897	41;B	NE	37.7	31.2
4	3897	41;C	NW	40.7	34.1
4	3897	41;D	SW	35.2	28.7
4	3897	41;E	SW	42.7	36.2
4	3897	41;F	SE	50.8	44.3
4	3897	41;G	SE	52.2	45.7
4	3897	41;H	NE	51.0	44.5
5	3897	41;A	NW	38.6	32.1
5	3897	41;B	NE	38.6	32.1
5	3897	41;C	NW	41.3	34.8
5	3897	41;D	SW	34.5	27.9
5	3897	41;E	SW	43.3	36.7
5	3897	41;F	SE	51.0	44.5
5	3897	41;G	SE	52.4	45.9
5	3897	41;H	NE	51.2	44.7
6	3897	41;A	NW	39.9	33.4
6	3897	41;B	NE	40.6	34.1
6	3897	41;C	NW	38.7	32.2
6	3897	41;D	SW	34.9	28.4
6	3897	41;E	SW	34.9	28.3
6	3897	41;F	SE	50.5	44.0
6	3897	41;G	SE	52.4	45.9
6	3897	41;H	NE	51.4	44.9
1	3898	35;A	SE	48.5	42.0
1	3898	35;B	SE	50.0	43.5
1	3898	35;C	NE	46.8	40.2
1	3898	35;D	NW	39.1	32.6
1	3898	35;E	NE	40.9	34.4
1	3898	35;F	NW	41.4	34.9
1	3898	35;G	SW	34.1	27.6
1	3898	35;H	NW	35.5	29.0
1	3898	35;I	SW	33.7	27.2
2	3898	35;A	SE	52.0	45.4
2	3898	35;B	SE	53.4	46.8
2	3898	35;C	NE	50.7	44.1
2	3898	35;D	NW	44.7	38.2
2	3898	35;E	NE	46.2	39.7
2	3898	35;F	NW	46.4	39.9
2	3898	35;G	SW	34.1	27.6
2	3898	35;H	NW	36.9	30.5
2	3898	35;I	SW	33.7	27.2
3	3898	35;A	SE	53.5	46.9
3	3898	35;B	SE	54.7	48.2
3	3898	35;C	NE	55.1	48.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	3898	35;D	NW	51.2	44.7
3	3898	35;E	NE	51.6	45.1
3	3898	35;F	NW	50.0	43.5
3	3898	35;G	SW	34.1	27.6
3	3898	35;H	NW	39.0	32.6
3	3898	35;I	SW	33.7	27.2
4	3898	35;A	SE	54.3	47.8
4	3898	35;B	SE	55.5	49.0
4	3898	35;C	NE	57.7	51.1
4	3898	35;D	NW	55.3	48.8
4	3898	35;E	NE	55.6	49.1
4	3898	35;F	NW	53.2	46.7
4	3898	35;G	SW	34.1	27.6
4	3898	35;H	NW	41.8	35.5
4	3898	35;I	SW	33.7	27.2
5	3898	35;A	SE	54.8	48.3
5	3898	35;B	SE	55.9	49.4
5	3898	35;C	NE	58.8	52.2
5	3898	35;D	NW	56.8	50.3
5	3898	35;E	NE	57.2	50.7
5	3898	35;F	NW	54.4	47.9
5	3898	35;G	SW	34.1	27.5
5	3898	35;H	NW	42.9	36.6
5	3898	35;I	SW	33.7	27.2
6	3898	35;A	SE	54.9	48.4
6	3898	35;B	SE	56.0	49.5
6	3898	35;C	NE	59.1	52.6
6	3898	35;D	NW	57.8	51.3
6	3898	35;E	NE	58.1	51.6
6	3898	35;F	NW	55.4	48.9
6	3898	35;G	SW	34.0	27.5
6	3898	35;H	NW	43.5	37.2
6	3898	35;I	SW	33.7	27.1
7	3898	35;A	SE	55.2	48.6
7	3898	35;B	SE	56.3	49.8
7	3898	35;C	NE	59.3	52.8
7	3898	35;D	NW	58.0	51.5
7	3898	35;E	NE	58.3	51.8
7	3898	35;F	NW	55.7	49.2
7	3898	35;G	SW	34.0	27.5
7	3898	35;H	NW	44.0	37.7
7	3898	35;I	SW	33.6	27.1
8	3898	35;A	SE	55.6	49.1
8	3898	35;B	SE	56.5	49.9
8	3898	35;C	NE	59.4	52.9
8	3898	35;D	NW	58.0	51.5
8	3898	35;E	NE	58.4	51.9
8	3898	35;F	NW	55.8	49.3
8	3898	35;G	SW	34.0	27.5
8	3898	35;H	NW	44.4	38.1
8	3898	35;I	SW	33.6	27.1
9	3898	35;A	SE	55.7	49.2
9	3898	35;B	SE	56.5	50.0
9	3898	35;C	NE	59.4	52.9
9	3898	35;D	NW	58.0	51.5
9	3898	35;E	NE	58.4	51.9
9	3898	35;F	NW	55.8	49.3
9	3898	35;G	SW	34.0	27.4
9	3898	35;H	NW	44.7	38.4
9	3898	35;I	SW	33.6	27.1
10	3898	35;A	SE	55.7	49.2
10	3898	35;B	SE	56.5	50.0
10	3898	35;C	NE	59.4	52.9
10	3898	35;D	NW	58.0	51.5
10	3898	35;E	NE	58.4	51.9
10	3898	35;F	NW	55.8	49.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
10	3898	35;G	SW	33.9	27.4
10	3898	35;H	NW	45.0	38.7
10	3898	35;I	SW	33.6	27.1
11	3898	35;A	SE	55.7	49.2
11	3898	35;B	SE	56.5	50.0
11	3898	35;C	NE	59.4	52.9
11	3898	35;D	NW	58.0	51.5
11	3898	35;E	NE	58.4	51.9
11	3898	35;F	NW	55.8	49.3
11	3898	35;G	SW	34.0	27.5
11	3898	35;H	NW	45.2	38.9
11	3898	35;I	SW	33.6	27.1
12	3898	35;A	SE	55.7	49.2
12	3898	35;B	SE	56.5	50.0
12	3898	35;C	NE	59.4	52.9
12	3898	35;D	NW	58.0	51.5
12	3898	35;E	NE	58.4	51.9
12	3898	35;F	NW	55.8	49.3
12	3898	35;G	SW	34.2	27.7
12	3898	35;H	NW	45.4	39.1
12	3898	35;I	SW	33.8	27.3
13	3898	35;A	SE	55.7	49.2
13	3898	35;B	SE	56.5	50.0
13	3898	35;C	NE	59.3	52.8
13	3898	35;D	NW	57.9	51.4
13	3898	35;E	NE	58.4	51.9
13	3898	35;F	NW	55.8	49.3
13	3898	35;G	SW	35.4	28.9
13	3898	35;H	NW	45.7	39.4
13	3898	35;I	SW	34.7	28.2
1	3899	23;A	N	43.5	37.1
1	3899	23;B	W	47.2	40.8
1	3899	23;C	W	48.6	42.2
1	3899	23;D	W	47.9	41.4
1	3899	23;E	W	48.8	42.4
1	3899	23;F	W	47.8	41.4
1	3899	23;G	W	48.7	42.3
1	3899	23;H	W	47.9	41.5
1	3899	23;I	W	48.9	42.5
1	3899	23;J	W	48.3	41.9
1	3899	23;K	S	46.5	40.1
1	3899	23;L	E	30.5	24.2
2	3899	23;A	N	46.8	40.5
2	3899	23;B	W	50.2	43.8
2	3899	23;C	W	51.3	45.0
2	3899	23;D	W	50.6	44.2
2	3899	23;E	W	51.4	45.1
2	3899	23;F	W	50.5	44.2
2	3899	23;G	W	51.4	45.0
2	3899	23;H	W	50.6	44.3
2	3899	23;I	W	51.6	45.2
2	3899	23;J	W	51.0	44.7
2	3899	23;K	S	49.1	42.7
2	3899	23;L	E	30.6	24.3
3	3899	23;A	N	49.0	42.7
3	3899	23;B	W	51.9	45.6
3	3899	23;C	W	52.8	46.5
3	3899	23;D	W	51.8	45.5
3	3899	23;E	W	52.8	46.5
3	3899	23;F	W	51.8	45.5
3	3899	23;G	W	52.7	46.4
3	3899	23;H	W	51.9	45.6
3	3899	23;I	W	52.9	46.6
3	3899	23;J	W	52.4	46.1
3	3899	23;K	S	50.5	44.2
3	3899	23;L	E	30.8	24.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	3899	23;A	N	49.9	43.6
4	3899	23;B	W	52.7	46.4
4	3899	23;C	W	53.5	47.2
4	3899	23;D	W	52.5	46.2
4	3899	23;E	W	53.5	47.2
4	3899	23;F	W	52.5	46.2
4	3899	23;G	W	53.4	47.1
4	3899	23;H	W	52.6	46.3
4	3899	23;I	W	53.7	47.4
4	3899	23;J	W	53.3	46.9
4	3899	23;K	S	51.4	45.0
4	3899	23;L	E	31.0	24.6
5	3899	23;A	N	50.3	44.0
5	3899	23;B	W	53.1	46.8
5	3899	23;C	W	53.9	47.6
5	3899	23;D	W	52.8	46.5
5	3899	23;E	W	53.9	47.6
5	3899	23;F	W	52.8	46.5
5	3899	23;G	W	53.8	47.5
5	3899	23;H	W	52.9	46.6
5	3899	23;I	W	54.0	47.7
5	3899	23;J	W	53.7	47.4
5	3899	23;K	S	51.8	45.5
5	3899	23;L	E	31.4	25.0
6	3899	23;A	N	50.5	44.2
6	3899	23;B	W	53.3	47.0
6	3899	23;C	W	54.1	47.8
6	3899	23;D	W	53.0	46.7
6	3899	23;E	W	54.1	47.8
6	3899	23;F	W	52.9	46.6
6	3899	23;G	W	54.0	47.7
6	3899	23;H	W	53.1	46.8
6	3899	23;I	W	54.3	48.0
6	3899	23;J	W	54.0	47.7
6	3899	23;K	S	52.1	45.8
6	3899	23;L	E	31.7	25.3
7	3899	23;A	N	50.6	44.4
7	3899	23;B	W	53.4	47.1
7	3899	23;C	W	54.2	47.9
7	3899	23;D	W	53.0	46.7
7	3899	23;E	W	54.2	48.0
7	3899	23;F	W	53.0	46.7
7	3899	23;G	W	54.1	47.8
7	3899	23;H	W	53.2	46.9
7	3899	23;I	W	54.4	48.1
7	3899	23;J	W	54.2	47.8
7	3899	23;K	S	52.2	45.9
7	3899	23;L	E	32.0	25.6
8	3899	23;A	N	50.7	44.4
8	3899	23;B	W	53.4	47.2
8	3899	23;C	W	54.3	48.0
8	3899	23;D	W	53.1	46.8
8	3899	23;E	W	54.3	48.1
8	3899	23;F	W	53.1	46.8
8	3899	23;G	W	54.2	47.9
8	3899	23;H	W	53.2	46.9
8	3899	23;I	W	54.5	48.2
8	3899	23;J	W	54.3	48.0
8	3899	23;K	S	52.4	46.0
8	3899	23;L	E	32.4	26.0
9	3899	23;A	N	50.8	44.5
9	3899	23;B	W	53.5	47.2
9	3899	23;C	W	54.3	48.1
9	3899	23;D	W	53.1	46.8
9	3899	23;E	W	54.4	48.1
9	3899	23;F	W	53.1	46.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
9	3899	23;G	W	54.3	48.0
9	3899	23;H	W	53.3	47.0
9	3899	23;I	W	54.6	48.3
9	3899	23;J	W	54.4	48.1
9	3899	23;K	S	52.5	46.1
9	3899	23;L	E	32.8	26.4
10	3899	23;A	N	50.8	44.5
10	3899	23;B	W	53.5	47.2
10	3899	23;C	W	54.4	48.1
10	3899	23;D	W	53.1	46.8
10	3899	23;E	W	54.4	48.1
10	3899	23;F	W	53.1	46.8
10	3899	23;G	W	54.3	48.0
10	3899	23;H	W	53.3	47.0
10	3899	23;I	W	54.6	48.3
10	3899	23;J	W	54.4	48.1
10	3899	23;K	S	52.5	46.2
10	3899	23;L	E	33.2	26.8
11	3899	23;A	N	50.8	44.5
11	3899	23;B	W	53.5	47.2
11	3899	23;C	W	54.4	48.1
11	3899	23;D	W	53.1	46.8
11	3899	23;E	W	54.4	48.2
11	3899	23;F	W	53.1	46.8
11	3899	23;G	W	54.3	48.0
11	3899	23;H	W	53.3	47.0
11	3899	23;I	W	54.6	48.3
11	3899	23;J	W	54.5	48.2
11	3899	23;K	S	52.5	46.2
11	3899	23;L	E	34.0	27.6
1	3900	21;A	W	32.4	26.2
1	3900	21;B	S	34.2	27.9
1	3900	21;C	W	34.2	28.0
1	3900	21;D	W	33.3	27.2
1	3900	21;E	S	48.1	42.0
1	3900	21;F	E	52.1	46.1
1	3900	21;G	E	51.4	45.5
1	3900	21;H	E	51.3	45.4
1	3900	21;I	N	47.3	41.3
2	3900	21;A	W	33.9	27.7
2	3900	21;B	S	36.1	30.0
2	3900	21;C	W	36.2	30.0
2	3900	21;D	W	34.8	28.8
2	3900	21;E	S	50.7	44.6
2	3900	21;F	E	54.5	48.6
2	3900	21;G	E	53.9	48.1
2	3900	21;H	E	53.8	48.0
2	3900	21;I	N	49.8	44.0
3	3900	21;A	W	30.3	24.4
3	3900	21;B	S	30.2	24.4
3	3900	21;C	W	30.2	24.3
3	3900	21;D	W	30.4	24.4
3	3900	21;E	S	51.6	45.6
3	3900	21;F	E	55.2	49.4
3	3900	21;G	E	54.7	48.9
3	3900	21;H	E	54.6	48.8
3	3900	21;I	N	50.8	45.0
4	3900	21;A	W	30.5	24.6
4	3900	21;B	S	30.2	24.3
4	3900	21;C	W	30.3	24.4
4	3900	21;D	W	30.4	24.5
4	3900	21;E	S	52.0	46.0
4	3900	21;F	E	55.5	49.7
4	3900	21;G	E	55.0	49.2
4	3900	21;H	E	55.0	49.1
4	3900	21;I	N	51.1	45.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	3900	21;A	W	30.8	24.9
5	3900	21;B	S	30.2	24.3
5	3900	21;C	W	30.4	24.5
5	3900	21;D	W	30.5	24.5
5	3900	21;E	S	52.3	46.2
5	3900	21;F	E	55.7	49.8
5	3900	21;G	E	55.1	49.4
5	3900	21;H	E	55.1	49.3
5	3900	21;I	N	51.3	45.5
6	3900	21;A	W	31.2	25.3
6	3900	21;B	S	30.1	24.3
6	3900	21;C	W	30.5	24.6
6	3900	21;D	W	30.5	24.6
6	3900	21;E	S	52.4	46.3
6	3900	21;F	E	55.8	49.9
6	3900	21;G	E	55.2	49.4
6	3900	21;H	E	55.2	49.4
6	3900	21;I	N	51.3	45.5
7	3900	21;A	W	31.4	25.5
7	3900	21;B	S	30.1	24.2
7	3900	21;C	W	29.9	24.0
7	3900	21;D	W	30.0	24.1
7	3900	21;E	S	52.4	46.4
7	3900	21;F	E	55.7	49.8
7	3900	21;G	E	55.1	49.3
7	3900	21;H	E	55.1	49.3
7	3900	21;I	N	51.3	45.5
8	3900	21;A	W	32.3	26.5
8	3900	21;B	S	30.1	24.2
8	3900	21;C	W	29.8	23.9
8	3900	21;D	W	30.0	24.1
8	3900	21;E	S	52.5	46.4
8	3900	21;F	E	55.7	49.8
8	3900	21;G	E	55.1	49.3
8	3900	21;H	E	55.1	49.3
8	3900	21;I	N	51.1	45.3
9	3900	21;A	W	32.0	26.1
9	3900	21;B	S	30.1	24.2
9	3900	21;C	W	29.8	23.9
9	3900	21;D	W	30.0	24.1
9	3900	21;E	S	52.5	46.4
9	3900	21;F	E	55.7	49.8
9	3900	21;G	E	55.0	49.3
9	3900	21;H	E	55.0	49.2
9	3900	21;I	N	51.1	45.3
10	3900	21;A	W	29.8	23.9
10	3900	21;B	S	30.2	24.3
10	3900	21;C	W	29.8	24.0
10	3900	21;D	W	30.1	24.1
10	3900	21;E	S	52.5	46.4
10	3900	21;F	E	55.6	49.7
10	3900	21;G	E	55.0	49.2
10	3900	21;H	E	55.0	49.2
10	3900	21;I	N	51.1	45.3
11	3900	21;A	W	30.3	24.4
11	3900	21;B	S	31.1	25.2
11	3900	21;C	W	30.3	24.4
11	3900	21;D	W	30.7	24.8
11	3900	21;E	S	52.4	46.3
11	3900	21;F	E	55.6	49.7
11	3900	21;G	E	54.9	49.2
11	3900	21;H	E	54.9	49.1
11	3900	21;I	N	51.0	45.2
1	3901	20;A	N	48.9	43.0
1	3901	20;B	W	33.3	27.3
1	3901	20;C	W	31.6	25.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3901	20;D	N	32.8	26.8
1	3901	20;E	W	30.3	24.5
1	3901	20;F	W	30.1	24.3
1	3901	20;G	N	31.6	25.6
1	3901	20;H	W	30.0	24.2
1	3901	20;I	S	47.2	41.3
1	3901	20;J	E	51.4	45.4
1	3901	20;K	E	51.6	45.6
1	3901	20;L	E	52.2	46.3
1	3901	20;M	E	52.4	46.5
1	3901	20;N	E	53.2	47.3
2	3901	20;A	N	51.2	45.4
2	3901	20;B	W	34.3	28.3
2	3901	20;C	W	32.1	26.1
2	3901	20;D	N	33.6	27.6
2	3901	20;E	W	30.3	24.5
2	3901	20;F	W	30.1	24.3
2	3901	20;G	N	32.1	26.2
2	3901	20;H	W	30.1	24.3
2	3901	20;I	S	49.7	43.9
2	3901	20;J	E	53.8	48.0
2	3901	20;K	E	54.0	48.2
2	3901	20;L	E	54.5	48.7
2	3901	20;M	E	54.7	48.9
2	3901	20;N	E	55.3	49.5
3	3901	20;A	N	52.0	46.2
3	3901	20;B	W	35.4	29.5
3	3901	20;C	W	32.6	26.7
3	3901	20;D	N	34.5	28.6
3	3901	20;E	W	30.4	24.6
3	3901	20;F	W	30.2	24.4
3	3901	20;G	N	32.8	27.0
3	3901	20;H	W	30.2	24.4
3	3901	20;I	S	50.7	44.9
3	3901	20;J	E	54.7	48.9
3	3901	20;K	E	54.8	48.9
3	3901	20;L	E	55.2	49.4
3	3901	20;M	E	55.3	49.5
3	3901	20;N	E	55.9	50.1
4	3901	20;A	N	52.3	46.5
4	3901	20;B	W	36.1	30.3
4	3901	20;C	W	33.2	27.3
4	3901	20;D	N	35.3	29.4
4	3901	20;E	W	30.7	24.9
4	3901	20;F	W	30.4	24.5
4	3901	20;G	N	33.4	27.6
4	3901	20;H	W	30.4	24.5
4	3901	20;I	S	51.0	45.3
4	3901	20;J	E	55.0	49.2
4	3901	20;K	E	55.1	49.3
4	3901	20;L	E	55.5	49.7
4	3901	20;M	E	55.6	49.8
4	3901	20;N	E	56.1	50.3
5	3901	20;A	N	52.4	46.7
5	3901	20;B	W	36.8	31.0
5	3901	20;C	W	33.8	28.0
5	3901	20;D	N	35.9	30.1
5	3901	20;E	W	31.6	25.7
5	3901	20;F	W	31.0	25.2
5	3901	20;G	N	34.1	28.3
5	3901	20;H	W	30.8	24.9
5	3901	20;I	S	51.2	45.4
5	3901	20;J	E	55.2	49.4
5	3901	20;K	E	55.2	49.4
5	3901	20;L	E	55.6	49.8
5	3901	20;M	E	55.7	49.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	3901	20;N	E	56.2	50.5
6	3901	20;A	N	52.5	46.8
6	3901	20;B	W	37.2	31.4
6	3901	20;C	W	34.2	28.4
6	3901	20;D	N	36.3	30.5
6	3901	20;E	W	32.0	26.1
6	3901	20;F	W	31.7	25.9
6	3901	20;G	N	34.7	28.8
6	3901	20;H	W	31.4	25.6
6	3901	20;I	S	51.2	45.5
6	3901	20;J	E	55.2	49.4
6	3901	20;K	E	55.3	49.5
6	3901	20;L	E	55.6	49.8
6	3901	20;M	E	55.7	49.9
6	3901	20;N	E	56.2	50.5
7	3901	20;A	N	52.4	46.7
7	3901	20;B	W	36.5	30.8
7	3901	20;C	W	33.7	27.9
7	3901	20;D	N	36.8	31.0
7	3901	20;E	W	33.9	28.2
7	3901	20;F	W	33.1	27.4
7	3901	20;G	N	35.5	29.7
7	3901	20;H	W	32.2	26.3
7	3901	20;I	S	51.2	45.5
7	3901	20;J	E	55.1	49.3
7	3901	20;K	E	55.2	49.4
7	3901	20;L	E	55.5	49.7
7	3901	20;M	E	55.6	49.8
7	3901	20;N	E	56.1	50.3
8	3901	20;A	N	52.4	46.7
8	3901	20;B	W	36.0	30.2
8	3901	20;C	W	31.5	25.5
8	3901	20;D	N	35.5	29.7
8	3901	20;E	W	31.4	25.6
8	3901	20;F	W	32.6	26.8
8	3901	20;G	N	35.5	29.8
8	3901	20;H	W	32.6	26.8
8	3901	20;I	S	51.2	45.4
8	3901	20;J	E	55.1	49.3
8	3901	20;K	E	55.2	49.3
8	3901	20;L	E	55.5	49.7
8	3901	20;M	E	55.6	49.8
8	3901	20;N	E	56.1	50.3
9	3901	20;A	N	52.4	46.7
9	3901	20;B	W	35.2	29.3
9	3901	20;C	W	31.7	25.8
9	3901	20;D	N	35.6	29.9
9	3901	20;E	W	30.4	24.6
9	3901	20;F	W	30.0	24.2
9	3901	20;G	N	34.5	28.8
9	3901	20;H	W	30.2	24.4
9	3901	20;I	S	51.1	45.4
9	3901	20;J	E	55.1	49.3
9	3901	20;K	E	55.1	49.3
9	3901	20;L	E	55.4	49.6
9	3901	20;M	E	55.5	49.7
9	3901	20;N	E	56.0	50.2
10	3901	20;A	N	52.3	46.6
10	3901	20;B	W	35.1	29.4
10	3901	20;C	W	32.1	26.2
10	3901	20;D	N	34.8	28.9
10	3901	20;E	W	30.7	24.9
10	3901	20;F	W	30.1	24.3
10	3901	20;G	N	34.6	28.9
10	3901	20;H	W	29.8	23.9
10	3901	20;I	S	51.1	45.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
10	3901	20;J	E	55.0	49.2
10	3901	20;K	E	55.1	49.3
10	3901	20;L	E	55.4	49.6
10	3901	20;M	E	55.4	49.6
10	3901	20;N	E	55.9	50.2
11	3901	20;A	N	52.3	46.5
11	3901	20;B	W	32.9	27.1
11	3901	20;C	W	32.3	26.5
11	3901	20;D	N	34.6	28.9
11	3901	20;E	W	31.4	25.6
11	3901	20;F	W	30.8	25.0
11	3901	20;G	N	33.9	28.1
11	3901	20;H	W	30.3	24.5
11	3901	20;I	S	51.1	45.3
11	3901	20;J	E	55.0	49.2
11	3901	20;K	E	55.0	49.2
11	3901	20;L	E	55.3	49.5
11	3901	20;M	E	55.4	49.6
11	3901	20;N	E	55.8	50.1
1	3902	26;A	SW	46.5	40.1
1	3902	26;B	SW	44.8	38.3
1	3902	26;C	SW	45.5	39.1
1	3902	26;D	SE	33.3	26.9
1	3902	26;E	NE	29.8	23.5
1	3902	26;F	NE	29.8	23.5
1	3902	26;G	NE	29.4	23.1
1	3902	26;H	NE	32.6	26.2
1	3902	26;I	NW	47.5	41.1
1	3902	26;J	SW	48.7	42.3
1	3902	26;K	SW	47.3	40.9
2	3902	26;A	SW	48.9	42.6
2	3902	26;B	SW	47.0	40.7
2	3902	26;C	SW	47.7	41.3
2	3902	26;D	SE	34.1	27.6
2	3902	26;E	NE	30.1	23.8
2	3902	26;F	NE	30.4	24.1
2	3902	26;G	NE	29.5	23.3
2	3902	26;H	NE	34.8	28.4
2	3902	26;I	NW	50.2	43.8
2	3902	26;J	SW	51.4	45.0
2	3902	26;K	SW	49.9	43.5
3	3902	26;A	SW	50.5	44.1
3	3902	26;B	SW	48.7	42.3
3	3902	26;C	SW	49.4	43.0
3	3902	26;D	SE	35.1	28.7
3	3902	26;E	NE	30.2	23.9
3	3902	26;F	NE	30.8	24.5
3	3902	26;G	NE	29.6	23.3
3	3902	26;H	NE	36.4	30.1
3	3902	26;I	NW	51.4	45.1
3	3902	26;J	SW	52.7	46.4
3	3902	26;K	SW	51.3	44.9
4	3902	26;A	SW	51.3	45.0
4	3902	26;B	SW	49.5	43.2
4	3902	26;C	SW	50.2	43.9
4	3902	26;D	SE	36.4	30.0
4	3902	26;E	NE	30.5	24.3
4	3902	26;F	NE	31.1	24.9
4	3902	26;G	NE	29.8	23.6
4	3902	26;H	NE	37.4	31.1
4	3902	26;I	NW	52.2	45.9
4	3902	26;J	SW	53.5	47.2
4	3902	26;K	SW	52.2	45.8
5	3902	26;A	SW	52.0	45.7
5	3902	26;B	SW	50.3	44.0
5	3902	26;C	SW	51.0	44.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	3902	26;D	SE	38.6	32.2
5	3902	26;E	NE	31.5	25.3
5	3902	26;F	NE	32.1	25.9
5	3902	26;G	NE	30.5	24.4
5	3902	26;H	NE	38.4	32.0
5	3902	26;I	NW	52.5	46.2
5	3902	26;J	SW	53.9	47.6
5	3902	26;K	SW	52.7	46.4
6	3902	26;A	SW	52.3	46.0
6	3902	26;B	SW	50.7	44.4
6	3902	26;C	SW	51.4	45.1
6	3902	26;D	SE	40.2	33.9
6	3902	26;E	NE	32.8	26.7
6	3902	26;F	NE	33.1	27.1
6	3902	26;G	NE	31.3	25.2
6	3902	26;H	NE	39.2	32.9
6	3902	26;I	NW	52.7	46.4
6	3902	26;J	SW	54.1	47.8
6	3902	26;K	SW	53.0	46.6
7	3902	26;A	SW	52.5	46.2
7	3902	26;B	SW	51.0	44.6
7	3902	26;C	SW	51.7	45.4
7	3902	26;D	SE	41.6	35.2
7	3902	26;E	NE	33.5	27.4
7	3902	26;F	NE	33.6	27.5
7	3902	26;G	NE	31.7	25.7
7	3902	26;H	NE	39.7	33.4
7	3902	26;I	NW	52.8	46.5
7	3902	26;J	SW	54.2	47.9
7	3902	26;K	SW	53.1	46.8
8	3902	26;A	SW	52.7	46.4
8	3902	26;B	SW	51.2	44.8
8	3902	26;C	SW	51.9	45.6
8	3902	26;D	SE	42.8	36.4
8	3902	26;E	NE	34.0	27.9
8	3902	26;F	NE	34.0	28.0
8	3902	26;G	NE	32.2	26.2
8	3902	26;H	NE	40.0	33.7
8	3902	26;I	NW	52.8	46.5
8	3902	26;J	SW	54.3	48.0
8	3902	26;K	SW	53.3	47.0
9	3902	26;A	SW	53.0	46.7
9	3902	26;B	SW	51.5	45.2
9	3902	26;C	SW	52.3	46.0
9	3902	26;D	SE	44.1	37.7
9	3902	26;E	NE	34.5	28.4
9	3902	26;F	NE	34.4	28.4
9	3902	26;G	NE	32.6	26.6
9	3902	26;H	NE	40.1	33.8
9	3902	26;I	NW	52.9	46.6
9	3902	26;J	SW	54.4	48.1
9	3902	26;K	SW	53.4	47.1
10	3902	26;A	SW	53.1	46.8
10	3902	26;B	SW	51.8	45.5
10	3902	26;C	SW	52.7	46.3
10	3902	26;D	SE	45.5	39.1
10	3902	26;E	NE	35.0	28.9
10	3902	26;F	NE	34.9	28.8
10	3902	26;G	NE	33.1	27.1
10	3902	26;H	NE	40.2	33.9
10	3902	26;I	NW	52.9	46.6
10	3902	26;J	SW	54.4	48.1
10	3902	26;K	SW	53.5	47.2
11	3902	26;A	SW	53.2	46.9
11	3902	26;B	SW	52.0	45.7
11	3902	26;C	SW	52.8	46.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
11	3902	26;D	SE	46.3	40.0
11	3902	26;E	NE	35.6	29.5
11	3902	26;F	NE	35.4	29.4
11	3902	26;G	NE	33.9	28.0
11	3902	26;H	NE	40.3	34.1
11	3902	26;I	NW	52.9	46.6
11	3902	26;J	SW	54.4	48.1
11	3902	26;K	SW	53.6	47.3
1	3903	60;A	NW	34.6	28.1
1	3903	60;B	NE	34.8	28.3
1	3903	60;C	NW	49.8	43.2
1	3903	60;D	SW	53.5	47.0
1	3903	60;E	SE	49.7	43.2
1	3903	60;F	NE	35.4	28.9
2	3903	60;A	NW	34.6	28.1
2	3903	60;B	NE	34.8	28.3
2	3903	60;C	NW	53.1	46.6
2	3903	60;D	SW	56.9	50.4
2	3903	60;E	SE	53.2	46.6
2	3903	60;F	NE	35.7	29.2
3	3903	60;A	NW	34.7	28.2
3	3903	60;B	NE	34.9	28.4
3	3903	60;C	NW	54.7	48.2
3	3903	60;D	SW	58.5	52.0
3	3903	60;E	SE	54.7	48.1
3	3903	60;F	NE	36.2	29.7
4	3903	60;A	NW	34.9	28.4
4	3903	60;B	NE	35.1	28.6
4	3903	60;C	NW	55.5	49.0
4	3903	60;D	SW	59.2	52.7
4	3903	60;E	SE	55.5	49.0
4	3903	60;F	NE	37.2	30.7
5	3903	60;A	NW	35.5	29.0
5	3903	60;B	NE	35.6	29.1
5	3903	60;C	NW	55.9	49.4
5	3903	60;D	SW	59.6	53.1
5	3903	60;E	SE	56.0	49.5
5	3903	60;F	NE	39.9	33.4
6	3903	60;A	NW	38.0	31.5
6	3903	60;B	NE	37.3	30.8
6	3903	60;C	NW	56.1	49.6
6	3903	60;D	SW	59.7	53.2
6	3903	60;E	SE	56.0	49.5
6	3903	60;F	NE	41.9	35.4
1	3904	54;A	N	56.2	49.7
1	3904	54;B	N	56.0	49.5
1	3904	54;C	N	55.7	49.2
1	3904	54;D	W	52.9	46.4
1	3904	54;E	W	51.8	45.3
1	3904	54;F	N	52.4	45.8
1	3904	54;G	S	35.7	29.2
1	3904	54;H	W	42.6	36.1
1	3904	54;I	W	45.7	39.2
1	3904	54;J	S	34.7	28.2
1	3904	54;K	S	34.8	28.3
1	3904	54;L	E	41.9	35.4
1	3904	54;M	S	35.7	29.2
1	3904	54;N	S	35.9	29.4
1	3904	54;O	E	52.2	45.7
1	3904	54;P	N	54.9	48.4
1	3904	54;Q	N	53.5	47.0
1	3904	54;R	E	53.4	46.9
1	3904	54;S	E	54.2	47.6
2	3904	54;A	N	59.3	52.8
2	3904	54;B	N	59.1	52.6
2	3904	54;C	N	58.8	52.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3904	54;D	W	56.1	49.6
2	3904	54;E	W	55.1	48.6
2	3904	54;F	N	55.6	49.1
2	3904	54;G	S	35.7	29.2
2	3904	54;H	W	44.3	37.8
2	3904	54;I	W	48.0	41.5
2	3904	54;J	S	34.7	28.2
2	3904	54;K	S	34.8	28.3
2	3904	54;L	E	44.3	37.9
2	3904	54;M	S	35.7	29.2
2	3904	54;N	S	36.2	29.7
2	3904	54;O	E	55.4	48.9
2	3904	54;P	N	58.2	51.7
2	3904	54;Q	N	56.7	50.2
2	3904	54;R	E	56.6	50.1
2	3904	54;S	E	57.5	51.0
3	3904	54;A	N	60.3	53.8
3	3904	54;B	N	60.2	53.7
3	3904	54;C	N	59.9	53.4
3	3904	54;D	W	57.4	50.9
3	3904	54;E	W	56.6	50.1
3	3904	54;F	N	57.0	50.5
3	3904	54;G	S	35.7	29.2
3	3904	54;H	W	46.2	39.7
3	3904	54;I	W	49.9	43.4
3	3904	54;J	S	34.7	28.2
3	3904	54;K	S	34.8	28.3
3	3904	54;L	E	46.2	39.7
3	3904	54;M	S	35.7	29.2
3	3904	54;N	S	36.4	29.9
3	3904	54;O	E	56.6	50.1
3	3904	54;P	N	59.4	52.9
3	3904	54;Q	N	58.0	51.5
3	3904	54;R	E	57.9	51.4
3	3904	54;S	E	58.7	52.2
4	3904	54;A	N	60.7	54.2
4	3904	54;B	N	60.6	54.1
4	3904	54;C	N	60.3	53.8
4	3904	54;D	W	58.0	51.5
4	3904	54;E	W	57.3	50.8
4	3904	54;F	N	57.7	51.2
4	3904	54;G	S	35.7	29.2
4	3904	54;H	W	47.1	40.6
4	3904	54;I	W	50.8	44.3
4	3904	54;J	S	34.7	28.2
4	3904	54;K	S	34.8	28.3
4	3904	54;L	E	47.5	41.0
4	3904	54;M	S	35.7	29.2
4	3904	54;N	S	36.8	30.3
4	3904	54;O	E	57.1	50.6
4	3904	54;P	N	59.8	53.3
4	3904	54;Q	N	58.3	51.8
4	3904	54;R	E	58.3	51.8
4	3904	54;S	E	59.1	52.6
5	3904	54;A	N	60.9	54.4
5	3904	54;B	N	60.8	54.3
5	3904	54;C	N	60.5	54.0
5	3904	54;D	W	58.2	51.7
5	3904	54;E	W	57.8	51.3
5	3904	54;F	N	58.0	51.5
5	3904	54;G	S	35.6	29.2
5	3904	54;H	W	47.8	41.3
5	3904	54;I	W	51.5	45.0
5	3904	54;J	S	34.8	28.3
5	3904	54;K	S	34.9	28.4
5	3904	54;L	E	48.3	41.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	3904	54;M	S	35.6	29.1
5	3904	54;N	S	37.7	31.2
5	3904	54;O	E	57.3	50.8
5	3904	54;P	N	60.0	53.5
5	3904	54;Q	N	58.5	52.0
5	3904	54;R	E	58.4	51.9
5	3904	54;S	E	59.3	52.8
6	3904	54;A	N	61.0	54.5
6	3904	54;B	N	60.9	54.4
6	3904	54;C	N	60.6	54.1
6	3904	54;D	W	58.3	51.8
6	3904	54;E	W	58.0	51.5
6	3904	54;F	N	58.2	51.7
6	3904	54;G	S	35.6	29.1
6	3904	54;H	W	48.3	41.8
6	3904	54;I	W	52.0	45.5
6	3904	54;J	S	34.8	28.3
6	3904	54;K	S	34.9	28.4
6	3904	54;L	E	48.7	42.3
6	3904	54;M	S	35.6	29.1
6	3904	54;N	S	37.6	31.2
6	3904	54;O	E	57.4	50.9
6	3904	54;P	N	60.1	53.6
6	3904	54;Q	N	58.5	52.0
6	3904	54;R	E	58.5	52.0
6	3904	54;S	E	59.4	52.9
7	3904	54;A	N	61.0	54.5
7	3904	54;B	N	60.9	54.4
7	3904	54;C	N	60.6	54.1
7	3904	54;D	W	58.4	51.9
7	3904	54;E	W	58.1	51.6
7	3904	54;F	N	58.3	51.8
7	3904	54;G	S	35.6	29.1
7	3904	54;H	W	48.6	42.1
7	3904	54;I	W	52.3	45.8
7	3904	54;J	S	34.9	28.4
7	3904	54;K	S	34.9	28.4
7	3904	54;L	E	49.0	42.6
7	3904	54;M	S	35.5	29.1
7	3904	54;N	S	36.2	29.7
7	3904	54;O	E	57.4	50.9
7	3904	54;P	N	60.1	53.6
7	3904	54;Q	N	58.6	52.1
7	3904	54;R	E	58.6	52.1
7	3904	54;S	E	59.4	52.9
8	3904	54;A	N	61.0	54.5
8	3904	54;B	N	60.9	54.4
8	3904	54;C	N	60.6	54.1
8	3904	54;D	W	58.4	51.9
8	3904	54;E	W	58.1	51.6
8	3904	54;F	N	58.4	51.9
8	3904	54;G	S	35.5	29.0
8	3904	54;H	W	48.7	42.2
8	3904	54;I	W	52.4	45.9
8	3904	54;J	S	35.0	28.5
8	3904	54;K	S	35.1	28.6
8	3904	54;L	E	49.3	42.8
8	3904	54;M	S	35.5	29.0
8	3904	54;N	S	36.4	29.9
8	3904	54;O	E	57.4	50.9
8	3904	54;P	N	60.1	53.6
8	3904	54;Q	N	58.5	52.1
8	3904	54;R	E	58.5	52.0
8	3904	54;S	E	59.4	52.9
9	3904	54;A	N	60.9	54.5
9	3904	54;B	N	60.8	54.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
9	3904	54;C	N	60.5	54.1
9	3904	54;D	W	58.4	51.9
9	3904	54;E	W	58.2	51.7
9	3904	54;F	N	58.4	51.9
9	3904	54;G	S	35.5	29.0
9	3904	54;H	W	48.8	42.3
9	3904	54;I	W	52.5	46.0
9	3904	54;J	S	35.1	28.6
9	3904	54;K	S	35.1	28.6
9	3904	54;L	E	49.3	42.9
9	3904	54;M	S	35.4	29.0
9	3904	54;N	S	36.5	30.0
9	3904	54;O	E	57.4	50.9
9	3904	54;P	N	60.1	53.6
9	3904	54;Q	N	58.5	52.0
9	3904	54;R	E	58.5	52.0
9	3904	54;S	E	59.3	52.8
10	3904	54;A	N	60.9	54.4
10	3904	54;B	N	60.8	54.3
10	3904	54;C	N	60.5	54.0
10	3904	54;D	W	58.3	51.8
10	3904	54;E	W	58.2	51.7
10	3904	54;F	N	58.4	51.9
10	3904	54;G	S	35.5	29.0
10	3904	54;H	W	48.9	42.4
10	3904	54;I	W	52.6	46.1
10	3904	54;J	S	35.1	28.6
10	3904	54;K	S	35.2	28.7
10	3904	54;L	E	49.5	43.0
10	3904	54;M	S	35.4	28.9
10	3904	54;N	S	36.5	30.0
10	3904	54;O	E	57.4	50.9
10	3904	54;P	N	60.1	53.6
10	3904	54;Q	N	58.5	52.0
10	3904	54;R	E	58.4	51.9
10	3904	54;S	E	59.3	52.8
11	3904	54;A	N	60.8	54.4
11	3904	54;B	N	60.7	54.3
11	3904	54;C	N	60.4	53.9
11	3904	54;D	W	58.3	51.8
11	3904	54;E	W	58.2	51.7
11	3904	54;F	N	58.4	51.9
11	3904	54;G	S	35.5	29.0
11	3904	54;H	W	48.9	42.4
11	3904	54;I	W	52.6	46.1
11	3904	54;J	S	35.1	28.7
11	3904	54;K	S	35.2	28.7
11	3904	54;L	E	49.5	43.1
11	3904	54;M	S	35.4	28.9
11	3904	54;N	S	36.6	30.1
11	3904	54;O	E	57.3	50.8
11	3904	54;P	N	60.0	53.5
11	3904	54;Q	N	58.4	51.9
11	3904	54;R	E	58.4	51.9
11	3904	54;S	E	59.2	52.7
12	3904	54;A	N	60.8	54.3
12	3904	54;B	N	60.7	54.2
12	3904	54;C	N	60.4	53.9
12	3904	54;D	W	58.3	51.8
12	3904	54;E	W	58.2	51.7
12	3904	54;F	N	58.4	51.9
12	3904	54;G	S	35.7	29.2
12	3904	54;H	W	49.0	42.5
12	3904	54;I	W	52.6	46.2
12	3904	54;J	S	35.3	28.8
12	3904	54;K	S	35.3	28.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
12	3904	54;L	E	49.6	43.1
12	3904	54;M	S	35.6	29.1
12	3904	54;N	S	36.9	30.4
12	3904	54;O	E	57.3	50.8
12	3904	54;P	N	59.9	53.5
12	3904	54;Q	N	58.3	51.9
12	3904	54;R	E	58.3	51.8
12	3904	54;S	E	59.2	52.7
13	3904	54;A	N	60.7	54.2
13	3904	54;B	N	60.6	54.1
13	3904	54;C	N	60.3	53.8
13	3904	54;D	W	58.2	51.7
13	3904	54;E	W	58.1	51.7
13	3904	54;F	N	58.3	51.8
13	3904	54;G	S	36.8	30.3
13	3904	54;H	W	49.1	42.6
13	3904	54;I	W	52.7	46.2
13	3904	54;J	S	36.1	29.6
13	3904	54;K	S	35.8	29.3
13	3904	54;L	E	49.7	43.2
13	3904	54;M	S	36.6	30.1
13	3904	54;N	S	37.7	31.3
13	3904	54;O	E	57.2	50.7
13	3904	54;P	N	59.9	53.4
13	3904	54;Q	N	58.3	51.8
13	3904	54;R	E	58.3	51.8
13	3904	54;S	E	59.1	52.6
1	3905	48;A	SW	36.0	29.5
1	3905	48;B	SW	35.8	29.3
1	3905	48;C	SW	35.9	29.4
1	3905	48;D	SE	51.3	44.8
1	3905	48;E	NE	55.0	48.5
1	3905	48;F	SE	54.8	48.2
1	3905	48;G	NE	56.4	49.9
1	3905	48;H	NE	56.4	49.9
1	3905	48;I	NE	56.5	49.9
1	3905	48;J	NE	56.3	49.8
1	3905	48;K	NW	52.4	45.8
1	3905	48;L	SW	36.3	29.8
1	3905	48;M	SW	36.1	29.6
1	3905	48;N	SW	36.1	29.6
2	3905	48;A	SW	36.0	29.5
2	3905	48;B	SW	35.8	29.3
2	3905	48;C	SW	35.9	29.4
2	3905	48;D	SE	54.6	48.1
2	3905	48;E	NE	58.2	51.7
2	3905	48;F	SE	57.9	51.4
2	3905	48;G	NE	59.5	53.0
2	3905	48;H	NE	59.5	53.0
2	3905	48;I	NE	59.6	53.1
2	3905	48;J	NE	59.4	52.9
2	3905	48;K	NW	55.5	49.0
2	3905	48;L	SW	36.3	29.8
2	3905	48;M	SW	36.1	29.6
2	3905	48;N	SW	36.1	29.6
3	3905	48;A	SW	35.9	29.4
3	3905	48;B	SW	35.8	29.3
3	3905	48;C	SW	35.9	29.4
3	3905	48;D	SE	55.8	49.3
3	3905	48;E	NE	59.6	53.1
3	3905	48;F	SE	59.2	52.7
3	3905	48;G	NE	60.6	54.1
3	3905	48;H	NE	60.6	54.1
3	3905	48;I	NE	60.6	54.1
3	3905	48;J	NE	60.5	54.0
3	3905	48;K	NW	56.8	50.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	3905	48;L	SW	36.3	29.8
3	3905	48;M	SW	36.1	29.6
3	3905	48;N	SW	36.0	29.5
4	3905	48;A	SW	35.9	29.4
4	3905	48;B	SW	35.8	29.3
4	3905	48;C	SW	35.9	29.4
4	3905	48;D	SE	56.2	49.7
4	3905	48;E	NE	60.3	53.8
4	3905	48;F	SE	59.9	53.4
4	3905	48;G	NE	61.1	54.6
4	3905	48;H	NE	61.1	54.6
4	3905	48;I	NE	61.1	54.6
4	3905	48;J	NE	60.9	54.4
4	3905	48;K	NW	57.3	50.8
4	3905	48;L	SW	36.2	29.7
4	3905	48;M	SW	36.1	29.6
4	3905	48;N	SW	36.0	29.5
5	3905	48;A	SW	35.9	29.4
5	3905	48;B	SW	35.7	29.2
5	3905	48;C	SW	35.9	29.4
5	3905	48;D	SE	56.4	49.9
5	3905	48;E	NE	60.6	54.1
5	3905	48;F	SE	60.2	53.7
5	3905	48;G	NE	61.3	54.8
5	3905	48;H	NE	61.3	54.8
5	3905	48;I	NE	61.3	54.8
5	3905	48;J	NE	61.2	54.7
5	3905	48;K	NW	57.5	51.0
5	3905	48;L	SW	36.2	29.7
5	3905	48;M	SW	36.1	29.6
5	3905	48;N	SW	36.0	29.5
6	3905	48;A	SW	35.9	29.4
6	3905	48;B	SW	35.7	29.2
6	3905	48;C	SW	35.9	29.4
6	3905	48;D	SE	56.5	50.0
6	3905	48;E	NE	60.7	54.2
6	3905	48;F	SE	60.3	53.8
6	3905	48;G	NE	61.4	54.9
6	3905	48;H	NE	61.4	54.9
6	3905	48;I	NE	61.4	54.9
6	3905	48;J	NE	61.3	54.8
6	3905	48;K	NW	57.6	51.1
6	3905	48;L	SW	36.2	29.7
6	3905	48;M	SW	36.0	29.5
6	3905	48;N	SW	35.9	29.4
7	3905	48;A	SW	35.8	29.3
7	3905	48;B	SW	35.7	29.2
7	3905	48;C	SW	35.8	29.3
7	3905	48;D	SE	56.5	50.0
7	3905	48;E	NE	60.8	54.3
7	3905	48;F	SE	60.3	53.8
7	3905	48;G	NE	61.4	54.9
7	3905	48;H	NE	61.4	54.9
7	3905	48;I	NE	61.4	54.9
7	3905	48;J	NE	61.3	54.8
7	3905	48;K	NW	57.6	51.1
7	3905	48;L	SW	36.1	29.6
7	3905	48;M	SW	36.0	29.5
7	3905	48;N	SW	35.9	29.4
8	3905	48;A	SW	35.8	29.3
8	3905	48;B	SW	35.6	29.1
8	3905	48;C	SW	35.8	29.3
8	3905	48;D	SE	56.5	50.0
8	3905	48;E	NE	60.8	54.3
8	3905	48;F	SE	60.4	53.9
8	3905	48;G	NE	61.5	55.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
8	3905	48;H	NE	61.4	54.9
8	3905	48;I	NE	61.5	55.0
8	3905	48;J	NE	61.3	54.8
8	3905	48;K	NW	57.7	51.2
8	3905	48;L	SW	36.1	29.6
8	3905	48;M	SW	35.9	29.4
8	3905	48;N	SW	35.9	29.4
9	3905	48;A	SW	35.7	29.2
9	3905	48;B	SW	35.6	29.1
9	3905	48;C	SW	35.8	29.3
9	3905	48;D	SE	56.5	50.0
9	3905	48;E	NE	60.8	54.3
9	3905	48;F	SE	60.3	53.8
9	3905	48;G	NE	61.4	54.9
9	3905	48;H	NE	61.4	54.9
9	3905	48;I	NE	61.4	54.9
9	3905	48;J	NE	61.3	54.8
9	3905	48;K	NW	57.7	51.2
9	3905	48;L	SW	36.1	29.6
9	3905	48;M	SW	35.9	29.4
9	3905	48;N	SW	35.8	29.3
10	3905	48;A	SW	35.7	29.2
10	3905	48;B	SW	35.6	29.1
10	3905	48;C	SW	35.8	29.3
10	3905	48;D	SE	56.4	49.9
10	3905	48;E	NE	60.8	54.3
10	3905	48;F	SE	60.3	53.8
10	3905	48;G	NE	61.4	54.9
10	3905	48;H	NE	61.4	54.9
10	3905	48;I	NE	61.4	54.9
10	3905	48;J	NE	61.3	54.8
10	3905	48;K	NW	57.6	51.1
10	3905	48;L	SW	36.1	29.6
10	3905	48;M	SW	35.9	29.4
10	3905	48;N	SW	35.8	29.3
11	3905	48;A	SW	35.8	29.3
11	3905	48;B	SW	35.6	29.1
11	3905	48;C	SW	35.9	29.4
11	3905	48;D	SE	56.6	50.1
11	3905	48;E	NE	60.7	54.2
11	3905	48;F	SE	60.3	53.8
11	3905	48;G	NE	61.4	54.9
11	3905	48;H	NE	61.3	54.8
11	3905	48;I	NE	61.3	54.8
11	3905	48;J	NE	61.2	54.7
11	3905	48;K	NW	57.6	51.1
11	3905	48;L	SW	36.1	29.6
11	3905	48;M	SW	35.9	29.4
11	3905	48;N	SW	35.9	29.4
12	3905	48;A	SW	36.4	29.9
12	3905	48;B	SW	36.3	29.8
12	3905	48;C	SW	36.8	30.3
12	3905	48;D	SE	56.3	49.8
12	3905	48;E	NE	60.5	54.0
12	3905	48;F	SE	60.3	53.8
12	3905	48;G	NE	61.3	54.8
12	3905	48;H	NE	61.3	54.8
12	3905	48;I	NE	61.3	54.8
12	3905	48;J	NE	61.2	54.7
12	3905	48;K	NW	57.5	51.0
12	3905	48;L	SW	36.8	30.3
12	3905	48;M	SW	36.4	29.9
12	3905	48;N	SW	36.4	29.9
1	3906	57;A	W	51.9	45.5
1	3906	57;B	W	51.7	45.2
1	3906	57;C	W	51.2	44.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3906	57;D	S	47.9	41.4
1	3906	57;E	W	48.9	42.4
1	3906	57;F	W	49.3	42.8
1	3906	57;G	S	43.1	36.6
1	3906	57;H	E	40.1	33.5
1	3906	57;I	E	40.3	33.8
1	3906	57;J	E	40.2	33.7
1	3906	57;K	E	43.3	36.8
1	3906	57;L	N	51.1	44.7
2	3906	57;A	W	55.1	48.7
2	3906	57;B	W	54.9	48.5
2	3906	57;C	W	54.4	47.9
2	3906	57;D	S	50.8	44.3
2	3906	57;E	W	52.1	45.6
2	3906	57;F	W	52.5	46.0
2	3906	57;G	S	45.8	39.3
2	3906	57;H	E	41.8	35.3
2	3906	57;I	E	41.7	35.2
2	3906	57;J	E	41.6	35.1
2	3906	57;K	E	45.6	39.1
2	3906	57;L	N	54.2	47.8
3	3906	57;A	W	56.5	50.1
3	3906	57;B	W	56.4	49.9
3	3906	57;C	W	55.9	49.4
3	3906	57;D	S	52.7	46.2
3	3906	57;E	W	53.6	47.2
3	3906	57;F	W	54.0	47.5
3	3906	57;G	S	47.7	41.2
3	3906	57;H	E	43.6	37.1
3	3906	57;I	E	43.1	36.6
3	3906	57;J	E	43.1	36.6
3	3906	57;K	E	47.4	40.9
3	3906	57;L	N	55.6	49.2
4	3906	57;A	W	57.1	50.7
4	3906	57;B	W	57.1	50.7
4	3906	57;C	W	56.6	50.1
4	3906	57;D	S	53.8	47.3
4	3906	57;E	W	54.5	48.0
4	3906	57;F	W	54.9	48.4
4	3906	57;G	S	48.9	42.4
4	3906	57;H	E	44.6	38.1
4	3906	57;I	E	44.0	37.5
4	3906	57;J	E	44.0	37.5
4	3906	57;K	E	48.4	41.9
4	3906	57;L	N	56.3	49.8
5	3906	57;A	W	57.4	51.0
5	3906	57;B	W	57.4	51.0
5	3906	57;C	W	56.9	50.5
5	3906	57;D	S	54.5	48.0
5	3906	57;E	W	54.9	48.4
5	3906	57;F	W	55.4	48.9
5	3906	57;G	S	49.9	43.4
5	3906	57;H	E	45.3	38.8
5	3906	57;I	E	44.6	38.1
5	3906	57;J	E	44.7	38.2
5	3906	57;K	E	49.1	42.7
5	3906	57;L	N	56.6	50.1
6	3906	57;A	W	57.6	51.2
6	3906	57;B	W	57.6	51.2
6	3906	57;C	W	57.1	50.6
6	3906	57;D	S	54.9	48.4
6	3906	57;E	W	55.2	48.7
6	3906	57;F	W	55.7	49.2
6	3906	57;G	S	50.6	44.1
6	3906	57;H	E	45.8	39.3
6	3906	57;I	E	45.1	38.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	3906	57;J	E	45.2	38.7
6	3906	57;K	E	49.6	43.2
6	3906	57;L	N	56.7	50.3
7	3906	57;A	W	57.7	51.3
7	3906	57;B	W	57.7	51.3
7	3906	57;C	W	57.2	50.7
7	3906	57;D	S	55.2	48.7
7	3906	57;E	W	55.3	48.9
7	3906	57;F	W	55.8	49.3
7	3906	57;G	S	51.0	44.5
7	3906	57;H	E	46.2	39.7
7	3906	57;I	E	45.4	39.0
7	3906	57;J	E	45.5	39.1
7	3906	57;K	E	49.9	43.5
7	3906	57;L	N	56.9	50.4
8	3906	57;A	W	57.7	51.3
8	3906	57;B	W	57.7	51.3
8	3906	57;C	W	57.3	50.8
8	3906	57;D	S	55.3	48.8
8	3906	57;E	W	55.4	49.0
8	3906	57;F	W	55.9	49.4
8	3906	57;G	S	51.3	44.8
8	3906	57;H	E	46.4	39.9
8	3906	57;I	E	45.6	39.1
8	3906	57;J	E	45.7	39.2
8	3906	57;K	E	50.1	43.6
8	3906	57;L	N	56.9	50.5
9	3906	57;A	W	57.8	51.3
9	3906	57;B	W	57.8	51.3
9	3906	57;C	W	57.3	50.8
9	3906	57;D	S	55.4	48.9
9	3906	57;E	W	55.5	49.0
9	3906	57;F	W	56.0	49.5
9	3906	57;G	S	51.4	45.0
9	3906	57;H	E	46.5	40.1
9	3906	57;I	E	45.8	39.3
9	3906	57;J	E	45.8	39.4
9	3906	57;K	E	50.2	43.8
9	3906	57;L	N	56.9	50.5
10	3906	57;A	W	57.7	51.3
10	3906	57;B	W	57.8	51.3
10	3906	57;C	W	57.3	50.8
10	3906	57;D	S	55.5	49.0
10	3906	57;E	W	55.5	49.0
10	3906	57;F	W	56.0	49.5
10	3906	57;G	S	51.5	45.1
10	3906	57;H	E	46.7	40.2
10	3906	57;I	E	45.9	39.4
10	3906	57;J	E	46.0	39.5
10	3906	57;K	E	50.3	43.9
10	3906	57;L	N	57.0	50.5
11	3906	57;A	W	57.7	51.3
11	3906	57;B	W	57.8	51.3
11	3906	57;C	W	57.3	50.8
11	3906	57;D	S	55.6	49.1
11	3906	57;E	W	55.5	49.1
11	3906	57;F	W	56.0	49.6
11	3906	57;G	S	51.6	45.1
11	3906	57;H	E	46.8	40.3
11	3906	57;I	E	46.0	39.6
11	3906	57;J	E	46.1	39.7
11	3906	57;K	E	50.4	44.0
11	3906	57;L	N	56.9	50.5
12	3906	57;A	W	57.7	51.3
12	3906	57;B	W	57.7	51.3
12	3906	57;C	W	57.3	50.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
12	3906	57;D	S	55.6	49.1
12	3906	57;E	W	55.5	49.1
12	3906	57;F	W	56.0	49.6
12	3906	57;G	S	51.7	45.2
12	3906	57;H	E	47.0	40.5
12	3906	57;I	E	46.2	39.7
12	3906	57;J	E	46.3	39.8
12	3906	57;K	E	50.5	44.1
12	3906	57;L	N	56.9	50.5
1	3907	53;A	E	52.1	45.6
1	3907	53;B	E	53.9	47.3
1	3907	53;C	N	55.9	49.4
1	3907	53;D	N	55.1	48.6
1	3907	53;E	N	54.5	48.0
1	3907	53;F	W	50.7	44.2
1	3907	53;G	W	49.3	42.8
1	3907	53;H	N	49.8	43.3
1	3907	53;I	S	35.2	28.8
1	3907	53;J	W	42.5	36.0
1	3907	53;K	S	34.5	28.0
1	3907	53;L	S	34.7	28.2
1	3907	53;M	S	34.8	28.3
1	3907	53;N	E	48.9	42.4
2	3907	53;A	E	55.3	48.8
2	3907	53;B	E	56.9	50.4
2	3907	53;C	N	59.1	52.6
2	3907	53;D	N	58.3	51.8
2	3907	53;E	N	57.7	51.2
2	3907	53;F	W	54.3	47.8
2	3907	53;G	W	52.9	46.4
2	3907	53;H	N	53.4	46.9
2	3907	53;I	S	35.2	28.7
2	3907	53;J	W	44.8	38.3
2	3907	53;K	S	34.5	28.0
2	3907	53;L	S	34.7	28.2
2	3907	53;M	S	34.7	28.3
2	3907	53;N	E	52.2	45.7
3	3907	53;A	E	56.6	50.1
3	3907	53;B	E	58.0	51.5
3	3907	53;C	N	60.2	53.7
3	3907	53;D	N	59.4	52.9
3	3907	53;E	N	58.9	52.4
3	3907	53;F	W	55.9	49.4
3	3907	53;G	W	54.8	48.3
3	3907	53;H	N	55.2	48.7
3	3907	53;I	S	35.2	28.7
3	3907	53;J	W	47.7	41.2
3	3907	53;K	S	34.5	28.0
3	3907	53;L	S	34.7	28.2
3	3907	53;M	S	34.7	28.2
3	3907	53;N	E	53.8	47.3
4	3907	53;A	E	57.0	50.5
4	3907	53;B	E	58.3	51.8
4	3907	53;C	N	60.7	54.2
4	3907	53;D	N	59.9	53.4
4	3907	53;E	N	59.4	52.9
4	3907	53;F	W	56.7	50.2
4	3907	53;G	W	55.8	49.3
4	3907	53;H	N	56.1	49.6
4	3907	53;I	S	35.2	28.7
4	3907	53;J	W	49.1	42.6
4	3907	53;K	S	34.5	28.0
4	3907	53;L	S	34.6	28.2
4	3907	53;M	S	34.7	28.2
4	3907	53;N	E	54.5	48.0
5	3907	53;A	E	57.2	50.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	3907	53;B	E	58.5	52.0
5	3907	53;C	N	60.9	54.4
5	3907	53;D	N	60.1	53.6
5	3907	53;E	N	59.6	53.1
5	3907	53;F	W	57.0	50.5
5	3907	53;G	W	56.4	49.9
5	3907	53;H	N	56.5	50.0
5	3907	53;I	S	35.2	28.7
5	3907	53;J	W	49.9	43.4
5	3907	53;K	S	34.5	28.0
5	3907	53;L	S	34.6	28.1
5	3907	53;M	S	34.7	28.2
5	3907	53;N	E	54.9	48.4
6	3907	53;A	E	57.3	50.9
6	3907	53;B	E	58.6	52.1
6	3907	53;C	N	61.0	54.5
6	3907	53;D	N	60.2	53.7
6	3907	53;E	N	59.6	53.1
6	3907	53;F	W	57.1	50.6
6	3907	53;G	W	56.5	50.0
6	3907	53;H	N	56.7	50.2
6	3907	53;I	S	35.2	28.7
6	3907	53;J	W	50.4	43.9
6	3907	53;K	S	34.4	27.9
6	3907	53;L	S	34.6	28.1
6	3907	53;M	S	34.7	28.2
6	3907	53;N	E	55.1	48.6
7	3907	53;A	E	57.4	50.9
7	3907	53;B	E	58.6	52.1
7	3907	53;C	N	61.0	54.5
7	3907	53;D	N	60.2	53.7
7	3907	53;E	N	59.5	53.0
7	3907	53;F	W	57.0	50.5
7	3907	53;G	W	56.6	50.1
7	3907	53;H	N	56.8	50.3
7	3907	53;I	S	35.1	28.6
7	3907	53;J	W	50.8	44.3
7	3907	53;K	S	34.4	27.9
7	3907	53;L	S	34.6	28.1
7	3907	53;M	S	34.6	28.1
7	3907	53;N	E	55.2	48.7
8	3907	53;A	E	57.4	50.9
8	3907	53;B	E	58.6	52.1
8	3907	53;C	N	61.0	54.5
8	3907	53;D	N	60.2	53.7
8	3907	53;E	N	59.5	53.0
8	3907	53;F	W	57.0	50.5
8	3907	53;G	W	56.7	50.2
8	3907	53;H	N	56.9	50.4
8	3907	53;I	S	35.1	28.6
8	3907	53;J	W	51.0	44.5
8	3907	53;K	S	34.4	27.9
8	3907	53;L	S	34.5	28.0
8	3907	53;M	S	34.6	28.1
8	3907	53;N	E	55.3	48.8
9	3907	53;A	E	57.4	50.9
9	3907	53;B	E	58.5	52.1
9	3907	53;C	N	61.0	54.5
9	3907	53;D	N	60.2	53.7
9	3907	53;E	N	59.5	53.0
9	3907	53;F	W	57.0	50.5
9	3907	53;G	W	56.8	50.3
9	3907	53;H	N	57.0	50.5
9	3907	53;I	S	35.0	28.5
9	3907	53;J	W	51.2	44.7
9	3907	53;K	S	34.4	27.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
9	3907	53;L	S	34.5	28.0
9	3907	53;M	S	34.6	28.1
9	3907	53;N	E	55.3	48.8
10	3907	53;A	E	57.3	50.9
10	3907	53;B	E	58.5	52.0
10	3907	53;C	N	61.0	54.5
10	3907	53;D	N	60.2	53.7
10	3907	53;E	N	59.4	52.9
10	3907	53;F	W	57.1	50.6
10	3907	53;G	W	56.8	50.3
10	3907	53;H	N	57.0	50.5
10	3907	53;I	S	35.0	28.5
10	3907	53;J	W	51.3	44.9
10	3907	53;K	S	34.3	27.9
10	3907	53;L	S	34.4	28.0
10	3907	53;M	S	34.6	28.1
10	3907	53;N	E	55.3	48.8
11	3907	53;A	E	57.3	50.8
11	3907	53;B	E	58.4	51.9
11	3907	53;C	N	60.9	54.4
11	3907	53;D	N	60.1	53.6
11	3907	53;E	N	59.4	52.9
11	3907	53;F	W	57.1	50.6
11	3907	53;G	W	56.9	50.4
11	3907	53;H	N	57.0	50.5
11	3907	53;I	S	35.0	28.5
11	3907	53;J	W	51.5	45.0
11	3907	53;K	S	34.4	27.9
11	3907	53;L	S	34.4	27.9
11	3907	53;M	S	34.6	28.1
11	3907	53;N	E	55.3	48.8
12	3907	53;A	E	57.2	50.7
12	3907	53;B	E	58.3	51.9
12	3907	53;C	N	60.9	54.4
12	3907	53;D	N	60.1	53.6
12	3907	53;E	N	59.3	52.8
12	3907	53;F	W	57.0	50.5
12	3907	53;G	W	56.9	50.4
12	3907	53;H	N	57.0	50.5
12	3907	53;I	S	35.3	28.8
12	3907	53;J	W	51.5	45.0
12	3907	53;K	S	34.5	28.0
12	3907	53;L	S	34.5	28.0
12	3907	53;M	S	34.8	28.3
12	3907	53;N	E	55.3	48.8
13	3907	53;A	E	57.2	50.7
13	3907	53;B	E	58.3	51.8
13	3907	53;C	N	60.8	54.3
13	3907	53;D	N	60.0	53.5
13	3907	53;E	N	59.3	52.8
13	3907	53;F	W	57.0	50.5
13	3907	53;G	W	56.9	50.4
13	3907	53;H	N	57.0	50.6
13	3907	53;I	S	36.3	29.8
13	3907	53;J	W	51.6	45.1
13	3907	53;K	S	35.3	28.8
13	3907	53;L	S	35.2	28.7
13	3907	53;M	S	35.9	29.4
13	3907	53;N	E	55.2	48.7
1	3908	15;A	NW	50.1	44.2
1	3908	15;B	W	52.2	46.3
1	3908	15;C	S	48.2	42.2
1	3908	15;D	E	34.5	28.3
1	3908	15;E	S	32.5	26.6
1	3908	15;F	S	38.9	32.9
1	3908	15;G	E	30.0	24.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3908	15;H	N	45.1	39.1
1	3908	15;I	N	47.9	41.9
2	3908	15;A	NW	52.5	46.7
2	3908	15;B	W	54.5	48.7
2	3908	15;C	S	50.6	44.8
2	3908	15;D	E	35.8	29.7
2	3908	15;E	S	33.6	27.8
2	3908	15;F	S	41.4	35.6
2	3908	15;G	E	31.2	25.2
2	3908	15;H	N	47.7	41.8
2	3908	15;I	N	50.3	44.5
3	3908	15;A	NW	53.3	47.5
3	3908	15;B	W	55.2	49.5
3	3908	15;C	S	51.5	45.7
3	3908	15;D	E	36.8	30.8
3	3908	15;E	S	35.1	29.3
3	3908	15;F	S	43.0	37.2
3	3908	15;G	E	32.3	26.3
3	3908	15;H	N	49.1	43.3
3	3908	15;I	N	51.5	45.7
4	3908	15;A	NW	53.6	47.9
4	3908	15;B	W	55.5	49.8
4	3908	15;C	S	51.9	46.1
4	3908	15;D	E	37.4	31.5
4	3908	15;E	S	36.3	30.4
4	3908	15;F	S	43.8	38.1
4	3908	15;G	E	33.2	27.1
4	3908	15;H	N	50.0	44.3
4	3908	15;I	N	52.1	46.3
5	3908	15;A	NW	53.8	48.0
5	3908	15;B	W	55.7	49.9
5	3908	15;C	S	52.1	46.3
5	3908	15;D	E	38.0	32.2
5	3908	15;E	S	37.3	31.4
5	3908	15;F	S	44.4	38.7
5	3908	15;G	E	33.8	27.8
5	3908	15;H	N	50.5	44.8
5	3908	15;I	N	52.4	46.6
6	3908	15;A	NW	53.9	48.1
6	3908	15;B	W	55.8	50.0
6	3908	15;C	S	52.2	46.5
6	3908	15;D	E	38.7	32.8
6	3908	15;E	S	38.8	32.9
6	3908	15;F	S	45.1	39.3
6	3908	15;G	E	34.8	28.8
6	3908	15;H	N	50.8	45.0
6	3908	15;I	N	52.5	46.7
1	3909	17;A	S	46.7	40.7
1	3909	17;B	E	35.1	28.9
1	3909	17;C	S	37.1	30.8
1	3909	17;D	E	30.7	24.8
1	3909	17;E	S	30.3	24.4
1	3909	17;F	S	31.9	25.9
1	3909	17;G	S	35.4	29.4
1	3909	17;H	W	36.3	30.2
1	3909	17;I	S	36.2	30.1
1	3909	17;J	E	28.3	22.4
1	3909	17;K	S	28.7	22.7
1	3909	17;L	E	29.1	23.1
1	3909	17;M	S	28.7	22.6
1	3909	17;N	E	28.1	22.1
1	3909	17;O	N	27.8	21.8
1	3909	17;P	E	27.2	21.4
1	3909	17;Q	N	35.2	29.1
1	3909	17;R	N	34.7	28.7
1	3909	17;S	N	33.5	27.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3909	17;T	W	41.9	35.8
1	3909	17;U	W	41.8	35.7
1	3909	17;V	W	40.8	34.7
1	3909	17;W	N	39.0	32.9
1	3909	17;X	N	41.6	35.5
1	3909	17;Y	N	45.5	39.5
1	3909	17;Z	W	50.3	44.3
1	3909	17;AA	W	50.1	44.1
1	3909	17;AB	W	49.6	43.6
1	3909	17;AC	W	50.5	44.5
1	3909	17;AD	W	50.1	44.1
2	3909	17;A	S	49.2	43.4
2	3909	17;B	E	36.8	30.8
2	3909	17;C	S	39.7	33.8
2	3909	17;D	E	31.2	25.2
2	3909	17;E	S	31.0	25.1
2	3909	17;F	S	34.2	28.3
2	3909	17;G	S	37.8	31.9
2	3909	17;H	W	38.8	32.8
2	3909	17;I	S	38.6	32.7
2	3909	17;J	E	28.6	22.6
2	3909	17;K	S	30.3	24.3
2	3909	17;L	E	29.1	23.1
2	3909	17;M	S	29.0	22.9
2	3909	17;N	E	28.2	22.1
2	3909	17;O	N	28.0	22.1
2	3909	17;P	E	27.3	21.4
2	3909	17;Q	N	36.9	31.0
2	3909	17;R	N	36.3	30.5
2	3909	17;S	N	35.2	29.3
2	3909	17;T	W	44.1	38.1
2	3909	17;U	W	44.0	38.0
2	3909	17;V	W	42.9	36.9
2	3909	17;W	N	41.2	35.3
2	3909	17;X	N	44.0	38.1
2	3909	17;Y	N	48.0	42.1
2	3909	17;Z	W	52.7	46.9
2	3909	17;AA	W	52.5	46.7
2	3909	17;AB	W	52.1	46.2
2	3909	17;AC	W	52.9	47.1
2	3909	17;AD	W	52.6	46.7
3	3909	17;A	S	50.2	44.4
3	3909	17;B	E	30.9	24.9
3	3909	17;C	S	36.2	30.3
3	3909	17;D	E	30.7	24.7
3	3909	17;E	S	31.7	25.7
3	3909	17;F	S	36.6	30.6
3	3909	17;G	S	40.7	34.8
3	3909	17;H	W	41.9	36.0
3	3909	17;I	S	41.3	35.4
3	3909	17;J	E	29.4	23.3
3	3909	17;K	S	33.6	27.5
3	3909	17;L	E	29.2	23.1
3	3909	17;M	S	29.4	23.3
3	3909	17;N	E	28.3	22.2
3	3909	17;O	N	28.3	22.4
3	3909	17;P	E	27.4	21.5
3	3909	17;Q	N	38.8	33.0
3	3909	17;R	N	38.7	32.9
3	3909	17;S	N	37.8	32.0
3	3909	17;T	W	45.4	39.5
3	3909	17;U	W	45.1	39.3
3	3909	17;V	W	44.1	38.3
3	3909	17;W	N	42.6	36.7
3	3909	17;X	N	45.2	39.3
3	3909	17;Y	N	49.1	43.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	3909	17;Z	W	53.8	48.0
3	3909	17;AA	W	53.6	47.8
3	3909	17;AB	W	53.1	47.3
3	3909	17;AC	W	53.9	48.2
3	3909	17;AD	W	53.6	47.9
4	3909	17;A	S	50.9	45.1
4	3909	17;B	E	31.2	25.3
4	3909	17;C	S	40.7	34.8
4	3909	17;D	E	31.0	25.0
4	3909	17;E	S	32.9	26.9
4	3909	17;F	S	38.0	32.1
4	3909	17;G	S	41.3	35.4
4	3909	17;H	W	42.6	36.7
4	3909	17;I	S	41.9	36.0
4	3909	17;J	E	29.6	23.5
4	3909	17;K	S	34.7	28.6
4	3909	17;L	E	29.4	23.3
4	3909	17;M	S	30.4	24.3
4	3909	17;N	E	28.5	22.4
4	3909	17;O	N	28.7	22.8
4	3909	17;P	E	27.6	21.8
4	3909	17;Q	N	40.3	34.5
4	3909	17;R	N	40.3	34.5
4	3909	17;S	N	39.6	33.7
4	3909	17;T	W	46.3	40.5
4	3909	17;U	W	45.9	40.1
4	3909	17;V	W	45.0	39.1
4	3909	17;W	N	43.5	37.7
4	3909	17;X	N	45.9	40.1
4	3909	17;Y	N	49.6	43.8
4	3909	17;Z	W	54.2	48.4
4	3909	17;AA	W	54.0	48.2
4	3909	17;AB	W	53.5	47.8
4	3909	17;AC	W	54.3	48.6
4	3909	17;AD	W	54.1	48.3
5	3909	17;A	S	51.2	45.4
5	3909	17;B	E	32.5	26.6
5	3909	17;C	S	41.9	35.9
5	3909	17;D	E	31.9	26.0
5	3909	17;E	S	35.8	29.7
5	3909	17;F	S	41.2	35.2
5	3909	17;G	S	44.0	38.1
5	3909	17;H	W	45.2	39.4
5	3909	17;I	S	44.0	38.2
5	3909	17;J	E	30.6	24.5
5	3909	17;K	S	37.0	30.9
5	3909	17;L	E	30.2	24.1
5	3909	17;M	S	32.5	26.4
5	3909	17;N	E	29.3	23.2
5	3909	17;O	N	30.3	24.4
5	3909	17;P	E	28.6	22.7
5	3909	17;Q	N	41.5	35.7
5	3909	17;R	N	41.8	36.1
5	3909	17;S	N	41.5	35.8
5	3909	17;T	W	47.0	41.2
5	3909	17;U	W	46.4	40.6
5	3909	17;V	W	45.6	39.8
5	3909	17;W	N	44.0	38.2
5	3909	17;X	N	46.3	40.5
5	3909	17;Y	N	49.8	44.0
5	3909	17;Z	W	54.4	48.6
5	3909	17;AA	W	54.2	48.4
5	3909	17;AB	W	53.7	48.0
5	3909	17;AC	W	54.6	48.8
5	3909	17;AD	W	54.3	48.5
1	3910	16;A	S	38.0	31.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3910	16;B	E	27.4	21.4
1	3910	16;C	E	27.6	21.7
1	3910	16;D	E	27.2	21.3
1	3910	16;E	E	27.7	21.9
1	3910	16;F	W	26.9	21.1
1	3910	16;G	S	28.0	22.0
1	3910	16;H	S	28.1	22.1
1	3910	16;I	W	28.6	22.5
1	3910	16;J	W	28.5	22.5
1	3910	16;K	S	29.0	22.9
1	3910	16;L	S	30.8	24.7
1	3910	16;M	E	29.1	22.9
1	3910	16;N	E	29.1	22.9
1	3910	16;O	E	29.3	23.1
1	3910	16;P	E	29.5	23.3
1	3910	16;Q	N	35.9	29.8
1	3910	16;R	W	37.6	31.5
1	3910	16;S	N	36.4	30.3
1	3910	16;T	N	36.1	30.0
1	3910	16;U	N	36.0	30.0
1	3910	16;V	W	38.2	32.1
1	3910	16;W	W	38.4	32.3
1	3910	16;X	N	38.9	32.7
1	3910	16;Y	N	39.8	33.6
1	3910	16;Z	W	41.4	35.2
1	3910	16;AA	N	40.9	34.8
1	3910	16;AB	N	40.5	34.5
1	3910	16;AC	W	44.5	38.4
1	3910	16;AD	W	44.6	38.5
1	3910	16;AE	W	44.6	38.5
1	3910	16;AF	S	43.4	37.2
1	3910	16;AG	SW	42.6	36.4
1	3910	16;AH	SW	41.7	35.5
2	3910	16;A	S	39.7	33.7
2	3910	16;B	E	27.4	21.4
2	3910	16;C	E	27.7	21.7
2	3910	16;D	E	27.2	21.3
2	3910	16;E	E	27.8	21.9
2	3910	16;F	W	27.0	21.1
2	3910	16;G	S	28.0	22.0
2	3910	16;H	S	28.4	22.4
2	3910	16;I	W	29.2	23.1
2	3910	16;J	W	29.3	23.2
2	3910	16;K	S	29.7	23.5
2	3910	16;L	S	31.7	25.6
2	3910	16;M	E	29.8	23.6
2	3910	16;N	E	29.8	23.6
2	3910	16;O	E	30.0	23.8
2	3910	16;P	E	30.2	24.0
2	3910	16;Q	N	37.6	31.6
2	3910	16;R	W	39.6	33.6
2	3910	16;S	N	38.6	32.5
2	3910	16;T	N	38.3	32.3
2	3910	16;U	N	38.4	32.4
2	3910	16;V	W	40.5	34.5
2	3910	16;W	W	40.7	34.7
2	3910	16;X	N	41.3	35.2
2	3910	16;Y	N	42.2	36.1
2	3910	16;Z	W	43.8	37.9
2	3910	16;AA	N	43.3	37.4
2	3910	16;AB	N	43.3	37.4
2	3910	16;AC	W	47.1	41.2
2	3910	16;AD	W	47.1	41.2
2	3910	16;AE	W	47.1	41.2
2	3910	16;AF	S	45.7	39.8
2	3910	16;AG	SW	44.8	38.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3910	16;AH	SW	43.8	37.8
3	3910	16;A	S	41.2	35.3
3	3910	16;B	E	27.5	21.5
3	3910	16;C	E	27.7	21.7
3	3910	16;D	E	27.2	21.3
3	3910	16;E	E	27.8	21.9
3	3910	16;F	W	27.0	21.2
3	3910	16;G	S	28.1	22.1
3	3910	16;H	S	28.9	22.9
3	3910	16;I	W	29.9	23.9
3	3910	16;J	W	30.3	24.3
3	3910	16;K	S	30.9	24.8
3	3910	16;L	S	33.3	27.2
3	3910	16;M	E	30.8	24.6
3	3910	16;N	E	30.9	24.7
3	3910	16;O	E	31.1	24.9
3	3910	16;P	E	31.3	25.1
3	3910	16;Q	N	40.6	34.6
3	3910	16;R	W	42.8	36.8
3	3910	16;S	N	42.3	36.3
3	3910	16;T	N	41.9	35.8
3	3910	16;U	N	41.8	35.8
3	3910	16;V	W	43.6	37.7
3	3910	16;W	W	44.1	38.2
3	3910	16;X	N	44.2	38.3
3	3910	16;Y	N	44.6	38.7
3	3910	16;Z	W	46.2	40.3
3	3910	16;AA	N	45.7	39.8
3	3910	16;AB	N	45.7	39.8
3	3910	16;AC	W	48.8	43.0
3	3910	16;AD	W	48.8	42.9
3	3910	16;AE	W	48.7	42.9
3	3910	16;AF	S	46.9	41.1
3	3910	16;AG	SW	46.0	40.1
3	3910	16;AH	SW	45.1	39.2
4	3910	16;A	S	42.0	36.1
4	3910	16;B	E	27.6	21.6
4	3910	16;C	E	27.9	21.8
4	3910	16;D	E	27.3	21.3
4	3910	16;E	E	27.8	21.9
4	3910	16;F	W	27.1	21.2
4	3910	16;G	S	28.3	22.3
4	3910	16;H	S	29.6	23.5
4	3910	16;I	W	30.8	24.7
4	3910	16;J	W	31.4	25.4
4	3910	16;K	S	31.9	25.8
4	3910	16;L	S	34.3	28.3
4	3910	16;M	E	31.4	25.3
4	3910	16;N	E	31.5	25.4
4	3910	16;O	E	31.7	25.5
4	3910	16;P	E	32.1	25.9
4	3910	16;Q	N	42.5	36.5
4	3910	16;R	W	44.8	38.8
4	3910	16;S	N	44.7	38.6
4	3910	16;T	N	44.2	38.2
4	3910	16;U	N	44.2	38.3
4	3910	16;V	W	45.8	39.9
4	3910	16;W	W	46.6	40.7
4	3910	16;X	N	46.5	40.6
4	3910	16;Y	N	46.5	40.6
4	3910	16;Z	W	47.8	41.9
4	3910	16;AA	N	47.6	41.7
4	3910	16;AB	N	47.8	41.9
4	3910	16;AC	W	50.3	44.4
4	3910	16;AD	W	50.2	44.4
4	3910	16;AE	W	50.1	44.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	3910	16;AF	S	47.8	42.0
4	3910	16;AG	SW	46.9	41.1
4	3910	16;AH	SW	46.0	40.1
5	3910	16;A	S	42.6	36.8
5	3910	16;B	E	27.8	21.8
5	3910	16;C	E	28.2	22.1
5	3910	16;D	E	27.4	21.5
5	3910	16;E	E	27.9	22.0
5	3910	16;F	W	27.2	21.3
5	3910	16;G	S	28.8	22.8
5	3910	16;H	S	30.8	24.7
5	3910	16;I	W	32.0	25.9
5	3910	16;J	W	32.4	26.4
5	3910	16;K	S	32.8	26.7
5	3910	16;L	S	35.2	29.2
5	3910	16;M	E	32.2	26.0
5	3910	16;N	E	32.3	26.1
5	3910	16;O	E	32.5	26.3
5	3910	16;P	E	32.9	26.7
5	3910	16;Q	N	44.2	38.3
5	3910	16;R	W	46.4	40.5
5	3910	16;S	N	46.4	40.5
5	3910	16;T	N	46.0	40.1
5	3910	16;U	N	45.9	40.1
5	3910	16;V	W	47.4	41.6
5	3910	16;W	W	48.2	42.3
5	3910	16;X	N	48.0	42.2
5	3910	16;Y	N	48.0	42.2
5	3910	16;Z	W	49.4	43.6
5	3910	16;AA	N	49.2	43.4
5	3910	16;AB	N	49.2	43.4
5	3910	16;AC	W	51.3	45.5
5	3910	16;AD	W	51.2	45.4
5	3910	16;AE	W	51.0	45.3
5	3910	16;AF	S	48.4	42.5
5	3910	16;AG	SW	47.4	41.6
5	3910	16;AH	SW	46.6	40.8
6	3910	16;A	S	43.4	37.6
6	3910	16;B	E	28.1	22.0
6	3910	16;C	E	28.5	22.4
6	3910	16;D	E	27.6	21.6
6	3910	16;E	E	28.0	22.1
6	3910	16;F	W	27.5	21.7
6	3910	16;G	S	29.8	23.7
6	3910	16;H	S	33.0	26.9
6	3910	16;I	W	34.2	28.1
6	3910	16;J	W	34.4	28.3
6	3910	16;K	S	34.3	28.2
6	3910	16;L	S	36.2	30.3
6	3910	16;M	E	32.9	26.7
6	3910	16;N	E	33.0	26.8
6	3910	16;O	E	33.1	27.0
6	3910	16;P	E	33.7	27.6
6	3910	16;Q	N	45.4	39.6
6	3910	16;R	W	47.6	41.8
6	3910	16;S	N	47.7	41.9
6	3910	16;T	N	47.2	41.4
6	3910	16;U	N	47.2	41.4
6	3910	16;V	W	48.6	42.8
6	3910	16;W	W	49.3	43.5
6	3910	16;X	N	49.0	43.2
6	3910	16;Y	N	48.7	42.9
6	3910	16;Z	W	50.2	44.4
6	3910	16;AA	N	50.0	44.2
6	3910	16;AB	N	49.9	44.1
6	3910	16;AC	W	51.8	46.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	3910	16;AD	W	51.7	45.9
6	3910	16;AE	W	51.6	45.8
6	3910	16;AF	S	48.7	42.9
6	3910	16;AG	SW	47.8	42.0
6	3910	16;AH	SW	47.1	41.3
7	3910	16;A	S	43.4	37.6
7	3910	16;B	E	28.6	22.5
7	3910	16;C	E	29.0	23.0
7	3910	16;D	E	28.0	22.0
7	3910	16;E	E	28.4	22.5
7	3910	16;F	W	28.4	22.5
7	3910	16;G	S	30.9	24.8
7	3910	16;H	S	34.9	28.8
7	3910	16;I	W	36.0	29.9
7	3910	16;J	W	36.1	30.0
7	3910	16;K	S	35.8	29.8
7	3910	16;L	S	37.3	31.3
7	3910	16;M	E	33.4	27.3
7	3910	16;N	E	33.6	27.4
7	3910	16;O	E	33.7	27.5
7	3910	16;P	E	34.3	28.2
7	3910	16;Q	N	46.2	40.4
7	3910	16;R	W	48.4	42.6
7	3910	16;S	N	48.5	42.7
7	3910	16;T	N	47.9	42.1
7	3910	16;U	N	47.8	42.0
7	3910	16;V	W	49.1	43.3
7	3910	16;W	W	49.7	44.0
7	3910	16;X	N	49.3	43.5
7	3910	16;Y	N	49.1	43.3
7	3910	16;Z	W	50.6	44.8
7	3910	16;AA	N	50.4	44.6
7	3910	16;AB	N	50.3	44.5
7	3910	16;AC	W	52.1	46.3
7	3910	16;AD	W	52.0	46.2
7	3910	16;AE	W	51.8	46.1
7	3910	16;AF	S	49.0	43.2
7	3910	16;AG	SW	48.1	42.3
7	3910	16;AH	SW	47.4	41.6
8	3910	16;A	S	44.2	38.3
8	3910	16;B	E	29.8	23.7
8	3910	16;C	E	30.4	24.3
8	3910	16;D	E	29.4	23.4
8	3910	16;E	E	30.0	24.1
8	3910	16;F	W	31.7	25.8
8	3910	16;G	S	33.3	27.2
8	3910	16;H	S	36.7	30.6
8	3910	16;I	W	37.7	31.6
8	3910	16;J	W	37.4	31.3
8	3910	16;K	S	37.0	30.9
8	3910	16;L	S	38.5	32.5
8	3910	16;M	E	34.1	27.9
8	3910	16;N	E	34.2	28.1
8	3910	16;O	E	34.4	28.2
8	3910	16;P	E	35.1	29.0
8	3910	16;Q	N	46.6	40.8
8	3910	16;R	W	48.7	42.9
8	3910	16;S	N	48.8	43.0
8	3910	16;T	N	48.2	42.4
8	3910	16;U	N	48.0	42.3
8	3910	16;V	W	49.4	43.6
8	3910	16;W	W	50.0	44.2
8	3910	16;X	N	49.5	43.7
8	3910	16;Y	N	49.3	43.5
8	3910	16;Z	W	50.8	45.1
8	3910	16;AA	N	50.7	44.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
8	3910	16;AB	N	50.5	44.8
8	3910	16;AC	W	52.2	46.5
8	3910	16;AD	W	52.1	46.3
8	3910	16;AE	W	52.0	46.2
8	3910	16;AF	S	49.2	43.4
8	3910	16;AG	SW	48.5	42.7
8	3910	16;AH	SW	47.9	42.1
1	3911	13;A	S	43.5	37.5
1	3911	13;B	W	34.4	28.3
1	3911	13;C	S	47.9	41.9
1	3911	13;D	E	52.4	46.4
1	3911	13;E	E	52.5	46.6
1	3911	13;F	E	52.3	46.4
1	3911	13;G	E	52.5	46.6
1	3911	13;H	E	52.2	46.3
1	3911	13;I	E	52.5	46.5
1	3911	13;J	E	52.2	46.3
1	3911	13;K	N	48.6	42.7
1	3911	13;L	W	38.6	32.4
1	3911	13;M	N	44.3	38.3
1	3911	13;N	W	34.8	28.6
1	3911	13;O	S	32.6	26.5
1	3911	13;P	W	30.1	24.3
1	3911	13;Q	N	29.9	24.2
1	3911	13;R	W	34.7	28.6
1	3911	13;S	S	35.1	29.0
1	3911	13;T	W	30.1	24.4
1	3911	13;U	N	30.0	24.2
1	3911	13;V	W	38.2	32.0
2	3911	13;A	S	46.2	40.4
2	3911	13;B	W	35.5	29.6
2	3911	13;C	S	50.3	44.5
2	3911	13;D	E	54.6	48.8
2	3911	13;E	E	54.7	48.9
2	3911	13;F	E	54.6	48.8
2	3911	13;G	E	54.7	49.0
2	3911	13;H	E	54.5	48.7
2	3911	13;I	E	54.7	48.9
2	3911	13;J	E	54.5	48.7
2	3911	13;K	N	51.0	45.2
2	3911	13;L	W	41.4	35.5
2	3911	13;M	N	47.1	41.3
2	3911	13;N	W	36.7	30.7
2	3911	13;O	S	33.6	27.6
2	3911	13;P	W	30.1	24.3
2	3911	13;Q	N	29.9	24.2
2	3911	13;R	W	36.3	30.3
2	3911	13;S	S	36.6	30.6
2	3911	13;T	W	30.1	24.4
2	3911	13;U	N	30.0	24.2
2	3911	13;V	W	40.0	34.0
3	3911	13;A	S	47.5	41.7
3	3911	13;B	W	36.3	30.4
3	3911	13;C	S	51.1	45.4
3	3911	13;D	E	55.3	49.5
3	3911	13;E	E	55.4	49.6
3	3911	13;F	E	55.2	49.5
3	3911	13;G	E	55.4	49.6
3	3911	13;H	E	55.1	49.4
3	3911	13;I	E	55.3	49.6
3	3911	13;J	E	55.1	49.4
3	3911	13;K	N	51.6	45.8
3	3911	13;L	W	34.1	28.0
3	3911	13;M	N	47.3	41.5
3	3911	13;N	W	34.6	28.6
3	3911	13;O	S	34.5	28.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	3911	13;P	W	30.1	24.3
3	3911	13;Q	N	29.9	24.1
3	3911	13;R	W	37.4	31.5
3	3911	13;S	S	37.5	31.6
3	3911	13;T	W	30.1	24.3
3	3911	13;U	N	30.0	24.2
3	3911	13;V	W	40.9	35.0
4	3911	13;A	S	48.1	42.4
4	3911	13;B	W	37.1	31.2
4	3911	13;C	S	51.5	45.7
4	3911	13;D	E	55.5	49.8
4	3911	13;E	E	55.6	49.9
4	3911	13;F	E	55.5	49.7
4	3911	13;G	E	55.6	49.9
4	3911	13;H	E	55.4	49.6
4	3911	13;I	E	55.6	49.8
4	3911	13;J	E	55.4	49.6
4	3911	13;K	N	51.9	46.2
4	3911	13;L	W	34.9	29.0
4	3911	13;M	N	47.8	42.1
4	3911	13;N	W	35.2	29.3
4	3911	13;O	S	34.9	29.1
4	3911	13;P	W	30.0	24.3
4	3911	13;Q	N	29.9	24.1
4	3911	13;R	W	37.3	31.4
4	3911	13;S	S	38.0	32.2
4	3911	13;T	W	30.1	24.3
4	3911	13;U	N	29.9	24.2
4	3911	13;V	W	41.6	35.7
5	3911	13;A	S	48.5	42.8
5	3911	13;B	W	37.5	31.6
5	3911	13;C	S	51.7	45.9
5	3911	13;D	E	55.6	49.9
5	3911	13;E	E	55.7	50.0
5	3911	13;F	E	55.6	49.8
5	3911	13;G	E	55.7	50.0
5	3911	13;H	E	55.5	49.7
5	3911	13;I	E	55.7	49.9
5	3911	13;J	E	55.5	49.7
5	3911	13;K	N	52.0	46.3
5	3911	13;L	W	30.2	24.5
5	3911	13;M	N	47.9	42.2
5	3911	13;N	W	35.0	29.1
5	3911	13;O	S	35.5	29.6
5	3911	13;P	W	30.0	24.3
5	3911	13;Q	N	29.9	24.1
5	3911	13;R	W	37.7	31.9
5	3911	13;S	S	38.5	32.7
5	3911	13;T	W	30.0	24.3
5	3911	13;U	N	29.9	24.2
5	3911	13;V	W	41.7	35.8
6	3911	13;A	S	48.4	42.7
6	3911	13;B	W	36.3	30.3
6	3911	13;C	S	51.8	46.0
6	3911	13;D	E	55.7	49.9
6	3911	13;E	E	55.8	50.0
6	3911	13;F	E	55.6	49.9
6	3911	13;G	E	55.8	50.0
6	3911	13;H	E	55.5	49.8
6	3911	13;I	E	55.7	50.0
6	3911	13;J	E	55.5	49.8
6	3911	13;K	N	52.1	46.3
6	3911	13;L	W	30.3	24.5
6	3911	13;M	N	48.2	42.5
6	3911	13;N	W	35.4	29.6
6	3911	13;O	S	35.9	30.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	3911	13;P	W	30.0	24.3
6	3911	13;Q	N	29.9	24.2
6	3911	13;R	W	38.3	32.5
6	3911	13;S	S	39.1	33.3
6	3911	13;T	W	30.0	24.3
6	3911	13;U	N	30.0	24.2
6	3911	13;V	W	38.7	32.9
7	3911	13;A	S	48.5	42.9
7	3911	13;B	W	31.3	25.5
7	3911	13;C	S	51.8	46.0
7	3911	13;D	E	55.7	49.9
7	3911	13;E	E	55.8	50.0
7	3911	13;F	E	55.6	49.9
7	3911	13;G	E	55.8	50.0
7	3911	13;H	E	55.5	49.8
7	3911	13;I	E	55.7	50.0
7	3911	13;J	E	55.5	49.8
7	3911	13;K	N	52.1	46.4
7	3911	13;L	W	30.4	24.7
7	3911	13;M	N	48.4	42.7
7	3911	13;N	W	36.2	30.3
7	3911	13;O	S	36.8	30.9
7	3911	13;P	W	30.1	24.3
7	3911	13;Q	N	30.2	24.4
7	3911	13;R	W	36.5	30.6
7	3911	13;S	S	36.2	30.5
7	3911	13;T	W	30.1	24.4
7	3911	13;U	N	30.2	24.4
7	3911	13;V	W	30.0	24.3
8	3911	13;A	S	48.8	43.1
8	3911	13;B	W	32.6	26.8
8	3911	13;C	S	51.8	46.1
8	3911	13;D	E	55.7	49.9
8	3911	13;E	E	55.8	50.0
8	3911	13;F	E	55.6	49.9
8	3911	13;G	E	55.8	50.0
8	3911	13;H	E	55.5	49.7
8	3911	13;I	E	55.7	50.0
8	3911	13;J	E	55.5	49.7
8	3911	13;K	N	52.1	46.4
8	3911	13;L	W	31.6	25.9
8	3911	13;M	N	48.5	42.8
8	3911	13;N	W	35.2	29.3
8	3911	13;O	S	34.9	29.0
8	3911	13;P	W	30.7	25.0
8	3911	13;Q	N	31.8	26.0
8	3911	13;R	W	30.3	24.5
8	3911	13;S	S	31.9	26.1
8	3911	13;T	W	30.8	25.0
8	3911	13;U	N	31.6	25.8
8	3911	13;V	W	30.9	25.1
1	3912	34;A	NE	53.3	47.0
1	3912	34;B	NE	53.3	46.9
1	3912	34;C	NE	53.3	46.9
1	3912	34;D	NE	53.2	46.8
1	3912	34;E	NE	53.0	46.7
1	3912	34;F	NW	48.0	41.6
1	3912	34;G	SW	31.9	25.6
1	3912	34;H	SW	32.1	25.8
1	3912	34;I	SW	32.2	25.9
1	3912	34;J	SW	32.3	26.0
1	3912	34;K	SW	32.3	26.0
1	3912	34;L	SW	32.3	26.0
1	3912	34;M	SW	32.3	26.0
1	3912	34;N	SE	49.9	43.5
2	3912	34;A	NE	56.3	50.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3912	34;B	NE	56.3	50.0
2	3912	34;C	NE	56.3	49.9
2	3912	34;D	NE	56.2	49.9
2	3912	34;E	NE	56.0	49.7
2	3912	34;F	NW	51.2	44.9
2	3912	34;G	SW	32.0	25.7
2	3912	34;H	SW	32.2	25.9
2	3912	34;I	SW	32.3	26.0
2	3912	34;J	SW	32.4	26.0
2	3912	34;K	SW	32.4	26.1
2	3912	34;L	SW	32.4	26.1
2	3912	34;M	SW	32.4	26.1
2	3912	34;N	SE	52.9	46.5
3	3912	34;A	NE	57.5	51.1
3	3912	34;B	NE	57.4	51.1
3	3912	34;C	NE	57.4	51.1
3	3912	34;D	NE	57.3	51.0
3	3912	34;E	NE	57.2	50.9
3	3912	34;F	NW	52.5	46.2
3	3912	34;G	SW	32.3	26.0
3	3912	34;H	SW	32.4	26.1
3	3912	34;I	SW	32.5	26.1
3	3912	34;J	SW	32.5	26.2
3	3912	34;K	SW	32.6	26.3
3	3912	34;L	SW	32.6	26.3
3	3912	34;M	SW	32.6	26.3
3	3912	34;N	SE	54.2	47.8
4	3912	34;A	NE	57.9	51.6
4	3912	34;B	NE	57.9	51.5
4	3912	34;C	NE	57.8	51.5
4	3912	34;D	NE	57.8	51.4
4	3912	34;E	NE	57.6	51.3
4	3912	34;F	NW	53.1	46.8
4	3912	34;G	SW	33.6	27.2
4	3912	34;H	SW	33.6	27.3
4	3912	34;I	SW	33.6	27.3
4	3912	34;J	SW	33.7	27.3
4	3912	34;K	SW	33.7	27.4
4	3912	34;L	SW	33.7	27.4
4	3912	34;M	SW	33.9	27.6
4	3912	34;N	SE	54.8	48.4
1	3913	40;A	SE	56.2	49.7
1	3913	40;B	NE	60.4	53.9
1	3913	40;C	NE	61.2	54.6
1	3913	40;D	NE	60.6	54.0
1	3913	40;E	NE	61.2	54.6
1	3913	40;F	NW	56.5	50.0
1	3913	40;G	NW	53.8	47.3
1	3913	40;H	NW	47.3	40.8
1	3913	40;I	NW	48.0	41.4
1	3913	40;J	NW	48.9	42.4
1	3913	40;K	SW	39.8	33.3
1	3913	40;L	SE	36.7	30.1
1	3913	40;M	SE	37.9	31.3
1	3913	40;N	SW	38.4	31.9
1	3913	40;O	SW	38.3	31.8
1	3913	40;P	SW	39.1	32.6
2	3913	40;A	SE	58.6	52.1
2	3913	40;B	NE	62.4	55.9
2	3913	40;C	NE	63.0	56.5
2	3913	40;D	NE	62.6	56.1
2	3913	40;E	NE	63.0	56.4
2	3913	40;F	NW	58.9	52.3
2	3913	40;G	NW	56.8	50.2
2	3913	40;H	NW	50.4	43.9
2	3913	40;I	NW	51.6	45.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3913	40;J	NW	52.3	45.8
2	3913	40;K	SW	41.8	35.2
2	3913	40;L	SE	37.2	30.7
2	3913	40;M	SE	37.9	31.4
2	3913	40;N	SW	39.2	32.7
2	3913	40;O	SW	38.3	31.8
2	3913	40;P	SW	39.7	33.2
3	3913	40;A	SE	59.2	52.6
3	3913	40;B	NE	62.9	56.4
3	3913	40;C	NE	63.4	56.9
3	3913	40;D	NE	63.0	56.5
3	3913	40;E	NE	63.4	56.9
3	3913	40;F	NW	59.4	52.9
3	3913	40;G	NW	57.7	51.1
3	3913	40;H	NW	52.1	45.6
3	3913	40;I	NW	53.2	46.6
3	3913	40;J	NW	53.7	47.1
3	3913	40;K	SW	43.3	36.7
3	3913	40;L	SE	38.0	31.5
3	3913	40;M	SE	38.0	31.4
3	3913	40;N	SW	39.7	33.2
3	3913	40;O	SW	38.3	31.8
3	3913	40;P	SW	40.4	33.8
4	3913	40;A	SE	59.4	52.8
4	3913	40;B	NE	63.1	56.5
4	3913	40;C	NE	63.6	57.0
4	3913	40;D	NE	63.2	56.7
4	3913	40;E	NE	63.5	57.0
4	3913	40;F	NW	59.7	53.1
4	3913	40;G	NW	58.0	51.5
4	3913	40;H	NW	53.0	46.5
4	3913	40;I	NW	53.9	47.4
4	3913	40;J	NW	54.3	47.8
4	3913	40;K	SW	44.0	37.5
4	3913	40;L	SE	38.5	31.9
4	3913	40;M	SE	38.1	31.5
4	3913	40;N	SW	40.1	33.6
4	3913	40;O	SW	38.3	31.8
4	3913	40;P	SW	40.8	34.3
5	3913	40;A	SE	59.4	52.9
5	3913	40;B	NE	63.1	56.6
5	3913	40;C	NE	63.6	57.1
5	3913	40;D	NE	63.2	56.7
5	3913	40;E	NE	63.5	57.0
5	3913	40;F	NW	59.8	53.2
5	3913	40;G	NW	58.2	51.7
5	3913	40;H	NW	53.5	46.9
5	3913	40;I	NW	54.3	47.8
5	3913	40;J	NW	54.7	48.2
5	3913	40;K	SW	44.6	38.1
5	3913	40;L	SE	39.1	32.6
5	3913	40;M	SE	38.4	31.8
5	3913	40;N	SW	40.4	33.9
5	3913	40;O	SW	38.4	31.9
5	3913	40;P	SW	41.2	34.6
6	3913	40;A	SE	59.4	52.8
6	3913	40;B	NE	63.0	56.5
6	3913	40;C	NE	63.5	57.0
6	3913	40;D	NE	63.1	56.6
6	3913	40;E	NE	63.5	56.9
6	3913	40;F	NW	59.7	53.2
6	3913	40;G	NW	58.3	51.8
6	3913	40;H	NW	53.8	47.3
6	3913	40;I	NW	54.8	48.3
6	3913	40;J	NW	55.2	48.7
6	3913	40;K	SW	35.7	29.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	3913	40;L	SE	40.2	33.7
6	3913	40;M	SE	39.7	33.2
6	3913	40;N	SW	41.2	34.7
6	3913	40;O	SW	39.0	32.4
6	3913	40;P	SW	41.8	35.3
1	3914	59;A	NW	34.5	28.0
1	3914	59;B	NE	34.5	28.0
1	3914	59;C	NE	36.1	29.5
1	3914	59;D	SE	36.3	29.8
1	3914	59;E	NE	36.0	29.5
1	3914	59;F	NW	47.9	41.4
1	3914	59;G	NW	49.2	42.7
1	3914	59;H	SW	52.9	46.4
1	3914	59;I	SW	52.2	45.7
1	3914	59;J	NW	52.1	45.5
1	3914	59;K	SW	53.8	47.3
1	3914	59;L	SE	51.2	44.7
1	3914	59;M	SE	48.9	42.3
1	3914	59;N	SW	50.3	43.8
1	3914	59;O	SE	48.9	42.4
1	3914	59;P	NE	36.0	29.5
2	3914	59;A	NW	34.5	28.0
2	3914	59;B	NE	34.6	28.1
2	3914	59;C	NE	36.3	29.8
2	3914	59;D	SE	36.5	30.0
2	3914	59;E	NE	36.3	29.8
2	3914	59;F	NW	51.4	44.9
2	3914	59;G	NW	52.7	46.2
2	3914	59;H	SW	56.3	49.8
2	3914	59;I	SW	55.7	49.2
2	3914	59;J	NW	55.6	49.1
2	3914	59;K	SW	57.2	50.7
2	3914	59;L	SE	54.6	48.1
2	3914	59;M	SE	52.2	45.7
2	3914	59;N	SW	53.6	47.1
2	3914	59;O	SE	52.2	45.7
2	3914	59;P	NE	36.3	29.8
3	3914	59;A	NW	34.6	28.1
3	3914	59;B	NE	34.6	28.1
3	3914	59;C	NE	36.8	30.3
3	3914	59;D	SE	37.2	30.7
3	3914	59;E	NE	36.9	30.4
3	3914	59;F	NW	52.9	46.4
3	3914	59;G	NW	54.2	47.7
3	3914	59;H	SW	57.9	51.4
3	3914	59;I	SW	57.2	50.7
3	3914	59;J	NW	57.0	50.5
3	3914	59;K	SW	58.7	52.2
3	3914	59;L	SE	56.1	49.6
3	3914	59;M	SE	53.9	47.4
3	3914	59;N	SW	55.3	48.8
3	3914	59;O	SE	53.8	47.3
3	3914	59;P	NE	37.0	30.5
4	3914	59;A	NW	34.8	28.3
4	3914	59;B	NE	34.8	28.3
4	3914	59;C	NE	37.6	31.1
4	3914	59;D	SE	38.0	31.5
4	3914	59;E	NE	37.7	31.2
4	3914	59;F	NW	53.9	47.4
4	3914	59;G	NW	54.9	48.4
4	3914	59;H	SW	58.6	52.1
4	3914	59;I	SW	57.9	51.4
4	3914	59;J	NW	57.7	51.2
4	3914	59;K	SW	59.3	52.8
4	3914	59;L	SE	56.8	50.3
4	3914	59;M	SE	54.9	48.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	3914	59;N	SW	56.2	49.6
4	3914	59;O	SE	54.7	48.2
4	3914	59;P	NE	37.9	31.4
5	3914	59;A	NW	35.5	29.0
5	3914	59;B	NE	35.3	28.8
5	3914	59;C	NE	38.6	32.1
5	3914	59;D	SE	39.2	32.7
5	3914	59;E	NE	38.9	32.4
5	3914	59;F	NW	54.4	47.9
5	3914	59;G	NW	55.4	48.9
5	3914	59;H	SW	59.0	52.5
5	3914	59;I	SW	58.3	51.8
5	3914	59;J	NW	58.0	51.5
5	3914	59;K	SW	59.6	53.1
5	3914	59;L	SE	57.2	50.7
5	3914	59;M	SE	55.4	48.9
5	3914	59;N	SW	56.6	50.1
5	3914	59;O	SE	55.1	48.6
5	3914	59;P	NE	39.4	32.9
6	3914	59;A	NW	37.9	31.4
6	3914	59;B	NE	36.8	30.3
6	3914	59;C	NE	39.8	33.3
6	3914	59;D	SE	41.0	34.5
6	3914	59;E	NE	40.3	33.8
6	3914	59;F	NW	55.0	48.5
6	3914	59;G	NW	55.9	49.4
6	3914	59;H	SW	59.3	52.8
6	3914	59;I	SW	58.7	52.2
6	3914	59;J	NW	58.3	51.8
6	3914	59;K	SW	59.9	53.4
6	3914	59;L	SE	57.4	50.9
6	3914	59;M	SE	55.8	49.3
6	3914	59;N	SW	56.9	50.4
6	3914	59;O	SE	55.4	48.9
6	3914	59;P	NE	41.0	34.5
1	3915	47;A	NE	55.4	48.9
1	3915	47;B	SE	55.1	48.6
1	3915	47;C	NE	56.8	50.2
1	3915	47;D	NE	56.0	49.5
1	3915	47;E	SE	55.9	49.4
1	3915	47;F	NE	56.7	50.2
1	3915	47;G	NW	55.0	48.5
1	3915	47;H	NE	55.2	48.7
1	3915	47;I	NE	55.9	49.4
1	3915	47;J	NW	54.1	47.6
1	3915	47;K	NE	54.3	47.8
1	3915	47;L	NW	50.8	44.3
1	3915	47;M	SW	35.8	29.3
1	3915	47;N	SW	35.7	29.2
1	3915	47;O	SW	35.8	29.3
1	3915	47;P	SW	35.8	29.3
1	3915	47;Q	SW	36.0	29.5
1	3915	47;R	SW	35.8	29.3
1	3915	47;S	SW	36.0	29.5
1	3915	47;T	SW	36.0	29.5
1	3915	47;U	SW	36.1	29.6
1	3915	47;V	NW	36.0	29.5
1	3915	47;W	SW	36.0	29.5
1	3915	47;X	SW	36.4	29.9
1	3915	47;Y	SE	51.4	44.9
2	3915	47;A	NE	58.5	52.0
2	3915	47;B	SE	58.3	51.8
2	3915	47;C	NE	59.8	53.3
2	3915	47;D	NE	59.2	52.7
2	3915	47;E	SE	59.0	52.5
2	3915	47;F	NE	59.8	53.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3915	47;G	NW	58.2	51.7
2	3915	47;H	NE	58.4	51.9
2	3915	47;I	NE	59.1	52.6
2	3915	47;J	NW	57.5	51.0
2	3915	47;K	NE	57.7	51.2
2	3915	47;L	NW	54.3	47.8
2	3915	47;M	SW	35.8	29.3
2	3915	47;N	SW	35.7	29.2
2	3915	47;O	SW	35.8	29.3
2	3915	47;P	SW	35.8	29.3
2	3915	47;Q	SW	36.0	29.5
2	3915	47;R	SW	35.8	29.3
2	3915	47;S	SW	36.0	29.5
2	3915	47;T	SW	36.0	29.5
2	3915	47;U	SW	36.1	29.6
2	3915	47;V	NW	36.0	29.5
2	3915	47;W	SW	36.0	29.5
2	3915	47;X	SW	36.4	29.9
2	3915	47;Y	SE	54.7	48.1
3	3915	47;A	NE	59.8	53.3
3	3915	47;B	SE	59.5	53.0
3	3915	47;C	NE	60.8	54.3
3	3915	47;D	NE	60.3	53.8
3	3915	47;E	SE	60.1	53.6
3	3915	47;F	NE	60.8	54.3
3	3915	47;G	NW	59.4	52.9
3	3915	47;H	NE	59.7	53.2
3	3915	47;I	NE	60.3	53.8
3	3915	47;J	NW	58.8	52.3
3	3915	47;K	NE	59.0	52.5
3	3915	47;L	NW	55.8	49.3
3	3915	47;M	SW	35.8	29.3
3	3915	47;N	SW	35.7	29.2
3	3915	47;O	SW	35.8	29.3
3	3915	47;P	SW	35.8	29.3
3	3915	47;Q	SW	36.0	29.5
3	3915	47;R	SW	35.8	29.3
3	3915	47;S	SW	36.0	29.5
3	3915	47;T	SW	36.0	29.5
3	3915	47;U	SW	36.0	29.5
3	3915	47;V	NW	36.0	29.5
3	3915	47;W	SW	36.0	29.5
3	3915	47;X	SW	36.4	29.9
3	3915	47;Y	SE	55.9	49.4
4	3915	47;A	NE	60.3	53.8
4	3915	47;B	SE	60.0	53.5
4	3915	47;C	NE	61.2	54.7
4	3915	47;D	NE	60.7	54.2
4	3915	47;E	SE	60.5	54.0
4	3915	47;F	NE	61.2	54.7
4	3915	47;G	NW	59.8	53.3
4	3915	47;H	NE	60.1	53.6
4	3915	47;I	NE	60.8	54.3
4	3915	47;J	NW	59.3	52.8
4	3915	47;K	NE	59.6	53.1
4	3915	47;L	NW	56.3	49.8
4	3915	47;M	SW	35.8	29.3
4	3915	47;N	SW	35.6	29.1
4	3915	47;O	SW	35.8	29.3
4	3915	47;P	SW	35.8	29.3
4	3915	47;Q	SW	35.9	29.4
4	3915	47;R	SW	35.7	29.2
4	3915	47;S	SW	35.9	29.4
4	3915	47;T	SW	36.0	29.5
4	3915	47;U	SW	36.0	29.5
4	3915	47;V	NW	36.0	29.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	3915	47;W	SW	36.0	29.5
4	3915	47;X	SW	36.4	29.9
4	3915	47;Y	SE	56.4	49.9
5	3915	47;A	NE	60.5	54.0
5	3915	47;B	SE	60.2	53.7
5	3915	47;C	NE	61.4	54.9
5	3915	47;D	NE	60.9	54.4
5	3915	47;E	SE	60.7	54.2
5	3915	47;F	NE	61.5	55.0
5	3915	47;G	NW	60.1	53.6
5	3915	47;H	NE	60.3	53.8
5	3915	47;I	NE	61.0	54.5
5	3915	47;J	NW	59.6	53.1
5	3915	47;K	NE	59.9	53.4
5	3915	47;L	NW	56.7	50.2
5	3915	47;M	SW	35.8	29.3
5	3915	47;N	SW	35.6	29.1
5	3915	47;O	SW	35.8	29.3
5	3915	47;P	SW	35.8	29.3
5	3915	47;Q	SW	35.9	29.4
5	3915	47;R	SW	35.7	29.2
5	3915	47;S	SW	35.9	29.4
5	3915	47;T	SW	36.0	29.5
5	3915	47;U	SW	36.0	29.5
5	3915	47;V	NW	35.9	29.4
5	3915	47;W	SW	36.0	29.5
5	3915	47;X	SW	36.4	29.9
5	3915	47;Y	SE	56.6	50.1
6	3915	47;A	NE	60.7	54.2
6	3915	47;B	SE	60.3	53.8
6	3915	47;C	NE	61.6	55.1
6	3915	47;D	NE	61.1	54.6
6	3915	47;E	SE	60.8	54.3
6	3915	47;F	NE	61.6	55.1
6	3915	47;G	NW	60.2	53.7
6	3915	47;H	NE	60.5	54.0
6	3915	47;I	NE	61.2	54.7
6	3915	47;J	NW	59.8	53.3
6	3915	47;K	NE	60.1	53.6
6	3915	47;L	NW	57.0	50.5
6	3915	47;M	SW	35.8	29.2
6	3915	47;N	SW	35.6	29.1
6	3915	47;O	SW	35.7	29.2
6	3915	47;P	SW	35.7	29.2
6	3915	47;Q	SW	35.9	29.4
6	3915	47;R	SW	35.7	29.2
6	3915	47;S	SW	35.9	29.4
6	3915	47;T	SW	35.9	29.4
6	3915	47;U	SW	36.0	29.5
6	3915	47;V	NW	35.9	29.4
6	3915	47;W	SW	35.9	29.4
6	3915	47;X	SW	36.3	29.8
6	3915	47;Y	SE	56.7	50.2
7	3915	47;A	NE	60.8	54.3
7	3915	47;B	SE	60.3	53.8
7	3915	47;C	NE	61.6	55.1
7	3915	47;D	NE	61.1	54.6
7	3915	47;E	SE	60.9	54.4
7	3915	47;F	NE	61.6	55.1
7	3915	47;G	NW	60.2	53.7
7	3915	47;H	NE	60.5	54.0
7	3915	47;I	NE	61.3	54.8
7	3915	47;J	NW	59.9	53.4
7	3915	47;K	NE	60.2	53.7
7	3915	47;L	NW	57.2	50.7
7	3915	47;M	SW	35.7	29.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
7	3915	47;N	SW	35.6	29.1
7	3915	47;O	SW	35.7	29.2
7	3915	47;P	SW	35.7	29.2
7	3915	47;Q	SW	35.8	29.3
7	3915	47;R	SW	35.7	29.2
7	3915	47;S	SW	35.8	29.3
7	3915	47;T	SW	35.9	29.4
7	3915	47;U	SW	35.9	29.4
7	3915	47;V	NW	35.9	29.4
7	3915	47;W	SW	35.9	29.4
7	3915	47;X	SW	36.3	29.8
7	3915	47;Y	SE	56.7	50.2
8	3915	47;A	NE	60.8	54.3
8	3915	47;B	SE	60.4	53.9
8	3915	47;C	NE	61.6	55.1
8	3915	47;D	NE	61.1	54.6
8	3915	47;E	SE	60.9	54.4
8	3915	47;F	NE	61.6	55.1
8	3915	47;G	NW	60.2	53.7
8	3915	47;H	NE	60.5	54.0
8	3915	47;I	NE	61.3	54.8
8	3915	47;J	NW	59.9	53.4
8	3915	47;K	NE	60.2	53.7
8	3915	47;L	NW	57.1	50.6
8	3915	47;M	SW	35.7	29.2
8	3915	47;N	SW	35.5	29.0
8	3915	47;O	SW	35.7	29.2
8	3915	47;P	SW	35.7	29.2
8	3915	47;Q	SW	35.8	29.3
8	3915	47;R	SW	35.6	29.1
8	3915	47;S	SW	35.8	29.3
8	3915	47;T	SW	35.8	29.3
8	3915	47;U	SW	35.9	29.4
8	3915	47;V	NW	35.8	29.3
8	3915	47;W	SW	35.9	29.4
8	3915	47;X	SW	36.3	29.8
8	3915	47;Y	SE	56.7	50.2
9	3915	47;A	NE	60.8	54.3
9	3915	47;B	SE	60.4	53.9
9	3915	47;C	NE	61.6	55.1
9	3915	47;D	NE	61.1	54.6
9	3915	47;E	SE	60.8	54.3
9	3915	47;F	NE	61.6	55.1
9	3915	47;G	NW	60.2	53.7
9	3915	47;H	NE	60.5	54.0
9	3915	47;I	NE	61.3	54.8
9	3915	47;J	NW	59.8	53.3
9	3915	47;K	NE	60.2	53.7
9	3915	47;L	NW	57.2	50.6
9	3915	47;M	SW	35.7	29.2
9	3915	47;N	SW	35.5	29.0
9	3915	47;O	SW	35.6	29.1
9	3915	47;P	SW	35.6	29.1
9	3915	47;Q	SW	35.8	29.3
9	3915	47;R	SW	35.6	29.1
9	3915	47;S	SW	35.7	29.2
9	3915	47;T	SW	35.8	29.3
9	3915	47;U	SW	35.8	29.3
9	3915	47;V	NW	35.8	29.3
9	3915	47;W	SW	35.8	29.3
9	3915	47;X	SW	36.2	29.7
9	3915	47;Y	SE	56.7	50.2
10	3915	47;A	NE	60.8	54.3
10	3915	47;B	SE	60.3	53.8
10	3915	47;C	NE	61.5	55.0
10	3915	47;D	NE	61.0	54.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
10	3915	47;E	SE	60.8	54.3
10	3915	47;F	NE	61.5	55.0
10	3915	47;G	NW	60.2	53.7
10	3915	47;H	NE	60.5	54.0
10	3915	47;I	NE	61.2	54.7
10	3915	47;J	NW	59.8	53.3
10	3915	47;K	NE	60.2	53.7
10	3915	47;L	NW	57.1	50.6
10	3915	47;M	SW	35.7	29.2
10	3915	47;N	SW	35.5	29.0
10	3915	47;O	SW	35.6	29.1
10	3915	47;P	SW	35.6	29.1
10	3915	47;Q	SW	35.7	29.2
10	3915	47;R	SW	35.5	29.0
10	3915	47;S	SW	35.7	29.2
10	3915	47;T	SW	35.8	29.3
10	3915	47;U	SW	35.8	29.3
10	3915	47;V	NW	35.8	29.3
10	3915	47;W	SW	35.8	29.3
10	3915	47;X	SW	36.2	29.7
10	3915	47;Y	SE	56.7	50.2
11	3915	47;A	NE	60.7	54.2
11	3915	47;B	SE	60.3	53.8
11	3915	47;C	NE	61.5	55.0
11	3915	47;D	NE	61.0	54.5
11	3915	47;E	SE	60.7	54.3
11	3915	47;F	NE	61.5	55.0
11	3915	47;G	NW	60.1	53.6
11	3915	47;H	NE	60.4	53.9
11	3915	47;I	NE	61.2	54.7
11	3915	47;J	NW	59.8	53.3
11	3915	47;K	NE	60.2	53.7
11	3915	47;L	NW	57.1	50.6
11	3915	47;M	SW	35.9	29.4
11	3915	47;N	SW	35.6	29.1
11	3915	47;O	SW	35.7	29.2
11	3915	47;P	SW	35.6	29.1
11	3915	47;Q	SW	35.8	29.3
11	3915	47;R	SW	35.6	29.1
11	3915	47;S	SW	35.8	29.3
11	3915	47;T	SW	35.8	29.3
11	3915	47;U	SW	35.9	29.4
11	3915	47;V	NW	36.0	29.5
11	3915	47;W	SW	35.8	29.3
11	3915	47;X	SW	36.3	29.8
11	3915	47;Y	SE	56.6	50.1
12	3915	47;A	NE	60.7	54.2
12	3915	47;B	SE	60.2	53.7
12	3915	47;C	NE	61.4	54.9
12	3915	47;D	NE	60.9	54.4
12	3915	47;E	SE	60.7	54.2
12	3915	47;F	NE	61.4	54.9
12	3915	47;G	NW	60.0	53.5
12	3915	47;H	NE	60.3	53.8
12	3915	47;I	NE	61.1	54.6
12	3915	47;J	NW	59.7	53.2
12	3915	47;K	NE	60.2	53.7
12	3915	47;L	NW	57.1	50.6
12	3915	47;M	SW	36.9	30.4
12	3915	47;N	SW	36.2	29.7
12	3915	47;O	SW	36.2	29.7
12	3915	47;P	SW	36.2	29.7
12	3915	47;Q	SW	36.4	29.9
12	3915	47;R	SW	36.1	29.6
12	3915	47;S	SW	36.4	29.9
12	3915	47;T	SW	36.4	29.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
12	3915	47;U	SW	36.5	30.0
12	3915	47;V	NW	37.1	30.6
12	3915	47;W	SW	36.4	29.9
12	3915	47;X	SW	37.0	30.5
12	3915	47;Y	SE	56.5	50.0
1	3916	58;A	NW	52.5	46.0
1	3916	58;B	NE	52.3	45.8
1	3916	58;C	NW	53.6	47.1
1	3916	58;D	NW	53.4	46.9
1	3916	58;E	NW	53.2	46.7
1	3916	58;F	NW	53.0	46.5
1	3916	58;G	NW	52.7	46.3
1	3916	58;H	SW	50.7	44.2
1	3916	58;I	SE	43.1	36.6
1	3916	58;J	SE	42.4	35.9
1	3916	58;K	SE	40.7	34.1
1	3916	58;L	SE	39.8	33.3
1	3916	58;M	SE	35.1	28.6
1	3916	58;N	SE	41.5	34.9
1	3916	58;O	SE	42.7	36.2
1	3916	58;P	NE	50.1	43.6
2	3916	58;A	NW	55.5	49.0
2	3916	58;B	NE	55.2	48.8
2	3916	58;C	NW	56.5	50.0
2	3916	58;D	NW	56.3	49.9
2	3916	58;E	NW	56.1	49.7
2	3916	58;F	NW	56.0	49.5
2	3916	58;G	NW	55.8	49.3
2	3916	58;H	SW	53.8	47.3
2	3916	58;I	SE	45.6	39.1
2	3916	58;J	SE	44.7	38.2
2	3916	58;K	SE	42.7	36.1
2	3916	58;L	SE	41.6	35.1
2	3916	58;M	SE	35.6	29.2
2	3916	58;N	SE	43.5	37.0
2	3916	58;O	SE	45.0	38.5
2	3916	58;P	NE	53.0	46.5
3	3916	58;A	NW	56.7	50.2
3	3916	58;B	NE	56.4	50.0
3	3916	58;C	NW	57.7	51.2
3	3916	58;D	NW	57.6	51.1
3	3916	58;E	NW	57.4	51.0
3	3916	58;F	NW	57.3	50.9
3	3916	58;G	NW	57.1	50.6
3	3916	58;H	SW	55.2	48.8
3	3916	58;I	SE	47.0	40.5
3	3916	58;J	SE	46.1	39.7
3	3916	58;K	SE	44.3	37.8
3	3916	58;L	SE	43.1	36.6
3	3916	58;M	SE	36.1	29.7
3	3916	58;N	SE	45.1	38.6
3	3916	58;O	SE	46.4	40.0
3	3916	58;P	NE	54.3	47.8
4	3916	58;A	NW	57.2	50.7
4	3916	58;B	NE	57.0	50.5
4	3916	58;C	NW	58.2	51.7
4	3916	58;D	NW	58.0	51.6
4	3916	58;E	NW	57.9	51.4
4	3916	58;F	NW	57.8	51.4
4	3916	58;G	NW	57.6	51.2
4	3916	58;H	SW	55.9	49.4
4	3916	58;I	SE	47.8	41.3
4	3916	58;J	SE	47.0	40.5
4	3916	58;K	SE	45.3	38.8
4	3916	58;L	SE	44.1	37.6
4	3916	58;M	SE	36.5	30.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	3916	58;N	SE	46.0	39.5
4	3916	58;O	SE	47.4	40.9
4	3916	58;P	NE	54.9	48.5
5	3916	58;A	NW	57.4	50.9
5	3916	58;B	NE	57.2	50.7
5	3916	58;C	NW	58.4	52.0
5	3916	58;D	NW	58.3	51.8
5	3916	58;E	NW	58.2	51.7
5	3916	58;F	NW	58.1	51.7
5	3916	58;G	NW	57.9	51.4
5	3916	58;H	SW	56.2	49.8
5	3916	58;I	SE	48.2	41.7
5	3916	58;J	SE	47.5	41.1
5	3916	58;K	SE	46.0	39.5
5	3916	58;L	SE	44.9	38.4
5	3916	58;M	SE	36.9	30.4
5	3916	58;N	SE	46.6	40.1
5	3916	58;O	SE	47.9	41.4
5	3916	58;P	NE	55.2	48.7
6	3916	58;A	NW	57.5	51.0
6	3916	58;B	NE	57.3	50.8
6	3916	58;C	NW	58.5	52.1
6	3916	58;D	NW	58.4	52.0
6	3916	58;E	NW	58.3	51.8
6	3916	58;F	NW	58.3	51.8
6	3916	58;G	NW	58.0	51.6
6	3916	58;H	SW	56.4	50.0
6	3916	58;I	SE	48.5	42.0
6	3916	58;J	SE	47.8	41.4
6	3916	58;K	SE	46.5	40.1
6	3916	58;L	SE	45.4	39.0
6	3916	58;M	SE	37.2	30.7
6	3916	58;N	SE	46.9	40.4
6	3916	58;O	SE	48.2	41.7
6	3916	58;P	NE	55.3	48.8
7	3916	58;A	NW	57.5	51.1
7	3916	58;B	NE	57.3	50.9
7	3916	58;C	NW	58.6	52.2
7	3916	58;D	NW	58.5	52.1
7	3916	58;E	NW	58.4	51.9
7	3916	58;F	NW	58.4	51.9
7	3916	58;G	NW	58.1	51.7
7	3916	58;H	SW	56.5	50.1
7	3916	58;I	SE	48.6	42.2
7	3916	58;J	SE	48.0	41.6
7	3916	58;K	SE	46.8	40.4
7	3916	58;L	SE	45.7	39.3
7	3916	58;M	SE	37.4	30.9
7	3916	58;N	SE	47.1	40.6
7	3916	58;O	SE	48.3	41.8
7	3916	58;P	NE	55.4	48.9
8	3916	58;A	NW	57.6	51.1
8	3916	58;B	NE	57.4	50.9
8	3916	58;C	NW	58.7	52.2
8	3916	58;D	NW	58.6	52.1
8	3916	58;E	NW	58.4	52.0
8	3916	58;F	NW	58.4	52.0
8	3916	58;G	NW	58.1	51.7
8	3916	58;H	SW	56.6	50.2
8	3916	58;I	SE	48.7	42.3
8	3916	58;J	SE	48.1	41.7
8	3916	58;K	SE	47.0	40.5
8	3916	58;L	SE	45.9	39.4
8	3916	58;M	SE	37.6	31.1
8	3916	58;N	SE	47.2	40.8
8	3916	58;O	SE	48.4	41.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
8	3916	58;P	NE	55.4	49.0
9	3916	58;A	NW	57.5	51.1
9	3916	58;B	NE	57.3	50.9
9	3916	58;C	NW	58.7	52.2
9	3916	58;D	NW	58.6	52.1
9	3916	58;E	NW	58.4	52.0
9	3916	58;F	NW	58.4	52.0
9	3916	58;G	NW	58.1	51.7
9	3916	58;H	SW	56.6	50.2
9	3916	58;I	SE	48.8	42.3
9	3916	58;J	SE	48.2	41.8
9	3916	58;K	SE	47.2	40.7
9	3916	58;L	SE	46.0	39.6
9	3916	58;M	SE	37.8	31.3
9	3916	58;N	SE	47.3	40.8
9	3916	58;O	SE	48.4	42.0
9	3916	58;P	NE	55.5	49.0
10	3916	58;A	NW	57.5	51.0
10	3916	58;B	NE	57.3	50.8
10	3916	58;C	NW	58.6	52.2
10	3916	58;D	NW	58.5	52.1
10	3916	58;E	NW	58.4	51.9
10	3916	58;F	NW	58.4	52.0
10	3916	58;G	NW	58.1	51.7
10	3916	58;H	SW	56.6	50.2
10	3916	58;I	SE	48.8	42.4
10	3916	58;J	SE	48.3	41.8
10	3916	58;K	SE	47.2	40.7
10	3916	58;L	SE	46.1	39.6
10	3916	58;M	SE	38.0	31.6
10	3916	58;N	SE	47.4	40.9
10	3916	58;O	SE	48.5	42.0
10	3916	58;P	NE	55.4	49.0
11	3916	58;A	NW	57.5	51.0
11	3916	58;B	NE	57.3	50.8
11	3916	58;C	NW	58.6	52.2
11	3916	58;D	NW	58.5	52.1
11	3916	58;E	NW	58.4	51.9
11	3916	58;F	NW	58.4	51.9
11	3916	58;G	NW	58.1	51.6
11	3916	58;H	SW	56.6	50.2
11	3916	58;I	SE	48.9	42.5
11	3916	58;J	SE	48.3	41.9
11	3916	58;K	SE	47.3	40.8
11	3916	58;L	SE	46.2	39.7
11	3916	58;M	SE	38.2	31.7
11	3916	58;N	SE	47.4	40.9
11	3916	58;O	SE	48.5	42.0
11	3916	58;P	NE	55.4	48.9
12	3916	58;A	NW	57.4	51.0
12	3916	58;B	NE	57.2	50.8
12	3916	58;C	NW	58.6	52.1
12	3916	58;D	NW	58.5	52.0
12	3916	58;E	NW	58.3	51.9
12	3916	58;F	NW	58.4	51.9
12	3916	58;G	NW	58.1	51.6
12	3916	58;H	SW	56.6	50.2
12	3916	58;I	SE	48.9	42.5
12	3916	58;J	SE	48.4	41.9
12	3916	58;K	SE	47.3	40.8
12	3916	58;L	SE	46.2	39.8
12	3916	58;M	SE	38.7	32.2
12	3916	58;N	SE	47.4	41.0
12	3916	58;O	SE	48.5	42.1
12	3916	58;P	NE	55.4	48.9
1	3917	30;A	S	43.9	37.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3917	30;B	E	44.3	37.9
1	3917	30;C	N	32.2	25.9
1	3917	30;D	E	39.9	33.6
1	3917	30;E	E	33.4	27.1
1	3917	30;F	N	36.5	30.1
1	3917	30;G	W	27.2	20.9
1	3917	30;H	S	28.8	22.5
1	3917	30;I	W	29.8	23.5
1	3917	30;J	W	29.6	23.3
1	3917	30;K	S	44.0	37.6
2	3917	30;A	S	47.1	40.7
2	3917	30;B	E	47.6	41.3
2	3917	30;C	N	32.6	26.3
2	3917	30;D	E	42.7	36.4
2	3917	30;E	E	36.5	30.2
2	3917	30;F	N	38.8	32.5
2	3917	30;G	W	27.2	20.9
2	3917	30;H	S	29.1	22.8
2	3917	30;I	W	29.8	23.5
2	3917	30;J	W	29.6	23.3
2	3917	30;K	S	46.9	40.5
3	3917	30;A	S	49.5	43.2
3	3917	30;B	E	50.0	43.6
3	3917	30;C	N	33.2	26.9
3	3917	30;D	E	45.7	39.4
3	3917	30;E	E	38.7	32.4
3	3917	30;F	N	40.3	34.0
3	3917	30;G	W	27.2	20.9
3	3917	30;H	S	29.7	23.4
3	3917	30;I	W	29.8	23.5
3	3917	30;J	W	29.6	23.3
3	3917	30;K	S	49.1	42.8
4	3917	30;A	S	50.5	44.2
4	3917	30;B	E	51.0	44.7
4	3917	30;C	N	34.2	27.9
4	3917	30;D	E	46.9	40.6
4	3917	30;E	E	39.8	33.4
4	3917	30;F	N	41.2	34.9
4	3917	30;G	W	27.3	21.0
4	3917	30;H	S	30.9	24.6
4	3917	30;I	W	29.9	23.6
4	3917	30;J	W	29.8	23.5
4	3917	30;K	S	50.2	43.9
5	3917	30;A	S	51.1	44.8
5	3917	30;B	E	51.5	45.2
5	3917	30;C	N	36.0	29.7
5	3917	30;D	E	47.8	41.5
5	3917	30;E	E	41.2	34.8
5	3917	30;F	N	42.0	35.7
5	3917	30;G	W	28.0	21.7
5	3917	30;H	S	33.3	27.0
5	3917	30;I	W	30.6	24.3
5	3917	30;J	W	30.6	24.3
5	3917	30;K	S	50.8	44.5
1	3918	14;A	SE	42.2	36.0
1	3918	14;B	NE	47.5	41.4
1	3918	14;C	NE	47.1	41.0
1	3918	14;D	SE	46.7	40.5
1	3918	14;E	NE	43.4	37.3
1	3918	14;F	NW	33.0	26.9
1	3918	14;G	SW	25.6	19.8
2	3918	14;A	SE	44.4	38.4
2	3918	14;B	NE	50.0	44.1
2	3918	14;C	NE	49.5	43.6
2	3918	14;D	SE	49.1	43.2
2	3918	14;E	NE	45.9	40.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3918	14;F	NW	33.9	27.9
2	3918	14;G	SW	25.7	19.9
3	3918	14;A	SE	45.5	39.7
3	3918	14;B	NE	51.1	45.2
3	3918	14;C	NE	50.6	44.8
3	3918	14;D	SE	50.2	44.3
3	3918	14;E	NE	47.0	41.2
3	3918	14;F	NW	35.5	29.6
3	3918	14;G	SW	25.9	20.0
4	3918	14;A	SE	46.4	40.5
4	3918	14;B	NE	51.6	45.8
4	3918	14;C	NE	51.2	45.4
4	3918	14;D	SE	50.7	44.9
4	3918	14;E	NE	47.7	41.9
4	3918	14;F	NW	36.7	30.8
4	3918	14;G	SW	26.6	20.7
1	3919	3;A	N	45.2	38.7
1	3919	3;B	N	46.6	40.2
1	3919	3;C	N	47.5	41.1
1	3919	3;D	W	51.2	44.8
1	3919	3;E	S	48.9	42.5
1	3919	3;F	S	47.6	41.2
1	3919	3;G	E	36.7	30.2
2	3919	3;A	N	48.2	41.8
2	3919	3;B	N	49.8	43.5
2	3919	3;C	N	50.5	44.2
2	3919	3;D	W	54.2	47.9
2	3919	3;E	S	51.9	45.5
2	3919	3;F	S	50.5	44.1
2	3919	3;G	E	37.7	31.2
3	3919	3;A	N	49.5	43.2
3	3919	3;B	N	51.2	44.9
3	3919	3;C	N	52.0	45.6
3	3919	3;D	W	55.6	49.3
3	3919	3;E	S	53.3	47.0
3	3919	3;F	S	51.9	45.6
3	3919	3;G	E	39.1	32.7
4	3919	3;A	N	50.5	44.1
4	3919	3;B	N	52.0	45.7
4	3919	3;C	N	52.7	46.4
4	3919	3;D	W	56.3	50.0
4	3919	3;E	S	54.1	47.8
4	3919	3;F	S	52.8	46.5
4	3919	3;G	E	40.5	34.1
1	3920	32;A	N	41.0	34.6
1	3920	32;B	N	44.3	37.9
1	3920	32;C	N	44.9	38.5
1	3920	32;D	N	46.2	39.8
1	3920	32;E	N	46.4	40.0
1	3920	32;F	W	50.3	43.9
1	3920	32;G	S	48.7	42.4
1	3920	32;H	S	46.5	40.1
1	3920	32;I	S	44.6	38.1
1	3920	32;J	E	36.4	30.0
2	3920	32;A	N	44.0	37.6
2	3920	32;B	N	47.6	41.2
2	3920	32;C	N	48.2	41.9
2	3920	32;D	N	49.7	43.3
2	3920	32;E	N	50.0	43.7
2	3920	32;F	W	54.0	47.6
2	3920	32;G	S	51.8	45.4
2	3920	32;H	S	49.6	43.3
2	3920	32;I	S	47.5	41.2
2	3920	32;J	E	37.5	31.0
3	3920	32;A	N	45.7	39.3
3	3920	32;B	N	49.4	43.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	3920	32;C	N	50.1	43.8
3	3920	32;D	N	51.8	45.4
3	3920	32;E	N	52.3	46.0
3	3920	32;F	W	56.0	49.7
3	3920	32;G	S	53.1	46.8
3	3920	32;H	S	51.0	44.6
3	3920	32;I	S	48.8	42.5
3	3920	32;J	E	38.8	32.4
4	3920	32;A	N	46.9	40.6
4	3920	32;B	N	50.4	44.1
4	3920	32;C	N	51.0	44.6
4	3920	32;D	N	52.4	46.1
4	3920	32;E	N	52.9	46.6
4	3920	32;F	W	56.6	50.3
4	3920	32;G	S	53.8	47.5
4	3920	32;H	S	51.8	45.5
4	3920	32;I	S	49.8	43.4
4	3920	32;J	E	40.2	33.8
1	3921	31;A	E	38.7	32.2
1	3921	31;B	N	45.0	38.5
1	3921	31;C	N	46.3	39.9
1	3921	31;D	N	46.5	40.1
1	3921	31;E	N	47.6	41.2
1	3921	31;F	N	48.2	41.8
1	3921	31;G	W	51.7	45.3
1	3921	31;H	S	48.0	41.6
1	3921	31;I	S	45.4	39.0
1	3921	31;J	S	43.5	37.1
1	3921	31;K	E	38.1	31.6
2	3921	31;A	E	40.4	33.9
2	3921	31;B	N	47.5	41.1
2	3921	31;C	N	49.0	42.6
2	3921	31;D	N	49.2	42.9
2	3921	31;E	N	50.4	44.1
2	3921	31;F	N	50.9	44.6
2	3921	31;G	W	54.6	48.3
2	3921	31;H	S	51.2	44.9
2	3921	31;I	S	49.0	42.6
2	3921	31;J	S	46.8	40.5
2	3921	31;K	E	39.6	33.1
3	3921	31;A	E	41.9	35.5
3	3921	31;B	N	48.9	42.6
3	3921	31;C	N	50.4	44.0
3	3921	31;D	N	50.6	44.3
3	3921	31;E	N	51.8	45.4
3	3921	31;F	N	52.2	45.9
3	3921	31;G	W	56.0	49.7
3	3921	31;H	S	53.2	46.9
3	3921	31;I	S	51.2	44.8
3	3921	31;J	S	48.8	42.4
3	3921	31;K	E	41.1	34.7
4	3921	31;A	E	43.1	36.7
4	3921	31;B	N	49.9	43.6
4	3921	31;C	N	51.2	44.9
4	3921	31;D	N	51.4	45.1
4	3921	31;E	N	52.4	46.1
4	3921	31;F	N	52.7	46.4
4	3921	31;G	W	56.5	50.2
4	3921	31;H	S	53.8	47.5
4	3921	31;I	S	51.9	45.6
4	3921	31;J	S	50.0	43.6
4	3921	31;K	E	42.3	35.9
1	3922	33;A	N	44.8	38.3
1	3922	33;B	N	44.8	38.4
1	3922	33;C	N	46.8	40.4
1	3922	33;D	N	47.6	41.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3922	33;E	W	51.4	45.0
1	3922	33;F	S	48.6	42.3
1	3922	33;G	S	46.6	40.2
1	3922	33;H	S	45.0	38.6
1	3922	33;I	E	36.5	30.1
2	3922	33;A	N	47.7	41.4
2	3922	33;B	N	48.0	41.7
2	3922	33;C	N	50.1	43.7
2	3922	33;D	N	50.7	44.4
2	3922	33;E	W	54.5	48.2
2	3922	33;F	S	51.7	45.3
2	3922	33;G	S	49.7	43.3
2	3922	33;H	S	47.9	41.5
2	3922	33;I	E	37.4	31.0
3	3922	33;A	N	49.1	42.8
3	3922	33;B	N	49.7	43.3
3	3922	33;C	N	51.8	45.4
3	3922	33;D	N	52.3	46.0
3	3922	33;E	W	55.9	49.6
3	3922	33;F	S	53.0	46.7
3	3922	33;G	S	51.0	44.7
3	3922	33;H	S	49.2	42.9
3	3922	33;I	E	38.7	32.3
4	3922	33;A	N	50.0	43.7
4	3922	33;B	N	50.6	44.3
4	3922	33;C	N	52.5	46.2
4	3922	33;D	N	53.0	46.7
4	3922	33;E	W	56.5	50.2
4	3922	33;F	S	53.7	47.4
4	3922	33;G	S	51.8	45.5
4	3922	33;H	S	50.2	43.9
4	3922	33;I	E	40.1	33.7
1	3923	19;A	E	53.3	47.4
1	3923	19;B	N	50.0	44.1
1	3923	19;C	N	49.3	43.3
1	3923	19;D	W	39.4	33.4
1	3923	19;E	W	39.1	33.1
1	3923	19;F	W	36.0	30.0
1	3923	19;G	W	35.7	29.7
1	3923	19;H	S	49.4	43.4
2	3923	19;A	E	55.4	49.6
2	3923	19;B	N	52.3	46.5
2	3923	19;C	N	51.7	45.8
2	3923	19;D	W	41.8	35.9
2	3923	19;E	W	41.3	35.4
2	3923	19;F	W	37.8	31.9
2	3923	19;G	W	37.5	31.6
2	3923	19;H	S	51.6	45.8
3	3923	19;A	E	56.0	50.2
3	3923	19;B	N	53.1	47.3
3	3923	19;C	N	52.5	46.7
3	3923	19;D	W	42.8	36.9
3	3923	19;E	W	42.3	36.5
3	3923	19;F	W	38.8	33.0
3	3923	19;G	W	38.6	32.8
3	3923	19;H	S	52.3	46.5
4	3923	19;A	E	56.2	50.4
4	3923	19;B	N	53.4	47.6
4	3923	19;C	N	52.8	47.0
4	3923	19;D	W	43.3	37.5
4	3923	19;E	W	43.0	37.2
4	3923	19;F	W	39.6	33.8
4	3923	19;G	W	39.4	33.7
4	3923	19;H	S	52.6	46.8
5	3923	19;A	E	56.3	50.5
5	3923	19;B	N	53.5	47.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	3923	19;C	N	53.0	47.2
5	3923	19;D	W	43.4	37.7
5	3923	19;E	W	43.2	37.4
5	3923	19;F	W	40.0	34.2
5	3923	19;G	W	39.9	34.2
5	3923	19;H	S	52.7	47.0
6	3923	19;A	E	56.3	50.5
6	3923	19;B	N	53.1	47.3
6	3923	19;C	N	52.6	46.8
6	3923	19;D	W	35.3	29.5
6	3923	19;E	W	40.6	34.8
6	3923	19;F	W	38.1	32.2
6	3923	19;G	W	39.3	33.5
6	3923	19;H	S	52.7	47.0
7	3923	19;A	E	56.2	50.5
7	3923	19;B	N	52.8	47.0
7	3923	19;C	N	52.2	46.5
7	3923	19;D	W	32.8	27.0
7	3923	19;E	W	32.8	27.0
7	3923	19;F	W	32.2	26.4
7	3923	19;G	W	37.2	31.5
7	3923	19;H	S	52.6	46.8
8	3923	19;A	E	56.2	50.4
8	3923	19;B	N	52.7	47.0
8	3923	19;C	N	52.2	46.5
8	3923	19;D	W	33.8	28.0
8	3923	19;E	W	33.8	28.0
8	3923	19;F	W	33.6	27.7
8	3923	19;G	W	33.5	27.8
8	3923	19;H	S	52.5	46.8
1	3924	;A	NE	31.9	25.4
1	3924	;B	NW	40.2	33.7
1	3924	;C	NE	34.8	28.3
1	3924	;D	NW	50.6	44.1
1	3924	;E	SW	54.8	48.2
1	3924	;F	SW	54.7	48.2
1	3924	;G	SE	51.3	44.8
1	3924	;H	SE	47.4	40.8
1	3924	;I	SE	49.5	43.0
1	3924	;J	SE	48.7	42.1
1	3924	;K	SE	45.3	38.8
1	3925	;A	NW	33.8	27.3
1	3925	;B	NE	34.0	27.4
1	3925	;C	NE	34.0	27.4
1	3925	;D	NE	34.0	27.5
1	3925	;E	NE	34.0	27.5
1	3925	;F	NE	34.2	27.6
1	3925	;G	NW	50.3	43.7
1	3925	;H	SW	53.6	47.1
1	3925	;I	SW	54.1	47.5
1	3925	;J	SW	53.5	47.0
1	3925	;K	SW	54.1	47.5
1	3925	;L	SW	53.4	46.9
1	3925	;M	SW	53.9	47.3
1	3925	;N	SE	52.6	46.0
1	3925	;O	SW	52.8	46.2
1	3925	;P	SW	53.3	46.7
1	3925	;Q	SE	49.9	43.3
1	3925	;R	SE	48.4	41.8
1	3925	;S	SE	45.4	38.9
1	3925	;T	NE	34.0	27.5
1	3926	36;A	SW	33.4	26.9
1	3926	36;B	SE	46.5	39.9
1	3926	36;C	SE	45.3	38.8
1	3926	36;D	SE	48.9	42.3
1	3926	36;E	SE	51.0	44.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3926	36;F	NE	55.4	48.9
1	3926	36;G	NW	51.6	45.1
1	3926	36;H	NW	47.6	41.1
1	3926	36;I	NW	48.7	42.1
2	3926	36;A	SW	33.5	26.9
2	3926	36;B	SE	50.0	43.5
2	3926	36;C	SE	49.0	42.4
2	3926	36;D	SE	52.5	46.0
2	3926	36;E	SE	54.3	47.8
2	3926	36;F	NE	58.6	52.1
2	3926	36;G	NW	54.9	48.4
2	3926	36;H	NW	51.2	44.7
2	3926	36;I	NW	52.3	45.8
3	3926	36;A	SW	33.7	27.1
3	3926	36;B	SE	51.6	45.1
3	3926	36;C	SE	50.7	44.2
3	3926	36;D	SE	54.3	47.7
3	3926	36;E	SE	56.2	49.7
3	3926	36;F	NE	59.9	53.4
3	3926	36;G	NW	56.1	49.6
3	3926	36;H	NW	52.6	46.1
3	3926	36;I	NW	53.8	47.3
4	3926	36;A	SW	34.7	28.2
4	3926	36;B	SE	52.9	46.4
4	3926	36;C	SE	52.0	45.5
4	3926	36;D	SE	55.3	48.8
4	3926	36;E	SE	56.8	50.2
4	3926	36;F	NE	60.3	53.8
4	3926	36;G	NW	56.7	50.1
4	3926	36;H	NW	53.4	46.9
4	3926	36;I	NW	54.5	48.0
1	3927	;A	NE	34.2	27.7
1	3927	;B	NW	48.8	42.2
1	3927	;C	SW	51.7	45.2
1	3927	;D	SW	52.0	45.4
1	3927	;E	SW	51.1	44.5
1	3927	;F	SW	52.3	45.7
1	3927	;G	SW	52.4	45.9
1	3927	;H	SW	52.1	45.6
1	3927	;I	SE	49.1	42.5
1	3927	;J	NE	34.6	28.1
1	3927	;K	NE	34.4	27.9
1	3927	;L	NE	34.3	27.8
1	3927	;M	NE	34.2	27.7
1	3928	43;A	NE	60.6	54.0
1	3928	43;B	NE	61.0	54.5
1	3928	43;C	NE	60.2	53.7
1	3928	43;D	NW	56.4	49.9
1	3928	43;E	SW	42.2	35.7
1	3928	43;F	NW	44.3	37.7
1	3928	43;G	SW	41.5	35.0
1	3928	43;H	SE	38.8	32.3
1	3928	43;I	SW	40.6	34.0
1	3928	43;J	NW	37.4	30.9
1	3928	43;K	NW	37.4	30.9
1	3928	43;L	NW	36.5	30.0
1	3928	43;M	NW	38.1	31.6
1	3928	43;N	SW	39.4	32.8
1	3928	43;O	SE	51.3	44.7
1	3928	43;P	E	56.1	49.6
2	3928	43;A	NE	62.6	56.1
2	3928	43;B	NE	62.9	56.4
2	3928	43;C	NE	62.2	55.7
2	3928	43;D	NW	58.9	52.4
2	3928	43;E	SW	44.7	38.2
2	3928	43;F	NW	47.4	40.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3928	43;G	SW	43.7	37.2
2	3928	43;H	SE	39.6	33.1
2	3928	43;I	SW	42.8	36.2
2	3928	43;J	NW	37.4	30.9
2	3928	43;K	NW	37.5	31.0
2	3928	43;L	NW	36.6	30.1
2	3928	43;M	NW	41.1	34.5
2	3928	43;N	SW	41.4	34.9
2	3928	43;O	SE	54.6	48.0
2	3928	43;P	E	58.9	52.4
3	3928	43;A	NE	63.0	56.5
3	3928	43;B	NE	63.4	56.8
3	3928	43;C	NE	62.7	56.2
3	3928	43;D	NW	59.5	53.0
3	3928	43;E	SW	45.7	39.2
3	3928	43;F	NW	48.8	42.3
3	3928	43;G	SW	44.9	38.4
3	3928	43;H	SE	40.6	34.1
3	3928	43;I	SW	43.8	37.2
3	3928	43;J	NW	37.4	30.9
3	3928	43;K	NW	37.6	31.1
3	3928	43;L	NW	36.7	30.2
3	3928	43;M	NW	42.7	36.1
3	3928	43;N	SW	42.6	36.1
3	3928	43;O	SE	56.0	49.5
3	3928	43;P	E	59.6	53.1
4	3928	43;A	NE	63.2	56.7
4	3928	43;B	NE	63.5	57.0
4	3928	43;C	NE	62.9	56.3
4	3928	43;D	NW	59.8	53.2
4	3928	43;E	SW	46.5	39.9
4	3928	43;F	NW	49.6	43.1
4	3928	43;G	SW	45.7	39.1
4	3928	43;H	SE	41.2	34.7
4	3928	43;I	SW	44.5	37.9
4	3928	43;J	NW	37.5	31.0
4	3928	43;K	NW	37.8	31.3
4	3928	43;L	NW	37.0	30.4
4	3928	43;M	NW	43.6	37.0
4	3928	43;N	SW	43.4	36.9
4	3928	43;O	SE	56.6	50.0
4	3928	43;P	E	59.9	53.4
5	3928	43;A	NE	63.2	56.7
5	3928	43;B	NE	63.6	57.0
5	3928	43;C	NE	62.9	56.4
5	3928	43;D	NW	59.8	53.3
5	3928	43;E	SW	46.7	40.2
5	3928	43;F	NW	49.9	43.4
5	3928	43;G	SW	46.1	39.5
5	3928	43;H	SE	41.9	35.4
5	3928	43;I	SW	44.7	38.2
5	3928	43;J	NW	38.0	31.4
5	3928	43;K	NW	38.3	31.7
5	3928	43;L	NW	37.4	30.9
5	3928	43;M	NW	44.2	37.7
5	3928	43;N	SW	43.9	37.4
5	3928	43;O	SE	56.9	50.4
5	3928	43;P	E	60.0	53.5
6	3928	43;A	NE	63.1	56.6
6	3928	43;B	NE	63.4	56.9
6	3928	43;C	NE	62.8	56.2
6	3928	43;D	NW	59.7	53.2
6	3928	43;E	SW	46.9	40.4
6	3928	43;F	NW	50.2	43.7
6	3928	43;G	SW	46.5	40.0
6	3928	43;H	SE	43.1	36.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	3928	43;I	SW	45.0	38.4
6	3928	43;J	NW	39.6	33.0
6	3928	43;K	NW	39.5	33.0
6	3928	43;L	NW	38.6	32.1
6	3928	43;M	NW	44.7	38.2
6	3928	43;N	SW	35.8	29.3
6	3928	43;O	SE	57.2	50.7
6	3928	43;P	E	60.1	53.6
1	3929	44;A	NE	40.7	34.2
1	3929	44;B	NW	35.4	28.9
1	3929	44;C	NE	34.5	28.0
1	3929	44;D	NE	34.7	28.1
1	3929	44;E	NE	35.2	28.6
1	3929	44;F	NE	36.7	30.2
1	3929	44;G	NE	42.6	36.0
1	3929	44;H	NE	40.3	33.8
1	3929	44;I	NE	34.7	28.2
1	3929	44;J	NW	35.4	28.9
1	3929	44;K	NE	34.6	28.1
1	3929	44;L	NE	34.2	27.7
1	3929	44;M	SE	35.0	28.5
1	3929	44;N	NE	39.1	32.6
1	3929	44;O	NW	44.3	37.8
1	3929	44;P	NE	43.6	37.0
1	3929	44;Q	NW	41.5	34.9
1	3929	44;R	SW	32.5	25.9
1	3929	44;S	SE	47.1	40.6
1	3929	44;T	NE	47.6	41.1
1	3929	44;U	SE	46.7	40.2
2	3929	44;A	NE	42.8	36.3
2	3929	44;B	NW	35.5	29.0
2	3929	44;C	NE	34.7	28.2
2	3929	44;D	NE	35.3	28.8
2	3929	44;E	NE	35.8	29.3
2	3929	44;F	NE	38.7	32.2
2	3929	44;G	NE	45.7	39.2
2	3929	44;H	NE	43.1	36.6
2	3929	44;I	NE	35.2	28.7
2	3929	44;J	NW	35.6	29.1
2	3929	44;K	NE	34.9	28.4
2	3929	44;L	NE	34.4	27.8
2	3929	44;M	SE	35.1	28.6
2	3929	44;N	NE	41.5	35.0
2	3929	44;O	NW	47.4	40.8
2	3929	44;P	NE	46.6	40.0
2	3929	44;Q	NW	44.3	37.8
2	3929	44;R	SW	32.5	25.9
2	3929	44;S	SE	50.4	43.8
2	3929	44;T	NE	50.7	44.2
2	3929	44;U	SE	49.7	43.2
3	3929	44;A	NE	45.2	38.7
3	3929	44;B	NW	35.7	29.1
3	3929	44;C	NE	35.1	28.5
3	3929	44;D	NE	36.3	29.8
3	3929	44;E	NE	37.3	30.8
3	3929	44;F	NE	39.9	33.4
3	3929	44;G	NE	47.2	40.7
3	3929	44;H	NE	44.6	38.0
3	3929	44;I	NE	36.3	29.8
3	3929	44;J	NW	36.1	29.5
3	3929	44;K	NE	35.4	28.9
3	3929	44;L	NE	34.8	28.2
3	3929	44;M	SE	35.2	28.7
3	3929	44;N	NE	43.0	36.4
3	3929	44;O	NW	48.9	42.3
3	3929	44;P	NE	48.0	41.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	3929	44;Q	NW	45.7	39.2
3	3929	44;R	SW	32.5	26.0
3	3929	44;S	SE	52.2	45.7
3	3929	44;T	NE	52.7	46.2
3	3929	44;U	SE	51.8	45.3
4	3929	44;A	NE	46.3	39.8
4	3929	44;B	NW	35.6	29.0
4	3929	44;C	NE	36.7	30.2
4	3929	44;D	NE	38.1	31.6
4	3929	44;E	NE	38.7	32.2
4	3929	44;F	NE	41.2	34.7
4	3929	44;G	NE	48.2	41.6
4	3929	44;H	NE	45.5	39.0
4	3929	44;I	NE	37.3	30.8
4	3929	44;J	NW	37.1	30.5
4	3929	44;K	NE	36.8	30.3
4	3929	44;L	NE	36.0	29.5
4	3929	44;M	SE	35.0	28.5
4	3929	44;N	NE	44.0	37.5
4	3929	44;O	NW	49.9	43.4
4	3929	44;P	NE	49.0	42.5
4	3929	44;Q	NW	46.8	40.3
4	3929	44;R	SW	32.9	26.4
4	3929	44;S	SE	53.2	46.7
4	3929	44;T	NE	53.7	47.2
4	3929	44;U	SE	52.8	46.3
1	3930	;A	NE	34.9	28.3
1	3930	;B	NW	34.1	27.6
1	3930	;C	NE	34.1	27.5
1	3930	;D	NE	34.1	27.5
1	3930	;E	NW	47.7	41.2
1	3930	;F	SW	48.6	42.1
1	3930	;G	SW	48.4	41.8
1	3930	;H	SW	47.9	41.4
1	3930	;I	SW	45.7	39.2
1	3930	;J	SW	45.9	39.3
1	3930	;K	SE	42.6	36.1
1	3930	;L	SW	43.8	37.2
1	3930	;M	SW	44.6	38.1
1	3930	;N	SE	42.4	35.8
1	3931	;A	NE	35.0	28.5
1	3931	;B	NW	39.7	33.2
1	3931	;C	NW	44.9	38.3
1	3931	;D	NW	40.2	33.7
1	3931	;E	NW	46.6	40.0
1	3931	;F	NW	47.0	40.4
1	3931	;G	SW	51.7	45.1
1	3931	;H	SE	51.5	45.0
1	3931	;I	SE	49.0	42.5
1	3932	;A	N	42.9	36.4
1	3932	;B	W	44.2	37.7
1	3932	;C	W	43.7	37.3
1	3932	;D	S	37.3	30.8
1	3932	;E	E	33.5	27.0
1	3933	45;A	SE	53.7	47.2
1	3933	45;B	NE	58.5	52.0
1	3933	45;C	E	58.9	52.4
1	3933	45;D	N	61.1	54.6
1	3933	45;E	N	60.3	53.8
1	3933	45;F	W	52.3	45.7
1	3933	45;G	NW	49.9	43.4
1	3933	45;H	SW	33.2	26.7
1	3933	45;I	SE	35.0	28.5
1	3933	45;J	SW	34.0	27.5
1	3933	45;K	SE	51.1	44.6
2	3933	45;A	SE	56.7	50.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3933	45;B	NE	61.4	54.9
2	3933	45;C	E	61.4	54.9
2	3933	45;D	N	63.0	56.5
2	3933	45;E	N	62.5	56.0
2	3933	45;F	W	55.3	48.8
2	3933	45;G	NW	53.4	46.9
2	3933	45;H	SW	34.3	27.8
2	3933	45;I	SE	38.5	32.0
2	3933	45;J	SW	34.9	28.4
2	3933	45;K	SE	54.4	47.9
1	3934	61;A	NW	43.2	36.7
1	3934	61;B	NW	42.1	35.6
1	3934	61;C	NE	35.4	28.9
1	3934	61;D	NW	51.1	44.6
1	3934	61;E	NW	52.8	46.3
1	3934	61;F	SW	55.1	48.6
1	3934	61;G	SE	51.3	44.7
1	3934	61;H	NE	41.8	35.2
1	3934	61;I	NW	43.2	36.6
2	3934	61;A	NW	45.7	39.2
2	3934	61;B	NW	44.3	37.8
2	3934	61;C	NE	35.9	29.4
2	3934	61;D	NW	54.4	47.9
2	3934	61;E	NW	56.0	49.5
2	3934	61;F	SW	58.4	51.9
2	3934	61;G	SE	54.5	48.0
2	3934	61;H	NE	43.2	36.7
2	3934	61;I	NW	45.9	39.4
3	3934	61;A	NW	47.8	41.3
3	3934	61;B	NW	46.6	40.1
3	3934	61;C	NE	37.0	30.4
3	3934	61;D	NW	55.9	49.4
3	3934	61;E	NW	57.3	50.8
3	3934	61;F	SW	59.7	53.2
3	3934	61;G	SE	56.0	49.5
3	3934	61;H	NE	45.2	38.7
3	3934	61;I	NW	47.9	41.4
4	3934	61;A	NW	49.0	42.5
4	3934	61;B	NW	47.9	41.4
4	3934	61;C	NE	38.5	32.0
4	3934	61;D	NW	56.6	50.1
4	3934	61;E	NW	57.8	51.3
4	3934	61;F	SW	60.3	53.8
4	3934	61;G	SE	57.0	50.4
4	3934	61;H	NE	46.6	40.1
4	3934	61;I	NW	48.9	42.4
1	3935	51;A	NE	54.1	47.6
1	3935	51;B	SE	53.8	47.3
1	3935	51;C	NE	56.8	50.3
1	3935	51;D	NW	54.1	47.5
1	3935	51;E	NW	52.4	45.9
1	3935	51;F	SW	35.1	28.6
1	3935	51;G	NW	46.7	40.2
1	3935	51;H	SW	33.8	27.3
1	3935	51;I	NW	35.9	29.4
1	3935	51;J	SW	32.3	25.8
1	3935	51;K	NW	32.3	25.8
1	3935	51;L	SW	32.0	25.5
1	3935	51;M	SE	46.1	39.6
1	3935	51;N	NE	48.4	41.9
1	3935	51;O	SE	48.2	41.6
1	3935	51;P	NE	49.1	42.5
1	3935	51;Q	SE	48.2	41.7
1	3935	51;R	NE	50.1	43.6
1	3935	51;S	SE	49.6	43.1
1	3935	51;T	NE	49.9	43.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3935	51;U	SE	47.2	40.7
1	3935	51;V	SW	38.3	31.8
2	3935	51;A	NE	57.3	50.8
2	3935	51;B	SE	57.2	50.7
2	3935	51;C	NE	59.8	53.3
2	3935	51;D	NW	57.0	50.5
2	3935	51;E	NW	55.5	49.0
2	3935	51;F	SW	35.1	28.6
2	3935	51;G	NW	50.1	43.6
2	3935	51;H	SW	33.8	27.3
2	3935	51;I	NW	39.2	32.7
2	3935	51;J	SW	32.3	25.8
2	3935	51;K	NW	32.3	25.8
2	3935	51;L	SW	32.0	25.5
2	3935	51;M	SE	48.7	42.2
2	3935	51;N	NE	51.4	44.9
2	3935	51;O	SE	51.4	44.9
2	3935	51;P	NE	52.2	45.7
2	3935	51;Q	SE	51.7	45.2
2	3935	51;R	NE	53.5	47.0
2	3935	51;S	SE	52.9	46.4
2	3935	51;T	NE	53.1	46.6
2	3935	51;U	SE	50.6	44.1
2	3935	51;V	SW	40.7	34.2
3	3935	51;A	NE	58.6	52.1
3	3935	51;B	SE	58.5	52.0
3	3935	51;C	NE	60.8	54.3
3	3935	51;D	NW	58.1	51.6
3	3935	51;E	NW	56.9	50.4
3	3935	51;F	SW	35.1	28.6
3	3935	51;G	NW	51.7	45.2
3	3935	51;H	SW	33.8	27.3
3	3935	51;I	NW	41.2	34.7
3	3935	51;J	SW	32.3	25.8
3	3935	51;K	NW	32.3	25.8
3	3935	51;L	SW	32.0	25.5
3	3935	51;M	SE	50.8	44.3
3	3935	51;N	NE	53.4	46.9
3	3935	51;O	SE	53.4	46.9
3	3935	51;P	NE	54.1	47.6
3	3935	51;Q	SE	53.6	47.1
3	3935	51;R	NE	55.2	48.7
3	3935	51;S	SE	54.7	48.2
3	3935	51;T	NE	54.8	48.3
3	3935	51;U	SE	52.3	45.8
3	3935	51;V	SW	42.0	35.5
4	3935	51;A	NE	59.0	52.5
4	3935	51;B	SE	59.0	52.5
4	3935	51;C	NE	61.2	54.7
4	3935	51;D	NW	58.6	52.1
4	3935	51;E	NW	57.6	51.1
4	3935	51;F	SW	35.1	28.6
4	3935	51;G	NW	52.9	46.4
4	3935	51;H	SW	33.8	27.3
4	3935	51;I	NW	42.2	35.7
4	3935	51;J	SW	32.3	25.8
4	3935	51;K	NW	32.4	25.9
4	3935	51;L	SW	32.0	25.5
4	3935	51;M	SE	51.9	45.4
4	3935	51;N	NE	54.6	48.1
4	3935	51;O	SE	54.7	48.2
4	3935	51;P	NE	55.3	48.8
4	3935	51;Q	SE	54.8	48.3
4	3935	51;R	NE	56.2	49.7
4	3935	51;S	SE	55.6	49.1
4	3935	51;T	NE	55.8	49.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	3935	51;U	SE	53.2	46.8
4	3935	51;V	SW	42.9	36.4
5	3935	51;A	NE	59.3	52.8
5	3935	51;B	SE	59.2	52.7
5	3935	51;C	NE	61.4	54.9
5	3935	51;D	NW	58.8	52.3
5	3935	51;E	NW	58.0	51.5
5	3935	51;F	SW	35.0	28.5
5	3935	51;G	NW	53.4	46.9
5	3935	51;H	SW	33.7	27.2
5	3935	51;I	NW	43.1	36.6
5	3935	51;J	SW	32.3	25.8
5	3935	51;K	NW	32.4	25.9
5	3935	51;L	SW	32.0	25.5
5	3935	51;M	SE	52.8	46.3
5	3935	51;N	NE	55.4	48.9
5	3935	51;O	SE	55.4	49.0
5	3935	51;P	NE	56.0	49.5
5	3935	51;Q	SE	55.4	48.9
5	3935	51;R	NE	56.7	50.2
5	3935	51;S	SE	56.1	49.6
5	3935	51;T	NE	56.3	49.8
5	3935	51;U	SE	53.8	47.3
5	3935	51;V	SW	43.8	37.3
6	3935	51;A	NE	59.4	52.9
6	3935	51;B	SE	59.3	52.8
6	3935	51;C	NE	61.4	54.9
6	3935	51;D	NW	58.9	52.4
6	3935	51;E	NW	58.1	51.6
6	3935	51;F	SW	35.0	28.5
6	3935	51;G	NW	53.9	47.4
6	3935	51;H	SW	33.7	27.2
6	3935	51;I	NW	43.6	37.1
6	3935	51;J	SW	32.3	25.8
6	3935	51;K	NW	32.5	26.0
6	3935	51;L	SW	32.0	25.5
6	3935	51;M	SE	53.2	46.7
6	3935	51;N	NE	55.8	49.3
6	3935	51;O	SE	55.8	49.3
6	3935	51;P	NE	56.3	49.8
6	3935	51;Q	SE	55.7	49.2
6	3935	51;R	NE	56.9	50.4
6	3935	51;S	SE	56.4	49.9
6	3935	51;T	NE	56.6	50.1
6	3935	51;U	SE	54.0	47.5
6	3935	51;V	SW	43.2	36.7
7	3935	51;A	NE	59.5	53.0
7	3935	51;B	SE	59.4	52.9
7	3935	51;C	NE	61.5	55.0
7	3935	51;D	NW	59.0	52.5
7	3935	51;E	NW	58.2	51.7
7	3935	51;F	SW	35.0	28.5
7	3935	51;G	NW	54.0	47.5
7	3935	51;H	SW	33.7	27.2
7	3935	51;I	NW	43.9	37.4
7	3935	51;J	SW	32.3	25.8
7	3935	51;K	NW	33.0	26.5
7	3935	51;L	SW	31.9	25.4
7	3935	51;M	SE	53.0	46.5
7	3935	51;N	NE	55.7	49.2
7	3935	51;O	SE	55.7	49.2
7	3935	51;P	NE	56.3	49.8
7	3935	51;Q	SE	55.5	49.0
7	3935	51;R	NE	56.9	50.4
7	3935	51;S	SE	56.4	49.9
7	3935	51;T	NE	56.6	50.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
7	3935	51;U	SE	54.0	47.5
7	3935	51;V	SW	43.4	36.9
8	3935	51;A	NE	59.5	53.0
8	3935	51;B	SE	59.4	52.9
8	3935	51;C	NE	61.5	55.0
8	3935	51;D	NW	59.0	52.5
8	3935	51;E	NW	58.2	51.7
8	3935	51;F	SW	35.0	28.5
8	3935	51;G	NW	54.1	47.6
8	3935	51;H	SW	33.7	27.2
8	3935	51;I	NW	44.0	37.5
8	3935	51;J	SW	32.3	25.8
8	3935	51;K	NW	33.2	26.7
8	3935	51;L	SW	31.9	25.4
8	3935	51;M	SE	52.6	46.1
8	3935	51;N	NE	55.7	49.2
8	3935	51;O	SE	55.7	49.2
8	3935	51;P	NE	56.3	49.8
8	3935	51;Q	SE	55.5	49.0
8	3935	51;R	NE	57.0	50.5
8	3935	51;S	SE	56.5	50.0
8	3935	51;T	NE	56.7	50.2
8	3935	51;U	SE	54.1	47.6
8	3935	51;V	SW	43.4	37.0
9	3935	51;A	NE	59.5	53.0
9	3935	51;B	SE	59.4	52.9
9	3935	51;C	NE	61.4	54.9
9	3935	51;D	NW	58.9	52.4
9	3935	51;E	NW	58.2	51.7
9	3935	51;F	SW	35.0	28.5
9	3935	51;G	NW	54.1	47.6
9	3935	51;H	SW	33.7	27.2
9	3935	51;I	NW	44.1	37.6
9	3935	51;J	SW	32.3	25.8
9	3935	51;K	NW	33.4	26.9
9	3935	51;L	SW	32.0	25.5
9	3935	51;M	SE	52.8	46.3
9	3935	51;N	NE	55.8	49.3
9	3935	51;O	SE	55.8	49.3
9	3935	51;P	NE	56.3	49.8
9	3935	51;Q	SE	55.6	49.1
9	3935	51;R	NE	57.0	50.5
9	3935	51;S	SE	56.5	50.0
9	3935	51;T	NE	56.7	50.2
9	3935	51;U	SE	54.2	47.7
9	3935	51;V	SW	43.5	37.0
10	3935	51;A	NE	59.4	52.9
10	3935	51;B	SE	59.3	52.8
10	3935	51;C	NE	61.4	54.9
10	3935	51;D	NW	58.9	52.4
10	3935	51;E	NW	58.2	51.7
10	3935	51;F	SW	35.2	28.7
10	3935	51;G	NW	54.1	47.6
10	3935	51;H	SW	33.8	27.3
10	3935	51;I	NW	44.2	37.7
10	3935	51;J	SW	32.3	25.8
10	3935	51;K	NW	33.7	27.2
10	3935	51;L	SW	32.1	25.6
10	3935	51;M	SE	52.9	46.4
10	3935	51;N	NE	55.8	49.3
10	3935	51;O	SE	55.9	49.4
10	3935	51;P	NE	56.4	49.9
10	3935	51;Q	SE	55.6	49.1
10	3935	51;R	NE	57.0	50.6
10	3935	51;S	SE	56.5	50.1
10	3935	51;T	NE	56.7	50.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
10	3935	51;U	SE	54.2	47.7
10	3935	51;V	SW	43.6	37.1
11	3935	51;A	NE	59.4	52.9
11	3935	51;B	SE	59.3	52.8
11	3935	51;C	NE	61.3	54.8
11	3935	51;D	NW	58.8	52.3
11	3935	51;E	NW	58.2	51.7
11	3935	51;F	SW	36.2	29.7
11	3935	51;G	NW	54.1	47.6
11	3935	51;H	SW	34.3	27.8
11	3935	51;I	NW	44.5	38.0
11	3935	51;J	SW	32.8	26.3
11	3935	51;K	NW	34.4	27.9
11	3935	51;L	SW	32.7	26.2
11	3935	51;M	SE	52.9	46.4
11	3935	51;N	NE	55.9	49.4
11	3935	51;O	SE	55.9	49.4
11	3935	51;P	NE	56.4	49.9
11	3935	51;Q	SE	55.6	49.1
11	3935	51;R	NE	57.1	50.6
11	3935	51;S	SE	56.6	50.1
11	3935	51;T	NE	56.8	50.3
11	3935	51;U	SE	54.2	47.8
11	3935	51;V	SW	43.9	37.4
1	3936	52;A	SW	31.9	25.5
1	3936	52;B	SE	42.8	36.3
1	3936	52;C	SE	47.3	40.8
1	3936	52;D	NE	53.8	47.3
1	3936	52;E	NW	53.2	46.7
1	3936	52;F	NW	49.6	43.1
1	3936	52;G	NW	48.8	42.3
2	3936	52;A	SW	32.0	25.5
2	3936	52;B	SE	45.2	38.7
2	3936	52;C	SE	50.5	44.0
2	3936	52;D	NE	57.1	50.6
2	3936	52;E	NW	56.6	50.1
2	3936	52;F	NW	53.0	46.5
2	3936	52;G	NW	52.3	45.8
3	3936	52;A	SW	32.1	25.6
3	3936	52;B	SE	47.3	40.8
3	3936	52;C	SE	52.1	45.6
3	3936	52;D	NE	58.9	52.4
3	3936	52;E	NW	58.6	52.1
3	3936	52;F	NW	54.8	48.3
3	3936	52;G	NW	53.8	47.3
4	3936	52;A	SW	32.9	26.4
4	3936	52;B	SE	48.3	41.8
4	3936	52;C	SE	53.1	46.6
4	3936	52;D	NE	59.4	52.9
4	3936	52;E	NW	59.0	52.5
4	3936	52;F	NW	55.7	49.2
4	3936	52;G	NW	54.9	48.4
1	3937	55;A	SW	46.8	40.3
1	3937	55;B	SE	32.5	26.1
1	3937	55;C	NE	36.3	29.9
1	3937	55;D	SE	32.9	26.4
1	3937	55;E	NW	37.3	30.8
1	3937	55;F	NE	34.2	27.7
1	3937	55;G	SE	34.3	27.9
1	3937	55;H	SE	35.3	28.8
1	3937	55;I	SE	37.2	30.7
1	3937	55;J	NE	49.3	42.8
1	3937	55;K	NW	53.7	47.2
1	3937	55;L	NW	54.1	47.6
1	3937	55;M	NW	53.8	47.3
1	3937	55;N	SW	50.1	43.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3937	55;O	NW	50.8	44.2
1	3937	55;P	SW	47.6	41.1
2	3937	55;A	SW	49.7	43.2
2	3937	55;B	SE	32.6	26.1
2	3937	55;C	NE	37.4	31.0
2	3937	55;D	SE	33.0	26.6
2	3937	55;E	NW	38.2	31.7
2	3937	55;F	NE	34.5	28.0
2	3937	55;G	SE	34.5	28.0
2	3937	55;H	SE	35.9	29.4
2	3937	55;I	SE	38.9	32.4
2	3937	55;J	NE	52.8	46.3
2	3937	55;K	NW	57.1	50.6
2	3937	55;L	NW	57.4	50.9
2	3937	55;M	NW	57.1	50.6
2	3937	55;N	SW	53.7	47.2
2	3937	55;O	NW	54.1	47.6
2	3937	55;P	SW	50.7	44.2
3	3937	55;A	SW	51.5	45.0
3	3937	55;B	SE	32.9	26.4
3	3937	55;C	NE	39.2	32.8
3	3937	55;D	SE	33.3	26.8
3	3937	55;E	NW	40.0	33.5
3	3937	55;F	NE	35.3	28.8
3	3937	55;G	SE	34.8	28.3
3	3937	55;H	SE	36.7	30.2
3	3937	55;I	SE	40.3	33.8
3	3937	55;J	NE	54.9	48.4
3	3937	55;K	NW	58.9	52.4
3	3937	55;L	NW	58.8	52.3
3	3937	55;M	NW	58.4	51.9
3	3937	55;N	SW	55.4	48.9
3	3937	55;O	NW	55.7	49.2
3	3937	55;P	SW	52.4	45.9
4	3937	55;A	SW	52.6	46.1
4	3937	55;B	SE	33.9	27.4
4	3937	55;C	NE	41.0	34.6
4	3937	55;D	SE	34.4	27.9
4	3937	55;E	NW	42.5	36.1
4	3937	55;F	NE	38.4	31.9
4	3937	55;G	SE	36.1	29.7
4	3937	55;H	SE	37.9	31.4
4	3937	55;I	SE	41.5	35.0
4	3937	55;J	NE	56.3	49.8
4	3937	55;K	NW	60.0	53.5
4	3937	55;L	NW	59.7	53.2
4	3937	55;M	NW	59.1	52.6
4	3937	55;N	SW	56.3	49.8
4	3937	55;O	NW	56.5	50.0
4	3937	55;P	SW	53.3	46.9
1	3938	56;A	SE	36.1	29.5
1	3938	56;B	NW	49.4	43.0
1	3938	56;C	NE	46.8	40.3
1	3938	56;D	NE	52.0	45.5
1	3938	56;E	NW	53.0	46.5
1	3938	56;F	SW	49.4	42.9
1	3938	56;G	SW	48.1	41.5
1	3938	56;H	SW	45.0	38.5
1	3938	56;I	SW	45.2	38.6
1	3938	56;J	NW	43.7	37.2
1	3938	56;K	SW	34.5	28.0
1	3938	56;L	SE	33.6	27.1
1	3938	56;M	E	36.7	30.2
1	3938	56;N	SE	34.9	28.3
1	3938	56;O	NE	45.1	38.6
1	3938	56;P	NE	43.3	36.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3938	56;A	SE	36.8	30.3
2	3938	56;B	NW	52.7	46.2
2	3938	56;C	NE	50.2	43.7
2	3938	56;D	NE	55.1	48.6
2	3938	56;E	NW	56.3	49.8
2	3938	56;F	SW	52.8	46.3
2	3938	56;G	SW	51.6	45.1
2	3938	56;H	SW	48.4	41.9
2	3938	56;I	SW	48.6	42.1
2	3938	56;J	NW	47.2	40.7
2	3938	56;K	SW	36.2	29.7
2	3938	56;L	SE	33.9	27.4
2	3938	56;M	E	37.5	31.0
2	3938	56;N	SE	35.3	28.8
2	3938	56;O	NE	47.9	41.5
2	3938	56;P	NE	45.7	39.3
3	3938	56;A	SE	37.9	31.4
3	3938	56;B	NW	54.2	47.8
3	3938	56;C	NE	51.8	45.3
3	3938	56;D	NE	56.3	49.8
3	3938	56;E	NW	58.0	51.5
3	3938	56;F	SW	54.7	48.2
3	3938	56;G	SW	53.2	46.7
3	3938	56;H	SW	50.2	43.7
3	3938	56;I	SW	50.2	43.7
3	3938	56;J	NW	48.9	42.4
3	3938	56;K	SW	37.8	31.3
3	3938	56;L	SE	34.6	28.1
3	3938	56;M	E	39.0	32.4
3	3938	56;N	SE	36.3	29.7
3	3938	56;O	NE	49.7	43.2
3	3938	56;P	NE	47.6	41.1
4	3938	56;A	SE	39.3	32.8
4	3938	56;B	NW	55.1	48.6
4	3938	56;C	NE	52.7	46.3
4	3938	56;D	NE	56.7	50.3
4	3938	56;E	NW	59.0	52.5
4	3938	56;F	SW	56.1	49.7
4	3938	56;G	SW	54.7	48.2
4	3938	56;H	SW	51.5	45.0
4	3938	56;I	SW	51.4	44.9
4	3938	56;J	NW	50.2	43.7
4	3938	56;K	SW	39.8	33.3
4	3938	56;L	SE	35.7	29.2
4	3938	56;M	E	40.6	34.1
4	3938	56;N	SE	37.5	31.0
4	3938	56;O	NE	50.7	44.3
4	3938	56;P	NE	48.7	42.3
1	3939	;F	NE	48.7	42.2
1	3939	;G	NE	49.3	42.7
1	3939	;H	NW	41.0	34.5
1	3939	;I	SW	28.8	22.3
1	3939	;J	SW	31.1	24.6
1	3939	;K	SW	32.2	25.7
1	3939	;M	NW	32.7	26.2
1	3940	;A	NW	48.9	42.4
1	3940	;B	NW	45.5	39.0
1	3940	;C	SW	38.3	31.8
1	3940	;D	SW	37.0	30.5
1	3940	;E	NW	35.2	28.7
1	3940	;F	SW	36.1	29.6
1	3940	;G	SE	30.4	23.9
1	3940	;H	SW	31.0	24.5
1	3940	;I	SW	35.8	29.3
1	3940	;J	SE	33.2	26.7
1	3940	;K	SW	30.1	23.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3940	;L	SE	45.4	38.8
1	3940	;M	NE	51.3	44.8
1	3940	;N	NW	50.4	43.9
1	3940	;O	NW	50.4	43.9
1	3940	;P	NE	49.9	43.3
1	3940	;Q	NE	50.8	44.3
1	3940	;R	NE	51.2	44.6
1	3941	;A	SE	42.5	35.9
1	3941	;B	NE	50.5	44.0
1	3941	;C	NW	51.3	44.7
1	3941	;D	SW	29.5	23.0
1	3941	;E	NW	29.4	22.9
1	3942	;E	SE	24.9	18.6
1	3942	;F	SE	23.7	17.4
1	3942	;G	SE	24.9	18.5
1	3942	;H	NE	23.4	17.3
1	3942	;I	NW	27.1	20.8
1	3942	;J	NW	26.8	20.6
1	3942	;K	NW	26.6	20.4
1	3942	;L	NW	27.4	21.2
1	3942	;M	NW	29.1	22.9
1	3943	;A	SW	32.5	26.3
1	3943	;B	SW	32.9	26.7
1	3943	;C	NW	32.9	26.7
1	3943	;D	NW	33.4	27.2
1	3943	;E	SW	32.0	25.7
1	3943	;F	SW	33.0	26.7
1	3943	;G	SE	33.1	26.7
1	3943	;H	SE	33.2	26.7
1	3943	;I	SE	33.9	27.4
1	3943	;J	SE	34.9	28.5
1	3943	;K	SE	35.5	29.1
1	3943	;L	NE	41.5	35.1
1	3943	;M	NE	41.2	34.9
1	3943	;N	NE	41.1	34.8
1	3943	;O	NE	40.7	34.3
1	3943	;P	NW	40.1	33.7
1	3943	;Q	NW	39.3	33.0
1	3944	27;B	N	47.1	40.8
1	3944	27;C	N	46.7	40.3
1	3944	27;D	N	45.4	39.0
1	3944	27;E	N	45.4	39.0
1	3944	27;F	N	44.0	37.6
1	3944	27;G	W	38.4	32.1
1	3944	27;H	S	37.4	31.0
1	3944	27;I	S	35.6	29.2
1	3944	27;J	S	32.2	25.9
1	3944	27;K	W	32.5	26.2
1	3944	27;L	W	32.4	26.1
1	3944	27;M	W	32.6	26.3
1	3944	27;N	W	32.9	26.6
1	3944	27;O	S	49.9	43.5
1	3944	27;P	E	53.6	47.2
1	3944	27;Q	E	53.4	47.1
1	3944	27;R	E	52.8	46.4
1	3944	27;S	E	53.1	46.7
1	3944	27;T	N	49.0	42.7
1	3944	27;U	N	47.3	41.0
1	3944	27;V	N	47.1	40.8
1	3944	27;W	N	46.7	40.3
1	3944	27;X	N	45.4	39.0
1	3944	27;Y	N	45.4	39.0
2	3944	27;B	N	50.2	43.9
2	3944	27;C	N	49.8	43.4
2	3944	27;D	N	48.4	42.1
2	3944	27;E	N	48.4	42.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3944	27;F	N	46.9	40.5
2	3944	27;G	W	40.8	34.4
2	3944	27;H	S	40.7	34.4
2	3944	27;I	S	38.3	32.0
2	3944	27;J	S	32.3	26.0
2	3944	27;K	W	32.6	26.3
2	3944	27;L	W	32.5	26.1
2	3944	27;M	W	32.7	26.4
2	3944	27;N	W	33.1	26.8
2	3944	27;O	S	52.8	46.5
2	3944	27;P	E	56.5	50.2
2	3944	27;Q	E	56.4	50.1
2	3944	27;R	E	55.7	49.4
2	3944	27;S	E	56.0	49.7
2	3944	27;T	N	52.0	45.6
2	3944	27;U	N	50.4	44.0
2	3944	27;V	N	50.2	43.9
2	3944	27;W	N	49.8	43.4
2	3944	27;X	N	48.4	42.1
2	3944	27;Y	N	48.4	42.0
3	3944	27;B	N	51.6	45.3
3	3944	27;C	N	51.1	44.8
3	3944	27;D	N	49.9	43.5
3	3944	27;E	N	49.8	43.5
3	3944	27;F	N	48.4	42.1
3	3944	27;G	W	42.3	36.0
3	3944	27;H	S	42.4	36.1
3	3944	27;I	S	40.0	33.7
3	3944	27;J	S	32.5	26.2
3	3944	27;K	W	32.7	26.4
3	3944	27;L	W	32.6	26.3
3	3944	27;M	W	32.9	26.6
3	3944	27;N	W	33.4	27.0
3	3944	27;O	S	54.1	47.8
3	3944	27;P	E	57.5	51.2
3	3944	27;Q	E	57.4	51.1
3	3944	27;R	E	56.7	50.4
3	3944	27;S	E	57.1	50.8
3	3944	27;T	N	53.1	46.8
3	3944	27;U	N	51.7	45.4
3	3944	27;V	N	51.6	45.3
3	3944	27;W	N	51.1	44.8
3	3944	27;X	N	49.9	43.5
3	3944	27;Y	N	49.8	43.5
4	3944	27;B	N	52.1	45.8
4	3944	27;C	N	51.8	45.5
4	3944	27;D	N	50.6	44.3
4	3944	27;E	N	50.7	44.4
4	3944	27;F	N	49.3	43.0
4	3944	27;G	W	43.2	36.8
4	3944	27;H	S	43.4	37.1
4	3944	27;I	S	41.0	34.7
4	3944	27;J	S	33.1	26.8
4	3944	27;K	W	33.0	26.7
4	3944	27;L	W	32.8	26.5
4	3944	27;M	W	33.3	27.0
4	3944	27;N	W	33.9	27.6
4	3944	27;O	S	54.6	48.3
4	3944	27;P	E	57.9	51.6
4	3944	27;Q	E	57.8	51.4
4	3944	27;R	E	57.0	50.7
4	3944	27;S	E	57.5	51.2
4	3944	27;T	N	53.5	47.2
4	3944	27;U	N	52.2	45.9
4	3944	27;V	N	52.1	45.8
4	3944	27;W	N	51.8	45.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	3944	27;X	N	50.6	44.3
4	3944	27;Y	N	50.7	44.4
5	3944	27;B	N	52.4	46.1
5	3944	27;C	N	52.1	45.8
5	3944	27;D	N	51.0	44.7
5	3944	27;E	N	51.1	44.8
5	3944	27;F	N	49.8	43.5
5	3944	27;G	W	43.9	37.6
5	3944	27;H	S	44.2	37.8
5	3944	27;I	S	42.0	35.7
5	3944	27;J	S	35.6	29.3
5	3944	27;K	W	34.2	27.9
5	3944	27;L	W	34.0	27.7
5	3944	27;M	W	34.6	28.3
5	3944	27;N	W	35.5	29.2
5	3944	27;O	S	54.8	48.5
5	3944	27;P	E	58.0	51.7
5	3944	27;Q	E	57.9	51.6
5	3944	27;R	E	57.2	50.9
5	3944	27;S	E	57.7	51.4
5	3944	27;T	N	53.6	47.3
5	3944	27;U	N	52.4	46.1
5	3944	27;V	N	52.4	46.1
5	3944	27;W	N	52.1	45.8
5	3944	27;X	N	51.0	44.7
5	3944	27;Y	N	51.1	44.8
1	3945	29;A	E	39.7	33.3
1	3945	29;B	N	43.6	37.2
1	3945	29;C	N	43.6	37.2
1	3945	29;D	N	42.9	36.5
1	3945	29;E	N	43.1	36.6
1	3945	29;F	N	42.5	36.1
1	3945	29;G	N	43.0	36.6
1	3945	29;H	N	43.0	36.5
1	3945	29;I	E	42.3	35.9
1	3945	29;J	E	42.4	35.9
1	3945	29;K	E	42.4	36.0
1	3945	29;L	E	42.5	36.1
1	3945	29;M	E	42.6	36.2
1	3945	29;N	N	40.3	33.9
1	3945	29;O	W	26.7	20.4
1	3945	29;P	W	26.7	20.4
1	3945	29;Q	W	26.8	20.5
1	3945	29;R	W	26.7	20.4
1	3945	29;S	W	26.8	20.5
1	3945	29;T	W	26.7	20.4
1	3945	29;U	W	26.6	20.3
1	3945	29;V	S	28.9	22.6
1	3945	29;W	S	27.7	21.4
1	3945	29;X	W	27.4	21.1
1	3945	29;Y	S	35.0	28.6
1	3945	29;Z	S	35.8	29.4
1	3945	29;AA	S	36.8	30.4
2	3945	29;A	E	42.0	35.7
2	3945	29;B	N	46.3	40.0
2	3945	29;C	N	46.2	39.9
2	3945	29;D	N	45.3	38.9
2	3945	29;E	N	45.4	39.1
2	3945	29;F	N	44.7	38.3
2	3945	29;G	N	45.1	38.8
2	3945	29;H	N	44.9	38.6
2	3945	29;I	E	44.2	37.8
2	3945	29;J	E	44.4	38.0
2	3945	29;K	E	44.4	38.1
2	3945	29;L	E	44.5	38.2
2	3945	29;M	E	44.7	38.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3945	29;N	N	42.0	35.6
2	3945	29;O	W	26.7	20.4
2	3945	29;P	W	26.7	20.4
2	3945	29;Q	W	26.8	20.5
2	3945	29;R	W	26.7	20.5
2	3945	29;S	W	26.8	20.5
2	3945	29;T	W	26.7	20.4
2	3945	29;U	W	26.7	20.4
2	3945	29;V	S	29.9	23.6
2	3945	29;W	S	27.8	21.5
2	3945	29;X	W	27.4	21.1
2	3945	29;Y	S	37.2	30.8
2	3945	29;Z	S	38.3	31.9
2	3945	29;AA	S	39.6	33.2
3	3945	29;A	E	44.0	37.7
3	3945	29;B	N	47.9	41.6
3	3945	29;C	N	47.9	41.6
3	3945	29;D	N	47.1	40.7
3	3945	29;E	N	47.3	40.9
3	3945	29;F	N	46.5	40.2
3	3945	29;G	N	47.0	40.7
3	3945	29;H	N	46.8	40.5
3	3945	29;I	E	46.1	39.8
3	3945	29;J	E	46.3	40.0
3	3945	29;K	E	46.3	40.0
3	3945	29;L	E	46.4	40.1
3	3945	29;M	E	46.6	40.3
3	3945	29;N	N	43.8	37.5
3	3945	29;O	W	26.8	20.5
3	3945	29;P	W	26.8	20.5
3	3945	29;Q	W	26.8	20.5
3	3945	29;R	W	26.8	20.5
3	3945	29;S	W	26.8	20.5
3	3945	29;T	W	26.8	20.5
3	3945	29;U	W	26.7	20.4
3	3945	29;V	S	30.8	24.5
3	3945	29;W	S	28.1	21.8
3	3945	29;X	W	27.4	21.1
3	3945	29;Y	S	38.7	32.4
3	3945	29;Z	S	39.9	33.5
3	3945	29;AA	S	41.1	34.7
4	3945	29;A	E	45.1	38.8
4	3945	29;B	N	48.9	42.6
4	3945	29;C	N	48.9	42.6
4	3945	29;D	N	48.0	41.7
4	3945	29;E	N	48.3	41.9
4	3945	29;F	N	47.5	41.2
4	3945	29;G	N	48.0	41.7
4	3945	29;H	N	47.8	41.5
4	3945	29;I	E	47.2	40.9
4	3945	29;J	E	47.3	41.0
4	3945	29;K	E	47.4	41.1
4	3945	29;L	E	47.5	41.2
4	3945	29;M	E	47.6	41.3
4	3945	29;N	N	44.9	38.6
4	3945	29;O	W	27.0	20.7
4	3945	29;P	W	26.9	20.6
4	3945	29;Q	W	27.0	20.7
4	3945	29;R	W	26.9	20.6
4	3945	29;S	W	26.9	20.6
4	3945	29;T	W	26.9	20.6
4	3945	29;U	W	26.8	20.5
4	3945	29;V	S	32.0	25.6
4	3945	29;W	S	28.7	22.4
4	3945	29;X	W	27.5	21.2
4	3945	29;Y	S	39.6	33.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	3945	29;Z	S	40.8	34.5
4	3945	29;AA	S	42.1	35.8
5	3945	29;A	E	46.0	39.7
5	3945	29;B	N	49.5	43.2
5	3945	29;C	N	49.6	43.3
5	3945	29;D	N	48.8	42.4
5	3945	29;E	N	49.0	42.7
5	3945	29;F	N	48.3	42.0
5	3945	29;G	N	48.8	42.4
5	3945	29;H	N	48.6	42.3
5	3945	29;I	E	47.9	41.6
5	3945	29;J	E	48.1	41.8
5	3945	29;K	E	48.2	41.8
5	3945	29;L	E	48.2	41.9
5	3945	29;M	E	48.4	42.1
5	3945	29;N	N	45.6	39.3
5	3945	29;O	W	28.1	21.8
5	3945	29;P	W	27.9	21.6
5	3945	29;Q	W	27.9	21.6
5	3945	29;R	W	27.8	21.5
5	3945	29;S	W	27.8	21.5
5	3945	29;T	W	27.8	21.5
5	3945	29;U	W	27.6	21.3
5	3945	29;V	S	33.7	27.4
5	3945	29;W	S	30.5	24.2
5	3945	29;X	W	28.3	22.0
5	3945	29;Y	S	40.5	34.2
5	3945	29;Z	S	41.7	35.4
5	3945	29;AA	S	43.0	36.7
1	3946	;A	SE	24.5	18.2
1	3946	;B	SE	25.2	18.8
1	3946	;C	SE	25.3	19.0
1	3946	;D	SW	25.3	18.9
1	3946	;E	SW	25.7	19.4
1	3946	;F	SW	25.8	19.5
1	3946	;G	NW	26.1	19.8
1	3946	;H	SW	27.1	20.8
1	3946	;I	SW	26.6	20.3
1	3946	;J	SW	25.8	19.6
1	3946	;K	SW	25.6	19.5
1	3946	;L	SE	23.9	17.6
1	3946	;M	NE	37.5	31.1
1	3946	;N	NE	34.8	28.4
1	3946	;O	SE	22.2	16.0
1	3946	;P	NE	39.8	33.4
1	3946	;Q	NE	40.3	33.9
1	3946	;R	NW	41.6	35.2
1	3946	;S	NE	42.0	35.6
1	3946	;T	NW	40.7	34.3
1	3946	;U	SW	28.9	22.6
1	3946	;V	NW	37.2	30.8
1	3946	;W	SW	31.3	25.0
1	3946	;X	SW	30.9	24.6
1	3946	;Y	SE	24.0	17.8
1	3946	;Z	SE	23.6	17.4
1	3947	;A	SW	32.6	26.3
1	3947	;B	SW	29.6	23.4
1	3947	;C	SE	26.8	20.4
1	3947	;D	SE	26.6	20.3
1	3947	;E	SE	25.9	19.6
1	3947	;F	SE	26.1	19.8
1	3947	;G	SE	25.2	19.0
1	3947	;H	NE	24.6	18.4
1	3947	;I	NE	25.3	19.1
1	3947	;J	NW	32.9	26.6
1	3947	;K	NW	35.8	29.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3947	;L	NE	36.3	29.9
1	3947	;M	NW	36.4	30.0
1	3948	49;B	SW	35.9	29.4
1	3948	49;C	NW	35.9	29.4
1	3948	49;D	SW	35.8	29.3
1	3948	49;E	SE	51.4	44.9
1	3948	49;F	NE	54.1	47.6
1	3948	49;G	SE	53.8	47.3
1	3948	49;H	NE	55.0	48.5
2	3948	49;B	SW	35.9	29.4
2	3948	49;C	NW	35.9	29.4
2	3948	49;D	SW	35.8	29.3
2	3948	49;E	SE	54.7	48.2
2	3948	49;F	NE	57.4	50.8
2	3948	49;G	SE	57.0	50.5
2	3948	49;H	NE	58.3	51.8
3	3948	49;B	SW	35.9	29.4
3	3948	49;C	NW	35.9	29.4
3	3948	49;D	SW	35.8	29.3
3	3948	49;E	SE	56.2	49.7
3	3948	49;F	NE	58.9	52.4
3	3948	49;G	SE	58.6	52.1
3	3948	49;H	NE	59.8	53.3
4	3948	49;B	SW	35.9	29.4
4	3948	49;C	NW	35.9	29.4
4	3948	49;D	SW	35.8	29.3
4	3948	49;E	SE	56.9	50.4
4	3948	49;F	NE	59.7	53.2
4	3948	49;G	SE	59.4	52.9
4	3948	49;H	NE	60.6	54.1
5	3948	49;B	SW	35.9	29.4
5	3948	49;C	NW	35.8	29.3
5	3948	49;D	SW	35.8	29.3
5	3948	49;E	SE	57.4	50.9
5	3948	49;F	NE	60.2	53.7
5	3948	49;G	SE	59.8	53.3
5	3948	49;H	NE	60.9	54.4
6	3948	49;B	SW	35.8	29.3
6	3948	49;C	NW	35.8	29.3
6	3948	49;D	SW	35.8	29.3
6	3948	49;E	SE	57.6	51.1
6	3948	49;F	NE	60.4	53.9
6	3948	49;G	SE	60.0	53.5
6	3948	49;H	NE	61.0	54.5
7	3948	49;B	SW	35.8	29.3
7	3948	49;C	NW	35.8	29.3
7	3948	49;D	SW	35.8	29.3
7	3948	49;E	SE	57.7	51.2
7	3948	49;F	NE	60.4	53.9
7	3948	49;G	SE	60.1	53.6
7	3948	49;H	NE	61.1	54.6
8	3948	49;B	SW	35.8	29.3
8	3948	49;C	NW	35.9	29.4
8	3948	49;D	SW	35.8	29.3
8	3948	49;E	SE	57.7	51.2
8	3948	49;F	NE	60.5	54.0
8	3948	49;G	SE	60.1	53.6
8	3948	49;H	NE	61.1	54.6
9	3948	49;B	SW	35.9	29.4
9	3948	49;C	NW	36.1	29.6
9	3948	49;D	SW	35.9	29.4
9	3948	49;E	SE	57.7	51.2
9	3948	49;F	NE	60.5	54.0
9	3948	49;G	SE	60.1	53.6
9	3948	49;H	NE	61.1	54.6
10	3948	49;B	SW	36.6	30.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
10	3948	49;C	NW	37.2	30.7
10	3948	49;D	SW	36.7	30.2
10	3948	49;E	SE	57.7	51.2
10	3948	49;F	NE	60.5	54.0
10	3948	49;G	SE	60.1	53.6
10	3948	49;H	NE	61.1	54.6
1	3949	37;A	SW	35.0	28.4
1	3949	37;B	SW	34.8	28.3
1	3949	37;C	SW	34.9	28.4
1	3949	37;D	NW	34.9	28.4
1	3949	37;E	NW	34.6	28.1
1	3949	37;F	NW	34.4	27.8
1	3949	37;G	SW	33.4	26.9
1	3949	37;H	SW	33.4	26.8
1	3949	37;I	SE	48.7	42.1
1	3949	37;J	NE	51.9	45.3
1	3949	37;K	SE	52.7	46.2
1	3949	37;L	NE	53.9	47.4
1	3949	37;M	NE	55.0	48.4
1	3949	37;N	NE	55.2	48.7
1	3949	37;O	NE	55.6	49.1
1	3949	37;P	NE	55.2	48.7
1	3949	37;Q	NE	55.4	48.8
1	3949	37;R	NE	54.6	48.1
1	3949	37;S	NW	50.6	44.1
1	3949	37;T	NW	48.7	42.2
1	3949	37;U	SW	34.8	28.3
1	3949	37;V	SW	34.9	28.4
1	3949	37;W	SW	34.8	28.3
2	3949	37;A	SW	35.0	28.5
2	3949	37;B	SW	34.9	28.4
2	3949	37;C	SW	35.0	28.5
2	3949	37;D	NW	35.0	28.5
2	3949	37;E	NW	35.0	28.4
2	3949	37;F	NW	34.9	28.4
2	3949	37;G	SW	33.5	27.0
2	3949	37;H	SW	33.4	26.9
2	3949	37;I	SE	52.2	45.6
2	3949	37;J	NE	55.3	48.8
2	3949	37;K	SE	56.0	49.5
2	3949	37;L	NE	57.6	51.0
2	3949	37;M	NE	58.3	51.8
2	3949	37;N	NE	58.4	51.9
2	3949	37;O	NE	58.8	52.3
2	3949	37;P	NE	58.4	51.9
2	3949	37;Q	NE	58.6	52.0
2	3949	37;R	NE	58.0	51.4
2	3949	37;S	NW	54.3	47.7
2	3949	37;T	NW	52.4	45.9
2	3949	37;U	SW	34.9	28.4
2	3949	37;V	SW	35.0	28.5
2	3949	37;W	SW	34.9	28.4
3	3949	37;A	SW	35.2	28.7
3	3949	37;B	SW	35.1	28.5
3	3949	37;C	SW	35.3	28.7
3	3949	37;D	NW	35.5	28.9
3	3949	37;E	NW	35.8	29.3
3	3949	37;F	NW	36.0	29.5
3	3949	37;G	SW	33.6	27.1
3	3949	37;H	SW	33.7	27.2
3	3949	37;I	SE	53.9	47.3
3	3949	37;J	NE	57.0	50.4
3	3949	37;K	SE	57.6	51.0
3	3949	37;L	NE	59.8	53.2
3	3949	37;M	NE	60.0	53.4
3	3949	37;N	NE	59.6	53.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	3949	37;O	NE	60.0	53.4
3	3949	37;P	NE	59.7	53.2
3	3949	37;Q	NE	60.0	53.4
3	3949	37;R	NE	59.5	53.0
3	3949	37;S	NW	56.5	50.0
3	3949	37;T	NW	54.9	48.4
3	3949	37;U	SW	35.1	28.5
3	3949	37;V	SW	35.2	28.7
3	3949	37;W	SW	35.0	28.5
4	3949	37;A	SW	36.3	29.8
4	3949	37;B	SW	36.2	29.6
4	3949	37;C	SW	36.5	30.0
4	3949	37;D	NW	37.9	31.4
4	3949	37;E	NW	38.8	32.2
4	3949	37;F	NW	38.5	32.0
4	3949	37;G	SW	34.6	28.0
4	3949	37;H	SW	35.0	28.4
4	3949	37;I	SE	55.4	48.8
4	3949	37;J	NE	57.8	51.3
4	3949	37;K	SE	58.1	51.6
4	3949	37;L	NE	60.2	53.7
4	3949	37;M	NE	60.4	53.9
4	3949	37;N	NE	60.0	53.5
4	3949	37;O	NE	60.4	53.9
4	3949	37;P	NE	60.1	53.5
4	3949	37;Q	NE	60.4	53.8
4	3949	37;R	NE	59.9	53.4
4	3949	37;S	NW	57.0	50.5
4	3949	37;T	NW	55.7	49.2
4	3949	37;U	SW	36.1	29.6
4	3949	37;V	SW	36.3	29.8
4	3949	37;W	SW	36.1	29.5
1	3950	39;A	SW	35.9	29.4
1	3950	39;B	SW	35.1	28.6
1	3950	39;C	SW	35.3	28.8
1	3950	39;D	SW	35.4	28.9
1	3950	39;E	SW	35.8	29.2
1	3950	39;F	SW	35.8	29.2
1	3950	39;G	SE	47.2	40.6
1	3950	39;H	SE	51.6	45.0
1	3950	39;I	NE	55.4	48.9
1	3950	39;J	NE	55.6	49.0
1	3950	39;K	NE	55.0	48.4
1	3950	39;L	NE	55.7	49.1
1	3950	39;M	NE	55.5	48.9
1	3950	39;N	NE	55.7	49.2
1	3950	39;O	NE	55.2	48.7
1	3950	39;P	NE	55.6	49.0
1	3950	39;Q	NE	55.0	48.4
1	3950	39;R	NW	51.5	45.0
2	3950	39;A	SW	37.5	31.0
2	3950	39;B	SW	35.2	28.6
2	3950	39;C	SW	35.4	28.8
2	3950	39;D	SW	35.4	28.9
2	3950	39;E	SW	35.8	29.2
2	3950	39;F	SW	35.7	29.2
2	3950	39;G	SE	50.9	44.4
2	3950	39;H	SE	54.8	48.2
2	3950	39;I	NE	58.6	52.0
2	3950	39;J	NE	58.8	52.2
2	3950	39;K	NE	58.1	51.6
2	3950	39;L	NE	58.8	52.3
2	3950	39;M	NE	58.7	52.1
2	3950	39;N	NE	58.9	52.3
2	3950	39;O	NE	58.4	51.9
2	3950	39;P	NE	58.8	52.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3950	39;Q	NE	58.2	51.6
2	3950	39;R	NW	54.8	48.3
3	3950	39;A	SW	38.7	32.2
3	3950	39;B	SW	35.3	28.8
3	3950	39;C	SW	35.5	29.0
3	3950	39;D	SW	35.5	29.0
3	3950	39;E	SW	35.9	29.4
3	3950	39;F	SW	35.8	29.3
3	3950	39;G	SE	52.3	45.8
3	3950	39;H	SE	55.9	49.3
3	3950	39;I	NE	59.6	53.1
3	3950	39;J	NE	59.8	53.3
3	3950	39;K	NE	59.1	52.6
3	3950	39;L	NE	59.9	53.3
3	3950	39;M	NE	59.8	53.2
3	3950	39;N	NE	59.9	53.4
3	3950	39;O	NE	59.6	53.0
3	3950	39;P	NE	59.9	53.3
3	3950	39;Q	NE	59.4	52.8
3	3950	39;R	NW	56.2	49.6
4	3950	39;A	SW	40.2	33.7
4	3950	39;B	SW	36.3	29.8
4	3950	39;C	SW	36.5	30.0
4	3950	39;D	SW	36.5	29.9
4	3950	39;E	SW	36.7	30.2
4	3950	39;F	SW	36.5	30.0
4	3950	39;G	SE	53.0	46.4
4	3950	39;H	SE	56.2	49.7
4	3950	39;I	NE	60.0	53.5
4	3950	39;J	NE	60.2	53.7
4	3950	39;K	NE	59.5	52.9
4	3950	39;L	NE	60.3	53.8
4	3950	39;M	NE	60.2	53.7
4	3950	39;N	NE	60.4	53.8
4	3950	39;O	NE	60.0	53.4
4	3950	39;P	NE	60.3	53.8
4	3950	39;Q	NE	59.8	53.3
4	3950	39;R	NW	56.9	50.3
1	3951	42;A	SE	36.7	30.2
1	3951	42;B	NE	37.1	30.6
1	3951	42;C	SE	37.3	30.7
1	3951	42;D	NE	45.8	39.3
1	3951	42;E	NW	48.5	42.0
1	3951	42;F	NE	47.7	41.1
1	3951	42;G	NW	43.5	37.0
1	3951	42;H	SW	35.8	29.3
2	3951	42;A	SE	37.0	30.4
2	3951	42;B	NE	37.2	30.7
2	3951	42;C	SE	37.4	30.8
2	3951	42;D	NE	49.4	42.8
2	3951	42;E	NW	51.9	45.4
2	3951	42;F	NE	50.8	44.3
2	3951	42;G	NW	46.7	40.1
2	3951	42;H	SW	35.8	29.3
3	3951	42;A	SE	37.2	30.7
3	3951	42;B	NE	37.4	30.9
3	3951	42;C	SE	37.5	31.0
3	3951	42;D	NE	50.7	44.2
3	3951	42;E	NW	53.2	46.7
3	3951	42;F	NE	52.1	45.5
3	3951	42;G	NW	47.9	41.4
3	3951	42;H	SW	35.2	28.7
4	3951	42;A	SE	38.0	31.4
4	3951	42;B	NE	37.8	31.2
4	3951	42;C	SE	37.8	31.3
4	3951	42;D	NE	51.2	44.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	3951	42;E	NW	53.6	47.1
4	3951	42;F	NE	52.5	46.0
4	3951	42;G	NW	48.5	41.9
4	3951	42;H	SW	35.0	28.5
5	3951	42;A	SE	42.0	35.5
5	3951	42;B	NE	38.6	32.1
5	3951	42;C	SE	38.5	31.9
5	3951	42;D	NE	51.4	44.9
5	3951	42;E	NW	53.8	47.2
5	3951	42;F	NE	52.7	46.2
5	3951	42;G	NW	48.7	42.2
5	3951	42;H	SW	36.4	29.9
6	3951	42;A	SE	38.6	32.0
6	3951	42;B	NE	40.8	34.3
6	3951	42;C	SE	40.0	33.5
6	3951	42;D	NE	51.6	45.1
6	3951	42;E	NW	53.9	47.3
6	3951	42;F	NE	52.9	46.3
6	3951	42;G	NW	48.9	42.4
6	3951	42;H	SW	34.9	28.4
1	3952	50;A	NE	55.1	48.6
1	3952	50;B	NE	55.7	49.2
1	3952	50;C	NE	56.0	49.5
1	3952	50;D	NW	52.2	45.7
1	3952	50;E	SW	36.4	29.9
1	3952	50;F	SW	36.0	29.5
1	3952	50;G	SW	35.9	29.4
2	3952	50;A	NE	58.3	51.8
2	3952	50;B	NE	58.9	52.4
2	3952	50;C	NE	59.1	52.6
2	3952	50;D	NW	55.4	48.9
2	3952	50;E	SW	36.4	29.9
2	3952	50;F	SW	36.0	29.5
2	3952	50;G	SW	35.9	29.4
3	3952	50;A	NE	59.8	53.3
3	3952	50;B	NE	60.2	53.7
3	3952	50;C	NE	60.3	53.8
3	3952	50;D	NW	56.6	50.1
3	3952	50;E	SW	36.4	29.9
3	3952	50;F	SW	36.0	29.5
3	3952	50;G	SW	35.9	29.4
4	3952	50;A	NE	60.5	54.0
4	3952	50;B	NE	60.8	54.3
4	3952	50;C	NE	61.0	54.5
4	3952	50;D	NW	57.0	50.5
4	3952	50;E	SW	36.4	29.9
4	3952	50;F	SW	35.9	29.5
4	3952	50;G	SW	35.8	29.3
5	3952	50;A	NE	60.7	54.2
5	3952	50;B	NE	61.0	54.5
5	3952	50;C	NE	61.2	54.7
5	3952	50;D	NW	57.2	50.7
5	3952	50;E	SW	36.4	29.9
5	3952	50;F	SW	35.9	29.4
5	3952	50;G	SW	35.8	29.3
6	3952	50;A	NE	60.8	54.3
6	3952	50;B	NE	61.2	54.7
6	3952	50;C	NE	61.3	54.8
6	3952	50;D	NW	57.3	50.8
6	3952	50;E	SW	36.3	29.8
6	3952	50;F	SW	35.9	29.4
6	3952	50;G	SW	35.8	29.3
7	3952	50;A	NE	60.8	54.3
7	3952	50;B	NE	61.2	54.7
7	3952	50;C	NE	61.3	54.8
7	3952	50;D	NW	57.3	50.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
7	3952	50;E	SW	36.3	29.8
7	3952	50;F	SW	35.9	29.4
7	3952	50;G	SW	35.8	29.3
8	3952	50;A	NE	60.9	54.4
8	3952	50;B	NE	61.2	54.7
8	3952	50;C	NE	61.4	54.9
8	3952	50;D	NW	57.3	50.8
8	3952	50;E	SW	36.3	29.8
8	3952	50;F	SW	35.9	29.4
8	3952	50;G	SW	35.8	29.3
9	3952	50;A	NE	60.8	54.3
9	3952	50;B	NE	61.2	54.7
9	3952	50;C	NE	61.3	54.8
9	3952	50;D	NW	57.3	50.8
9	3952	50;E	SW	36.4	29.9
9	3952	50;F	SW	35.9	29.4
9	3952	50;G	SW	35.8	29.3
10	3952	50;A	NE	60.8	54.3
10	3952	50;B	NE	61.2	54.7
10	3952	50;C	NE	61.3	54.8
10	3952	50;D	NW	57.3	50.8
10	3952	50;E	SW	37.2	30.7
10	3952	50;F	SW	36.6	30.1
10	3952	50;G	SW	36.4	30.0
1	3954	;A	SE	29.4	22.9
1	3954	;B	NE	51.1	44.5
1	3954	;C	NW	47.6	41.0
1	3954	;D	NW	46.0	39.4
1	3954	;E	SW	34.9	28.4
1	3954	;F	SE	28.3	21.8
1	3955	;A	SW	37.0	30.5
1	3955	;B	SE	42.8	36.2
1	3955	;C	NE	47.0	40.4
1	3955	;D	SE	46.3	39.8
1	3955	;E	NE	49.7	43.1
1	3955	;F	NW	49.7	43.2
1	3955	;G	NW	48.2	41.7
1	3955	;H	SW	41.0	34.4
1	3956	;A	SW	33.1	26.6
1	3956	;B	SE	45.7	39.1
1	3956	;C	NE	51.9	45.3
1	3956	;D	NE	52.0	45.4
1	3956	;E	NW	48.7	42.1
1	3956	;F	NW	47.8	41.3
1	3956	;G	NW	43.6	37.0
1	3957	;A	SW	30.1	24.0
1	3957	;B	SE	42.4	36.1
1	3957	;C	NE	46.2	40.1
1	3957	;D	NW	37.8	31.6
1	3958	24;A	N	46.0	39.8
1	3958	24;B	W	50.6	44.3
1	3958	24;C	S	46.4	40.1
1	3958	24;D	E	30.7	24.4
2	3958	24;A	N	48.5	42.5
2	3958	24;B	W	53.1	46.9
2	3958	24;C	S	49.0	42.7
2	3958	24;D	E	30.8	24.6
3	3958	24;A	N	49.7	43.7
3	3958	24;B	W	54.2	48.1
3	3958	24;C	S	50.3	44.0
3	3958	24;D	E	31.0	24.7
4	3958	24;A	N	50.2	44.3
4	3958	24;B	W	54.7	48.5
4	3958	24;C	S	50.8	44.6
4	3958	24;D	E	31.1	24.9
5	3958	24;A	N	50.5	44.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	3958	24;B	W	54.9	48.8
5	3958	24;C	S	51.1	44.8
5	3958	24;D	E	31.5	25.2
6	3958	24;A	N	50.7	44.8
6	3958	24;B	W	55.1	48.9
6	3958	24;C	S	51.2	45.0
6	3958	24;D	E	31.8	25.6
7	3958	24;A	N	50.8	44.9
7	3958	24;B	W	55.2	49.0
7	3958	24;C	S	51.4	45.1
7	3958	24;D	E	32.6	26.3
1	3959	25;A	N	46.4	40.0
1	3959	25;B	W	50.7	44.3
1	3959	25;C	S	46.2	39.8
1	3959	25;D	E	30.9	24.6
2	3959	25;A	N	49.0	42.7
2	3959	25;B	W	53.2	46.9
2	3959	25;C	S	48.9	42.6
2	3959	25;D	E	31.0	24.7
3	3959	25;A	N	50.2	44.0
3	3959	25;B	W	54.4	48.1
3	3959	25;C	S	50.5	44.2
3	3959	25;D	E	31.2	24.9
4	3959	25;A	N	50.7	44.5
4	3959	25;B	W	54.8	48.6
4	3959	25;C	S	51.1	44.8
4	3959	25;D	E	31.3	25.0
5	3959	25;A	N	51.0	44.8
5	3959	25;B	W	55.1	48.8
5	3959	25;C	S	51.4	45.1
5	3959	25;D	E	31.7	25.4
6	3959	25;A	N	51.1	44.9
6	3959	25;B	W	55.2	49.0
6	3959	25;C	S	51.6	45.4
6	3959	25;D	E	32.1	25.7
7	3959	25;A	N	51.2	45.0
7	3959	25;B	W	55.3	49.1
7	3959	25;C	S	51.8	45.5
7	3959	25;D	E	32.8	26.5
1	3960	;A	N	45.9	39.5
1	3960	;B	W	49.9	43.5
1	3960	;C	S	47.7	41.3
1	3960	;D	E	36.9	30.5
1	3961	;A	NW	47.0	40.6
1	3961	;B	NW	50.1	43.6
1	3961	;C	SW	50.9	44.4
1	3961	;D	SW	50.7	44.2
1	3961	;E	NW	51.4	44.9
1	3961	;F	SW	49.7	43.2
1	3961	;G	SW	47.8	41.4
1	3961	;H	SW	47.2	40.8
1	3961	;I	SE	44.7	38.2
1	3961	;J	SE	45.0	38.5
1	3961	;K	NE	34.1	27.6
1	3961	;L	NE	33.9	27.4
1	3961	;M	SE	33.9	27.4
1	3961	;N	SE	36.4	29.8
1	3961	;O	NE	34.6	28.2
1	3962	;A	NW	40.2	33.7
1	3962	;B	SW	48.4	41.9
1	3962	;C	SW	49.1	42.6
1	3962	;D	SE	48.9	42.4
1	3962	;E	NE	34.7	28.2
1	3963	;A	E	53.2	47.3
1	3963	;B	NE	52.7	46.8
1	3963	;C	NW	45.0	39.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3963	;D	NW	38.4	32.7
1	3963	;E	NW	38.1	31.9
1	3963	;F	SW	25.6	19.6
1	3963	;G	SE	38.6	32.4
1	3963	;H	SE	48.5	42.5
1	3963	;I	SE	51.0	45.1
1	3964	;A	SE	32.1	26.3
1	3964	;B	NE	49.8	43.8
1	3964	;C	NW	44.4	38.4
1	3964	;D	SW	33.7	28.0
1	3965	;A	SE	39.6	33.5
1	3965	;B	NW	56.8	50.6
1	3966	;A	NE	54.4	48.2
1	3967	;A	SW	53.5	46.9
1	3967	;B	SE	46.5	40.0
1	3967	;C	NE	35.1	28.5
1	3967	;D	NW	45.4	38.8
1	3968	;A	W	31.0	24.8
1	3968	;B	S	36.4	30.3
1	3968	;C	E	39.5	33.2
1	3968	;D	N	43.1	36.8
1	3969	;A	S	40.1	33.9
1	3969	;B	E	33.0	26.9
1	3969	;C	N	34.4	28.3
1	3970	;A	S	47.0	40.5
1	3970	;B	E	53.0	46.5
1	3970	;C	N	62.5	56.0
1	3970	;D	W	62.1	55.6
1	3972	;A	SE	37.2	30.7
1	3972	;B	NE	60.5	54.0
1	3972	;C	NW	62.6	56.0
1	3972	;D	SW	45.5	39.0
1	3973	;A	NW	58.0	52.2
1	3973	;B	SW	59.0	53.2
1	3973	;C	SW	57.9	52.2
1	3973	;D	SE	50.1	44.4
1	3973	;E	NE	48.7	42.9
1	3974	;A	N	30.6	24.5
1	3974	;B	NW	30.1	24.0
1	3974	;C	S	45.6	39.4
1	3975	;A	W	53.9	47.5
1	3975	;B	S	45.3	38.9
1	3975	;C	E	44.6	38.2
1	3975	;D	N	51.1	44.7
1	3976	;A	W	53.8	47.5
1	3976	;B	S	51.4	45.1
1	3976	;C	E	45.3	38.9
1	3976	;D	N	45.5	39.1
1	3977	;A	NE	61.9	55.8
1	3977	;B	NW	63.9	57.8
1	3977	;C	SW	59.4	53.3
1	3977	;D	SE	54.0	47.8
1	3978	;A	NW	48.5	42.3
1	3978	;B	SE	40.0	33.7
1	3979	;A	W	45.4	39.2
1	3979	;B	E	41.5	35.2
1	3980	;A	NW	58.1	52.0
1	3980	;B	SW	53.0	46.9
1	3980	;C	SE	41.4	35.3
1	3982	;A	NE	55.6	49.4
1	3982	;B	SW	54.6	48.4
1	3983	;A	NW	38.1	31.9
1	3983	;B	SE	56.0	49.9
1	3984	;A	NW	39.9	33.9
1	3984	;B	SE	56.5	50.3
1	3985	;A	NW	44.7	38.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3985	:B	SW	47.8	41.9
1	3985	:C	SE	51.7	45.9
1	3985	:D	NE	51.8	45.9
1	3986	:A	NW	56.3	50.5
1	3986	:B	SW	56.5	50.7
1	3986	:C	SE	41.1	35.3
1	3986	:D	NE	47.2	41.5
1	3987	:A	SW	59.9	53.4
1	3987	:B	SE	57.0	50.4
1	3987	:C	NE	40.2	33.7
1	3987	:D	NW	55.4	48.9
1	3988	:A	NW	50.0	43.4
1	3988	:B	SW	53.4	46.9
1	3988	:C	SE	44.8	38.3
1	3988	:D	NE	35.3	28.7
1	3989	:A	NW	45.5	38.9
1	3989	:B	SW	53.5	46.9
1	3989	:C	SE	50.1	43.6
1	3989	:D	NE	35.3	28.8
1	3990	:A	NW	50.1	43.5
1	3990	:B	SW	53.3	46.8
1	3990	:C	SE	49.5	42.9
1	3990	:D	NE	36.1	29.6
1	3991	:A	SW	50.3	44.1
1	3991	:B	NE	35.8	29.7
1	3992	:A	S	41.1	34.8
1	3992	:B	N	39.8	33.6
1	3993	:A	S	36.7	30.6
1	3993	:B	N	43.8	37.6
1	3994	:A	NW	45.8	39.6
1	3994	:B	SE	33.5	27.3
1	3996	:A	S	30.6	24.8
1	3996	:B	E	41.1	35.2
1	3996	:C	N	42.5	36.5
1	3996	:D	W	27.9	22.1
1	3997	:A	SW	39.8	33.3
1	3997	:B	SE	52.5	45.9
1	3997	:C	NE	59.4	52.8
1	3997	:D	NW	55.7	49.2
1	3998	:A	NW	52.2	45.6
1	3998	:B	SW	39.2	32.6
1	3998	:C	SE	55.6	49.1
1	3998	:D	NE	59.0	52.5
1	3999	:A	SW	38.5	32.0
1	3999	:B	SE	55.7	49.2
1	3999	:C	NE	59.4	52.9
1	3999	:D	NW	49.3	42.8
1	4000	:A	SW	38.7	32.2
1	4000	:B	SE	49.3	42.8
1	4000	:C	NE	59.0	52.4
1	4000	:D	NW	55.4	48.9
1	4001	:A	SW	43.6	37.0
1	4001	:B	SE	42.7	36.2
1	4001	:C	NE	38.2	31.7
1	4001	:D	NW	42.6	36.1
1	4002	:A	SW	45.9	39.5
1	4002	:B	SE	54.0	47.6
1	4002	:C	NE	56.0	49.7
1	4002	:D	NW	51.4	45.1
1	4003	:A	SE	56.4	49.9
1	4003	:B	NE	59.4	52.8
1	4003	:C	SW	44.2	37.7
1	4004	:A	SW	50.5	44.0
1	4004	:B	NE	59.1	52.5
1	4004	:C	NE	59.4	52.9
1	4004	:D	NW	56.7	50.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4005	;A	SW	55.2	48.7
1	4005	;B	SE	52.8	46.3
1	4005	;C	NE	47.1	40.6
1	4005	;D	NW	52.3	45.8
1	4006	;A	NW	55.8	49.2
1	4006	;B	SE	55.3	48.7
1	4007	;A	SW	54.9	48.4
1	4007	;B	SE	52.0	45.5
1	4007	;C	NE	47.2	40.7
1	4007	;D	NW	53.0	46.4
1	4008	;A	S	35.2	29.0
1	4008	;B	N	44.5	38.2
1	4009	;A	S	37.6	31.5
1	4009	;B	N	44.8	38.5
1	4010	;A	W	59.9	53.4
1	4010	;B	S	45.9	39.4
1	4010	;C	E	60.6	54.1
1	4010	;D	N	63.5	57.0
1	4015	;A	SE	51.3	44.8
1	4015	;B	NW	53.8	47.3
1	4017	;A	SW	56.9	50.8
1	4017	;B	SE	58.6	52.5
1	4017	;C	NE	51.9	45.7
1	4017	;D	NW	44.0	38.0
1	4018	;A	NW	56.6	50.8
1	4018	;B	SW	57.7	51.9
1	4018	;C	SE	51.1	45.3
1	4018	;D	SE	49.4	43.6
1	4018	;E	NE	44.4	38.6
1	4018	;F	NW	55.2	49.4
1	4019	;A	N	58.3	51.8
1	4019	;B	W	55.2	48.7
1	4019	;C	S	38.9	32.4
1	4019	;D	E	55.0	48.5
1	4020	;A	NE	63.1	56.6
1	4020	;B	NW	60.0	53.5
1	4020	;C	SW	49.4	42.9
1	4020	;D	SE	59.7	53.2
1	4021	;A	SW	47.9	41.3
1	4021	;B	NE	62.5	56.0
1	4022	;A	SE	39.9	33.4
1	4022	;B	NE	42.6	36.1
1	4022	;C	NW	41.3	34.9
1	4022	;D	SW	33.7	27.2
1	4023	;A	W	33.3	27.0
1	4023	;B	S	46.6	40.3
1	4023	;C	E	49.4	43.1
1	4023	;D	N	44.5	38.1
1	4024	;A	N	38.6	32.4
1	4024	;B	W	31.2	25.0
1	4024	;C	S	47.2	40.8
1	4024	;D	E	49.9	43.5
1	4025	;A	W	33.5	27.2
1	4025	;B	E	50.5	44.1
1	4026	;A	S	49.6	43.4
1	4027	;A	SW	47.5	41.3
1	4027	;B	SE	50.3	44.1
1	4027	;C	NE	46.4	40.2
1	4027	;D	NW	32.2	26.1
1	4028	;A	NW	30.8	24.7
1	4028	;B	SW	47.6	41.4
1	4028	;C	SE	49.3	43.1
1	4028	;D	NE	44.2	38.0
1	4029	;A	NE	45.8	39.5
1	4029	;B	NW	30.8	24.7
1	4029	;C	SW	46.2	39.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4030	:A	SE	51.8	45.5
1	4030	:B	NW	33.5	27.3
1	4030	:C	SW	48.0	41.8
1	4031	:A	NE	41.7	35.7
1	4031	:B	NW	50.5	44.6
1	4031	:C	SW	51.9	45.9
1	4031	:D	SE	45.3	39.3
1	4032	:A	NW	48.5	42.5
1	4032	:B	SW	50.1	44.1
1	4033	:A	NE	42.3	35.8
1	4033	:B	NW	56.3	49.8
1	4033	:C	SW	53.5	47.0
1	4033	:D	SE	56.2	49.7
1	4034	:A	SW	66.8	60.3
1	4034	:B	SE	61.0	54.4
1	4034	:C	NE	48.4	41.8
1	4034	:D	NW	61.9	55.3
1	4035	:A	NW	61.1	54.5
1	4035	:B	SW	66.7	60.2
1	4035	:C	SE	61.9	55.4
1	4035	:D	NE	48.0	41.5
1	4036	:A	NE	62.7	56.2
1	4036	:B	NW	58.9	52.3
1	4036	:C	SW	48.2	41.6
1	4036	:D	SE	58.9	52.3
1	4037	:A	SW	44.3	37.8
1	4037	:B	SE	58.9	52.4
1	4037	:C	NE	62.8	56.3
1	4037	:D	NW	58.8	52.3
1	4038	:A	NE	50.5	44.0
1	4038	:B	NW	44.4	37.8
1	4038	:C	SW	45.1	38.6
1	4038	:D	SE	55.0	48.5
1	4039	:A	SE	44.5	37.9
1	4039	:B	NE	46.9	40.4
1	4039	:C	NW	49.0	42.5
1	4039	:D	SW	41.5	35.0
1	4040	:A	SE	49.1	42.6
1	4040	:B	NE	49.1	42.6
1	4040	:C	NW	57.3	50.8
1	4040	:D	NE	56.8	50.3
1	4040	:E	NW	55.0	48.5
1	4040	:F	SW	43.5	37.0
1	4041	:A	NE	44.6	38.1
1	4041	:B	NW	44.7	38.1
1	4041	:C	SW	36.5	30.0
1	4041	:D	SE	51.5	44.9
1	4042	:A	SE	44.4	37.9
1	4042	:B	NE	46.1	39.7
1	4042	:C	NW	51.5	45.1
1	4042	:D	SW	35.5	29.0