

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3817	1;A	NE	54.2	47.8
1	3817	1;B	NW	55.3	48.9
1	3817	1;C	SW	44.3	37.9
1	3817	1;D	SE	43.3	36.9
1	3818	;A	NE	48.7	42.3
1	3818	;B	NW	55.7	49.4
1	3818	;C	SW	51.3	45.0
1	3818	;D	SE	39.7	33.3
1	3819	;A	SW	53.7	47.4
1	3819	;B	SW	54.4	48.1
1	3819	;C	SE	55.5	49.2
1	3819	;D	NE	50.5	44.2
1	3819	;E	NE	48.8	42.4
1	3819	;F	NE	45.3	39.0
1	3819	;G	NW	40.4	34.1
1	3819	;H	SW	53.1	46.8
1	3820	;A	NW	34.1	27.8
1	3820	;B	SW	52.7	46.4
1	3820	;C	SE	54.0	47.7
1	3820	;D	SE	52.9	46.5
1	3820	;E	SE	53.1	46.8
1	3820	;F	NE	45.0	38.7
1	3820	;G	N	32.3	26.0
1	3821	;A	NE	54.6	48.2
1	3821	;B	NW	36.4	30.1
1	3821	;C	SW	37.5	31.2
1	3821	;D	SE	57.4	51.0
1	3821	;E	NE	56.4	50.1
1	3822	;A	W	31.4	25.1
1	3822	;B	S	49.9	43.5
1	3822	;C	E	53.7	47.3
1	3822	;D	E	53.2	46.7
1	3822	;E	E	53.8	47.4
1	3822	;F	E	53.7	47.3
1	3822	;G	N	49.6	43.2
1	3822	;H	N	42.8	36.5
1	3822	;I	W	31.4	25.1
1	3823	;A	E	53.5	47.1
1	3823	;B	E	53.8	47.4
1	3823	;C	N	50.0	43.6
1	3823	;D	W	31.5	25.2
1	3823	;E	W	31.5	25.2
1	3823	;F	W	36.3	29.9
1	3823	;G	W	37.3	30.8
1	3823	;H	NW	33.1	26.8
1	3823	;I	SW	35.3	28.9
1	3823	;J	SE	51.5	45.0
1	3823	;K	E	53.7	47.3
1	3824	;A	SW	39.4	32.8
1	3824	;B	SE	55.2	48.6
1	3825	;A	SW	44.8	38.4
1	3825	;B	SE	51.3	44.8
1	3825	;C	NE	44.1	37.7
1	3825	;D	NW	32.2	25.9
1	3826	;A	NW	39.7	33.3
1	3826	;B	SW	53.6	47.3
1	3826	;C	SE	57.1	50.7
1	3826	;D	NE	47.9	41.6
1	3827	;A	NE	45.9	39.7
1	3827	;B	NW	41.5	35.3
1	3827	;C	NW	42.5	36.2
1	3827	;D	SE	56.1	49.8
1	3827	;E	SE	55.8	49.5
1	3828	;A	E	40.6	34.1
1	3828	;B	E	36.8	30.4
1	3828	;C	N	50.5	44.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3828	;D	W	54.2	47.8
1	3828	;E	S	51.7	45.3
1	3828	;F	E	44.4	37.9
1	3828	;G	E	42.3	35.9
1	3829	;A	SW	43.0	36.6
1	3829	;B	SE	54.2	47.8
1	3829	;C	NE	58.1	51.7
1	3829	;D	NW	51.9	45.5
1	3829	;E	SW	42.7	36.3
1	3830	;A	SE	50.8	44.4
1	3830	;B	SE	54.8	48.4
1	3830	;C	NE	55.5	49.1
1	3830	;D	NE	54.6	48.2
1	3830	;E	NW	43.7	37.3
1	3830	;F	SW	34.5	28.1
1	3830	;G	NW	34.8	28.4
1	3830	;H	SW	34.5	28.1
1	3831	;A	NW	49.7	43.3
1	3831	;B	NW	49.6	43.1
1	3831	;C	SW	44.7	38.3
1	3831	;D	SE	36.8	30.3
1	3831	;E	NE	48.6	42.1
1	3831	;F	NW	49.9	43.5
1	3832	;A	NE	30.5	24.2
1	3832	;C	NW	47.9	41.5
1	3832	;D	NW	48.5	42.0
1	3832	;E	SW	41.4	34.9
1	3832	;F	SE	31.5	25.0
1	3832	;G	NE	33.7	27.4
1	3832	;H	SE	31.4	24.9
1	3832	;I	SE	31.6	25.2
1	3832	;J	SE	31.3	24.8
1	3832	;K	SW	31.1	24.7
1	3832	;L	SW	32.1	25.7
1	3833	;A	W	30.8	24.5
1	3833	;B	SE	46.1	39.6
1	3833	;C	SE	49.5	43.1
1	3833	;D	SE	52.0	45.5
1	3833	;E	E	53.3	46.9
1	3833	;F	E	53.0	46.5
1	3833	;G	E	53.6	47.2
1	3833	;H	N	51.0	44.6
1	3833	;I	NW	46.2	39.7
1	3833	;J	W	39.4	32.9
1	3833	;K	W	37.3	30.8
1	3833	;L	NW	37.8	31.3
1	3837	;A	SW	33.2	26.8
1	3837	;B	SE	47.9	41.5
1	3837	;C	NE	50.3	43.9
1	3837	;D	SE	49.9	43.5
1	3837	;E	NE	49.6	43.2
1	3837	;F	NW	49.6	43.2
1	3837	;G	NE	48.9	42.5
1	3837	;H	NW	48.6	42.2
1	3838	;A	NE	40.4	33.8
1	3838	;B	NW	58.0	51.5
1	3838	;C	SW	61.6	55.1
1	3838	;D	SW	62.9	56.3
1	3838	;E	SE	58.0	51.4
1	3838	;F	SE	54.4	47.9
1	3838	;G	NE	39.9	33.3
1	3838	;H	SE	40.8	34.3
1	3838	;I	NE	40.2	33.6
1	3838	;J	NW	51.4	44.9
1	3839	;A	SW	44.9	38.5
1	3839	;B	SE	40.3	33.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3839	;C	NE	36.2	29.8
1	3839	;D	NW	43.9	37.4
1	3840	;A	SW	42.4	36.0
1	3840	;B	SE	40.7	34.3
1	3840	;C	NE	36.4	30.1
1	3840	;D	NE	36.1	29.7
1	3840	;E	NW	47.8	41.3
1	3840	;F	SW	48.8	42.3
1	3840	;G	SW	47.5	41.0
1	3841	;B	NW	50.2	43.7
1	3841	;C	SW	45.8	39.3
1	3842	;A	SW	31.3	24.9
1	3842	;B	SW	32.1	25.7
1	3842	;C	SE	30.1	23.7
1	3842	;D	NE	47.4	40.9
1	3842	;E	NE	47.9	41.4
1	3842	;F	NW	49.7	43.2
1	3842	;G	NE	49.7	43.2
1	3843	;A	NW	43.6	37.2
1	3843	;B	SW	40.8	34.4
1	3843	;C	SE	33.6	27.1
1	3843	;D	SW	35.4	28.9
1	3843	;E	SE	31.6	25.2
1	3843	;F	NE	30.2	23.8
1	3843	;G	SE	29.1	22.8
1	3844	;B	NW	40.4	33.9
1	3844	;C	SW	39.0	32.5
1	3844	;D	SW	36.8	30.3
1	3846	;A	NE	40.3	33.8
1	3846	;B	NW	37.6	31.2
1	3846	;C	SW	36.2	29.8
1	3846	;D	SE	30.1	23.6
1	3847	;A	NW	38.8	32.3
1	3847	;B	SW	35.2	28.7
1	3847	;C	SE	29.4	22.9
1	3847	;D	NE	39.0	32.5
1	3848	;A	NW	39.3	32.8
1	3848	;B	NE	38.6	32.1
1	3848	;C	NW	37.7	31.2
1	3848	;D	SW	31.4	25.0
1	3848	;E	SE	28.0	21.6
1	3848	;F	NE	38.1	31.6
1	3849	;B	SW	36.4	29.9
1	3849	;C	SW	33.7	27.2
1	3849	;D	SE	28.0	21.6
1	3849	;E	SE	28.4	21.9
1	3849	;F	SE	27.6	21.2
1	3849	;G	NE	36.5	30.0
1	3849	;H	NE	33.7	27.3
1	3849	;K	NE	31.7	25.3
1	3849	;L	NE	31.9	25.5
1	3849	;M	NW	37.4	30.9
1	3849	;N	NW	39.3	32.8
1	3849	;O	SW	36.7	30.1
1	3849	;P	SW	33.5	27.0
1	3850	;B	SW	38.9	32.4
1	3850	;C	SW	37.0	30.5
1	3850	;D	SE	33.1	26.5
1	3850	;E	SE	32.1	25.5
1	3850	;F	SE	31.6	25.0
1	3850	;G	NE	36.2	29.8
1	3850	;H	NE	34.7	28.3
1	3850	;I	NE	32.2	25.8
1	3850	;L	NE	29.7	23.3
1	3850	;M	NE	33.6	27.1
1	3850	;P	NE	34.2	27.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3850	;Q	NW	40.2	33.8
1	3851	;A	SW	30.8	24.5
1	3851	;B	SE	30.4	24.0
1	3851	;C	SW	33.8	27.3
1	3851	;D	SE	31.2	24.8
1	3851	;E	NE	41.6	35.1
1	3851	;F	NW	44.3	37.8
1	3851	;G	NW	43.6	37.2
1	3851	;H	SW	40.8	34.4
1	3851	;I	SE	33.6	27.1
1	3851	;J	SW	35.4	28.9
1	3851	;K	SE	31.6	25.2
1	3851	;L	NE	30.2	23.8
1	3851	;M	SE	29.1	22.8
1	3852	;A	SW	44.4	38.0
1	3852	;B	SW	44.0	37.5
1	3852	;C	SW	43.2	36.7
1	3852	;D	SW	41.3	34.8
1	3852	;E	SE	31.8	25.5
1	3852	;F	NE	40.8	34.4
1	3852	;G	NE	35.8	29.4
1	3852	;H	SE	33.6	27.2
1	3852	;I	NE	45.2	38.8
1	3852	;J	SW	44.5	38.0
1	3853	;A	NW	38.6	32.2
1	3853	;B	SW	44.5	38.2
1	3853	;C	SE	55.2	48.9
1	3853	;D	SE	56.0	49.6
1	3853	;E	NE	55.2	48.8
1	3853	;F	NW	36.2	29.9
1	3853	;G	NE	38.7	32.3
1	3854	;A	E	31.9	25.5
1	3854	;B	S	36.8	30.4
1	3854	;C	E	31.3	25.0
1	3854	;D	E	31.5	25.1
1	3854	;E	N	31.6	25.2
1	3854	;F	W	32.8	26.5
1	3854	;G	N	31.9	25.6
1	3854	;H	W	45.2	38.7
1	3854	;I	S	45.0	38.5
1	3854	;J	S	43.4	36.9
1	3855	;A	S	50.0	43.6
1	3855	;B	N	48.8	42.4
1	3856	;A	NW	42.8	36.5
1	3856	;B	NE	43.9	37.5
1	3856	;C	NW	40.3	34.0
1	3856	;D	NW	30.6	24.2
1	3856	;E	SW	38.2	31.8
1	3856	;F	SE	48.7	42.2
1	3856	;G	SE	48.5	42.1
1	3856	;H	SE	47.5	41.1
1	3856	;I	SE	51.5	45.1
1	3856	;J	NE	51.6	45.2
1	3857	;A	NE	61.8	55.5
1	3857	;B	NW	63.0	56.6
1	3857	;C	SW	55.7	49.4
1	3857	;D	SE	51.2	44.9
1	3858	;A	SE	57.5	51.1
1	3858	;B	NE	52.8	46.5
1	3858	;C	NW	44.8	38.4
1	3858	;D	SW	53.2	46.8
1	3859	;A	NW	36.0	29.6
1	3859	;B	SW	47.6	41.2
1	3859	;C	SE	50.2	43.8
1	3859	;D	SE	47.5	41.2
1	3859	;E	NE	44.3	37.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3860	:A	NW	46.4	40.1
1	3860	:B	SW	45.9	39.5
1	3860	:C	SE	38.7	32.3
1	3860	:D	NE	49.1	42.7
1	3861	:A	W	43.1	36.7
1	3861	:B	W	47.6	41.3
1	3861	:C	S	56.5	50.1
1	3861	:D	E	54.8	48.4
1	3861	:E	E	51.2	44.8
1	3861	:F	N	41.0	34.5
1	3862	:B	SW	57.5	51.2
1	3862	:C	SE	44.7	38.3
1	3862	:D	NE	59.9	53.6
1	3863	:A	NW	44.1	37.8
1	3863	:B	SW	34.2	27.9
1	3863	:C	SE	46.4	40.0
1	3863	:D	NE	49.4	43.0
1	3864	:A	SW	53.0	46.7
1	3864	:B	SE	59.8	53.5
1	3864	:C	NE	59.2	52.8
1	3864	:D	NW	50.1	43.8
1	3865	:A	SW	65.0	58.4
1	3865	:B	SE	60.1	53.6
1	3865	:C	NE	48.3	41.7
1	3865	:D	NW	60.4	53.8
1	3866	:A	NE	53.1	46.7
1	3866	:B	NE	41.5	35.2
1	3866	:C	NW	58.7	52.4
1	3866	:D	SW	51.5	45.2
1	3866	:E	SE	42.6	36.2
1	3867	:A	NE	62.9	56.6
1	3867	:B	NW	63.6	57.3
1	3867	:C	SW	59.1	52.8
1	3868	:A	SW	65.0	58.4
1	3868	:B	SE	61.2	54.7
1	3868	:C	NE	46.1	39.6
1	3868	:D	NW	60.2	53.6
1	3869	:A	S	63.4	56.9
1	3869	:B	SE	61.1	54.5
1	3869	:C	SW	61.3	54.7
1	3869	:D	S	60.4	53.8
1	3869	:E	NE	47.8	41.3
1	3869	:F	NW	58.9	52.4
1	3870	:A	NW	41.4	35.0
1	3870	:B	SW	44.4	38.0
1	3870	:C	SE	52.2	45.8
1	3870	:D	NE	55.7	49.3
1	3870	:E	NW	46.2	39.9
1	3874	:A	SW	51.0	44.6
1	3874	:B	SE	43.8	37.4
1	3874	:C	NE	43.3	36.9
1	3874	:D	NW	50.8	44.4
1	3875	:A	SW	52.3	45.9
1	3875	:B	SW	51.4	45.0
1	3875	:C	SW	51.4	44.9
1	3875	:D	SE	42.9	36.5
1	3875	:E	NE	39.3	32.9
1	3875	:F	NE	36.9	30.5
1	3875	:G	NE	39.6	33.3
1	3875	:H	NW	51.5	45.1
1	3876	:A	N	33.4	27.1
1	3876	:B	E	32.0	25.7
1	3876	:C	S	33.6	27.2
1	3876	:D	E	32.2	25.9
1	3876	:E	N	33.7	27.4
1	3876	:F	E	32.1	25.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3876	;G	S	33.8	27.5
1	3876	;H	E	32.5	26.1
1	3876	;I	N	49.6	43.2
1	3876	;J	W	53.9	47.5
1	3876	;K	S	50.2	43.8
1	3876	;L	E	33.1	26.8
1	3876	;M	S	42.7	36.3
1	3876	;N	E	32.2	25.9
1	3876	;O	N	33.7	27.4
1	3876	;P	E	32.1	25.7
1	3876	;Q	S	33.8	27.5
1	3876	;R	E	32.1	25.7
1	3876	;S	N	33.6	27.3
1	3876	;T	E	32.0	25.7
1	3876	;U	S	33.7	27.3
1	3876	;V	E	32.1	25.7
1	3876	;W	N	33.7	27.3
1	3876	;X	E	32.0	25.7
1	3876	;Y	S	33.7	27.3
1	3876	;Z	E	32.1	25.7
1	3876	;AA	N	33.5	27.2
1	3876	;AB	E	32.0	25.7
1	3876	;AC	S	33.6	27.2
1	3876	;AD	E	32.1	25.7
1	3876	;AE	N	33.5	27.2
1	3876	;AF	E	32.0	25.7
1	3876	;AG	S	33.6	27.3
1	3876	;AH	E	32.1	25.8
1	3876	;AI	N	33.4	27.1
1	3876	;AJ	E	32.0	25.7
1	3876	;AK	S	33.6	27.3
1	3876	;AL	E	32.2	25.8
1	3877	;A	W	33.3	27.0
1	3877	;B	S	52.1	45.8
1	3877	;C	E	56.4	50.1
1	3877	;D	N	51.4	45.1
1	3878	;A	S	44.9	38.5
1	3878	;B	S	46.0	39.6
1	3878	;C	E	45.0	38.6
1	3878	;D	N	35.4	29.0
1	3878	;E	N	33.2	26.8
1	3878	;F	NW	32.5	26.1
1	3878	;G	W	30.8	24.5
1	3879	;A	N	48.2	41.7
1	3879	;B	W	49.4	43.0
1	3879	;C	S	44.5	38.1
1	3879	;D	E	32.3	25.9
1	3879	;E	S	32.8	26.4
1	3879	;F	E	38.2	31.8
1	3880	;B	SW	50.1	43.6
1	3880	;C	SE	45.7	39.2
1	3880	;D	E	41.6	35.1
1	3881	;A	N	45.6	39.2
1	3881	;B	SW	45.8	39.4
1	3881	;C	S	42.2	35.7
1	3881	;D	NE	36.0	29.6
1	3882	;A	SE	48.6	42.2
1	3882	;B	SE	46.6	40.2
1	3882	;C	NE	43.3	36.9
1	3882	;D	NW	52.6	46.2
1	3882	;E	SW	55.7	49.3
1	3883	;A	N	32.6	26.3
1	3883	;B	E	31.7	25.3
1	3883	;C	N	37.5	31.2
1	3883	;D	W	49.8	43.4
1	3883	;E	S	48.6	42.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3883	;F	E	32.3	25.9
1	3884	;A	NE	41.9	35.3
1	3884	;B	NW	60.9	54.4
1	3884	;C	SW	65.8	59.3
1	3884	;D	SE	61.0	54.4
1	3885	;A	SW	54.4	47.9
1	3885	;B	SE	42.1	35.6
1	3885	;C	NE	39.6	33.0
1	3885	;D	NW	57.3	50.8
1	3886	;A	SW	49.6	43.0
1	3886	;B	SE	51.2	44.6
1	3886	;C	NE	40.3	33.7
1	3886	;D	NW	44.5	37.9
1	3887	;A	SW	47.5	40.9
1	3887	;B	SE	56.8	50.2
1	3887	;C	NE	40.0	33.5
1	3887	;D	NW	54.4	47.8
1	3892	;A	SE	49.4	42.9
1	3892	;B	NE	51.8	45.4
1	3892	;C	NW	44.5	38.1
1	3892	;D	SW	29.7	23.3
1	3893	;A	NE	46.8	40.3
1	3893	;B	NW	48.8	42.3
1	3893	;C	SW	43.4	37.0
1	3893	;D	NW	44.3	37.9
1	3893	;E	SW	41.6	35.2
1	3893	;F	NW	43.3	36.8
1	3893	;G	SW	38.8	32.4
1	3893	;H	SE	30.1	23.6
1	3893	;I	NE	42.9	36.5
1	3893	;J	SE	35.6	29.2
1	3893	;K	NE	44.1	37.6
1	3894	2;A	E	55.8	49.5
1	3894	2;B	E	56.3	50.0
1	3894	2;C	E	55.9	49.5
1	3894	2;D	E	56.4	50.0
1	3894	2;E	E	56.0	49.7
1	3894	2;F	E	56.4	50.0
1	3894	2;G	E	55.9	49.5
1	3894	2;H	E	56.4	50.0
1	3894	2;I	E	55.9	49.6
1	3894	2;J	E	56.4	50.0
1	3894	2;K	N	52.1	45.7
1	3894	2;L	W	34.7	28.4
1	3894	2;M	W	34.7	28.4
1	3894	2;N	W	34.5	28.2
1	3894	2;O	W	34.6	28.3
1	3894	2;P	W	34.5	28.2
1	3894	2;Q	W	34.6	28.3
1	3894	2;R	W	34.5	28.2
1	3894	2;S	W	34.6	28.3
1	3894	2;T	W	34.5	28.2
1	3894	2;U	W	34.5	28.2
1	3894	2;V	W	34.5	28.2
1	3894	2;W	W	34.5	28.2
1	3894	2;X	W	34.4	28.1
1	3894	2;Y	W	34.5	28.2
1	3894	2;Z	W	34.4	28.1
1	3894	2;AA	W	34.5	28.2
1	3894	2;AB	W	34.4	28.1
1	3894	2;AC	S	52.2	45.9
1	3894	2;AD	E	56.3	50.0
1	3894	2;AE	E	55.9	49.5
1	3894	2;AF	E	56.4	50.0
2	3894	2;A	E	58.6	52.3
2	3894	2;B	E	59.0	52.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3894	2;C	E	58.7	52.3
2	3894	2;D	E	59.0	52.7
2	3894	2;E	E	58.8	52.5
2	3894	2;F	E	59.0	52.7
2	3894	2;G	E	58.6	52.3
2	3894	2;H	E	59.1	52.7
2	3894	2;I	E	58.7	52.3
2	3894	2;J	E	59.1	52.7
2	3894	2;K	N	54.9	48.6
2	3894	2;L	W	34.7	28.4
2	3894	2;M	W	34.7	28.4
2	3894	2;N	W	34.5	28.2
2	3894	2;O	W	34.6	28.3
2	3894	2;P	W	34.5	28.2
2	3894	2;Q	W	34.6	28.3
2	3894	2;R	W	34.5	28.2
2	3894	2;S	W	34.6	28.3
2	3894	2;T	W	34.5	28.2
2	3894	2;U	W	34.5	28.2
2	3894	2;V	W	34.5	28.2
2	3894	2;W	W	34.5	28.2
2	3894	2;X	W	34.4	28.1
2	3894	2;Y	W	34.5	28.2
2	3894	2;Z	W	34.4	28.1
2	3894	2;AA	W	34.5	28.2
2	3894	2;AB	W	34.4	28.1
2	3894	2;AC	S	55.0	48.7
2	3894	2;AD	E	59.0	52.7
2	3894	2;AE	E	58.6	52.3
2	3894	2;AF	E	59.0	52.7
3	3894	2;A	E	59.3	53.0
3	3894	2;B	E	59.8	53.5
3	3894	2;C	E	59.4	53.1
3	3894	2;D	E	59.8	53.5
3	3894	2;E	E	59.5	53.2
3	3894	2;F	E	59.8	53.5
3	3894	2;G	E	59.3	53.0
3	3894	2;H	E	59.8	53.5
3	3894	2;I	E	59.4	53.1
3	3894	2;J	E	59.8	53.5
3	3894	2;K	N	55.9	49.6
3	3894	2;L	W	34.7	28.4
3	3894	2;M	W	34.7	28.4
3	3894	2;N	W	34.5	28.2
3	3894	2;O	W	34.5	28.2
3	3894	2;P	W	34.5	28.2
3	3894	2;Q	W	34.6	28.3
3	3894	2;R	W	34.5	28.2
3	3894	2;S	W	34.6	28.3
3	3894	2;T	W	34.4	28.1
3	3894	2;U	W	34.5	28.2
3	3894	2;V	W	34.4	28.1
3	3894	2;W	W	34.5	28.2
3	3894	2;X	W	34.4	28.1
3	3894	2;Y	W	34.5	28.2
3	3894	2;Z	W	34.4	28.1
3	3894	2;AA	W	34.5	28.2
3	3894	2;AB	W	34.4	28.1
3	3894	2;AC	S	56.0	49.7
3	3894	2;AD	E	59.8	53.5
3	3894	2;AE	E	59.4	53.0
3	3894	2;AF	E	59.8	53.5
4	3894	2;A	E	59.5	53.2
4	3894	2;B	E	60.1	53.8
4	3894	2;C	E	59.6	53.3
4	3894	2;D	E	60.1	53.8



Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	3894	2;E	E	59.7	53.4
4	3894	2;F	E	60.1	53.8
4	3894	2;G	E	59.6	53.3
4	3894	2;H	E	60.1	53.8
4	3894	2;I	E	59.6	53.3
4	3894	2;J	E	60.1	53.8
4	3894	2;K	N	56.3	50.0
4	3894	2;L	W	34.6	28.3
4	3894	2;M	W	34.6	28.3
4	3894	2;N	W	34.5	28.2
4	3894	2;O	W	34.5	28.2
4	3894	2;P	W	34.4	28.1
4	3894	2;Q	W	34.5	28.2
4	3894	2;R	W	34.4	28.1
4	3894	2;S	W	34.5	28.2
4	3894	2;T	W	34.4	28.1
4	3894	2;U	W	34.5	28.2
4	3894	2;V	W	34.4	28.1
4	3894	2;W	W	34.5	28.2
4	3894	2;X	W	34.4	28.1
4	3894	2;Y	W	34.5	28.2
4	3894	2;Z	W	34.4	28.1
4	3894	2;AA	W	34.5	28.2
4	3894	2;AB	W	34.4	28.1
4	3894	2;AC	S	56.4	50.0
4	3894	2;AD	E	60.1	53.8
4	3894	2;AE	E	59.6	53.3
4	3894	2;AF	E	60.1	53.8
5	3894	2;A	E	59.6	53.3
5	3894	2;B	E	60.2	53.9
5	3894	2;C	E	59.7	53.4
5	3894	2;D	E	60.2	53.9
5	3894	2;E	E	59.8	53.5
5	3894	2;F	E	60.2	53.9
5	3894	2;G	E	59.6	53.3
5	3894	2;H	E	60.2	53.9
5	3894	2;I	E	59.7	53.4
5	3894	2;J	E	60.2	53.9
5	3894	2;K	N	56.4	50.1
5	3894	2;L	W	34.6	28.3
5	3894	2;M	W	34.6	28.3
5	3894	2;N	W	34.5	28.2
5	3894	2;O	W	34.5	28.2
5	3894	2;P	W	34.4	28.1
5	3894	2;Q	W	34.5	28.2
5	3894	2;R	W	34.4	28.1
5	3894	2;S	W	34.5	28.2
5	3894	2;T	W	34.4	28.1
5	3894	2;U	W	34.5	28.2
5	3894	2;V	W	34.4	28.1
5	3894	2;W	W	34.5	28.2
5	3894	2;X	W	34.4	28.1
5	3894	2;Y	W	34.5	28.2
5	3894	2;Z	W	34.3	28.0
5	3894	2;AA	W	34.4	28.1
5	3894	2;AB	W	34.3	28.0
5	3894	2;AC	S	56.6	50.3
5	3894	2;AD	E	60.2	53.9
5	3894	2;AE	E	59.6	53.3
5	3894	2;AF	E	60.2	53.9
6	3894	2;A	E	59.6	53.3
6	3894	2;B	E	60.3	54.0
6	3894	2;C	E	59.7	53.4
6	3894	2;D	E	60.3	54.0
6	3894	2;E	E	59.9	53.6
6	3894	2;F	E	60.3	54.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	3894	2;G	E	59.6	53.3
6	3894	2;H	E	60.3	54.0
6	3894	2;I	E	59.7	53.4
6	3894	2;J	E	60.3	54.0
6	3894	2;K	N	56.5	50.2
6	3894	2;L	W	34.6	28.3
6	3894	2;M	W	34.6	28.3
6	3894	2;N	W	34.4	28.1
6	3894	2;O	W	34.4	28.1
6	3894	2;P	W	34.4	28.1
6	3894	2;Q	W	34.5	28.2
6	3894	2;R	W	34.4	28.1
6	3894	2;S	W	34.5	28.1
6	3894	2;T	W	34.3	28.0
6	3894	2;U	W	34.4	28.1
6	3894	2;V	W	34.3	28.0
6	3894	2;W	W	34.4	28.1
6	3894	2;X	W	34.3	28.0
6	3894	2;Y	W	34.4	28.1
6	3894	2;Z	W	34.3	28.0
6	3894	2;AA	W	34.4	28.1
6	3894	2;AB	W	34.3	28.0
6	3894	2;AC	S	56.7	50.4
6	3894	2;AD	E	60.3	54.0
6	3894	2;AE	E	59.7	53.3
6	3894	2;AF	E	60.3	54.0
7	3894	2;A	E	59.6	53.3
7	3894	2;B	E	60.3	54.0
7	3894	2;C	E	59.7	53.4
7	3894	2;D	E	60.3	54.0
7	3894	2;E	E	59.8	53.5
7	3894	2;F	E	60.3	54.0
7	3894	2;G	E	59.6	53.3
7	3894	2;H	E	60.3	54.0
7	3894	2;I	E	59.7	53.4
7	3894	2;J	E	60.3	54.0
7	3894	2;K	N	56.5	50.2
7	3894	2;L	W	34.5	28.2
7	3894	2;M	W	34.5	28.2
7	3894	2;N	W	34.4	28.1
7	3894	2;O	W	34.4	28.1
7	3894	2;P	W	34.3	28.0
7	3894	2;Q	W	34.4	28.1
7	3894	2;R	W	34.3	28.0
7	3894	2;S	W	34.4	28.1
7	3894	2;T	W	34.3	28.0
7	3894	2;U	W	34.4	28.1
7	3894	2;V	W	34.3	28.0
7	3894	2;W	W	34.4	28.1
7	3894	2;X	W	34.3	28.0
7	3894	2;Y	W	34.4	28.1
7	3894	2;Z	W	34.2	27.9
7	3894	2;AA	W	34.3	28.0
7	3894	2;AB	W	34.3	28.0
7	3894	2;AC	S	56.7	50.4
7	3894	2;AD	E	60.3	54.0
7	3894	2;AE	E	59.6	53.3
7	3894	2;AF	E	60.3	54.0
8	3894	2;A	E	59.5	53.2
8	3894	2;B	E	60.3	54.0
8	3894	2;C	E	59.6	53.3
8	3894	2;D	E	60.3	54.0
8	3894	2;E	E	59.8	53.5
8	3894	2;F	E	60.3	54.0
8	3894	2;G	E	59.6	53.3
8	3894	2;H	E	60.3	54.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
8	3894	2;I	E	59.6	53.3
8	3894	2;J	E	60.3	54.0
8	3894	2;K	N	56.5	50.2
8	3894	2;L	W	34.5	28.2
8	3894	2;M	W	34.5	28.2
8	3894	2;N	W	34.3	28.0
8	3894	2;O	W	34.3	28.0
8	3894	2;P	W	34.3	28.0
8	3894	2;Q	W	34.4	28.1
8	3894	2;R	W	34.3	28.0
8	3894	2;S	W	34.3	28.0
8	3894	2;T	W	34.2	27.9
8	3894	2;U	W	34.3	28.0
8	3894	2;V	W	34.2	27.9
8	3894	2;W	W	34.3	28.0
8	3894	2;X	W	34.2	27.9
8	3894	2;Y	W	34.3	28.0
8	3894	2;Z	W	34.2	27.9
8	3894	2;AA	W	34.3	28.0
8	3894	2;AB	W	34.2	27.9
8	3894	2;AC	S	56.7	50.4
8	3894	2;AD	E	60.3	54.0
8	3894	2;AE	E	59.6	53.3
8	3894	2;AF	E	60.3	54.0
9	3894	2;A	E	59.4	53.1
9	3894	2;B	E	60.2	53.9
9	3894	2;C	E	59.5	53.2
9	3894	2;D	E	60.2	53.9
9	3894	2;E	E	59.7	53.4
9	3894	2;F	E	60.2	53.9
9	3894	2;G	E	59.5	53.2
9	3894	2;H	E	60.2	53.9
9	3894	2;I	E	59.5	53.2
9	3894	2;J	E	60.2	53.9
9	3894	2;K	N	56.5	50.2
9	3894	2;L	W	34.4	28.1
9	3894	2;M	W	34.4	28.1
9	3894	2;N	W	34.3	28.0
9	3894	2;O	W	34.3	28.0
9	3894	2;P	W	34.2	27.9
9	3894	2;Q	W	34.3	28.0
9	3894	2;R	W	34.2	27.9
9	3894	2;S	W	34.3	28.0
9	3894	2;T	W	34.2	27.9
9	3894	2;U	W	34.3	28.0
9	3894	2;V	W	34.2	27.9
9	3894	2;W	W	34.2	27.9
9	3894	2;X	W	34.2	27.9
9	3894	2;Y	W	34.2	27.9
9	3894	2;Z	W	34.1	27.8
9	3894	2;AA	W	34.2	27.9
9	3894	2;AB	W	34.2	27.9
9	3894	2;AC	S	56.7	50.4
9	3894	2;AD	E	60.2	53.9
9	3894	2;AE	E	59.5	53.2
9	3894	2;AF	E	60.2	53.9
10	3894	2;A	E	59.4	53.1
10	3894	2;B	E	60.2	53.9
10	3894	2;C	E	59.5	53.1
10	3894	2;D	E	60.2	53.9
10	3894	2;E	E	59.6	53.3
10	3894	2;F	E	60.2	53.9
10	3894	2;G	E	59.4	53.1
10	3894	2;H	E	60.2	53.9
10	3894	2;I	E	59.4	53.1
10	3894	2;J	E	60.2	53.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
10	3894	2;K	N	56.5	50.2
10	3894	2;L	W	34.4	28.1
10	3894	2;M	W	34.4	28.1
10	3894	2;N	W	34.2	27.9
10	3894	2;O	W	34.2	27.9
10	3894	2;P	W	34.2	27.9
10	3894	2;Q	W	34.2	27.9
10	3894	2;R	W	34.1	27.8
10	3894	2;S	W	34.2	27.9
10	3894	2;T	W	34.1	27.8
10	3894	2;U	W	34.2	27.9
10	3894	2;V	W	34.1	27.8
10	3894	2;W	W	34.2	27.9
10	3894	2;X	W	34.1	27.8
10	3894	2;Y	W	34.2	27.9
10	3894	2;Z	W	34.1	27.8
10	3894	2;AA	W	34.2	27.9
10	3894	2;AB	W	34.2	27.9
10	3894	2;AC	S	56.7	50.4
10	3894	2;AD	E	60.2	53.9
10	3894	2;AE	E	59.4	53.1
10	3894	2;AF	E	60.2	53.9
11	3894	2;A	E	59.3	53.0
11	3894	2;B	E	60.1	53.8
11	3894	2;C	E	59.4	53.0
11	3894	2;D	E	60.1	53.8
11	3894	2;E	E	59.5	53.2
11	3894	2;F	E	60.1	53.8
11	3894	2;G	E	59.3	53.0
11	3894	2;H	E	60.1	53.8
11	3894	2;I	E	59.3	53.0
11	3894	2;J	E	60.1	53.8
11	3894	2;K	N	56.4	50.1
11	3894	2;L	W	34.5	28.2
11	3894	2;M	W	34.4	28.1
11	3894	2;N	W	34.2	27.9
11	3894	2;O	W	34.2	27.9
11	3894	2;P	W	34.2	27.9
11	3894	2;Q	W	34.2	27.9
11	3894	2;R	W	34.2	27.9
11	3894	2;S	W	34.2	27.9
11	3894	2;T	W	34.1	27.8
11	3894	2;U	W	34.2	27.9
11	3894	2;V	W	34.1	27.8
11	3894	2;W	W	34.2	27.9
11	3894	2;X	W	34.1	27.8
11	3894	2;Y	W	34.2	27.9
11	3894	2;Z	W	34.1	27.8
11	3894	2;AA	W	34.3	28.0
11	3894	2;AB	W	34.3	28.0
11	3894	2;AC	S	56.7	50.4
11	3894	2;AD	E	60.1	53.8
11	3894	2;AE	E	59.3	53.0
11	3894	2;AF	E	60.1	53.8
12	3894	2;A	E	59.2	52.8
12	3894	2;B	E	60.0	53.7
12	3894	2;C	E	59.2	52.9
12	3894	2;D	E	60.0	53.7
12	3894	2;E	E	59.4	53.1
12	3894	2;F	E	60.0	53.7
12	3894	2;G	E	59.2	52.9
12	3894	2;H	E	60.0	53.7
12	3894	2;I	E	59.2	52.9
12	3894	2;J	E	60.0	53.7
12	3894	2;K	N	56.3	50.0
12	3894	2;L	W	35.0	28.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
12	3894	2;M	W	34.8	28.5
12	3894	2;N	W	34.5	28.2
12	3894	2;O	W	34.6	28.3
12	3894	2;P	W	34.5	28.2
12	3894	2;Q	W	34.6	28.3
12	3894	2;R	W	34.5	28.2
12	3894	2;S	W	34.6	28.3
12	3894	2;T	W	34.4	28.1
12	3894	2;U	W	34.5	28.2
12	3894	2;V	W	34.4	28.1
12	3894	2;W	W	34.5	28.2
12	3894	2;X	W	34.4	28.1
12	3894	2;Y	W	34.5	28.2
12	3894	2;Z	W	34.4	28.1
12	3894	2;AA	W	34.8	28.5
12	3894	2;AB	W	35.1	28.8
12	3894	2;AC	S	56.7	50.3
12	3894	2;AD	E	60.0	53.7
12	3894	2;AE	E	59.2	52.9
12	3894	2;AF	E	60.0	53.7
1	3895	22;A	N	46.2	39.7
1	3895	22;B	N	44.3	37.8
1	3895	22;C	W	31.3	25.0
1	3895	22;D	S	32.3	26.0
1	3895	22;E	W	33.1	26.8
1	3895	22;F	S	33.8	27.5
1	3895	22;G	N	35.2	28.9
1	3895	22;H	W	34.3	28.0
1	3895	22;I	W	34.4	28.1
1	3895	22;J	W	34.4	28.1
1	3895	22;K	W	34.4	28.1
1	3895	22;L	W	34.4	28.1
1	3895	22;M	W	34.6	28.3
1	3895	22;N	W	34.8	28.5
1	3895	22;O	S	51.8	45.5
1	3895	22;P	E	56.4	50.0
1	3895	22;Q	E	55.9	49.6
1	3895	22;R	E	56.4	50.0
1	3895	22;S	E	55.8	49.4
1	3895	22;T	E	56.3	49.9
1	3895	22;U	E	55.7	49.4
1	3895	22;V	E	56.1	49.8
1	3895	22;W	E	56.4	50.1
1	3895	22;X	E	55.9	49.6
1	3895	22;Y	N	51.9	45.6
1	3895	22;Z	N	49.8	43.4
1	3895	22;AA	E	50.0	43.5
2	3895	22;A	N	49.0	42.6
2	3895	22;B	N	46.9	40.5
2	3895	22;C	W	31.3	25.0
2	3895	22;D	S	32.3	26.0
2	3895	22;E	W	33.1	26.8
2	3895	22;F	S	33.8	27.5
2	3895	22;G	N	35.2	28.9
2	3895	22;H	W	34.3	28.0
2	3895	22;I	W	34.4	28.1
2	3895	22;J	W	34.4	28.1
2	3895	22;K	W	34.4	28.1
2	3895	22;L	W	34.4	28.1
2	3895	22;M	W	34.6	28.3
2	3895	22;N	W	34.8	28.5
2	3895	22;O	S	54.8	48.4
2	3895	22;P	E	59.0	52.7
2	3895	22;Q	E	58.7	52.4
2	3895	22;R	E	59.0	52.7
2	3895	22;S	E	58.5	52.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3895	22;T	E	58.9	52.6
2	3895	22;U	E	58.4	52.1
2	3895	22;V	E	58.8	52.4
2	3895	22;W	E	59.0	52.7
2	3895	22;X	E	58.6	52.3
2	3895	22;Y	N	54.5	48.2
2	3895	22;Z	N	52.7	46.4
2	3895	22;AA	E	52.9	46.6
3	3895	22;A	N	50.3	44.0
3	3895	22;B	N	48.4	42.0
3	3895	22;C	W	31.3	25.0
3	3895	22;D	S	32.3	26.0
3	3895	22;E	W	33.1	26.8
3	3895	22;F	S	33.8	27.5
3	3895	22;G	N	35.1	28.8
3	3895	22;H	W	34.3	28.0
3	3895	22;I	W	34.4	28.1
3	3895	22;J	W	34.4	28.0
3	3895	22;K	W	34.4	28.1
3	3895	22;L	W	34.4	28.1
3	3895	22;M	W	34.6	28.3
3	3895	22;N	W	34.7	28.4
3	3895	22;O	S	55.7	49.4
3	3895	22;P	E	59.8	53.5
3	3895	22;Q	E	59.4	53.1
3	3895	22;R	E	59.8	53.5
3	3895	22;S	E	59.2	52.9
3	3895	22;T	E	59.7	53.4
3	3895	22;U	E	59.2	52.8
3	3895	22;V	E	59.5	53.2
3	3895	22;W	E	59.7	53.4
3	3895	22;X	E	59.4	53.0
3	3895	22;Y	N	55.3	49.0
3	3895	22;Z	N	54.0	47.7
3	3895	22;AA	E	54.3	48.0
4	3895	22;A	N	51.2	44.9
4	3895	22;B	N	49.2	42.9
4	3895	22;C	W	31.3	25.0
4	3895	22;D	S	32.3	26.0
4	3895	22;E	W	33.1	26.8
4	3895	22;F	S	33.8	27.5
4	3895	22;G	N	35.1	28.8
4	3895	22;H	W	34.2	27.9
4	3895	22;I	W	34.4	28.1
4	3895	22;J	W	34.3	28.0
4	3895	22;K	W	34.4	28.1
4	3895	22;L	W	34.4	28.1
4	3895	22;M	W	34.6	28.3
4	3895	22;N	W	34.7	28.4
4	3895	22;O	S	56.0	49.7
4	3895	22;P	E	60.1	53.8
4	3895	22;Q	E	59.6	53.3
4	3895	22;R	E	60.0	53.7
4	3895	22;S	E	59.4	53.1
4	3895	22;T	E	59.9	53.6
4	3895	22;U	E	59.4	53.1
4	3895	22;V	E	59.8	53.4
4	3895	22;W	E	60.0	53.7
4	3895	22;X	E	59.6	53.3
4	3895	22;Y	N	55.6	49.3
4	3895	22;Z	N	54.5	48.2
4	3895	22;AA	E	55.0	48.7
5	3895	22;A	N	51.6	45.3
5	3895	22;B	N	49.9	43.6
5	3895	22;C	W	31.3	25.0
5	3895	22;D	S	32.3	26.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	3895	22;E	W	33.0	26.7
5	3895	22;F	S	33.7	27.4
5	3895	22;G	N	35.1	28.8
5	3895	22;H	W	34.2	27.9
5	3895	22;I	W	34.4	28.1
5	3895	22;J	W	34.3	28.0
5	3895	22;K	W	34.3	28.0
5	3895	22;L	W	34.3	28.0
5	3895	22;M	W	34.6	28.3
5	3895	22;N	W	34.7	28.4
5	3895	22;O	S	56.1	49.8
5	3895	22;P	E	60.2	53.9
5	3895	22;Q	E	59.7	53.4
5	3895	22;R	E	60.2	53.9
5	3895	22;S	E	59.5	53.2
5	3895	22;T	E	60.1	53.8
5	3895	22;U	E	59.4	53.1
5	3895	22;V	E	59.9	53.6
5	3895	22;W	E	60.1	53.8
5	3895	22;X	E	59.8	53.5
5	3895	22;Y	N	55.7	49.4
5	3895	22;Z	N	54.8	48.4
5	3895	22;AA	E	55.3	49.0
6	3895	22;A	N	51.8	45.5
6	3895	22;B	N	50.1	43.8
6	3895	22;C	W	31.3	25.0
6	3895	22;D	S	32.3	26.0
6	3895	22;E	W	33.0	26.7
6	3895	22;F	S	33.7	27.4
6	3895	22;G	N	35.1	28.8
6	3895	22;H	W	34.2	27.9
6	3895	22;I	W	34.3	28.0
6	3895	22;J	W	34.2	27.9
6	3895	22;K	W	34.3	28.0
6	3895	22;L	W	34.3	28.0
6	3895	22;M	W	34.5	28.2
6	3895	22;N	W	34.6	28.3
6	3895	22;O	S	56.2	49.9
6	3895	22;P	E	60.3	54.0
6	3895	22;Q	E	59.7	53.4
6	3895	22;R	E	60.2	53.9
6	3895	22;S	E	59.5	53.2
6	3895	22;T	E	60.1	53.8
6	3895	22;U	E	59.5	53.1
6	3895	22;V	E	59.9	53.6
6	3895	22;W	E	60.2	53.9
6	3895	22;X	E	59.8	53.5
6	3895	22;Y	N	55.8	49.5
6	3895	22;Z	N	54.9	48.6
6	3895	22;AA	E	55.4	49.1
7	3895	22;A	N	51.9	45.6
7	3895	22;B	N	50.2	43.9
7	3895	22;C	W	31.3	25.0
7	3895	22;D	S	32.3	26.0
7	3895	22;E	W	33.0	26.7
7	3895	22;F	S	33.7	27.4
7	3895	22;G	N	35.0	28.7
7	3895	22;H	W	34.1	27.8
7	3895	22;I	W	34.3	28.0
7	3895	22;J	W	34.2	27.9
7	3895	22;K	W	34.3	28.0
7	3895	22;L	W	34.3	27.9
7	3895	22;M	W	34.5	28.2
7	3895	22;N	W	34.6	28.3
7	3895	22;O	S	56.2	49.9
7	3895	22;P	E	60.3	54.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
7	3895	22;Q	E	59.7	53.4
7	3895	22;R	E	60.2	53.9
7	3895	22;S	E	59.5	53.2
7	3895	22;T	E	60.2	53.9
7	3895	22;U	E	59.4	53.1
7	3895	22;V	E	59.9	53.6
7	3895	22;W	E	60.2	53.9
7	3895	22;X	E	59.8	53.5
7	3895	22;Y	N	55.8	49.5
7	3895	22;Z	N	54.9	48.6
7	3895	22;AA	E	55.5	49.2
8	3895	22;A	N	51.9	45.6
8	3895	22;B	N	50.2	43.9
8	3895	22;C	W	31.2	24.9
8	3895	22;D	S	32.4	26.1
8	3895	22;E	W	32.9	26.6
8	3895	22;F	S	33.7	27.4
8	3895	22;G	N	35.0	28.7
8	3895	22;H	W	34.1	27.8
8	3895	22;I	W	34.2	27.9
8	3895	22;J	W	34.1	27.8
8	3895	22;K	W	34.2	27.9
8	3895	22;L	W	34.2	27.9
8	3895	22;M	W	34.4	28.1
8	3895	22;N	W	34.6	28.3
8	3895	22;O	S	56.2	49.9
8	3895	22;P	E	60.3	54.0
8	3895	22;Q	E	59.6	53.3
8	3895	22;R	E	60.2	53.9
8	3895	22;S	E	59.5	53.2
8	3895	22;T	E	60.1	53.8
8	3895	22;U	E	59.4	53.1
8	3895	22;V	E	59.9	53.6
8	3895	22;W	E	60.1	53.8
8	3895	22;X	E	59.8	53.5
8	3895	22;Y	N	55.8	49.4
8	3895	22;Z	N	54.9	48.6
8	3895	22;AA	E	55.5	49.2
9	3895	22;A	N	51.9	45.6
9	3895	22;B	N	50.3	44.0
9	3895	22;C	W	31.2	24.9
9	3895	22;D	S	32.5	26.1
9	3895	22;E	W	32.9	26.6
9	3895	22;F	S	33.7	27.4
9	3895	22;G	N	34.9	28.6
9	3895	22;H	W	34.0	27.7
9	3895	22;I	W	34.1	27.8
9	3895	22;J	W	34.1	27.8
9	3895	22;K	W	34.1	27.8
9	3895	22;L	W	34.1	27.8
9	3895	22;M	W	34.4	28.1
9	3895	22;N	W	34.5	28.2
9	3895	22;O	S	56.1	49.8
9	3895	22;P	E	60.2	53.9
9	3895	22;Q	E	59.6	53.3
9	3895	22;R	E	60.2	53.9
9	3895	22;S	E	59.4	53.1
9	3895	22;T	E	60.1	53.8
9	3895	22;U	E	59.3	53.0
9	3895	22;V	E	59.9	53.6
9	3895	22;W	E	60.1	53.8
9	3895	22;X	E	59.7	53.4
9	3895	22;Y	N	55.7	49.4
9	3895	22;Z	N	54.9	48.6
9	3895	22;AA	E	55.5	49.2
10	3895	22;A	N	51.9	45.6



Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
10	3895	22;B	N	50.3	44.0
10	3895	22;C	W	31.2	24.9
10	3895	22;D	S	32.6	26.3
10	3895	22;E	W	32.9	26.6
10	3895	22;F	S	33.7	27.4
10	3895	22;G	N	34.9	28.6
10	3895	22;H	W	33.9	27.6
10	3895	22;I	W	34.1	27.8
10	3895	22;J	W	34.0	27.7
10	3895	22;K	W	34.1	27.8
10	3895	22;L	W	34.1	27.8
10	3895	22;M	W	34.3	28.0
10	3895	22;N	W	34.5	28.2
10	3895	22;O	S	56.1	49.8
10	3895	22;P	E	60.1	53.8
10	3895	22;Q	E	59.5	53.2
10	3895	22;R	E	60.1	53.8
10	3895	22;S	E	59.3	53.0
10	3895	22;T	E	60.0	53.7
10	3895	22;U	E	59.2	52.9
10	3895	22;V	E	59.8	53.5
10	3895	22;W	E	60.0	53.7
10	3895	22;X	E	59.7	53.4
10	3895	22;Y	N	55.7	49.4
10	3895	22;Z	N	54.9	48.6
10	3895	22;AA	E	55.5	49.2
11	3895	22;A	N	51.9	45.6
11	3895	22;B	N	50.3	44.0
11	3895	22;C	W	31.3	24.9
11	3895	22;D	S	32.9	26.5
11	3895	22;E	W	32.9	26.6
11	3895	22;F	S	34.0	27.7
11	3895	22;G	N	35.0	28.7
11	3895	22;H	W	34.0	27.7
11	3895	22;I	W	34.1	27.8
11	3895	22;J	W	34.0	27.7
11	3895	22;K	W	34.1	27.8
11	3895	22;L	W	34.1	27.8
11	3895	22;M	W	34.4	28.1
11	3895	22;N	W	34.6	28.3
11	3895	22;O	S	56.0	49.7
11	3895	22;P	E	60.1	53.8
11	3895	22;Q	E	59.4	53.1
11	3895	22;R	E	60.0	53.7
11	3895	22;S	E	59.2	52.9
11	3895	22;T	E	60.0	53.6
11	3895	22;U	E	59.1	52.8
11	3895	22;V	E	59.7	53.4
11	3895	22;W	E	59.9	53.6
11	3895	22;X	E	59.6	53.3
11	3895	22;Y	N	55.6	49.3
11	3895	22;Z	N	54.9	48.6
11	3895	22;AA	E	55.5	49.2
12	3895	22;A	N	51.9	45.6
12	3895	22;B	N	50.3	44.0
12	3895	22;C	W	31.6	25.3
12	3895	22;D	S	33.5	27.1
12	3895	22;E	W	33.3	26.9
12	3895	22;F	S	35.0	28.6
12	3895	22;G	N	36.1	29.8
12	3895	22;H	W	34.3	28.0
12	3895	22;I	W	34.5	28.2
12	3895	22;J	W	34.4	28.1
12	3895	22;K	W	34.5	28.1
12	3895	22;L	W	34.4	28.1
12	3895	22;M	W	34.8	28.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
12	3895	22;N	W	35.3	29.0
12	3895	22;O	S	55.9	49.6
12	3895	22;P	E	60.0	53.7
12	3895	22;Q	E	59.3	53.0
12	3895	22;R	E	59.9	53.6
12	3895	22;S	E	59.1	52.8
12	3895	22;T	E	59.9	53.6
12	3895	22;U	E	59.0	52.7
12	3895	22;V	E	59.6	53.3
12	3895	22;W	E	59.9	53.5
12	3895	22;X	E	59.5	53.2
12	3895	22;Y	N	55.5	49.2
12	3895	22;Z	N	54.9	48.6
12	3895	22;AA	E	55.5	49.2
1	3896	28;A	E	55.6	49.2
1	3896	28;B	E	55.9	49.5
1	3896	28;C	E	55.8	49.4
1	3896	28;D	E	55.9	49.5
1	3896	28;E	E	55.8	49.4
1	3896	28;F	E	55.9	49.5
1	3896	28;G	E	56.0	49.6
1	3896	28;H	N	51.8	45.4
1	3896	28;I	W	36.6	30.2
1	3896	28;J	W	36.6	30.2
1	3896	28;K	W	38.4	32.0
1	3896	28;L	W	39.9	33.5
1	3896	28;M	W	40.7	34.3
1	3896	28;N	W	40.7	34.3
1	3896	28;O	W	40.5	34.1
1	3896	28;P	W	40.4	34.0
1	3896	28;Q	W	39.6	33.2
1	3896	28;R	W	39.3	32.9
1	3896	28;S	W	39.7	33.3
1	3896	28;T	W	39.7	33.3
1	3896	28;U	W	39.0	32.6
1	3896	28;V	W	39.3	32.8
1	3896	28;W	S	51.5	45.1
2	3896	28;A	E	58.7	52.3
2	3896	28;B	E	58.9	52.5
2	3896	28;C	E	58.8	52.5
2	3896	28;D	E	58.9	52.5
2	3896	28;E	E	58.9	52.5
2	3896	28;F	E	59.0	52.6
2	3896	28;G	E	59.0	52.6
2	3896	28;H	N	54.9	48.5
2	3896	28;I	W	37.2	30.8
2	3896	28;J	W	37.4	31.0
2	3896	28;K	W	39.2	32.8
2	3896	28;L	W	41.0	34.6
2	3896	28;M	W	41.9	35.5
2	3896	28;N	W	42.0	35.6
2	3896	28;O	W	41.9	35.5
2	3896	28;P	W	42.1	35.7
2	3896	28;Q	W	41.6	35.2
2	3896	28;R	W	41.6	35.2
2	3896	28;S	W	42.2	35.8
2	3896	28;T	W	42.2	35.7
2	3896	28;U	W	42.1	35.7
2	3896	28;V	W	41.8	35.4
2	3896	28;W	S	54.4	48.1
3	3896	28;A	E	59.8	53.4
3	3896	28;B	E	60.0	53.6
3	3896	28;C	E	59.9	53.5
3	3896	28;D	E	60.0	53.6
3	3896	28;E	E	59.9	53.6
3	3896	28;F	E	60.0	53.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	3896	28;G	E	60.1	53.7
3	3896	28;H	N	56.1	49.7
3	3896	28;I	W	38.1	31.7
3	3896	28;J	W	38.5	32.1
3	3896	28;K	W	40.6	34.2
3	3896	28;L	W	42.5	36.2
3	3896	28;M	W	43.9	37.5
3	3896	28;N	W	44.3	37.9
3	3896	28;O	W	44.5	38.1
3	3896	28;P	W	44.4	38.0
3	3896	28;Q	W	43.9	37.5
3	3896	28;R	W	43.8	37.4
3	3896	28;S	W	44.3	37.9
3	3896	28;T	W	44.3	37.9
3	3896	28;U	W	44.7	38.3
3	3896	28;V	W	44.2	37.8
3	3896	28;W	S	55.8	49.4
4	3896	28;A	E	60.2	53.8
4	3896	28;B	E	60.4	54.0
4	3896	28;C	E	60.3	54.0
4	3896	28;D	E	60.4	54.0
4	3896	28;E	E	60.3	54.0
4	3896	28;F	E	60.4	54.0
4	3896	28;G	E	60.5	54.1
4	3896	28;H	N	56.6	50.2
4	3896	28;I	W	39.0	32.6
4	3896	28;J	W	39.4	33.1
4	3896	28;K	W	41.9	35.5
4	3896	28;L	W	43.8	37.4
4	3896	28;M	W	45.3	38.9
4	3896	28;N	W	45.7	39.3
4	3896	28;O	W	45.9	39.6
4	3896	28;P	W	45.6	39.2
4	3896	28;Q	W	44.9	38.5
4	3896	28;R	W	45.0	38.7
4	3896	28;S	W	45.2	38.8
4	3896	28;T	W	44.9	38.5
4	3896	28;U	W	45.1	38.7
4	3896	28;V	W	44.5	38.1
4	3896	28;W	S	56.3	49.9
5	3896	28;A	E	60.4	54.1
5	3896	28;B	E	60.6	54.2
5	3896	28;C	E	60.5	54.2
5	3896	28;D	E	60.6	54.2
5	3896	28;E	E	60.6	54.2
5	3896	28;F	E	60.6	54.2
5	3896	28;G	E	60.6	54.3
5	3896	28;H	N	56.8	50.4
5	3896	28;I	W	40.3	33.9
5	3896	28;J	W	40.5	34.2
5	3896	28;K	W	43.2	36.8
5	3896	28;L	W	44.8	38.5
5	3896	28;M	W	46.3	40.0
5	3896	28;N	W	46.6	40.2
5	3896	28;O	W	46.9	40.5
5	3896	28;P	W	46.5	40.1
5	3896	28;Q	W	45.7	39.4
5	3896	28;R	W	46.0	39.6
5	3896	28;S	W	46.1	39.7
5	3896	28;T	W	45.8	39.4
5	3896	28;U	W	46.0	39.6
5	3896	28;V	W	45.3	38.9
5	3896	28;W	S	56.6	50.3
1	3897	41;A	NW	39.3	32.8
1	3897	41;B	NE	38.8	32.2
1	3897	41;C	NW	39.7	33.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3897	41;D	SW	37.6	31.0
1	3897	41;E	SW	40.6	34.1
1	3897	41;F	SE	47.4	40.8
1	3897	41;G	SE	49.0	42.4
1	3897	41;H	NE	47.6	41.0
2	3897	41;A	NW	39.4	32.9
2	3897	41;B	NE	38.9	32.4
2	3897	41;C	NW	40.9	34.4
2	3897	41;D	SW	37.6	31.1
2	3897	41;E	SW	42.7	36.1
2	3897	41;F	SE	50.6	44.0
2	3897	41;G	SE	52.4	45.8
2	3897	41;H	NE	51.1	44.5
3	3897	41;A	NW	39.6	33.1
3	3897	41;B	NE	39.2	32.6
3	3897	41;C	NW	41.9	35.4
3	3897	41;D	SW	37.1	30.6
3	3897	41;E	SW	43.8	37.3
3	3897	41;F	SE	52.1	45.5
3	3897	41;G	SE	53.7	47.1
3	3897	41;H	NE	52.4	45.8
4	3897	41;A	NW	39.9	33.4
4	3897	41;B	NE	39.7	33.1
4	3897	41;C	NW	42.6	36.0
4	3897	41;D	SW	37.1	30.6
4	3897	41;E	SW	44.6	38.0
4	3897	41;F	SE	52.7	46.1
4	3897	41;G	SE	54.1	47.5
4	3897	41;H	NE	52.9	46.4
5	3897	41;A	NW	40.6	34.0
5	3897	41;B	NE	40.6	34.1
5	3897	41;C	NW	43.2	36.7
5	3897	41;D	SW	36.4	29.9
5	3897	41;E	SW	45.2	38.6
5	3897	41;F	SE	52.9	46.3
5	3897	41;G	SE	54.3	47.7
5	3897	41;H	NE	53.1	46.6
6	3897	41;A	NW	41.9	35.3
6	3897	41;B	NE	42.6	36.1
6	3897	41;C	NW	40.7	34.2
6	3897	41;D	SW	36.8	30.3
6	3897	41;E	SW	36.8	30.3
6	3897	41;F	SE	52.4	45.8
6	3897	41;G	SE	54.3	47.7
6	3897	41;H	NE	53.3	46.7
1	3898	35;A	SE	50.4	43.8
1	3898	35;B	SE	51.9	45.3
1	3898	35;C	NE	48.6	42.1
1	3898	35;D	NW	41.2	34.6
1	3898	35;E	NE	42.9	36.4
1	3898	35;F	NW	43.4	36.8
1	3898	35;G	SW	36.0	29.5
1	3898	35;H	NW	37.6	31.1
1	3898	35;I	SW	35.7	29.1
2	3898	35;A	SE	53.8	47.3
2	3898	35;B	SE	55.2	48.7
2	3898	35;C	NE	52.6	46.0
2	3898	35;D	NW	46.7	40.2
2	3898	35;E	NE	48.2	41.7
2	3898	35;F	NW	48.3	41.8
2	3898	35;G	SW	36.0	29.5
2	3898	35;H	NW	39.1	32.7
2	3898	35;I	SW	35.7	29.1
3	3898	35;A	SE	55.3	48.8
3	3898	35;B	SE	56.6	50.1
3	3898	35;C	NE	57.0	50.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	3898	35;D	NW	53.1	46.6
3	3898	35;E	NE	53.5	47.0
3	3898	35;F	NW	52.0	45.4
3	3898	35;G	SW	36.0	29.5
3	3898	35;H	NW	41.4	35.0
3	3898	35;I	SW	35.7	29.1
4	3898	35;A	SE	56.2	49.6
4	3898	35;B	SE	57.4	50.8
4	3898	35;C	NE	59.6	53.0
4	3898	35;D	NW	57.2	50.7
4	3898	35;E	NE	57.6	51.1
4	3898	35;F	NW	55.2	48.6
4	3898	35;G	SW	36.0	29.5
4	3898	35;H	NW	44.3	37.9
4	3898	35;I	SW	35.6	29.1
5	3898	35;A	SE	56.7	50.1
5	3898	35;B	SE	57.8	51.2
5	3898	35;C	NE	60.7	54.1
5	3898	35;D	NW	58.8	52.2
5	3898	35;E	NE	59.1	52.6
5	3898	35;F	NW	56.4	49.9
5	3898	35;G	SW	36.0	29.5
5	3898	35;H	NW	45.4	39.0
5	3898	35;I	SW	35.6	29.1
6	3898	35;A	SE	56.8	50.2
6	3898	35;B	SE	57.9	51.3
6	3898	35;C	NE	61.0	54.5
6	3898	35;D	NW	59.8	53.2
6	3898	35;E	NE	60.1	53.6
6	3898	35;F	NW	57.4	50.8
6	3898	35;G	SW	36.0	29.4
6	3898	35;H	NW	46.0	39.6
6	3898	35;I	SW	35.6	29.1
7	3898	35;A	SE	57.0	50.5
7	3898	35;B	SE	58.2	51.7
7	3898	35;C	NE	61.2	54.7
7	3898	35;D	NW	59.9	53.4
7	3898	35;E	NE	60.3	53.8
7	3898	35;F	NW	57.7	51.1
7	3898	35;G	SW	35.9	29.4
7	3898	35;H	NW	46.5	40.1
7	3898	35;I	SW	35.6	29.0
8	3898	35;A	SE	57.5	50.9
8	3898	35;B	SE	58.3	51.8
8	3898	35;C	NE	61.3	54.7
8	3898	35;D	NW	59.9	53.4
8	3898	35;E	NE	60.4	53.8
8	3898	35;F	NW	57.7	51.2
8	3898	35;G	SW	35.9	29.4
8	3898	35;H	NW	46.9	40.6
8	3898	35;I	SW	35.5	29.0
9	3898	35;A	SE	57.6	51.0
9	3898	35;B	SE	58.4	51.8
9	3898	35;C	NE	61.3	54.8
9	3898	35;D	NW	60.0	53.4
9	3898	35;E	NE	60.4	53.9
9	3898	35;F	NW	57.8	51.2
9	3898	35;G	SW	35.9	29.4
9	3898	35;H	NW	47.3	40.9
9	3898	35;I	SW	35.5	29.0
10	3898	35;A	SE	57.6	51.0
10	3898	35;B	SE	58.4	51.9
10	3898	35;C	NE	61.3	54.8
10	3898	35;D	NW	60.0	53.4
10	3898	35;E	NE	60.4	53.9
10	3898	35;F	NW	57.8	51.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
10	3898	35;G	SW	35.9	29.3
10	3898	35;H	NW	47.5	41.2
10	3898	35;I	SW	35.5	29.0
11	3898	35;A	SE	57.6	51.1
11	3898	35;B	SE	58.4	51.9
11	3898	35;C	NE	61.3	54.8
11	3898	35;D	NW	59.9	53.4
11	3898	35;E	NE	60.4	53.9
11	3898	35;F	NW	57.8	51.3
11	3898	35;G	SW	35.9	29.4
11	3898	35;H	NW	47.8	41.4
11	3898	35;I	SW	35.5	29.0
12	3898	35;A	SE	57.6	51.1
12	3898	35;B	SE	58.4	51.9
12	3898	35;C	NE	61.3	54.8
12	3898	35;D	NW	59.9	53.4
12	3898	35;E	NE	60.4	53.9
12	3898	35;F	NW	57.8	51.3
12	3898	35;G	SW	36.2	29.6
12	3898	35;H	NW	47.9	41.6
12	3898	35;I	SW	35.7	29.2
13	3898	35;A	SE	57.6	51.1
13	3898	35;B	SE	58.4	51.8
13	3898	35;C	NE	61.3	54.7
13	3898	35;D	NW	59.9	53.3
13	3898	35;E	NE	60.4	53.8
13	3898	35;F	NW	57.8	51.2
13	3898	35;G	SW	37.3	30.8
13	3898	35;H	NW	48.2	41.8
13	3898	35;I	SW	36.6	30.1
1	3899	23;A	N	46.7	40.2
1	3899	23;B	W	50.4	44.0
1	3899	23;C	W	51.8	45.4
1	3899	23;D	W	51.1	44.7
1	3899	23;E	W	52.0	45.6
1	3899	23;F	W	51.0	44.6
1	3899	23;G	W	51.9	45.4
1	3899	23;H	W	51.1	44.7
1	3899	23;I	W	52.1	45.7
1	3899	23;J	W	51.3	44.9
1	3899	23;K	S	49.4	42.9
1	3899	23;L	E	33.8	27.4
2	3899	23;A	N	50.3	44.0
2	3899	23;B	W	53.7	47.4
2	3899	23;C	W	54.9	48.5
2	3899	23;D	W	54.1	47.8
2	3899	23;E	W	55.0	48.6
2	3899	23;F	W	54.1	47.7
2	3899	23;G	W	54.8	48.5
2	3899	23;H	W	54.1	47.8
2	3899	23;I	W	55.0	48.6
2	3899	23;J	W	54.3	48.0
2	3899	23;K	S	52.3	45.9
2	3899	23;L	E	33.8	27.5
3	3899	23;A	N	52.7	46.3
3	3899	23;B	W	55.6	49.3
3	3899	23;C	W	56.4	50.1
3	3899	23;D	W	55.5	49.2
3	3899	23;E	W	56.4	50.1
3	3899	23;F	W	55.5	49.1
3	3899	23;G	W	56.3	49.9
3	3899	23;H	W	55.5	49.2
3	3899	23;I	W	56.4	50.1
3	3899	23;J	W	55.8	49.4
3	3899	23;K	S	53.8	47.4
3	3899	23;L	E	33.9	27.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	3899	23;A	N	53.7	47.4
4	3899	23;B	W	56.5	50.2
4	3899	23;C	W	57.2	50.9
4	3899	23;D	W	56.2	49.9
4	3899	23;E	W	57.2	50.9
4	3899	23;F	W	56.2	49.9
4	3899	23;G	W	57.0	50.7
4	3899	23;H	W	56.2	49.9
4	3899	23;I	W	57.2	50.9
4	3899	23;J	W	56.6	50.3
4	3899	23;K	S	54.6	48.3
4	3899	23;L	E	34.1	27.7
5	3899	23;A	N	54.1	47.8
5	3899	23;B	W	56.9	50.5
5	3899	23;C	W	57.6	51.2
5	3899	23;D	W	56.6	50.2
5	3899	23;E	W	57.5	51.2
5	3899	23;F	W	56.5	50.2
5	3899	23;G	W	57.3	51.0
5	3899	23;H	W	56.6	50.2
5	3899	23;I	W	57.6	51.2
5	3899	23;J	W	57.0	50.7
5	3899	23;K	S	55.1	48.7
5	3899	23;L	E	34.4	28.0
6	3899	23;A	N	54.3	48.0
6	3899	23;B	W	57.1	50.8
6	3899	23;C	W	57.8	51.4
6	3899	23;D	W	56.7	50.4
6	3899	23;E	W	57.8	51.4
6	3899	23;F	W	56.7	50.3
6	3899	23;G	W	57.5	51.2
6	3899	23;H	W	56.7	50.4
6	3899	23;I	W	57.8	51.5
6	3899	23;J	W	57.3	50.9
6	3899	23;K	S	55.3	49.0
6	3899	23;L	E	34.7	28.3
7	3899	23;A	N	54.4	48.1
7	3899	23;B	W	57.2	50.9
7	3899	23;C	W	57.9	51.6
7	3899	23;D	W	56.8	50.5
7	3899	23;E	W	57.9	51.6
7	3899	23;F	W	56.7	50.4
7	3899	23;G	W	57.6	51.3
7	3899	23;H	W	56.8	50.5
7	3899	23;I	W	57.9	51.6
7	3899	23;J	W	57.4	51.1
7	3899	23;K	S	55.5	49.1
7	3899	23;L	E	34.9	28.5
8	3899	23;A	N	54.5	48.2
8	3899	23;B	W	57.3	50.9
8	3899	23;C	W	58.0	51.7
8	3899	23;D	W	56.8	50.5
8	3899	23;E	W	58.0	51.7
8	3899	23;F	W	56.8	50.5
8	3899	23;G	W	57.7	51.4
8	3899	23;H	W	56.9	50.6
8	3899	23;I	W	58.0	51.7
8	3899	23;J	W	57.5	51.2
8	3899	23;K	S	55.6	49.2
8	3899	23;L	E	35.2	28.8
9	3899	23;A	N	54.6	48.3
9	3899	23;B	W	57.3	51.0
9	3899	23;C	W	58.0	51.7
9	3899	23;D	W	56.9	50.5
9	3899	23;E	W	58.0	51.7
9	3899	23;F	W	56.8	50.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
9	3899	23;G	W	57.8	51.4
9	3899	23;H	W	56.9	50.6
9	3899	23;I	W	58.1	51.7
9	3899	23;J	W	57.6	51.3
9	3899	23;K	S	55.7	49.3
9	3899	23;L	E	35.6	29.1
10	3899	23;A	N	54.6	48.3
10	3899	23;B	W	57.3	51.0
10	3899	23;C	W	58.0	51.7
10	3899	23;D	W	56.9	50.5
10	3899	23;E	W	58.0	51.7
10	3899	23;F	W	56.8	50.5
10	3899	23;G	W	57.8	51.5
10	3899	23;H	W	56.9	50.6
10	3899	23;I	W	58.1	51.8
10	3899	23;J	W	57.7	51.3
10	3899	23;K	S	55.7	49.4
10	3899	23;L	E	36.0	29.5
11	3899	23;A	N	54.6	48.3
11	3899	23;B	W	57.3	51.0
11	3899	23;C	W	58.1	51.7
11	3899	23;D	W	56.9	50.5
11	3899	23;E	W	58.1	51.7
11	3899	23;F	W	56.8	50.5
11	3899	23;G	W	57.8	51.5
11	3899	23;H	W	56.9	50.6
11	3899	23;I	W	58.1	51.8
11	3899	23;J	W	57.7	51.4
11	3899	23;K	S	55.7	49.4
11	3899	23;L	E	36.7	30.3
1	3900	21;A	W	35.4	29.0
1	3900	21;B	S	37.0	30.6
1	3900	21;C	W	37.0	30.6
1	3900	21;D	W	36.1	29.7
1	3900	21;E	S	51.3	44.9
1	3900	21;F	E	55.0	48.6
1	3900	21;G	E	54.2	47.8
1	3900	21;H	E	54.1	47.7
1	3900	21;I	N	50.1	43.7
2	3900	21;A	W	37.2	30.8
2	3900	21;B	S	39.4	33.0
2	3900	21;C	W	39.2	32.8
2	3900	21;D	W	37.6	31.3
2	3900	21;E	S	54.1	47.8
2	3900	21;F	E	57.5	51.2
2	3900	21;G	E	56.8	50.5
2	3900	21;H	E	56.8	50.5
2	3900	21;I	N	52.7	46.4
3	3900	21;A	W	33.6	27.3
3	3900	21;B	S	33.5	27.2
3	3900	21;C	W	33.5	27.2
3	3900	21;D	W	33.6	27.3
3	3900	21;E	S	55.1	48.8
3	3900	21;F	E	58.4	52.1
3	3900	21;G	E	57.7	51.3
3	3900	21;H	E	57.7	51.4
3	3900	21;I	N	53.8	47.4
4	3900	21;A	W	33.7	27.4
4	3900	21;B	S	33.4	27.1
4	3900	21;C	W	33.6	27.3
4	3900	21;D	W	33.7	27.4
4	3900	21;E	S	55.6	49.3
4	3900	21;F	E	58.7	52.4
4	3900	21;G	E	58.0	51.7
4	3900	21;H	E	58.0	51.7
4	3900	21;I	N	54.1	47.8



Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	3900	21;A	W	34.1	27.8
5	3900	21;B	S	33.4	27.1
5	3900	21;C	W	33.7	27.4
5	3900	21;D	W	33.8	27.5
5	3900	21;E	S	55.8	49.5
5	3900	21;F	E	58.9	52.6
5	3900	21;G	E	58.2	51.8
5	3900	21;H	E	58.2	51.9
5	3900	21;I	N	54.3	48.0
6	3900	21;A	W	34.3	28.0
6	3900	21;B	S	33.4	27.1
6	3900	21;C	W	33.9	27.6
6	3900	21;D	W	33.9	27.6
6	3900	21;E	S	55.9	49.6
6	3900	21;F	E	59.0	52.7
6	3900	21;G	E	58.2	51.9
6	3900	21;H	E	58.3	52.0
6	3900	21;I	N	54.4	48.1
7	3900	21;A	W	34.5	28.1
7	3900	21;B	S	33.3	27.0
7	3900	21;C	W	33.1	26.8
7	3900	21;D	W	33.3	27.0
7	3900	21;E	S	56.0	49.7
7	3900	21;F	E	58.9	52.6
7	3900	21;G	E	58.1	51.8
7	3900	21;H	E	58.2	51.9
7	3900	21;I	N	54.4	48.1
8	3900	21;A	W	35.4	29.1
8	3900	21;B	S	33.3	27.0
8	3900	21;C	W	33.1	26.8
8	3900	21;D	W	33.3	27.0
8	3900	21;E	S	56.1	49.8
8	3900	21;F	E	59.0	52.6
8	3900	21;G	E	58.1	51.8
8	3900	21;H	E	58.2	51.9
8	3900	21;I	N	54.2	47.9
9	3900	21;A	W	35.1	28.8
9	3900	21;B	S	33.3	27.0
9	3900	21;C	W	33.1	26.8
9	3900	21;D	W	33.3	27.0
9	3900	21;E	S	56.1	49.8
9	3900	21;F	E	58.9	52.6
9	3900	21;G	E	58.1	51.8
9	3900	21;H	E	58.2	51.9
9	3900	21;I	N	54.2	47.9
10	3900	21;A	W	33.1	26.8
10	3900	21;B	S	33.4	27.1
10	3900	21;C	W	33.1	26.8
10	3900	21;D	W	33.4	27.1
10	3900	21;E	S	56.1	49.8
10	3900	21;F	E	58.9	52.6
10	3900	21;G	E	58.0	51.7
10	3900	21;H	E	58.1	51.8
10	3900	21;I	N	54.2	47.9
11	3900	21;A	W	33.6	27.3
11	3900	21;B	S	34.4	28.1
11	3900	21;C	W	33.6	27.3
11	3900	21;D	W	34.0	27.7
11	3900	21;E	S	56.0	49.7
11	3900	21;F	E	58.8	52.5
11	3900	21;G	E	58.0	51.7
11	3900	21;H	E	58.1	51.8
11	3900	21;I	N	54.1	47.8
1	3901	20;A	N	51.6	45.2
1	3901	20;B	W	36.0	29.6
1	3901	20;C	W	34.4	28.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3901	20;D	N	35.6	29.2
1	3901	20;E	W	33.4	27.1
1	3901	20;F	W	33.2	26.9
1	3901	20;G	N	34.6	28.2
1	3901	20;H	W	33.2	26.9
1	3901	20;I	S	50.0	43.6
1	3901	20;J	E	54.2	47.8
1	3901	20;K	E	54.4	48.0
1	3901	20;L	E	55.0	48.6
1	3901	20;M	E	55.2	48.8
1	3901	20;N	E	55.9	49.6
2	3901	20;A	N	54.1	47.7
2	3901	20;B	W	37.0	30.7
2	3901	20;C	W	34.9	28.5
2	3901	20;D	N	36.4	30.0
2	3901	20;E	W	33.4	27.1
2	3901	20;F	W	33.2	26.9
2	3901	20;G	N	35.2	28.8
2	3901	20;H	W	33.3	27.0
2	3901	20;I	S	52.7	46.3
2	3901	20;J	E	56.8	50.5
2	3901	20;K	E	56.9	50.6
2	3901	20;L	E	57.4	51.1
2	3901	20;M	E	57.6	51.3
2	3901	20;N	E	58.2	51.9
3	3901	20;A	N	54.9	48.5
3	3901	20;B	W	38.2	31.9
3	3901	20;C	W	35.5	29.1
3	3901	20;D	N	37.4	31.0
3	3901	20;E	W	33.6	27.2
3	3901	20;F	W	33.4	27.0
3	3901	20;G	N	36.0	29.6
3	3901	20;H	W	33.4	27.1
3	3901	20;I	S	53.7	47.3
3	3901	20;J	E	57.7	51.4
3	3901	20;K	E	57.8	51.4
3	3901	20;L	E	58.2	51.9
3	3901	20;M	E	58.3	52.0
3	3901	20;N	E	58.8	52.5
4	3901	20;A	N	55.2	48.9
4	3901	20;B	W	39.0	32.7
4	3901	20;C	W	36.1	29.7
4	3901	20;D	N	38.2	31.9
4	3901	20;E	W	33.9	27.6
4	3901	20;F	W	33.5	27.2
4	3901	20;G	N	36.7	30.3
4	3901	20;H	W	33.6	27.3
4	3901	20;I	S	54.0	47.7
4	3901	20;J	E	58.0	51.7
4	3901	20;K	E	58.1	51.8
4	3901	20;L	E	58.5	52.2
4	3901	20;M	E	58.6	52.3
4	3901	20;N	E	59.1	52.8
5	3901	20;A	N	55.4	49.1
5	3901	20;B	W	39.7	33.4
5	3901	20;C	W	36.7	30.4
5	3901	20;D	N	38.8	32.5
5	3901	20;E	W	34.7	28.4
5	3901	20;F	W	34.2	27.8
5	3901	20;G	N	37.3	31.0
5	3901	20;H	W	34.0	27.7
5	3901	20;I	S	54.2	47.9
5	3901	20;J	E	58.2	51.9
5	3901	20;K	E	58.3	52.0
5	3901	20;L	E	58.6	52.3
5	3901	20;M	E	58.7	52.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	3901	20;N	E	59.2	52.9
6	3901	20;A	N	55.4	49.1
6	3901	20;B	W	40.1	33.8
6	3901	20;C	W	37.2	30.8
6	3901	20;D	N	39.2	32.9
6	3901	20;E	W	34.9	28.6
6	3901	20;F	W	34.7	28.3
6	3901	20;G	N	37.8	31.5
6	3901	20;H	W	34.4	28.1
6	3901	20;I	S	54.3	48.0
6	3901	20;J	E	58.3	52.0
6	3901	20;K	E	58.4	52.1
6	3901	20;L	E	58.7	52.3
6	3901	20;M	E	58.8	52.5
6	3901	20;N	E	59.2	52.9
7	3901	20;A	N	55.4	49.1
7	3901	20;B	W	39.4	33.1
7	3901	20;C	W	36.6	30.2
7	3901	20;D	N	39.7	33.4
7	3901	20;E	W	36.9	30.6
7	3901	20;F	W	36.1	29.8
7	3901	20;G	N	38.7	32.4
7	3901	20;H	W	35.2	28.8
7	3901	20;I	S	54.3	48.0
7	3901	20;J	E	58.2	51.9
7	3901	20;K	E	58.3	52.0
7	3901	20;L	E	58.6	52.2
7	3901	20;M	E	58.7	52.4
7	3901	20;N	E	59.1	52.8
8	3901	20;A	N	55.4	49.1
8	3901	20;B	W	38.9	32.6
8	3901	20;C	W	34.3	27.9
8	3901	20;D	N	38.4	32.1
8	3901	20;E	W	34.4	28.1
8	3901	20;F	W	35.6	29.3
8	3901	20;G	N	38.8	32.5
8	3901	20;H	W	35.6	29.3
8	3901	20;I	S	54.2	47.9
8	3901	20;J	E	58.2	51.9
8	3901	20;K	E	58.3	52.0
8	3901	20;L	E	58.5	52.2
8	3901	20;M	E	58.6	52.3
8	3901	20;N	E	59.1	52.8
9	3901	20;A	N	55.4	49.1
9	3901	20;B	W	38.0	31.7
9	3901	20;C	W	34.5	28.2
9	3901	20;D	N	38.6	32.2
9	3901	20;E	W	33.4	27.1
9	3901	20;F	W	33.0	26.7
9	3901	20;G	N	37.8	31.5
9	3901	20;H	W	33.3	27.0
9	3901	20;I	S	54.2	47.9
9	3901	20;J	E	58.2	51.9
9	3901	20;K	E	58.3	52.0
9	3901	20;L	E	58.5	52.2
9	3901	20;M	E	58.6	52.3
9	3901	20;N	E	59.0	52.7
10	3901	20;A	N	55.3	48.9
10	3901	20;B	W	38.1	31.8
10	3901	20;C	W	35.0	28.7
10	3901	20;D	N	37.6	31.3
10	3901	20;E	W	33.8	27.5
10	3901	20;F	W	33.2	26.9
10	3901	20;G	N	37.9	31.6
10	3901	20;H	W	32.9	26.6
10	3901	20;I	S	54.1	47.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
10	3901	20;J	E	58.1	51.8
10	3901	20;K	E	58.3	52.0
10	3901	20;L	E	58.4	52.1
10	3901	20;M	E	58.5	52.2
10	3901	20;N	E	59.0	52.6
11	3901	20;A	N	55.2	48.9
11	3901	20;B	W	35.8	29.5
11	3901	20;C	W	35.3	29.0
11	3901	20;D	N	37.6	31.3
11	3901	20;E	W	34.5	28.1
11	3901	20;F	W	33.8	27.5
11	3901	20;G	N	37.1	30.8
11	3901	20;H	W	33.4	27.1
11	3901	20;I	S	54.1	47.8
11	3901	20;J	E	58.1	51.8
11	3901	20;K	E	58.2	51.9
11	3901	20;L	E	58.4	52.0
11	3901	20;M	E	58.5	52.2
11	3901	20;N	E	58.9	52.6
1	3902	26;A	SW	49.3	42.8
1	3902	26;B	SW	47.4	40.9
1	3902	26;C	SW	48.2	41.7
1	3902	26;D	SE	35.8	29.3
1	3902	26;E	NE	32.7	26.4
1	3902	26;F	NE	32.8	26.4
1	3902	26;G	NE	32.5	26.2
1	3902	26;H	NE	35.4	29.0
1	3902	26;I	NW	50.6	44.2
1	3902	26;J	SW	51.6	45.2
1	3902	26;K	SW	50.2	43.7
2	3902	26;A	SW	52.0	45.6
2	3902	26;B	SW	49.9	43.5
2	3902	26;C	SW	50.6	44.2
2	3902	26;D	SE	36.6	30.1
2	3902	26;E	NE	33.0	26.7
2	3902	26;F	NE	33.3	27.0
2	3902	26;G	NE	32.7	26.3
2	3902	26;H	NE	37.5	31.1
2	3902	26;I	NW	53.6	47.2
2	3902	26;J	SW	54.7	48.3
2	3902	26;K	SW	53.0	46.6
3	3902	26;A	SW	53.6	47.2
3	3902	26;B	SW	51.6	45.2
3	3902	26;C	SW	52.4	46.0
3	3902	26;D	SE	37.6	31.2
3	3902	26;E	NE	33.2	26.8
3	3902	26;F	NE	33.7	27.4
3	3902	26;G	NE	32.7	26.4
3	3902	26;H	NE	39.2	32.8
3	3902	26;I	NW	54.9	48.6
3	3902	26;J	SW	56.1	49.7
3	3902	26;K	SW	54.5	48.1
4	3902	26;A	SW	54.5	48.1
4	3902	26;B	SW	52.5	46.1
4	3902	26;C	SW	53.3	46.9
4	3902	26;D	SE	38.9	32.4
4	3902	26;E	NE	33.5	27.1
4	3902	26;F	NE	34.1	27.7
4	3902	26;G	NE	32.9	26.6
4	3902	26;H	NE	40.2	33.8
4	3902	26;I	NW	55.7	49.4
4	3902	26;J	SW	56.9	50.6
4	3902	26;K	SW	55.4	49.0
5	3902	26;A	SW	55.1	48.8
5	3902	26;B	SW	53.3	46.9
5	3902	26;C	SW	54.1	47.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	3902	26;D	SE	41.1	34.6
5	3902	26;E	NE	34.6	28.2
5	3902	26;F	NE	35.1	28.8
5	3902	26;G	NE	33.7	27.3
5	3902	26;H	NE	41.1	34.7
5	3902	26;I	NW	56.1	49.8
5	3902	26;J	SW	57.3	51.0
5	3902	26;K	SW	55.9	49.6
6	3902	26;A	SW	55.5	49.1
6	3902	26;B	SW	53.7	47.3
6	3902	26;C	SW	54.5	48.2
6	3902	26;D	SE	42.7	36.3
6	3902	26;E	NE	36.0	29.7
6	3902	26;F	NE	36.3	29.9
6	3902	26;G	NE	34.4	28.1
6	3902	26;H	NE	41.9	35.5
6	3902	26;I	NW	56.3	49.9
6	3902	26;J	SW	57.5	51.2
6	3902	26;K	SW	56.2	49.8
7	3902	26;A	SW	55.6	49.3
7	3902	26;B	SW	53.9	47.5
7	3902	26;C	SW	54.8	48.4
7	3902	26;D	SE	44.0	37.6
7	3902	26;E	NE	36.7	30.3
7	3902	26;F	NE	36.7	30.4
7	3902	26;G	NE	34.9	28.5
7	3902	26;H	NE	42.4	36.0
7	3902	26;I	NW	56.4	50.0
7	3902	26;J	SW	57.6	51.3
7	3902	26;K	SW	56.3	50.0
8	3902	26;A	SW	55.8	49.5
8	3902	26;B	SW	54.1	47.7
8	3902	26;C	SW	55.0	48.6
8	3902	26;D	SE	45.2	38.8
8	3902	26;E	NE	37.2	30.9
8	3902	26;F	NE	37.2	30.8
8	3902	26;G	NE	35.3	29.0
8	3902	26;H	NE	42.7	36.3
8	3902	26;I	NW	56.4	50.1
8	3902	26;J	SW	57.7	51.3
8	3902	26;K	SW	56.5	50.1
9	3902	26;A	SW	56.0	49.7
9	3902	26;B	SW	54.4	48.0
9	3902	26;C	SW	55.3	49.0
9	3902	26;D	SE	46.6	40.1
9	3902	26;E	NE	37.7	31.4
9	3902	26;F	NE	37.6	31.3
9	3902	26;G	NE	35.7	29.4
9	3902	26;H	NE	42.8	36.4
9	3902	26;I	NW	56.4	50.1
9	3902	26;J	SW	57.7	51.4
9	3902	26;K	SW	56.6	50.2
10	3902	26;A	SW	56.2	49.8
10	3902	26;B	SW	54.7	48.3
10	3902	26;C	SW	55.6	49.3
10	3902	26;D	SE	47.9	41.5
10	3902	26;E	NE	38.2	31.9
10	3902	26;F	NE	38.0	31.7
10	3902	26;G	NE	36.2	29.9
10	3902	26;H	NE	42.9	36.5
10	3902	26;I	NW	56.5	50.1
10	3902	26;J	SW	57.8	51.4
10	3902	26;K	SW	56.7	50.3
11	3902	26;A	SW	56.3	49.9
11	3902	26;B	SW	54.8	48.5
11	3902	26;C	SW	55.7	49.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
11	3902	26;D	SE	48.8	42.4
11	3902	26;E	NE	38.8	32.4
11	3902	26;F	NE	38.6	32.3
11	3902	26;G	NE	37.1	30.7
11	3902	26;H	NE	43.1	36.7
11	3902	26;I	NW	56.5	50.1
11	3902	26;J	SW	57.8	51.4
11	3902	26;K	SW	56.7	50.4
1	3903	60;A	NW	37.0	30.4
1	3903	60;B	NE	37.2	30.6
1	3903	60;C	NW	52.1	45.5
1	3903	60;D	SW	55.8	49.3
1	3903	60;E	SE	52.0	45.4
1	3903	60;F	NE	37.9	31.3
2	3903	60;A	NW	37.0	30.5
2	3903	60;B	NE	37.2	30.7
2	3903	60;C	NW	55.5	48.9
2	3903	60;D	SW	59.3	52.7
2	3903	60;E	SE	55.5	49.0
2	3903	60;F	NE	38.1	31.6
3	3903	60;A	NW	37.1	30.5
3	3903	60;B	NE	37.3	30.8
3	3903	60;C	NW	57.1	50.5
3	3903	60;D	SW	60.8	54.3
3	3903	60;E	SE	57.0	50.5
3	3903	60;F	NE	38.7	32.2
4	3903	60;A	NW	37.2	30.7
4	3903	60;B	NE	37.5	30.9
4	3903	60;C	NW	57.9	51.3
4	3903	60;D	SW	61.5	55.0
4	3903	60;E	SE	57.9	51.3
4	3903	60;F	NE	39.8	33.3
5	3903	60;A	NW	37.8	31.3
5	3903	60;B	NE	38.0	31.4
5	3903	60;C	NW	58.2	51.7
5	3903	60;D	SW	61.9	55.4
5	3903	60;E	SE	58.4	51.9
5	3903	60;F	NE	42.5	36.0
6	3903	60;A	NW	40.3	33.8
6	3903	60;B	NE	39.7	33.1
6	3903	60;C	NW	58.5	51.9
6	3903	60;D	SW	62.0	55.5
6	3903	60;E	SE	58.4	51.8
6	3903	60;F	NE	44.5	38.0
1	3904	54;A	N	58.5	52.0
1	3904	54;B	N	58.4	51.8
1	3904	54;C	N	58.0	51.5
1	3904	54;D	W	55.2	48.7
1	3904	54;E	W	54.2	47.6
1	3904	54;F	N	54.7	48.1
1	3904	54;G	S	38.1	31.6
1	3904	54;H	W	44.9	38.4
1	3904	54;I	W	48.0	41.5
1	3904	54;J	S	37.1	30.6
1	3904	54;K	S	37.2	30.7
1	3904	54;L	E	44.4	37.9
1	3904	54;M	S	38.1	31.6
1	3904	54;N	S	38.3	31.8
1	3904	54;O	E	54.5	48.0
1	3904	54;P	N	57.2	50.7
1	3904	54;Q	N	55.8	49.3
1	3904	54;R	E	55.7	49.2
1	3904	54;S	E	56.5	50.0
2	3904	54;A	N	61.6	55.1
2	3904	54;B	N	61.5	54.9
2	3904	54;C	N	61.2	54.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3904	54;D	W	58.5	51.9
2	3904	54;E	W	57.4	50.9
2	3904	54;F	N	57.9	51.4
2	3904	54;G	S	38.1	31.6
2	3904	54;H	W	46.7	40.1
2	3904	54;I	W	50.3	43.8
2	3904	54;J	S	37.1	30.6
2	3904	54;K	S	37.2	30.7
2	3904	54;L	E	46.9	40.4
2	3904	54;M	S	38.1	31.6
2	3904	54;N	S	38.6	32.1
2	3904	54;O	E	57.7	51.2
2	3904	54;P	N	60.5	54.0
2	3904	54;Q	N	59.1	52.6
2	3904	54;R	E	59.0	52.5
2	3904	54;S	E	59.9	53.4
3	3904	54;A	N	62.7	56.1
3	3904	54;B	N	62.6	56.0
3	3904	54;C	N	62.3	55.7
3	3904	54;D	W	59.8	53.3
3	3904	54;E	W	59.0	52.4
3	3904	54;F	N	59.4	52.9
3	3904	54;G	S	38.1	31.6
3	3904	54;H	W	48.6	42.0
3	3904	54;I	W	52.2	45.7
3	3904	54;J	S	37.1	30.6
3	3904	54;K	S	37.2	30.7
3	3904	54;L	E	48.8	42.3
3	3904	54;M	S	38.1	31.6
3	3904	54;N	S	38.8	32.3
3	3904	54;O	E	59.0	52.5
3	3904	54;P	N	61.8	55.3
3	3904	54;Q	N	60.3	53.8
3	3904	54;R	E	60.2	53.7
3	3904	54;S	E	61.0	54.5
4	3904	54;A	N	63.1	56.5
4	3904	54;B	N	63.0	56.4
4	3904	54;C	N	62.7	56.1
4	3904	54;D	W	60.3	53.8
4	3904	54;E	W	59.7	53.2
4	3904	54;F	N	60.0	53.5
4	3904	54;G	S	38.1	31.5
4	3904	54;H	W	49.5	42.9
4	3904	54;I	W	53.2	46.7
4	3904	54;J	S	37.1	30.6
4	3904	54;K	S	37.2	30.7
4	3904	54;L	E	50.1	43.7
4	3904	54;M	S	38.1	31.5
4	3904	54;N	S	39.3	32.9
4	3904	54;O	E	59.5	52.9
4	3904	54;P	N	62.2	55.7
4	3904	54;Q	N	60.7	54.2
4	3904	54;R	E	60.6	54.1
4	3904	54;S	E	61.5	54.9
5	3904	54;A	N	63.3	56.7
5	3904	54;B	N	63.2	56.6
5	3904	54;C	N	62.9	56.3
5	3904	54;D	W	60.6	54.0
5	3904	54;E	W	60.1	53.6
5	3904	54;F	N	60.4	53.9
5	3904	54;G	S	38.0	31.5
5	3904	54;H	W	50.1	43.6
5	3904	54;I	W	53.9	47.3
5	3904	54;J	S	37.3	30.7
5	3904	54;K	S	37.3	30.8
5	3904	54;L	E	50.9	44.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	3904	54;M	S	38.0	31.5
5	3904	54;N	S	40.3	33.8
5	3904	54;O	E	59.7	53.2
5	3904	54;P	N	62.4	55.9
5	3904	54;Q	N	60.9	54.3
5	3904	54;R	E	60.8	54.3
5	3904	54;S	E	61.7	55.2
6	3904	54;A	N	63.4	56.8
6	3904	54;B	N	63.2	56.7
6	3904	54;C	N	62.9	56.4
6	3904	54;D	W	60.7	54.1
6	3904	54;E	W	60.4	53.8
6	3904	54;F	N	60.6	54.1
6	3904	54;G	S	38.0	31.5
6	3904	54;H	W	50.7	44.1
6	3904	54;I	W	54.3	47.8
6	3904	54;J	S	37.3	30.7
6	3904	54;K	S	37.3	30.8
6	3904	54;L	E	51.3	44.9
6	3904	54;M	S	38.0	31.5
6	3904	54;N	S	40.2	33.8
6	3904	54;O	E	59.8	53.3
6	3904	54;P	N	62.5	56.0
6	3904	54;Q	N	60.9	54.4
6	3904	54;R	E	60.9	54.4
6	3904	54;S	E	61.8	55.3
7	3904	54;A	N	63.4	56.8
7	3904	54;B	N	63.3	56.7
7	3904	54;C	N	63.0	56.4
7	3904	54;D	W	60.7	54.2
7	3904	54;E	W	60.5	53.9
7	3904	54;F	N	60.7	54.2
7	3904	54;G	S	38.0	31.4
7	3904	54;H	W	51.0	44.4
7	3904	54;I	W	54.6	48.1
7	3904	54;J	S	37.3	30.8
7	3904	54;K	S	37.4	30.9
7	3904	54;L	E	51.7	45.2
7	3904	54;M	S	37.9	31.4
7	3904	54;N	S	38.7	32.1
7	3904	54;O	E	59.8	53.3
7	3904	54;P	N	62.5	56.0
7	3904	54;Q	N	61.0	54.4
7	3904	54;R	E	61.0	54.4
7	3904	54;S	E	61.8	55.3
8	3904	54;A	N	63.4	56.8
8	3904	54;B	N	63.3	56.7
8	3904	54;C	N	63.0	56.4
8	3904	54;D	W	60.7	54.2
8	3904	54;E	W	60.5	54.0
8	3904	54;F	N	60.7	54.2
8	3904	54;G	S	37.9	31.4
8	3904	54;H	W	51.1	44.5
8	3904	54;I	W	54.8	48.2
8	3904	54;J	S	37.6	31.0
8	3904	54;K	S	37.7	31.1
8	3904	54;L	E	51.9	45.5
8	3904	54;M	S	37.9	31.4
8	3904	54;N	S	39.0	32.5
8	3904	54;O	E	59.8	53.3
8	3904	54;P	N	62.5	56.0
8	3904	54;Q	N	60.9	54.4
8	3904	54;R	E	60.9	54.4
8	3904	54;S	E	61.8	55.2
9	3904	54;A	N	63.3	56.8
9	3904	54;B	N	63.2	56.7



Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
9	3904	54;C	N	62.9	56.4
9	3904	54;D	W	60.7	54.2
9	3904	54;E	W	60.5	54.0
9	3904	54;F	N	60.8	54.2
9	3904	54;G	S	37.9	31.4
9	3904	54;H	W	51.2	44.6
9	3904	54;I	W	54.9	48.3
9	3904	54;J	S	37.6	31.1
9	3904	54;K	S	37.7	31.2
9	3904	54;L	E	52.0	45.5
9	3904	54;M	S	37.9	31.3
9	3904	54;N	S	39.1	32.6
9	3904	54;O	E	59.8	53.3
9	3904	54;P	N	62.5	56.0
9	3904	54;Q	N	60.9	54.4
9	3904	54;R	E	60.9	54.4
9	3904	54;S	E	61.7	55.2
10	3904	54;A	N	63.3	56.8
10	3904	54;B	N	63.2	56.7
10	3904	54;C	N	62.9	56.3
10	3904	54;D	W	60.7	54.2
10	3904	54;E	W	60.5	54.0
10	3904	54;F	N	60.8	54.2
10	3904	54;G	S	37.9	31.3
10	3904	54;H	W	51.2	44.7
10	3904	54;I	W	54.9	48.4
10	3904	54;J	S	37.7	31.1
10	3904	54;K	S	37.7	31.2
10	3904	54;L	E	52.1	45.7
10	3904	54;M	S	37.8	31.3
10	3904	54;N	S	39.2	32.7
10	3904	54;O	E	59.8	53.3
10	3904	54;P	N	62.5	55.9
10	3904	54;Q	N	60.9	54.3
10	3904	54;R	E	60.9	54.3
10	3904	54;S	E	61.7	55.2
11	3904	54;A	N	63.2	56.7
11	3904	54;B	N	63.1	56.6
11	3904	54;C	N	62.8	56.3
11	3904	54;D	W	60.7	54.1
11	3904	54;E	W	60.5	54.0
11	3904	54;F	N	60.7	54.2
11	3904	54;G	S	37.9	31.3
11	3904	54;H	W	51.3	44.7
11	3904	54;I	W	55.0	48.4
11	3904	54;J	S	37.7	31.2
11	3904	54;K	S	37.8	31.3
11	3904	54;L	E	52.2	45.7
11	3904	54;M	S	37.8	31.3
11	3904	54;N	S	39.3	32.8
11	3904	54;O	E	59.7	53.2
11	3904	54;P	N	62.4	55.9
11	3904	54;Q	N	60.8	54.3
11	3904	54;R	E	60.8	54.3
11	3904	54;S	E	61.7	55.1
12	3904	54;A	N	63.2	56.6
12	3904	54;B	N	63.1	56.5
12	3904	54;C	N	62.8	56.2
12	3904	54;D	W	60.6	54.1
12	3904	54;E	W	60.5	54.0
12	3904	54;F	N	60.7	54.2
12	3904	54;G	S	38.1	31.6
12	3904	54;H	W	51.3	44.8
12	3904	54;I	W	55.0	48.5
12	3904	54;J	S	37.9	31.4
12	3904	54;K	S	37.9	31.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
12	3904	54;L	E	52.3	45.8
12	3904	54;M	S	38.0	31.5
12	3904	54;N	S	39.6	33.0
12	3904	54;O	E	59.7	53.2
12	3904	54;P	N	62.4	55.8
12	3904	54;Q	N	60.7	54.2
12	3904	54;R	E	60.7	54.2
12	3904	54;S	E	61.6	55.1
13	3904	54;A	N	63.1	56.6
13	3904	54;B	N	63.0	56.5
13	3904	54;C	N	62.7	56.1
13	3904	54;D	W	60.6	54.0
13	3904	54;E	W	60.5	54.0
13	3904	54;F	N	60.7	54.2
13	3904	54;G	S	39.2	32.6
13	3904	54;H	W	51.5	45.0
13	3904	54;I	W	55.0	48.5
13	3904	54;J	S	38.7	32.2
13	3904	54;K	S	38.4	31.9
13	3904	54;L	E	52.4	45.9
13	3904	54;M	S	39.0	32.5
13	3904	54;N	S	40.4	33.9
13	3904	54;O	E	59.6	53.1
13	3904	54;P	N	62.3	55.8
13	3904	54;Q	N	60.7	54.2
13	3904	54;R	E	60.7	54.1
13	3904	54;S	E	61.5	55.0
1	3905	48;A	SW	38.3	31.8
1	3905	48;B	SW	38.2	31.6
1	3905	48;C	SW	38.3	31.8
1	3905	48;D	SE	53.7	47.1
1	3905	48;E	NE	57.4	50.8
1	3905	48;F	SE	57.1	50.5
1	3905	48;G	NE	58.7	52.2
1	3905	48;H	NE	58.7	52.2
1	3905	48;I	NE	58.8	52.2
1	3905	48;J	NE	58.6	52.1
1	3905	48;K	NW	54.7	48.1
1	3905	48;L	SW	38.6	32.1
1	3905	48;M	SW	38.5	31.9
1	3905	48;N	SW	38.4	31.9
2	3905	48;A	SW	38.3	31.8
2	3905	48;B	SW	38.1	31.6
2	3905	48;C	SW	38.3	31.8
2	3905	48;D	SE	56.9	50.4
2	3905	48;E	NE	60.6	54.0
2	3905	48;F	SE	60.3	53.7
2	3905	48;G	NE	61.9	55.3
2	3905	48;H	NE	61.9	55.3
2	3905	48;I	NE	61.9	55.4
2	3905	48;J	NE	61.8	55.2
2	3905	48;K	NW	57.9	51.4
2	3905	48;L	SW	38.6	32.1
2	3905	48;M	SW	38.5	31.9
2	3905	48;N	SW	38.4	31.9
3	3905	48;A	SW	38.3	31.8
3	3905	48;B	SW	38.1	31.6
3	3905	48;C	SW	38.3	31.7
3	3905	48;D	SE	58.2	51.6
3	3905	48;E	NE	61.9	55.4
3	3905	48;F	SE	61.6	55.1
3	3905	48;G	NE	62.9	56.4
3	3905	48;H	NE	62.9	56.4
3	3905	48;I	NE	63.0	56.4
3	3905	48;J	NE	62.9	56.3
3	3905	48;K	NW	59.2	52.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	3905	48;L	SW	38.6	32.1
3	3905	48;M	SW	38.5	31.9
3	3905	48;N	SW	38.4	31.9
4	3905	48;A	SW	38.3	31.7
4	3905	48;B	SW	38.1	31.6
4	3905	48;C	SW	38.3	31.7
4	3905	48;D	SE	58.6	52.1
4	3905	48;E	NE	62.6	56.1
4	3905	48;F	SE	62.3	55.7
4	3905	48;G	NE	63.4	56.9
4	3905	48;H	NE	63.4	56.9
4	3905	48;I	NE	63.4	56.9
4	3905	48;J	NE	63.3	56.8
4	3905	48;K	NW	59.6	53.1
4	3905	48;L	SW	38.6	32.1
4	3905	48;M	SW	38.4	31.9
4	3905	48;N	SW	38.4	31.8
5	3905	48;A	SW	38.2	31.7
5	3905	48;B	SW	38.1	31.6
5	3905	48;C	SW	38.2	31.7
5	3905	48;D	SE	58.8	52.2
5	3905	48;E	NE	62.9	56.4
5	3905	48;F	SE	62.6	56.0
5	3905	48;G	NE	63.7	57.1
5	3905	48;H	NE	63.6	57.1
5	3905	48;I	NE	63.6	57.1
5	3905	48;J	NE	63.5	57.0
5	3905	48;K	NW	59.8	53.3
5	3905	48;L	SW	38.6	32.0
5	3905	48;M	SW	38.4	31.9
5	3905	48;N	SW	38.3	31.8
6	3905	48;A	SW	38.2	31.7
6	3905	48;B	SW	38.1	31.5
6	3905	48;C	SW	38.2	31.7
6	3905	48;D	SE	58.8	52.3
6	3905	48;E	NE	63.1	56.5
6	3905	48;F	SE	62.7	56.1
6	3905	48;G	NE	63.8	57.2
6	3905	48;H	NE	63.7	57.2
6	3905	48;I	NE	63.8	57.2
6	3905	48;J	NE	63.6	57.1
6	3905	48;K	NW	60.0	53.4
6	3905	48;L	SW	38.5	32.0
6	3905	48;M	SW	38.4	31.8
6	3905	48;N	SW	38.3	31.8
7	3905	48;A	SW	38.2	31.6
7	3905	48;B	SW	38.0	31.5
7	3905	48;C	SW	38.2	31.6
7	3905	48;D	SE	58.9	52.3
7	3905	48;E	NE	63.1	56.6
7	3905	48;F	SE	62.7	56.2
7	3905	48;G	NE	63.8	57.3
7	3905	48;H	NE	63.8	57.3
7	3905	48;I	NE	63.8	57.3
7	3905	48;J	NE	63.7	57.1
7	3905	48;K	NW	60.0	53.5
7	3905	48;L	SW	38.5	32.0
7	3905	48;M	SW	38.3	31.8
7	3905	48;N	SW	38.3	31.7
8	3905	48;A	SW	38.1	31.6
8	3905	48;B	SW	38.0	31.4
8	3905	48;C	SW	38.1	31.6
8	3905	48;D	SE	58.9	52.3
8	3905	48;E	NE	63.1	56.6
8	3905	48;F	SE	62.7	56.2
8	3905	48;G	NE	63.8	57.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
8	3905	48;H	NE	63.8	57.3
8	3905	48;I	NE	63.8	57.3
8	3905	48;J	NE	63.7	57.2
8	3905	48;K	NW	60.0	53.5
8	3905	48;L	SW	38.5	31.9
8	3905	48;M	SW	38.3	31.7
8	3905	48;N	SW	38.2	31.7
9	3905	48;A	SW	38.1	31.5
9	3905	48;B	SW	38.0	31.4
9	3905	48;C	SW	38.1	31.6
9	3905	48;D	SE	58.8	52.3
9	3905	48;E	NE	63.2	56.6
9	3905	48;F	SE	62.7	56.2
9	3905	48;G	NE	63.8	57.3
9	3905	48;H	NE	63.8	57.3
9	3905	48;I	NE	63.8	57.3
9	3905	48;J	NE	63.7	57.1
9	3905	48;K	NW	60.0	53.5
9	3905	48;L	SW	38.4	31.9
9	3905	48;M	SW	38.2	31.7
9	3905	48;N	SW	38.2	31.6
10	3905	48;A	SW	38.1	31.5
10	3905	48;B	SW	38.0	31.4
10	3905	48;C	SW	38.1	31.6
10	3905	48;D	SE	58.8	52.3
10	3905	48;E	NE	63.1	56.6
10	3905	48;F	SE	62.7	56.2
10	3905	48;G	NE	63.8	57.2
10	3905	48;H	NE	63.8	57.2
10	3905	48;I	NE	63.8	57.2
10	3905	48;J	NE	63.7	57.1
10	3905	48;K	NW	60.0	53.4
10	3905	48;L	SW	38.4	31.9
10	3905	48;M	SW	38.2	31.7
10	3905	48;N	SW	38.1	31.6
11	3905	48;A	SW	38.1	31.6
11	3905	48;B	SW	38.0	31.5
11	3905	48;C	SW	38.3	31.7
11	3905	48;D	SE	59.0	52.5
11	3905	48;E	NE	63.1	56.6
11	3905	48;F	SE	62.6	56.1
11	3905	48;G	NE	63.7	57.2
11	3905	48;H	NE	63.7	57.2
11	3905	48;I	NE	63.7	57.2
11	3905	48;J	NE	63.6	57.1
11	3905	48;K	NW	59.9	53.4
11	3905	48;L	SW	38.5	31.9
11	3905	48;M	SW	38.3	31.7
11	3905	48;N	SW	38.2	31.7
12	3905	48;A	SW	38.7	32.2
12	3905	48;B	SW	38.6	32.1
12	3905	48;C	SW	39.2	32.7
12	3905	48;D	SE	58.7	52.2
12	3905	48;E	NE	62.9	56.3
12	3905	48;F	SE	62.6	56.1
12	3905	48;G	NE	63.6	57.1
12	3905	48;H	NE	63.6	57.1
12	3905	48;I	NE	63.6	57.1
12	3905	48;J	NE	63.5	57.0
12	3905	48;K	NW	59.9	53.3
12	3905	48;L	SW	39.1	32.6
12	3905	48;M	SW	38.8	32.3
12	3905	48;N	SW	38.8	32.2
1	3906	57;A	W	54.6	48.2
1	3906	57;B	W	54.3	47.9
1	3906	57;C	W	53.8	47.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3906	57;D	S	50.3	43.8
1	3906	57;E	W	51.5	45.0
1	3906	57;F	W	51.8	45.3
1	3906	57;G	S	45.5	39.0
1	3906	57;H	E	43.0	36.3
1	3906	57;I	E	43.2	36.6
1	3906	57;J	E	43.1	36.5
1	3906	57;K	E	46.0	39.5
1	3906	57;L	N	53.9	47.4
2	3906	57;A	W	57.9	51.5
2	3906	57;B	W	57.7	51.2
2	3906	57;C	W	57.1	50.7
2	3906	57;D	S	53.1	46.6
2	3906	57;E	W	54.7	48.2
2	3906	57;F	W	55.1	48.7
2	3906	57;G	S	48.1	41.6
2	3906	57;H	E	44.9	38.3
2	3906	57;I	E	44.9	38.3
2	3906	57;J	E	44.8	38.2
2	3906	57;K	E	48.4	41.9
2	3906	57;L	N	57.0	50.6
3	3906	57;A	W	59.3	52.8
3	3906	57;B	W	59.1	52.7
3	3906	57;C	W	58.6	52.2
3	3906	57;D	S	55.1	48.5
3	3906	57;E	W	56.3	49.8
3	3906	57;F	W	56.6	50.2
3	3906	57;G	S	50.1	43.5
3	3906	57;H	E	46.8	40.2
3	3906	57;I	E	46.5	39.9
3	3906	57;J	E	46.5	40.0
3	3906	57;K	E	50.3	43.8
3	3906	57;L	N	58.5	52.1
4	3906	57;A	W	59.9	53.5
4	3906	57;B	W	59.8	53.4
4	3906	57;C	W	59.3	52.9
4	3906	57;D	S	56.1	49.6
4	3906	57;E	W	57.1	50.6
4	3906	57;F	W	57.5	51.1
4	3906	57;G	S	51.3	44.8
4	3906	57;H	E	47.9	41.3
4	3906	57;I	E	47.5	40.9
4	3906	57;J	E	47.5	41.0
4	3906	57;K	E	51.3	44.8
4	3906	57;L	N	59.1	52.7
5	3906	57;A	W	60.2	53.8
5	3906	57;B	W	60.2	53.7
5	3906	57;C	W	59.6	53.2
5	3906	57;D	S	56.8	50.3
5	3906	57;E	W	57.5	51.1
5	3906	57;F	W	58.0	51.6
5	3906	57;G	S	52.3	45.8
5	3906	57;H	E	48.6	42.1
5	3906	57;I	E	48.2	41.6
5	3906	57;J	E	48.2	41.7
5	3906	57;K	E	52.1	45.6
5	3906	57;L	N	59.4	53.0
6	3906	57;A	W	60.3	53.9
6	3906	57;B	W	60.3	53.9
6	3906	57;C	W	59.8	53.4
6	3906	57;D	S	57.3	50.7
6	3906	57;E	W	57.8	51.3
6	3906	57;F	W	58.3	51.8
6	3906	57;G	S	53.0	46.5
6	3906	57;H	E	49.2	42.7
6	3906	57;I	E	48.7	42.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	3906	57;J	E	48.8	42.3
6	3906	57;K	E	52.6	46.1
6	3906	57;L	N	59.6	53.2
7	3906	57;A	W	60.4	54.0
7	3906	57;B	W	60.4	54.0
7	3906	57;C	W	59.9	53.5
7	3906	57;D	S	57.5	51.0
7	3906	57;E	W	57.9	51.4
7	3906	57;F	W	58.4	52.0
7	3906	57;G	S	53.4	46.9
7	3906	57;H	E	49.6	43.1
7	3906	57;I	E	49.0	42.5
7	3906	57;J	E	49.2	42.6
7	3906	57;K	E	52.9	46.4
7	3906	57;L	N	59.7	53.3
8	3906	57;A	W	60.5	54.0
8	3906	57;B	W	60.5	54.0
8	3906	57;C	W	59.9	53.5
8	3906	57;D	S	57.7	51.2
8	3906	57;E	W	58.0	51.5
8	3906	57;F	W	58.5	52.1
8	3906	57;G	S	53.7	47.1
8	3906	57;H	E	49.8	43.3
8	3906	57;I	E	49.2	42.7
8	3906	57;J	E	49.4	42.8
8	3906	57;K	E	53.1	46.6
8	3906	57;L	N	59.8	53.3
9	3906	57;A	W	60.5	54.1
9	3906	57;B	W	60.5	54.1
9	3906	57;C	W	60.0	53.5
9	3906	57;D	S	57.8	51.3
9	3906	57;E	W	58.1	51.6
9	3906	57;F	W	58.6	52.1
9	3906	57;G	S	53.8	47.3
9	3906	57;H	E	50.0	43.4
9	3906	57;I	E	49.4	42.8
9	3906	57;J	E	49.5	42.9
9	3906	57;K	E	53.2	46.7
9	3906	57;L	N	59.8	53.4
10	3906	57;A	W	60.5	54.0
10	3906	57;B	W	60.5	54.1
10	3906	57;C	W	60.0	53.5
10	3906	57;D	S	57.9	51.4
10	3906	57;E	W	58.1	51.6
10	3906	57;F	W	58.6	52.2
10	3906	57;G	S	53.9	47.4
10	3906	57;H	E	50.1	43.5
10	3906	57;I	E	49.5	42.9
10	3906	57;J	E	49.6	43.0
10	3906	57;K	E	53.3	46.8
10	3906	57;L	N	59.8	53.4
11	3906	57;A	W	60.4	54.0
11	3906	57;B	W	60.5	54.0
11	3906	57;C	W	60.0	53.5
11	3906	57;D	S	58.0	51.4
11	3906	57;E	W	58.1	51.6
11	3906	57;F	W	58.6	52.2
11	3906	57;G	S	54.0	47.5
11	3906	57;H	E	50.2	43.7
11	3906	57;I	E	49.7	43.1
11	3906	57;J	E	49.8	43.2
11	3906	57;K	E	53.4	46.9
11	3906	57;L	N	59.8	53.4
12	3906	57;A	W	60.4	54.0
12	3906	57;B	W	60.4	54.0
12	3906	57;C	W	60.0	53.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
12	3906	57;D	S	58.0	51.5
12	3906	57;E	W	58.1	51.6
12	3906	57;F	W	58.6	52.2
12	3906	57;G	S	54.1	47.6
12	3906	57;H	E	50.4	43.9
12	3906	57;I	E	49.8	43.3
12	3906	57;J	E	49.9	43.4
12	3906	57;K	E	53.5	47.0
12	3906	57;L	N	59.8	53.3
1	3907	53;A	E	54.5	47.9
1	3907	53;B	E	56.2	49.7
1	3907	53;C	N	58.3	51.7
1	3907	53;D	N	57.4	50.9
1	3907	53;E	N	56.8	50.3
1	3907	53;F	W	53.0	46.5
1	3907	53;G	W	51.7	45.2
1	3907	53;H	N	52.2	45.6
1	3907	53;I	S	37.6	31.1
1	3907	53;J	W	44.9	38.3
1	3907	53;K	S	36.9	30.3
1	3907	53;L	S	37.1	30.5
1	3907	53;M	S	37.1	30.6
1	3907	53;N	E	51.3	44.7
2	3907	53;A	E	57.7	51.1
2	3907	53;B	E	59.3	52.8
2	3907	53;C	N	61.4	54.9
2	3907	53;D	N	60.6	54.1
2	3907	53;E	N	60.0	53.5
2	3907	53;F	W	56.7	50.1
2	3907	53;G	W	55.3	48.7
2	3907	53;H	N	55.7	49.2
2	3907	53;I	S	37.6	31.1
2	3907	53;J	W	47.2	40.6
2	3907	53;K	S	36.9	30.3
2	3907	53;L	S	37.1	30.5
2	3907	53;M	S	37.1	30.6
2	3907	53;N	E	54.6	48.1
3	3907	53;A	E	58.9	52.4
3	3907	53;B	E	60.4	53.8
3	3907	53;C	N	62.6	56.1
3	3907	53;D	N	61.8	55.3
3	3907	53;E	N	61.3	54.7
3	3907	53;F	W	58.2	51.7
3	3907	53;G	W	57.2	50.6
3	3907	53;H	N	57.6	51.1
3	3907	53;I	S	37.6	31.1
3	3907	53;J	W	50.0	43.5
3	3907	53;K	S	36.9	30.3
3	3907	53;L	S	37.1	30.5
3	3907	53;M	S	37.1	30.6
3	3907	53;N	E	56.2	49.6
4	3907	53;A	E	59.4	52.9
4	3907	53;B	E	60.7	54.2
4	3907	53;C	N	63.0	56.5
4	3907	53;D	N	62.2	55.7
4	3907	53;E	N	61.7	55.2
4	3907	53;F	W	59.1	52.5
4	3907	53;G	W	58.2	51.7
4	3907	53;H	N	58.4	51.9
4	3907	53;I	S	37.6	31.1
4	3907	53;J	W	51.4	44.9
4	3907	53;K	S	36.9	30.3
4	3907	53;L	S	37.0	30.5
4	3907	53;M	S	37.1	30.6
4	3907	53;N	E	56.9	50.4
5	3907	53;A	E	59.6	53.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	3907	53;B	E	60.9	54.4
5	3907	53;C	N	63.3	56.7
5	3907	53;D	N	62.4	55.9
5	3907	53;E	N	61.9	55.4
5	3907	53;F	W	59.4	52.9
5	3907	53;G	W	58.7	52.2
5	3907	53;H	N	58.9	52.4
5	3907	53;I	S	37.6	31.0
5	3907	53;J	W	52.2	45.7
5	3907	53;K	S	36.8	30.3
5	3907	53;L	S	37.0	30.5
5	3907	53;M	S	37.1	30.6
5	3907	53;N	E	57.3	50.8
6	3907	53;A	E	59.7	53.2
6	3907	53;B	E	61.0	54.5
6	3907	53;C	N	63.4	56.8
6	3907	53;D	N	62.6	56.0
6	3907	53;E	N	61.9	55.4
6	3907	53;F	W	59.4	52.9
6	3907	53;G	W	58.9	52.4
6	3907	53;H	N	59.0	52.5
6	3907	53;I	S	37.5	31.0
6	3907	53;J	W	52.8	46.2
6	3907	53;K	S	36.8	30.3
6	3907	53;L	S	37.0	30.5
6	3907	53;M	S	37.1	30.5
6	3907	53;N	E	57.5	51.0
7	3907	53;A	E	59.8	53.3
7	3907	53;B	E	61.0	54.5
7	3907	53;C	N	63.4	56.9
7	3907	53;D	N	62.6	56.1
7	3907	53;E	N	61.8	55.3
7	3907	53;F	W	59.3	52.8
7	3907	53;G	W	58.9	52.4
7	3907	53;H	N	59.1	52.6
7	3907	53;I	S	37.5	31.0
7	3907	53;J	W	53.1	46.6
7	3907	53;K	S	36.8	30.3
7	3907	53;L	S	37.0	30.4
7	3907	53;M	S	37.0	30.5
7	3907	53;N	E	57.6	51.1
8	3907	53;A	E	59.8	53.3
8	3907	53;B	E	61.0	54.4
8	3907	53;C	N	63.4	56.9
8	3907	53;D	N	62.6	56.1
8	3907	53;E	N	61.8	55.3
8	3907	53;F	W	59.4	52.8
8	3907	53;G	W	59.1	52.5
8	3907	53;H	N	59.3	52.7
8	3907	53;I	S	37.5	30.9
8	3907	53;J	W	53.4	46.8
8	3907	53;K	S	36.8	30.3
8	3907	53;L	S	36.9	30.4
8	3907	53;M	S	37.0	30.5
8	3907	53;N	E	57.7	51.2
9	3907	53;A	E	59.8	53.3
9	3907	53;B	E	60.9	54.4
9	3907	53;C	N	63.4	56.9
9	3907	53;D	N	62.6	56.0
9	3907	53;E	N	61.8	55.3
9	3907	53;F	W	59.4	52.9
9	3907	53;G	W	59.1	52.6
9	3907	53;H	N	59.3	52.8
9	3907	53;I	S	37.4	30.9
9	3907	53;J	W	53.6	47.0
9	3907	53;K	S	36.8	30.2



Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
9	3907	53;L	S	36.9	30.3
9	3907	53;M	S	37.0	30.4
9	3907	53;N	E	57.7	51.2
10	3907	53;A	E	59.8	53.2
10	3907	53;B	E	60.9	54.4
10	3907	53;C	N	63.4	56.8
10	3907	53;D	N	62.5	56.0
10	3907	53;E	N	61.8	55.3
10	3907	53;F	W	59.4	52.9
10	3907	53;G	W	59.2	52.7
10	3907	53;H	N	59.4	52.8
10	3907	53;I	S	37.4	30.9
10	3907	53;J	W	53.7	47.2
10	3907	53;K	S	36.8	30.2
10	3907	53;L	S	36.8	30.3
10	3907	53;M	S	36.9	30.4
10	3907	53;N	E	57.7	51.2
11	3907	53;A	E	59.7	53.2
11	3907	53;B	E	60.8	54.3
11	3907	53;C	N	63.3	56.8
11	3907	53;D	N	62.5	55.9
11	3907	53;E	N	61.7	55.2
11	3907	53;F	W	59.4	52.9
11	3907	53;G	W	59.2	52.7
11	3907	53;H	N	59.4	52.9
11	3907	53;I	S	37.4	30.9
11	3907	53;J	W	53.8	47.3
11	3907	53;K	S	36.8	30.2
11	3907	53;L	S	36.8	30.3
11	3907	53;M	S	37.0	30.4
11	3907	53;N	E	57.7	51.2
12	3907	53;A	E	59.6	53.1
12	3907	53;B	E	60.7	54.2
12	3907	53;C	N	63.3	56.7
12	3907	53;D	N	62.4	55.9
12	3907	53;E	N	61.7	55.1
12	3907	53;F	W	59.4	52.9
12	3907	53;G	W	59.2	52.7
12	3907	53;H	N	59.4	52.9
12	3907	53;I	S	37.6	31.1
12	3907	53;J	W	53.9	47.3
12	3907	53;K	S	36.9	30.4
12	3907	53;L	S	36.9	30.4
12	3907	53;M	S	37.2	30.7
12	3907	53;N	E	57.7	51.2
13	3907	53;A	E	59.6	53.1
13	3907	53;B	E	60.7	54.1
13	3907	53;C	N	63.2	56.7
13	3907	53;D	N	62.4	55.8
13	3907	53;E	N	61.6	55.1
13	3907	53;F	W	59.4	52.8
13	3907	53;G	W	59.3	52.7
13	3907	53;H	N	59.4	52.9
13	3907	53;I	S	38.7	32.2
13	3907	53;J	W	54.0	47.4
13	3907	53;K	S	37.7	31.1
13	3907	53;L	S	37.6	31.0
13	3907	53;M	S	38.4	31.8
13	3907	53;N	E	57.7	51.2
1	3908	15;A	NW	52.8	46.4
1	3908	15;B	W	54.9	48.5
1	3908	15;C	S	50.9	44.5
1	3908	15;D	E	36.9	30.4
1	3908	15;E	S	35.6	29.3
1	3908	15;F	S	41.6	35.2
1	3908	15;G	E	32.9	26.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3908	15;H	N	47.7	41.3
1	3908	15;I	N	50.5	44.0
2	3908	15;A	NW	55.3	49.0
2	3908	15;B	W	57.4	51.1
2	3908	15;C	S	53.4	47.1
2	3908	15;D	E	38.4	31.9
2	3908	15;E	S	36.8	30.5
2	3908	15;F	S	44.2	37.9
2	3908	15;G	E	33.9	27.5
2	3908	15;H	N	50.5	44.1
2	3908	15;I	N	53.1	46.7
3	3908	15;A	NW	56.1	49.8
3	3908	15;B	W	58.1	51.8
3	3908	15;C	S	54.4	48.1
3	3908	15;D	E	39.5	33.1
3	3908	15;E	S	38.4	32.1
3	3908	15;F	S	45.9	39.6
3	3908	15;G	E	35.0	28.6
3	3908	15;H	N	51.9	45.6
3	3908	15;I	N	54.3	48.0
4	3908	15;A	NW	56.5	50.2
4	3908	15;B	W	58.5	52.2
4	3908	15;C	S	54.8	48.5
4	3908	15;D	E	40.2	33.8
4	3908	15;E	S	39.6	33.3
4	3908	15;F	S	46.8	40.4
4	3908	15;G	E	35.8	29.5
4	3908	15;H	N	52.9	46.6
4	3908	15;I	N	55.0	48.6
5	3908	15;A	NW	56.7	50.4
5	3908	15;B	W	58.6	52.3
5	3908	15;C	S	55.1	48.7
5	3908	15;D	E	40.8	34.5
5	3908	15;E	S	40.7	34.4
5	3908	15;F	S	47.4	41.1
5	3908	15;G	E	36.5	30.2
5	3908	15;H	N	53.4	47.1
5	3908	15;I	N	55.2	48.9
6	3908	15;A	NW	56.8	50.5
6	3908	15;B	W	58.7	52.4
6	3908	15;C	S	55.2	48.9
6	3908	15;D	E	41.5	35.1
6	3908	15;E	S	42.2	35.9
6	3908	15;F	S	48.1	41.8
6	3908	15;G	E	37.5	31.1
6	3908	15;H	N	53.7	47.4
6	3908	15;I	N	55.4	49.1
1	3909	17;A	S	49.3	42.9
1	3909	17;B	E	37.5	31.0
1	3909	17;C	S	39.5	33.0
1	3909	17;D	E	33.5	27.1
1	3909	17;E	S	33.2	26.9
1	3909	17;F	S	34.8	28.4
1	3909	17;G	S	38.1	31.7
1	3909	17;H	W	38.9	32.5
1	3909	17;I	S	38.8	32.3
1	3909	17;J	E	31.1	24.7
1	3909	17;K	S	31.6	25.3
1	3909	17;L	E	31.8	25.4
1	3909	17;M	S	31.4	25.0
1	3909	17;N	E	30.8	24.4
1	3909	17;O	N	30.5	24.1
1	3909	17;P	E	30.1	23.7
1	3909	17;Q	N	37.8	31.3
1	3909	17;R	N	37.4	31.0
1	3909	17;S	N	36.3	29.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3909	17;T	W	44.4	37.9
1	3909	17;U	W	44.3	37.8
1	3909	17;V	W	43.3	36.8
1	3909	17;W	N	41.5	35.1
1	3909	17;X	N	44.1	37.6
1	3909	17;Y	N	48.1	41.6
1	3909	17;Z	W	53.0	46.6
1	3909	17;AA	W	52.7	46.3
1	3909	17;AB	W	52.2	45.8
1	3909	17;AC	W	53.2	46.8
1	3909	17;AD	W	52.7	46.3
2	3909	17;A	S	52.0	45.7
2	3909	17;B	E	39.5	33.0
2	3909	17;C	S	42.5	36.1
2	3909	17;D	E	33.9	27.6
2	3909	17;E	S	34.0	27.6
2	3909	17;F	S	37.3	30.9
2	3909	17;G	S	40.7	34.3
2	3909	17;H	W	41.6	35.3
2	3909	17;I	S	41.4	35.0
2	3909	17;J	E	31.4	25.0
2	3909	17;K	S	33.5	27.2
2	3909	17;L	E	31.8	25.4
2	3909	17;M	S	31.7	25.4
2	3909	17;N	E	30.8	24.4
2	3909	17;O	N	30.8	24.4
2	3909	17;P	E	30.1	23.8
2	3909	17;Q	N	39.6	33.2
2	3909	17;R	N	39.1	32.8
2	3909	17;S	N	37.9	31.6
2	3909	17;T	W	46.8	40.4
2	3909	17;U	W	46.7	40.3
2	3909	17;V	W	45.6	39.2
2	3909	17;W	N	43.9	37.6
2	3909	17;X	N	46.7	40.3
2	3909	17;Y	N	50.8	44.4
2	3909	17;Z	W	55.6	49.2
2	3909	17;AA	W	55.4	49.0
2	3909	17;AB	W	54.9	48.5
2	3909	17;AC	W	55.8	49.4
2	3909	17;AD	W	55.4	49.0
3	3909	17;A	S	53.1	46.8
3	3909	17;B	E	33.7	27.3
3	3909	17;C	S	39.5	33.2
3	3909	17;D	E	33.4	27.1
3	3909	17;E	S	34.7	28.3
3	3909	17;F	S	39.7	33.4
3	3909	17;G	S	43.6	37.3
3	3909	17;H	W	44.9	38.5
3	3909	17;I	S	44.2	37.9
3	3909	17;J	E	32.0	25.6
3	3909	17;K	S	37.0	30.7
3	3909	17;L	E	31.8	25.4
3	3909	17;M	S	32.3	25.9
3	3909	17;N	E	30.9	24.5
3	3909	17;O	N	31.1	24.7
3	3909	17;P	E	30.2	23.9
3	3909	17;Q	N	41.7	35.3
3	3909	17;R	N	41.5	35.2
3	3909	17;S	N	40.7	34.3
3	3909	17;T	W	48.2	41.8
3	3909	17;U	W	47.9	41.5
3	3909	17;V	W	46.9	40.5
3	3909	17;W	N	45.4	39.0
3	3909	17;X	N	48.0	41.6
3	3909	17;Y	N	52.0	45.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	3909	17;Z	W	56.7	50.3
3	3909	17;AA	W	56.5	50.1
3	3909	17;AB	W	56.0	49.7
3	3909	17;AC	W	56.8	50.5
3	3909	17;AD	W	56.5	50.2
4	3909	17;A	S	53.8	47.5
4	3909	17;B	E	34.0	27.6
4	3909	17;C	S	44.3	38.0
4	3909	17;D	E	33.7	27.3
4	3909	17;E	S	36.1	29.8
4	3909	17;F	S	41.3	35.0
4	3909	17;G	S	44.3	38.0
4	3909	17;H	W	45.7	39.3
4	3909	17;I	S	44.8	38.5
4	3909	17;J	E	32.2	25.8
4	3909	17;K	S	38.2	31.9
4	3909	17;L	E	32.0	25.6
4	3909	17;M	S	33.4	27.1
4	3909	17;N	E	31.1	24.7
4	3909	17;O	N	31.5	25.2
4	3909	17;P	E	30.5	24.1
4	3909	17;Q	N	43.1	36.8
4	3909	17;R	N	43.2	36.8
4	3909	17;S	N	42.4	36.1
4	3909	17;T	W	49.2	42.8
4	3909	17;U	W	48.8	42.4
4	3909	17;V	W	47.8	41.4
4	3909	17;W	N	46.3	40.0
4	3909	17;X	N	48.7	42.4
4	3909	17;Y	N	52.5	46.2
4	3909	17;Z	W	57.1	50.8
4	3909	17;AA	W	56.9	50.6
4	3909	17;AB	W	56.4	50.1
4	3909	17;AC	W	57.3	50.9
4	3909	17;AD	W	57.0	50.7
5	3909	17;A	S	54.1	47.8
5	3909	17;B	E	35.3	29.0
5	3909	17;C	S	45.4	39.1
5	3909	17;D	E	34.7	28.3
5	3909	17;E	S	39.1	32.8
5	3909	17;F	S	44.6	38.3
5	3909	17;G	S	47.1	40.8
5	3909	17;H	W	48.4	42.1
5	3909	17;I	S	47.1	40.8
5	3909	17;J	E	33.2	26.8
5	3909	17;K	S	40.6	34.3
5	3909	17;L	E	32.8	26.4
5	3909	17;M	S	35.6	29.3
5	3909	17;N	E	31.9	25.5
5	3909	17;O	N	33.1	26.8
5	3909	17;P	E	31.4	25.1
5	3909	17;Q	N	44.3	38.0
5	3909	17;R	N	44.7	38.4
5	3909	17;S	N	44.4	38.1
5	3909	17;T	W	49.9	43.5
5	3909	17;U	W	49.2	42.9
5	3909	17;V	W	48.5	42.1
5	3909	17;W	N	46.9	40.5
5	3909	17;X	N	49.1	42.8
5	3909	17;Y	N	52.7	46.4
5	3909	17;Z	W	57.3	51.0
5	3909	17;AA	W	57.1	50.8
5	3909	17;AB	W	56.6	50.3
5	3909	17;AC	W	57.5	51.2
5	3909	17;AD	W	57.3	50.9
1	3910	16;A	S	40.4	33.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3910	16;B	E	30.1	23.8
1	3910	16;C	E	30.4	24.0
1	3910	16;D	E	30.0	23.7
1	3910	16;E	E	30.6	24.2
1	3910	16;F	W	29.8	23.5
1	3910	16;G	S	30.7	24.4
1	3910	16;H	S	30.9	24.6
1	3910	16;I	W	31.6	25.3
1	3910	16;J	W	31.5	25.2
1	3910	16;K	S	31.9	25.5
1	3910	16;L	S	33.5	27.1
1	3910	16;M	E	31.6	25.2
1	3910	16;N	E	31.6	25.2
1	3910	16;O	E	31.8	25.3
1	3910	16;P	E	31.9	25.5
1	3910	16;Q	N	38.4	31.9
1	3910	16;R	W	40.1	33.7
1	3910	16;S	N	39.0	32.6
1	3910	16;T	N	38.6	32.2
1	3910	16;U	N	38.6	32.2
1	3910	16;V	W	40.7	34.3
1	3910	16;W	W	40.9	34.5
1	3910	16;X	N	41.4	34.9
1	3910	16;Y	N	42.3	35.8
1	3910	16;Z	W	43.9	37.4
1	3910	16;AA	N	43.4	36.9
1	3910	16;AB	N	43.1	36.7
1	3910	16;AC	W	47.0	40.6
1	3910	16;AD	W	47.1	40.7
1	3910	16;AE	W	47.1	40.7
1	3910	16;AF	S	45.8	39.4
1	3910	16;AG	SW	45.0	38.5
1	3910	16;AH	SW	44.1	37.6
2	3910	16;A	S	42.4	35.9
2	3910	16;B	E	30.1	23.8
2	3910	16;C	E	30.4	24.0
2	3910	16;D	E	30.0	23.7
2	3910	16;E	E	30.6	24.3
2	3910	16;F	W	29.9	23.6
2	3910	16;G	S	30.8	24.4
2	3910	16;H	S	31.4	25.0
2	3910	16;I	W	32.2	25.8
2	3910	16;J	W	32.3	26.0
2	3910	16;K	S	32.6	26.2
2	3910	16;L	S	34.5	28.1
2	3910	16;M	E	32.2	25.8
2	3910	16;N	E	32.3	25.8
2	3910	16;O	E	32.4	26.0
2	3910	16;P	E	32.7	26.2
2	3910	16;Q	N	40.2	33.8
2	3910	16;R	W	42.2	35.8
2	3910	16;S	N	41.2	34.8
2	3910	16;T	N	40.9	34.5
2	3910	16;U	N	41.0	34.6
2	3910	16;V	W	43.1	36.7
2	3910	16;W	W	43.4	37.0
2	3910	16;X	N	43.9	37.5
2	3910	16;Y	N	44.8	38.4
2	3910	16;Z	W	46.5	40.1
2	3910	16;AA	N	46.0	39.6
2	3910	16;AB	N	46.0	39.6
2	3910	16;AC	W	49.8	43.5
2	3910	16;AD	W	49.9	43.5
2	3910	16;AE	W	49.9	43.5
2	3910	16;AF	S	48.5	42.1
2	3910	16;AG	SW	47.5	41.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3910	16;AH	SW	46.4	40.0
3	3910	16;A	S	43.9	37.5
3	3910	16;B	E	30.2	23.8
3	3910	16;C	E	30.4	24.1
3	3910	16;D	E	30.0	23.7
3	3910	16;E	E	30.6	24.3
3	3910	16;F	W	29.9	23.6
3	3910	16;G	S	30.9	24.5
3	3910	16;H	S	31.9	25.6
3	3910	16;I	W	33.0	26.7
3	3910	16;J	W	33.5	27.2
3	3910	16;K	S	34.0	27.7
3	3910	16;L	S	36.2	29.9
3	3910	16;M	E	33.3	26.9
3	3910	16;N	E	33.4	27.0
3	3910	16;O	E	33.5	27.1
3	3910	16;P	E	33.8	27.4
3	3910	16;Q	N	43.2	36.8
3	3910	16;R	W	45.4	39.0
3	3910	16;S	N	45.0	38.5
3	3910	16;T	N	44.5	38.0
3	3910	16;U	N	44.4	38.0
3	3910	16;V	W	46.3	39.9
3	3910	16;W	W	46.8	40.4
3	3910	16;X	N	46.9	40.5
3	3910	16;Y	N	47.3	40.9
3	3910	16;Z	W	48.9	42.5
3	3910	16;AA	N	48.5	42.1
3	3910	16;AB	N	48.5	42.1
3	3910	16;AC	W	51.6	45.3
3	3910	16;AD	W	51.6	45.2
3	3910	16;AE	W	51.5	45.2
3	3910	16;AF	S	49.7	43.3
3	3910	16;AG	SW	48.8	42.4
3	3910	16;AH	SW	47.8	41.4
4	3910	16;A	S	44.8	38.4
4	3910	16;B	E	30.3	23.9
4	3910	16;C	E	30.5	24.2
4	3910	16;D	E	30.1	23.7
4	3910	16;E	E	30.7	24.3
4	3910	16;F	W	30.0	23.6
4	3910	16;G	S	31.1	24.8
4	3910	16;H	S	32.7	26.4
4	3910	16;I	W	33.9	27.6
4	3910	16;J	W	34.7	28.3
4	3910	16;K	S	35.1	28.7
4	3910	16;L	S	37.4	31.0
4	3910	16;M	E	33.9	27.5
4	3910	16;N	E	34.0	27.6
4	3910	16;O	E	34.2	27.8
4	3910	16;P	E	34.5	28.1
4	3910	16;Q	N	45.1	38.7
4	3910	16;R	W	47.4	41.0
4	3910	16;S	N	47.3	40.9
4	3910	16;T	N	46.9	40.5
4	3910	16;U	N	46.9	40.5
4	3910	16;V	W	48.5	42.2
4	3910	16;W	W	49.3	42.9
4	3910	16;X	N	49.2	42.8
4	3910	16;Y	N	49.2	42.8
4	3910	16;Z	W	50.6	44.2
4	3910	16;AA	N	50.3	44.0
4	3910	16;AB	N	50.6	44.2
4	3910	16;AC	W	53.1	46.7
4	3910	16;AD	W	53.0	46.7
4	3910	16;AE	W	52.9	46.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	3910	16;AF	S	50.7	44.3
4	3910	16;AG	SW	49.7	43.4
4	3910	16;AH	SW	48.8	42.4
5	3910	16;A	S	45.5	39.2
5	3910	16;B	E	30.5	24.1
5	3910	16;C	E	30.8	24.4
5	3910	16;D	E	30.2	23.8
5	3910	16;E	E	30.7	24.4
5	3910	16;F	W	30.1	23.8
5	3910	16;G	S	31.7	25.3
5	3910	16;H	S	34.1	27.8
5	3910	16;I	W	35.3	29.0
5	3910	16;J	W	35.7	29.4
5	3910	16;K	S	36.0	29.6
5	3910	16;L	S	38.3	31.9
5	3910	16;M	E	34.7	28.3
5	3910	16;N	E	34.8	28.4
5	3910	16;O	E	35.0	28.6
5	3910	16;P	E	35.4	29.0
5	3910	16;Q	N	46.9	40.5
5	3910	16;R	W	49.2	42.8
5	3910	16;S	N	49.2	42.8
5	3910	16;T	N	48.7	42.4
5	3910	16;U	N	48.7	42.3
5	3910	16;V	W	50.2	43.9
5	3910	16;W	W	51.0	44.6
5	3910	16;X	N	50.8	44.5
5	3910	16;Y	N	50.8	44.4
5	3910	16;Z	W	52.2	45.9
5	3910	16;AA	N	52.0	45.7
5	3910	16;AB	N	52.0	45.7
5	3910	16;AC	W	54.2	47.8
5	3910	16;AD	W	54.0	47.7
5	3910	16;AE	W	53.9	47.6
5	3910	16;AF	S	51.2	44.9
5	3910	16;AG	SW	50.3	43.9
5	3910	16;AH	SW	49.4	43.1
6	3910	16;A	S	46.3	39.9
6	3910	16;B	E	30.7	24.4
6	3910	16;C	E	31.1	24.7
6	3910	16;D	E	30.3	24.0
6	3910	16;E	E	30.9	24.5
6	3910	16;F	W	30.4	24.1
6	3910	16;G	S	32.8	26.4
6	3910	16;H	S	36.4	30.1
6	3910	16;I	W	37.6	31.3
6	3910	16;J	W	37.8	31.5
6	3910	16;K	S	37.6	31.3
6	3910	16;L	S	39.4	33.0
6	3910	16;M	E	35.3	29.0
6	3910	16;N	E	35.5	29.1
6	3910	16;O	E	35.6	29.2
6	3910	16;P	E	36.2	29.9
6	3910	16;Q	N	48.2	41.9
6	3910	16;R	W	50.5	44.1
6	3910	16;S	N	50.6	44.3
6	3910	16;T	N	50.1	43.7
6	3910	16;U	N	50.0	43.7
6	3910	16;V	W	51.4	45.1
6	3910	16;W	W	52.2	45.8
6	3910	16;X	N	51.8	45.5
6	3910	16;Y	N	51.6	45.2
6	3910	16;Z	W	53.1	46.7
6	3910	16;AA	N	52.9	46.6
6	3910	16;AB	N	52.8	46.4
6	3910	16;AC	W	54.7	48.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	3910	16;AD	W	54.6	48.3
6	3910	16;AE	W	54.5	48.2
6	3910	16;AF	S	51.6	45.3
6	3910	16;AG	SW	50.7	44.3
6	3910	16;AH	SW	49.9	43.6
7	3910	16;A	S	46.4	40.1
7	3910	16;B	E	31.2	24.8
7	3910	16;C	E	31.7	25.3
7	3910	16;D	E	30.7	24.4
7	3910	16;E	E	31.2	24.9
7	3910	16;F	W	31.4	25.0
7	3910	16;G	S	34.0	27.7
7	3910	16;H	S	38.4	32.0
7	3910	16;I	W	39.4	33.1
7	3910	16;J	W	39.5	33.2
7	3910	16;K	S	39.2	32.9
7	3910	16;L	S	40.6	34.3
7	3910	16;M	E	35.9	29.6
7	3910	16;N	E	36.1	29.7
7	3910	16;O	E	36.2	29.8
7	3910	16;P	E	36.8	30.5
7	3910	16;Q	N	49.1	42.7
7	3910	16;R	W	51.2	44.9
7	3910	16;S	N	51.4	45.1
7	3910	16;T	N	50.8	44.4
7	3910	16;U	N	50.6	44.3
7	3910	16;V	W	52.0	45.6
7	3910	16;W	W	52.6	46.3
7	3910	16;X	N	52.2	45.8
7	3910	16;Y	N	51.9	45.6
7	3910	16;Z	W	53.5	47.1
7	3910	16;AA	N	53.3	47.0
7	3910	16;AB	N	53.2	46.8
7	3910	16;AC	W	55.0	48.7
7	3910	16;AD	W	54.9	48.6
7	3910	16;AE	W	54.8	48.4
7	3910	16;AF	S	51.8	45.5
7	3910	16;AG	SW	51.0	44.7
7	3910	16;AH	SW	50.3	44.0
8	3910	16;A	S	47.3	41.0
8	3910	16;B	E	32.4	26.1
8	3910	16;C	E	33.0	26.6
8	3910	16;D	E	32.2	25.8
8	3910	16;E	E	32.8	26.5
8	3910	16;F	W	34.7	28.4
8	3910	16;G	S	36.6	30.2
8	3910	16;H	S	40.1	33.8
8	3910	16;I	W	41.2	34.9
8	3910	16;J	W	41.0	34.7
8	3910	16;K	S	40.4	34.1
8	3910	16;L	S	41.9	35.6
8	3910	16;M	E	36.6	30.3
8	3910	16;N	E	36.8	30.4
8	3910	16;O	E	36.9	30.5
8	3910	16;P	E	37.7	31.3
8	3910	16;Q	N	49.5	43.2
8	3910	16;R	W	51.6	45.3
8	3910	16;S	N	51.7	45.4
8	3910	16;T	N	51.1	44.7
8	3910	16;U	N	50.9	44.6
8	3910	16;V	W	52.3	46.0
8	3910	16;W	W	52.9	46.5
8	3910	16;X	N	52.4	46.1
8	3910	16;Y	N	52.2	45.9
8	3910	16;Z	W	53.7	47.4
8	3910	16;AA	N	53.6	47.2



Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
8	3910	16;AB	N	53.4	47.1
8	3910	16;AC	W	55.1	48.8
8	3910	16;AD	W	55.0	48.7
8	3910	16;AE	W	54.9	48.6
8	3910	16;AF	S	52.1	45.8
8	3910	16;AG	SW	51.4	45.1
8	3910	16;AH	SW	50.8	44.5
1	3911	13;A	S	46.2	39.8
1	3911	13;B	W	36.9	30.4
1	3911	13;C	S	50.6	44.2
1	3911	13;D	E	55.1	48.7
1	3911	13;E	E	55.2	48.8
1	3911	13;F	E	55.0	48.6
1	3911	13;G	E	55.3	48.9
1	3911	13;H	E	54.9	48.5
1	3911	13;I	E	55.2	48.8
1	3911	13;J	E	54.9	48.5
1	3911	13;K	N	51.3	44.9
1	3911	13;L	W	41.1	34.6
1	3911	13;M	N	47.0	40.6
1	3911	13;N	W	37.3	30.8
1	3911	13;O	S	35.1	28.7
1	3911	13;P	W	33.0	26.7
1	3911	13;Q	N	32.9	26.5
1	3911	13;R	W	37.2	30.7
1	3911	13;S	S	37.6	31.1
1	3911	13;T	W	33.0	26.7
1	3911	13;U	N	32.9	26.6
1	3911	13;V	W	40.6	34.1
2	3911	13;A	S	49.1	42.7
2	3911	13;B	W	38.2	31.8
2	3911	13;C	S	53.1	46.8
2	3911	13;D	E	57.5	51.1
2	3911	13;E	E	57.6	51.2
2	3911	13;F	E	57.4	51.1
2	3911	13;G	E	57.6	51.3
2	3911	13;H	E	57.4	51.0
2	3911	13;I	E	57.5	51.2
2	3911	13;J	E	57.3	51.0
2	3911	13;K	N	53.9	47.6
2	3911	13;L	W	44.1	37.8
2	3911	13;M	N	49.9	43.6
2	3911	13;N	W	39.4	33.0
2	3911	13;O	S	36.2	29.8
2	3911	13;P	W	33.0	26.7
2	3911	13;Q	N	32.9	26.5
2	3911	13;R	W	38.9	32.5
2	3911	13;S	S	39.2	32.8
2	3911	13;T	W	33.0	26.7
2	3911	13;U	N	32.9	26.6
2	3911	13;V	W	42.6	36.2
3	3911	13;A	S	50.4	44.1
3	3911	13;B	W	39.0	32.6
3	3911	13;C	S	54.0	47.7
3	3911	13;D	E	58.2	51.8
3	3911	13;E	E	58.3	51.9
3	3911	13;F	E	58.1	51.8
3	3911	13;G	E	58.3	51.9
3	3911	13;H	E	58.0	51.7
3	3911	13;I	E	58.2	51.9
3	3911	13;J	E	58.0	51.7
3	3911	13;K	N	54.5	48.2
3	3911	13;L	W	36.6	30.2
3	3911	13;M	N	50.2	43.9
3	3911	13;N	W	37.2	30.8
3	3911	13;O	S	37.2	30.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	3911	13;P	W	33.0	26.7
3	3911	13;Q	N	32.8	26.5
3	3911	13;R	W	40.0	33.6
3	3911	13;S	S	40.2	33.8
3	3911	13;T	W	33.0	26.7
3	3911	13;U	N	32.9	26.6
3	3911	13;V	W	43.6	37.2
4	3911	13;A	S	51.1	44.8
4	3911	13;B	W	39.9	33.5
4	3911	13;C	S	54.4	48.1
4	3911	13;D	E	58.4	52.1
4	3911	13;E	E	58.5	52.2
4	3911	13;F	E	58.4	52.0
4	3911	13;G	E	58.5	52.2
4	3911	13;H	E	58.3	52.0
4	3911	13;I	E	58.5	52.2
4	3911	13;J	E	58.3	52.0
4	3911	13;K	N	54.8	48.5
4	3911	13;L	W	37.6	31.3
4	3911	13;M	N	50.7	44.4
4	3911	13;N	W	37.9	31.5
4	3911	13;O	S	37.7	31.3
4	3911	13;P	W	33.0	26.7
4	3911	13;Q	N	32.8	26.5
4	3911	13;R	W	40.0	33.7
4	3911	13;S	S	40.8	34.4
4	3911	13;T	W	33.0	26.7
4	3911	13;U	N	32.9	26.6
4	3911	13;V	W	44.3	38.0
5	3911	13;A	S	51.4	45.1
5	3911	13;B	W	40.3	33.9
5	3911	13;C	S	54.6	48.3
5	3911	13;D	E	58.6	52.2
5	3911	13;E	E	58.6	52.3
5	3911	13;F	E	58.5	52.2
5	3911	13;G	E	58.7	52.3
5	3911	13;H	E	58.4	52.1
5	3911	13;I	E	58.6	52.3
5	3911	13;J	E	58.4	52.1
5	3911	13;K	N	54.9	48.6
5	3911	13;L	W	33.1	26.8
5	3911	13;M	N	50.9	44.6
5	3911	13;N	W	37.8	31.4
5	3911	13;O	S	38.3	31.9
5	3911	13;P	W	32.9	26.6
5	3911	13;Q	N	32.8	26.5
5	3911	13;R	W	40.5	34.2
5	3911	13;S	S	41.3	35.0
5	3911	13;T	W	33.0	26.7
5	3911	13;U	N	32.9	26.6
5	3911	13;V	W	44.5	38.1
6	3911	13;A	S	51.4	45.1
6	3911	13;B	W	39.0	32.6
6	3911	13;C	S	54.7	48.4
6	3911	13;D	E	58.6	52.3
6	3911	13;E	E	58.7	52.4
6	3911	13;F	E	58.5	52.2
6	3911	13;G	E	58.7	52.4
6	3911	13;H	E	58.4	52.1
6	3911	13;I	E	58.6	52.3
6	3911	13;J	E	58.4	52.1
6	3911	13;K	N	55.0	48.7
6	3911	13;L	W	33.2	26.9
6	3911	13;M	N	51.2	44.9
6	3911	13;N	W	38.2	31.9
6	3911	13;O	S	38.7	32.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	3911	13;P	W	32.9	26.6
6	3911	13;Q	N	32.9	26.5
6	3911	13;R	W	41.1	34.7
6	3911	13;S	S	41.9	35.6
6	3911	13;T	W	33.0	26.7
6	3911	13;U	N	32.9	26.6
6	3911	13;V	W	41.6	35.2
7	3911	13;A	S	51.6	45.3
7	3911	13;B	W	34.1	27.8
7	3911	13;C	S	54.7	48.4
7	3911	13;D	E	58.6	52.3
7	3911	13;E	E	58.7	52.4
7	3911	13;F	E	58.6	52.2
7	3911	13;G	E	58.7	52.4
7	3911	13;H	E	58.4	52.1
7	3911	13;I	E	58.7	52.3
7	3911	13;J	E	58.4	52.1
7	3911	13;K	N	55.0	48.7
7	3911	13;L	W	33.4	27.1
7	3911	13;M	N	51.3	45.1
7	3911	13;N	W	39.0	32.6
7	3911	13;O	S	39.5	33.2
7	3911	13;P	W	33.0	26.7
7	3911	13;Q	N	33.1	26.8
7	3911	13;R	W	39.4	33.0
7	3911	13;S	S	39.2	32.8
7	3911	13;T	W	33.0	26.7
7	3911	13;U	N	33.1	26.8
7	3911	13;V	W	32.9	26.6
8	3911	13;A	S	51.8	45.5
8	3911	13;B	W	35.5	29.2
8	3911	13;C	S	54.8	48.5
8	3911	13;D	E	58.6	52.3
8	3911	13;E	E	58.7	52.4
8	3911	13;F	E	58.5	52.2
8	3911	13;G	E	58.7	52.4
8	3911	13;H	E	58.4	52.1
8	3911	13;I	E	58.6	52.3
8	3911	13;J	E	58.4	52.1
8	3911	13;K	N	55.0	48.7
8	3911	13;L	W	34.6	28.3
8	3911	13;M	N	51.5	45.2
8	3911	13;N	W	37.9	31.6
8	3911	13;O	S	37.7	31.3
8	3911	13;P	W	33.7	27.4
8	3911	13;Q	N	34.7	28.4
8	3911	13;R	W	33.2	26.9
8	3911	13;S	S	34.9	28.5
8	3911	13;T	W	33.7	27.4
8	3911	13;U	N	34.5	28.2
8	3911	13;V	W	33.8	27.5
1	3912	34;A	NE	55.8	49.4
1	3912	34;B	NE	55.7	49.3
1	3912	34;C	NE	55.7	49.3
1	3912	34;D	NE	55.6	49.2
1	3912	34;E	NE	55.5	49.1
1	3912	34;F	NW	50.5	44.1
1	3912	34;G	SW	34.5	28.1
1	3912	34;H	SW	34.6	28.3
1	3912	34;I	SW	34.7	28.3
1	3912	34;J	SW	34.8	28.4
1	3912	34;K	SW	34.8	28.4
1	3912	34;L	SW	34.8	28.4
1	3912	34;M	SW	34.8	28.4
1	3912	34;N	SE	52.3	45.8
2	3912	34;A	NE	58.8	52.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3912	34;B	NE	58.8	52.4
2	3912	34;C	NE	58.8	52.4
2	3912	34;D	NE	58.7	52.3
2	3912	34;E	NE	58.5	52.2
2	3912	34;F	NW	53.8	47.4
2	3912	34;G	SW	34.6	28.2
2	3912	34;H	SW	34.7	28.4
2	3912	34;I	SW	34.8	28.4
2	3912	34;J	SW	34.9	28.5
2	3912	34;K	SW	34.9	28.5
2	3912	34;L	SW	34.9	28.5
2	3912	34;M	SW	34.9	28.5
2	3912	34;N	SE	55.3	48.9
3	3912	34;A	NE	59.9	53.6
3	3912	34;B	NE	59.9	53.5
3	3912	34;C	NE	59.9	53.5
3	3912	34;D	NE	59.8	53.4
3	3912	34;E	NE	59.7	53.3
3	3912	34;F	NW	55.1	48.7
3	3912	34;G	SW	34.8	28.4
3	3912	34;H	SW	34.9	28.5
3	3912	34;I	SW	35.0	28.6
3	3912	34;J	SW	35.0	28.6
3	3912	34;K	SW	35.1	28.7
3	3912	34;L	SW	35.1	28.7
3	3912	34;M	SW	35.1	28.7
3	3912	34;N	SE	56.6	50.2
4	3912	34;A	NE	60.4	54.0
4	3912	34;B	NE	60.4	54.0
4	3912	34;C	NE	60.3	53.9
4	3912	34;D	NE	60.3	53.9
4	3912	34;E	NE	60.1	53.8
4	3912	34;F	NW	55.7	49.3
4	3912	34;G	SW	36.1	29.7
4	3912	34;H	SW	36.1	29.7
4	3912	34;I	SW	36.1	29.7
4	3912	34;J	SW	36.2	29.8
4	3912	34;K	SW	36.2	29.8
4	3912	34;L	SW	36.2	29.8
4	3912	34;M	SW	36.4	30.0
4	3912	34;N	SE	57.2	50.8
1	3913	40;A	SE	58.1	51.5
1	3913	40;B	NE	62.3	55.7
1	3913	40;C	NE	63.0	56.5
1	3913	40;D	NE	62.4	55.9
1	3913	40;E	NE	63.0	56.5
1	3913	40;F	NW	58.4	51.8
1	3913	40;G	NW	55.7	49.1
1	3913	40;H	NW	49.2	42.6
1	3913	40;I	NW	49.8	43.3
1	3913	40;J	NW	50.8	44.2
1	3913	40;K	SW	41.7	35.1
1	3913	40;L	SE	38.6	32.1
1	3913	40;M	SE	39.8	33.2
1	3913	40;N	SW	40.4	33.8
1	3913	40;O	SW	40.3	33.7
1	3913	40;P	SW	41.0	34.5
2	3913	40;A	SE	60.5	53.9
2	3913	40;B	NE	64.3	57.8
2	3913	40;C	NE	64.9	58.3
2	3913	40;D	NE	64.5	57.9
2	3913	40;E	NE	64.8	58.3
2	3913	40;F	NW	60.7	54.2
2	3913	40;G	NW	58.6	52.1
2	3913	40;H	NW	52.3	45.8
2	3913	40;I	NW	53.4	46.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3913	40;J	NW	54.2	47.6
2	3913	40;K	SW	43.7	37.1
2	3913	40;L	SE	39.2	32.6
2	3913	40;M	SE	39.8	33.3
2	3913	40;N	SW	41.1	34.5
2	3913	40;O	SW	40.3	33.7
2	3913	40;P	SW	41.6	35.0
3	3913	40;A	SE	61.0	54.5
3	3913	40;B	NE	64.8	58.2
3	3913	40;C	NE	65.3	58.8
3	3913	40;D	NE	64.9	58.4
3	3913	40;E	NE	65.3	58.7
3	3913	40;F	NW	61.3	54.7
3	3913	40;G	NW	59.5	53.0
3	3913	40;H	NW	54.0	47.4
3	3913	40;I	NW	55.0	48.5
3	3913	40;J	NW	55.5	49.0
3	3913	40;K	SW	45.1	38.6
3	3913	40;L	SE	39.9	33.4
3	3913	40;M	SE	39.9	33.3
3	3913	40;N	SW	41.6	35.0
3	3913	40;O	SW	40.3	33.7
3	3913	40;P	SW	42.3	35.7
4	3913	40;A	SE	61.3	54.7
4	3913	40;B	NE	65.0	58.4
4	3913	40;C	NE	65.5	58.9
4	3913	40;D	NE	65.1	58.5
4	3913	40;E	NE	65.4	58.9
4	3913	40;F	NW	61.5	55.0
4	3913	40;G	NW	59.9	53.3
4	3913	40;H	NW	54.8	48.3
4	3913	40;I	NW	55.8	49.2
4	3913	40;J	NW	56.2	49.6
4	3913	40;K	SW	45.9	39.3
4	3913	40;L	SE	40.4	33.9
4	3913	40;M	SE	40.0	33.4
4	3913	40;N	SW	42.0	35.5
4	3913	40;O	SW	40.3	33.7
4	3913	40;P	SW	42.7	36.1
5	3913	40;A	SE	61.3	54.8
5	3913	40;B	NE	65.0	58.5
5	3913	40;C	NE	65.5	58.9
5	3913	40;D	NE	65.1	58.6
5	3913	40;E	NE	65.4	58.9
5	3913	40;F	NW	61.6	55.1
5	3913	40;G	NW	60.1	53.5
5	3913	40;H	NW	55.3	48.8
5	3913	40;I	NW	56.2	49.7
5	3913	40;J	NW	56.6	50.1
5	3913	40;K	SW	46.5	39.9
5	3913	40;L	SE	41.1	34.5
5	3913	40;M	SE	40.3	33.7
5	3913	40;N	SW	42.4	35.8
5	3913	40;O	SW	40.3	33.8
5	3913	40;P	SW	43.1	36.5
6	3913	40;A	SE	61.3	54.7
6	3913	40;B	NE	64.9	58.4
6	3913	40;C	NE	65.4	58.8
6	3913	40;D	NE	65.0	58.5
6	3913	40;E	NE	65.3	58.8
6	3913	40;F	NW	61.6	55.0
6	3913	40;G	NW	60.2	53.6
6	3913	40;H	NW	55.7	49.1
6	3913	40;I	NW	56.7	50.1
6	3913	40;J	NW	57.1	50.6
6	3913	40;K	SW	37.6	31.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	3913	40;L	SE	42.2	35.6
6	3913	40;M	SE	41.6	35.1
6	3913	40;N	SW	43.1	36.5
6	3913	40;O	SW	40.9	34.3
6	3913	40;P	SW	43.7	37.2
1	3914	59;A	NW	36.8	30.3
1	3914	59;B	NE	36.9	30.3
1	3914	59;C	NE	38.5	32.0
1	3914	59;D	SE	38.8	32.2
1	3914	59;E	NE	38.4	31.9
1	3914	59;F	NW	50.2	43.6
1	3914	59;G	NW	51.5	45.0
1	3914	59;H	SW	55.2	48.6
1	3914	59;I	SW	54.5	47.9
1	3914	59;J	NW	54.4	47.8
1	3914	59;K	SW	56.1	49.6
1	3914	59;L	SE	53.5	46.9
1	3914	59;M	SE	51.2	44.6
1	3914	59;N	SW	52.6	46.1
1	3914	59;O	SE	51.2	44.7
1	3914	59;P	NE	38.5	32.0
2	3914	59;A	NW	36.9	30.3
2	3914	59;B	NE	36.9	30.4
2	3914	59;C	NE	38.7	32.2
2	3914	59;D	SE	39.0	32.5
2	3914	59;E	NE	38.7	32.2
2	3914	59;F	NW	53.7	47.1
2	3914	59;G	NW	55.0	48.5
2	3914	59;H	SW	58.7	52.1
2	3914	59;I	SW	58.1	51.5
2	3914	59;J	NW	57.9	51.4
2	3914	59;K	SW	59.5	53.0
2	3914	59;L	SE	56.9	50.4
2	3914	59;M	SE	54.6	48.0
2	3914	59;N	SW	56.0	49.4
2	3914	59;O	SE	54.6	48.0
2	3914	59;P	NE	38.8	32.3
3	3914	59;A	NW	37.0	30.4
3	3914	59;B	NE	37.0	30.4
3	3914	59;C	NE	39.4	32.9
3	3914	59;D	SE	39.7	33.2
3	3914	59;E	NE	39.4	32.9
3	3914	59;F	NW	55.3	48.7
3	3914	59;G	NW	56.5	50.0
3	3914	59;H	SW	60.2	53.7
3	3914	59;I	SW	59.6	53.0
3	3914	59;J	NW	59.4	52.8
3	3914	59;K	SW	61.0	54.5
3	3914	59;L	SE	58.4	51.9
3	3914	59;M	SE	56.3	49.7
3	3914	59;N	SW	57.6	51.1
3	3914	59;O	SE	56.1	49.6
3	3914	59;P	NE	39.5	33.0
4	3914	59;A	NW	37.1	30.6
4	3914	59;B	NE	37.1	30.6
4	3914	59;C	NE	40.2	33.7
4	3914	59;D	SE	40.7	34.2
4	3914	59;E	NE	40.3	33.8
4	3914	59;F	NW	56.2	49.7
4	3914	59;G	NW	57.3	50.7
4	3914	59;H	SW	60.9	54.4
4	3914	59;I	SW	60.3	53.7
4	3914	59;J	NW	60.0	53.5
4	3914	59;K	SW	61.7	55.1
4	3914	59;L	SE	59.2	52.7
4	3914	59;M	SE	57.3	50.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	3914	59;N	SW	58.5	52.0
4	3914	59;O	SE	57.1	50.5
4	3914	59;P	NE	40.5	34.0
5	3914	59;A	NW	37.8	31.3
5	3914	59;B	NE	37.7	31.1
5	3914	59;C	NE	41.3	34.8
5	3914	59;D	SE	41.9	35.4
5	3914	59;E	NE	41.5	35.1
5	3914	59;F	NW	56.7	50.2
5	3914	59;G	NW	57.7	51.1
5	3914	59;H	SW	61.3	54.8
5	3914	59;I	SW	60.6	54.1
5	3914	59;J	NW	60.3	53.8
5	3914	59;K	SW	62.0	55.5
5	3914	59;L	SE	59.6	53.0
5	3914	59;M	SE	57.8	51.3
5	3914	59;N	SW	59.0	52.4
5	3914	59;O	SE	57.5	51.0
5	3914	59;P	NE	42.0	35.5
6	3914	59;A	NW	40.1	33.6
6	3914	59;B	NE	39.2	32.6
6	3914	59;C	NE	42.5	36.0
6	3914	59;D	SE	43.6	37.1
6	3914	59;E	NE	42.9	36.4
6	3914	59;F	NW	57.3	50.7
6	3914	59;G	NW	58.2	51.7
6	3914	59;H	SW	61.6	55.1
6	3914	59;I	SW	61.0	54.5
6	3914	59;J	NW	60.6	54.1
6	3914	59;K	SW	62.2	55.7
6	3914	59;L	SE	59.8	53.3
6	3914	59;M	SE	58.1	51.6
6	3914	59;N	SW	59.3	52.7
6	3914	59;O	SE	57.8	51.2
6	3914	59;P	NE	43.5	37.0
1	3915	47;A	NE	57.7	51.2
1	3915	47;B	SE	57.5	50.9
1	3915	47;C	NE	59.1	52.5
1	3915	47;D	NE	58.4	51.8
1	3915	47;E	SE	58.3	51.7
1	3915	47;F	NE	59.1	52.5
1	3915	47;G	NW	57.3	50.7
1	3915	47;H	NE	57.5	51.0
1	3915	47;I	NE	58.3	51.7
1	3915	47;J	NW	56.4	49.9
1	3915	47;K	NE	56.7	50.1
1	3915	47;L	NW	53.1	46.6
1	3915	47;M	SW	38.2	31.6
1	3915	47;N	SW	38.0	31.5
1	3915	47;O	SW	38.2	31.6
1	3915	47;P	SW	38.2	31.6
1	3915	47;Q	SW	38.3	31.8
1	3915	47;R	SW	38.1	31.6
1	3915	47;S	SW	38.3	31.8
1	3915	47;T	SW	38.4	31.8
1	3915	47;U	SW	38.4	31.9
1	3915	47;V	NW	38.4	31.8
1	3915	47;W	SW	38.4	31.8
1	3915	47;X	SW	38.8	32.2
1	3915	47;Y	SE	53.8	47.2
2	3915	47;A	NE	60.9	54.4
2	3915	47;B	SE	60.7	54.1
2	3915	47;C	NE	62.2	55.6
2	3915	47;D	NE	61.6	55.1
2	3915	47;E	SE	61.4	54.8
2	3915	47;F	NE	62.2	55.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3915	47;G	NW	60.5	54.0
2	3915	47;H	NE	60.8	54.2
2	3915	47;I	NE	61.5	54.9
2	3915	47;J	NW	59.8	53.3
2	3915	47;K	NE	60.0	53.5
2	3915	47;L	NW	56.6	50.1
2	3915	47;M	SW	38.2	31.6
2	3915	47;N	SW	38.0	31.5
2	3915	47;O	SW	38.2	31.6
2	3915	47;P	SW	38.2	31.6
2	3915	47;Q	SW	38.3	31.8
2	3915	47;R	SW	38.1	31.6
2	3915	47;S	SW	38.3	31.8
2	3915	47;T	SW	38.4	31.8
2	3915	47;U	SW	38.4	31.9
2	3915	47;V	NW	38.4	31.8
2	3915	47;W	SW	38.4	31.8
2	3915	47;X	SW	38.8	32.2
2	3915	47;Y	SE	57.0	50.5
3	3915	47;A	NE	62.2	55.6
3	3915	47;B	SE	61.9	55.3
3	3915	47;C	NE	63.2	56.7
3	3915	47;D	NE	62.7	56.1
3	3915	47;E	SE	62.5	55.9
3	3915	47;F	NE	63.2	56.7
3	3915	47;G	NW	61.7	55.2
3	3915	47;H	NE	62.0	55.5
3	3915	47;I	NE	62.7	56.1
3	3915	47;J	NW	61.2	54.6
3	3915	47;K	NE	61.4	54.8
3	3915	47;L	NW	58.1	51.6
3	3915	47;M	SW	38.2	31.6
3	3915	47;N	SW	38.0	31.5
3	3915	47;O	SW	38.1	31.6
3	3915	47;P	SW	38.2	31.6
3	3915	47;Q	SW	38.3	31.8
3	3915	47;R	SW	38.1	31.6
3	3915	47;S	SW	38.3	31.8
3	3915	47;T	SW	38.3	31.8
3	3915	47;U	SW	38.4	31.9
3	3915	47;V	NW	38.3	31.8
3	3915	47;W	SW	38.4	31.8
3	3915	47;X	SW	38.7	32.2
3	3915	47;Y	SE	58.3	51.7
4	3915	47;A	NE	62.7	56.1
4	3915	47;B	SE	62.3	55.8
4	3915	47;C	NE	63.6	57.1
4	3915	47;D	NE	63.1	56.6
4	3915	47;E	SE	62.9	56.3
4	3915	47;F	NE	63.6	57.1
4	3915	47;G	NW	62.2	55.7
4	3915	47;H	NE	62.5	55.9
4	3915	47;I	NE	63.1	56.6
4	3915	47;J	NW	61.7	55.1
4	3915	47;K	NE	61.9	55.4
4	3915	47;L	NW	58.6	52.1
4	3915	47;M	SW	38.1	31.6
4	3915	47;N	SW	38.0	31.4
4	3915	47;O	SW	38.1	31.6
4	3915	47;P	SW	38.1	31.6
4	3915	47;Q	SW	38.3	31.8
4	3915	47;R	SW	38.1	31.6
4	3915	47;S	SW	38.3	31.7
4	3915	47;T	SW	38.3	31.8
4	3915	47;U	SW	38.4	31.8
4	3915	47;V	NW	38.3	31.8



Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	3915	47;W	SW	38.3	31.8
4	3915	47;X	SW	38.7	32.2
4	3915	47;Y	SE	58.7	52.2
5	3915	47;A	NE	62.9	56.4
5	3915	47;B	SE	62.5	56.0
5	3915	47;C	NE	63.8	57.3
5	3915	47;D	NE	63.3	56.8
5	3915	47;E	SE	63.1	56.5
5	3915	47;F	NE	63.8	57.3
5	3915	47;G	NW	62.4	55.9
5	3915	47;H	NE	62.7	56.2
5	3915	47;I	NE	63.4	56.8
5	3915	47;J	NW	62.0	55.4
5	3915	47;K	NE	62.2	55.7
5	3915	47;L	NW	59.1	52.5
5	3915	47;M	SW	38.1	31.6
5	3915	47;N	SW	38.0	31.4
5	3915	47;O	SW	38.1	31.6
5	3915	47;P	SW	38.1	31.6
5	3915	47;Q	SW	38.3	31.7
5	3915	47;R	SW	38.1	31.5
5	3915	47;S	SW	38.3	31.7
5	3915	47;T	SW	38.3	31.8
5	3915	47;U	SW	38.3	31.8
5	3915	47;V	NW	38.3	31.8
5	3915	47;W	SW	38.3	31.8
5	3915	47;X	SW	38.7	32.2
5	3915	47;Y	SE	58.9	52.4
6	3915	47;A	NE	63.1	56.5
6	3915	47;B	SE	62.7	56.1
6	3915	47;C	NE	63.9	57.4
6	3915	47;D	NE	63.4	56.9
6	3915	47;E	SE	63.2	56.6
6	3915	47;F	NE	63.9	57.4
6	3915	47;G	NW	62.6	56.0
6	3915	47;H	NE	62.8	56.3
6	3915	47;I	NE	63.5	57.0
6	3915	47;J	NW	62.1	55.6
6	3915	47;K	NE	62.4	55.9
6	3915	47;L	NW	59.3	52.8
6	3915	47;M	SW	38.1	31.5
6	3915	47;N	SW	37.9	31.4
6	3915	47;O	SW	38.1	31.5
6	3915	47;P	SW	38.1	31.5
6	3915	47;Q	SW	38.2	31.7
6	3915	47;R	SW	38.0	31.5
6	3915	47;S	SW	38.2	31.7
6	3915	47;T	SW	38.3	31.7
6	3915	47;U	SW	38.3	31.8
6	3915	47;V	NW	38.3	31.7
6	3915	47;W	SW	38.3	31.7
6	3915	47;X	SW	38.7	32.1
6	3915	47;Y	SE	59.0	52.5
7	3915	47;A	NE	63.1	56.6
7	3915	47;B	SE	62.7	56.2
7	3915	47;C	NE	63.9	57.4
7	3915	47;D	NE	63.5	56.9
7	3915	47;E	SE	63.2	56.7
7	3915	47;F	NE	64.0	57.4
7	3915	47;G	NW	62.6	56.0
7	3915	47;H	NE	62.9	56.3
7	3915	47;I	NE	63.6	57.1
7	3915	47;J	NW	62.2	55.7
7	3915	47;K	NE	62.5	56.0
7	3915	47;L	NW	59.5	53.0
7	3915	47;M	SW	38.1	31.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
7	3915	47;N	SW	37.9	31.4
7	3915	47;O	SW	38.0	31.5
7	3915	47;P	SW	38.0	31.5
7	3915	47;Q	SW	38.2	31.7
7	3915	47;R	SW	38.0	31.5
7	3915	47;S	SW	38.2	31.6
7	3915	47;T	SW	38.2	31.7
7	3915	47;U	SW	38.3	31.7
7	3915	47;V	NW	38.2	31.7
7	3915	47;W	SW	38.2	31.7
7	3915	47;X	SW	38.6	32.1
7	3915	47;Y	SE	59.1	52.5
8	3915	47;A	NE	63.2	56.6
8	3915	47;B	SE	62.7	56.2
8	3915	47;C	NE	63.9	57.4
8	3915	47;D	NE	63.5	56.9
8	3915	47;E	SE	63.2	56.7
8	3915	47;F	NE	64.0	57.4
8	3915	47;G	NW	62.6	56.0
8	3915	47;H	NE	62.9	56.3
8	3915	47;I	NE	63.6	57.1
8	3915	47;J	NW	62.2	55.7
8	3915	47;K	NE	62.5	56.0
8	3915	47;L	NW	59.4	52.9
8	3915	47;M	SW	38.0	31.5
8	3915	47;N	SW	37.9	31.3
8	3915	47;O	SW	38.0	31.5
8	3915	47;P	SW	38.0	31.5
8	3915	47;Q	SW	38.1	31.6
8	3915	47;R	SW	38.0	31.4
8	3915	47;S	SW	38.1	31.6
8	3915	47;T	SW	38.2	31.6
8	3915	47;U	SW	38.2	31.7
8	3915	47;V	NW	38.2	31.6
8	3915	47;W	SW	38.2	31.7
8	3915	47;X	SW	38.6	32.1
8	3915	47;Y	SE	59.1	52.5
9	3915	47;A	NE	63.2	56.6
9	3915	47;B	SE	62.7	56.2
9	3915	47;C	NE	63.9	57.4
9	3915	47;D	NE	63.4	56.9
9	3915	47;E	SE	63.2	56.7
9	3915	47;F	NE	63.9	57.4
9	3915	47;G	NW	62.6	56.0
9	3915	47;H	NE	62.9	56.3
9	3915	47;I	NE	63.6	57.1
9	3915	47;J	NW	62.2	55.6
9	3915	47;K	NE	62.5	56.0
9	3915	47;L	NW	59.4	52.9
9	3915	47;M	SW	38.0	31.5
9	3915	47;N	SW	37.8	31.3
9	3915	47;O	SW	38.0	31.4
9	3915	47;P	SW	38.0	31.4
9	3915	47;Q	SW	38.1	31.6
9	3915	47;R	SW	37.9	31.4
9	3915	47;S	SW	38.1	31.6
9	3915	47;T	SW	38.1	31.6
9	3915	47;U	SW	38.2	31.6
9	3915	47;V	NW	38.2	31.6
9	3915	47;W	SW	38.2	31.6
9	3915	47;X	SW	38.6	32.0
9	3915	47;Y	SE	59.1	52.5
10	3915	47;A	NE	63.2	56.6
10	3915	47;B	SE	62.7	56.2
10	3915	47;C	NE	63.9	57.3
10	3915	47;D	NE	63.4	56.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
10	3915	47;E	SE	63.2	56.6
10	3915	47;F	NE	63.9	57.3
10	3915	47;G	NW	62.5	56.0
10	3915	47;H	NE	62.8	56.3
10	3915	47;I	NE	63.6	57.0
10	3915	47;J	NW	62.1	55.6
10	3915	47;K	NE	62.5	56.0
10	3915	47;L	NW	59.4	52.9
10	3915	47;M	SW	38.0	31.5
10	3915	47;N	SW	37.8	31.3
10	3915	47;O	SW	37.9	31.4
10	3915	47;P	SW	37.9	31.4
10	3915	47;Q	SW	38.1	31.6
10	3915	47;R	SW	37.9	31.3
10	3915	47;S	SW	38.1	31.5
10	3915	47;T	SW	38.1	31.6
10	3915	47;U	SW	38.2	31.6
10	3915	47;V	NW	38.2	31.6
10	3915	47;W	SW	38.1	31.6
10	3915	47;X	SW	38.6	32.0
10	3915	47;Y	SE	59.0	52.5
11	3915	47;A	NE	63.1	56.6
11	3915	47;B	SE	62.6	56.1
11	3915	47;C	NE	63.8	57.3
11	3915	47;D	NE	63.3	56.8
11	3915	47;E	SE	63.1	56.6
11	3915	47;F	NE	63.8	57.3
11	3915	47;G	NW	62.5	55.9
11	3915	47;H	NE	62.8	56.2
11	3915	47;I	NE	63.5	57.0
11	3915	47;J	NW	62.1	55.6
11	3915	47;K	NE	62.5	56.0
11	3915	47;L	NW	59.4	52.9
11	3915	47;M	SW	38.2	31.7
11	3915	47;N	SW	37.9	31.4
11	3915	47;O	SW	38.0	31.5
11	3915	47;P	SW	38.0	31.4
11	3915	47;Q	SW	38.1	31.6
11	3915	47;R	SW	37.9	31.4
11	3915	47;S	SW	38.1	31.6
11	3915	47;T	SW	38.2	31.6
11	3915	47;U	SW	38.2	31.7
11	3915	47;V	NW	38.4	31.8
11	3915	47;W	SW	38.2	31.6
11	3915	47;X	SW	38.6	32.1
11	3915	47;Y	SE	59.0	52.4
12	3915	47;A	NE	63.1	56.5
12	3915	47;B	SE	62.6	56.1
12	3915	47;C	NE	63.7	57.2
12	3915	47;D	NE	63.2	56.7
12	3915	47;E	SE	63.1	56.5
12	3915	47;F	NE	63.7	57.2
12	3915	47;G	NW	62.4	55.8
12	3915	47;H	NE	62.7	56.1
12	3915	47;I	NE	63.5	56.9
12	3915	47;J	NW	62.0	55.5
12	3915	47;K	NE	62.5	55.9
12	3915	47;L	NW	59.4	52.9
12	3915	47;M	SW	39.2	32.7
12	3915	47;N	SW	38.5	32.0
12	3915	47;O	SW	38.6	32.0
12	3915	47;P	SW	38.5	32.0
12	3915	47;Q	SW	38.7	32.2
12	3915	47;R	SW	38.5	31.9
12	3915	47;S	SW	38.7	32.2
12	3915	47;T	SW	38.8	32.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
12	3915	47;U	SW	38.8	32.3
12	3915	47;V	NW	39.4	32.9
12	3915	47;W	SW	38.7	32.2
12	3915	47;X	SW	39.4	32.8
12	3915	47;Y	SE	58.9	52.4
1	3916	58;A	NW	55.3	48.8
1	3916	58;B	NE	55.0	48.6
1	3916	58;C	NW	56.3	49.8
1	3916	58;D	NW	56.1	49.7
1	3916	58;E	NW	55.9	49.4
1	3916	58;F	NW	55.7	49.2
1	3916	58;G	NW	55.4	49.0
1	3916	58;H	SW	53.3	46.9
1	3916	58;I	SE	45.9	39.4
1	3916	58;J	SE	45.3	38.8
1	3916	58;K	SE	43.7	37.1
1	3916	58;L	SE	42.8	36.2
1	3916	58;M	SE	38.0	31.5
1	3916	58;N	SE	44.6	38.0
1	3916	58;O	SE	45.8	39.2
1	3916	58;P	NE	52.9	46.4
2	3916	58;A	NW	58.3	51.9
2	3916	58;B	NE	58.1	51.7
2	3916	58;C	NW	59.3	52.9
2	3916	58;D	NW	59.1	52.7
2	3916	58;E	NW	58.9	52.5
2	3916	58;F	NW	58.8	52.4
2	3916	58;G	NW	58.5	52.1
2	3916	58;H	SW	56.5	50.1
2	3916	58;I	SE	48.6	42.2
2	3916	58;J	SE	47.8	41.3
2	3916	58;K	SE	46.0	39.4
2	3916	58;L	SE	44.9	38.3
2	3916	58;M	SE	38.7	32.2
2	3916	58;N	SE	47.0	40.4
2	3916	58;O	SE	48.4	41.8
2	3916	58;P	NE	56.0	49.5
3	3916	58;A	NW	59.6	53.2
3	3916	58;B	NE	59.4	52.9
3	3916	58;C	NW	60.5	54.1
3	3916	58;D	NW	60.4	54.0
3	3916	58;E	NW	60.2	53.8
3	3916	58;F	NW	60.1	53.7
3	3916	58;G	NW	59.9	53.5
3	3916	58;H	SW	58.0	51.5
3	3916	58;I	SE	50.1	43.6
3	3916	58;J	SE	49.4	42.9
3	3916	58;K	SE	47.9	41.3
3	3916	58;L	SE	46.6	40.0
3	3916	58;M	SE	39.3	32.8
3	3916	58;N	SE	48.6	42.1
3	3916	58;O	SE	50.0	43.4
3	3916	58;P	NE	57.3	50.8
4	3916	58;A	NW	60.1	53.7
4	3916	58;B	NE	59.9	53.5
4	3916	58;C	NW	61.0	54.6
4	3916	58;D	NW	60.9	54.4
4	3916	58;E	NW	60.7	54.3
4	3916	58;F	NW	60.6	54.2
4	3916	58;G	NW	60.4	54.0
4	3916	58;H	SW	58.6	52.2
4	3916	58;I	SE	50.9	44.5
4	3916	58;J	SE	50.3	43.8
4	3916	58;K	SE	48.9	42.3
4	3916	58;L	SE	47.7	41.1
4	3916	58;M	SE	39.8	33.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	3916	58;N	SE	49.6	43.0
4	3916	58;O	SE	50.9	44.4
4	3916	58;P	NE	58.0	51.5
5	3916	58;A	NW	60.3	53.9
5	3916	58;B	NE	60.1	53.7
5	3916	58;C	NW	61.2	54.8
5	3916	58;D	NW	61.1	54.7
5	3916	58;E	NW	60.9	54.5
5	3916	58;F	NW	60.9	54.5
5	3916	58;G	NW	60.6	54.2
5	3916	58;H	SW	59.0	52.5
5	3916	58;I	SE	51.4	44.9
5	3916	58;J	SE	50.9	44.4
5	3916	58;K	SE	49.6	43.1
5	3916	58;L	SE	48.5	41.9
5	3916	58;M	SE	40.2	33.7
5	3916	58;N	SE	50.2	43.7
5	3916	58;O	SE	51.5	44.9
5	3916	58;P	NE	58.3	51.8
6	3916	58;A	NW	60.4	54.0
6	3916	58;B	NE	60.2	53.8
6	3916	58;C	NW	61.4	55.0
6	3916	58;D	NW	61.2	54.8
6	3916	58;E	NW	61.1	54.7
6	3916	58;F	NW	61.1	54.6
6	3916	58;G	NW	60.8	54.4
6	3916	58;H	SW	59.1	52.7
6	3916	58;I	SE	51.7	45.2
6	3916	58;J	SE	51.2	44.7
6	3916	58;K	SE	50.2	43.6
6	3916	58;L	SE	49.1	42.5
6	3916	58;M	SE	40.5	34.0
6	3916	58;N	SE	50.6	44.0
6	3916	58;O	SE	51.8	45.2
6	3916	58;P	NE	58.4	51.9
7	3916	58;A	NW	60.5	54.0
7	3916	58;B	NE	60.3	53.8
7	3916	58;C	NW	61.4	55.0
7	3916	58;D	NW	61.3	54.9
7	3916	58;E	NW	61.2	54.7
7	3916	58;F	NW	61.1	54.7
7	3916	58;G	NW	60.9	54.5
7	3916	58;H	SW	59.3	52.8
7	3916	58;I	SE	51.9	45.4
7	3916	58;J	SE	51.4	44.9
7	3916	58;K	SE	50.5	44.0
7	3916	58;L	SE	49.4	42.8
7	3916	58;M	SE	40.8	34.2
7	3916	58;N	SE	50.8	44.2
7	3916	58;O	SE	51.9	45.4
7	3916	58;P	NE	58.5	52.0
8	3916	58;A	NW	60.5	54.0
8	3916	58;B	NE	60.3	53.8
8	3916	58;C	NW	61.5	55.1
8	3916	58;D	NW	61.3	54.9
8	3916	58;E	NW	61.2	54.8
8	3916	58;F	NW	61.2	54.8
8	3916	58;G	NW	60.9	54.5
8	3916	58;H	SW	59.3	52.9
8	3916	58;I	SE	52.0	45.5
8	3916	58;J	SE	51.6	45.0
8	3916	58;K	SE	50.7	44.1
8	3916	58;L	SE	49.6	43.0
8	3916	58;M	SE	41.0	34.5
8	3916	58;N	SE	50.9	44.4
8	3916	58;O	SE	52.0	45.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
8	3916	58;P	NE	58.5	52.1
9	3916	58;A	NW	60.5	54.0
9	3916	58;B	NE	60.3	53.8
9	3916	58;C	NW	61.5	55.0
9	3916	58;D	NW	61.3	54.9
9	3916	58;E	NW	61.2	54.8
9	3916	58;F	NW	61.2	54.8
9	3916	58;G	NW	60.9	54.5
9	3916	58;H	SW	59.3	52.9
9	3916	58;I	SE	52.1	45.6
9	3916	58;J	SE	51.7	45.2
9	3916	58;K	SE	50.9	44.3
9	3916	58;L	SE	49.7	43.2
9	3916	58;M	SE	41.2	34.7
9	3916	58;N	SE	51.0	44.4
9	3916	58;O	SE	52.1	45.5
9	3916	58;P	NE	58.6	52.1
10	3916	58;A	NW	60.4	54.0
10	3916	58;B	NE	60.2	53.8
10	3916	58;C	NW	61.5	55.0
10	3916	58;D	NW	61.3	54.9
10	3916	58;E	NW	61.2	54.7
10	3916	58;F	NW	61.2	54.7
10	3916	58;G	NW	60.9	54.5
10	3916	58;H	SW	59.3	52.9
10	3916	58;I	SE	52.1	45.7
10	3916	58;J	SE	51.7	45.2
10	3916	58;K	SE	50.9	44.3
10	3916	58;L	SE	49.8	43.2
10	3916	58;M	SE	41.5	34.9
10	3916	58;N	SE	51.1	44.5
10	3916	58;O	SE	52.1	45.6
10	3916	58;P	NE	58.5	52.1
11	3916	58;A	NW	60.4	54.0
11	3916	58;B	NE	60.2	53.8
11	3916	58;C	NW	61.4	55.0
11	3916	58;D	NW	61.3	54.9
11	3916	58;E	NW	61.1	54.7
11	3916	58;F	NW	61.1	54.7
11	3916	58;G	NW	60.8	54.4
11	3916	58;H	SW	59.3	52.9
11	3916	58;I	SE	52.2	45.7
11	3916	58;J	SE	51.8	45.3
11	3916	58;K	SE	51.0	44.4
11	3916	58;L	SE	49.9	43.3
11	3916	58;M	SE	41.6	35.1
11	3916	58;N	SE	51.1	44.5
11	3916	58;O	SE	52.2	45.6
11	3916	58;P	NE	58.5	52.0
12	3916	58;A	NW	60.4	53.9
12	3916	58;B	NE	60.2	53.7
12	3916	58;C	NW	61.4	54.9
12	3916	58;D	NW	61.2	54.8
12	3916	58;E	NW	61.1	54.7
12	3916	58;F	NW	61.1	54.7
12	3916	58;G	NW	60.8	54.4
12	3916	58;H	SW	59.3	52.9
12	3916	58;I	SE	52.3	45.8
12	3916	58;J	SE	51.8	45.3
12	3916	58;K	SE	51.0	44.4
12	3916	58;L	SE	49.9	43.4
12	3916	58;M	SE	42.1	35.6
12	3916	58;N	SE	51.1	44.6
12	3916	58;O	SE	52.2	45.6
12	3916	58;P	NE	58.5	52.0
1	3917	30;A	S	46.3	39.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3917	30;B	E	46.7	40.3
1	3917	30;C	N	35.0	28.6
1	3917	30;D	E	42.4	36.0
1	3917	30;E	E	36.0	29.6
1	3917	30;F	N	39.0	32.6
1	3917	30;G	W	30.0	23.6
1	3917	30;H	S	31.5	25.1
1	3917	30;I	W	32.5	26.1
1	3917	30;J	W	32.2	25.9
1	3917	30;K	S	46.5	40.0
2	3917	30;A	S	49.5	43.1
2	3917	30;B	E	50.1	43.7
2	3917	30;C	N	35.3	29.0
2	3917	30;D	E	45.2	38.8
2	3917	30;E	E	39.1	32.7
2	3917	30;F	N	41.4	35.0
2	3917	30;G	W	30.0	23.6
2	3917	30;H	S	31.8	25.4
2	3917	30;I	W	32.5	26.1
2	3917	30;J	W	32.3	25.9
2	3917	30;K	S	49.4	43.0
3	3917	30;A	S	52.0	45.6
3	3917	30;B	E	52.5	46.1
3	3917	30;C	N	35.9	29.6
3	3917	30;D	E	48.2	41.9
3	3917	30;E	E	41.3	34.9
3	3917	30;F	N	43.0	36.6
3	3917	30;G	W	30.0	23.6
3	3917	30;H	S	32.3	25.9
3	3917	30;I	W	32.5	26.1
3	3917	30;J	W	32.3	25.9
3	3917	30;K	S	51.7	45.3
4	3917	30;A	S	53.1	46.7
4	3917	30;B	E	53.5	47.1
4	3917	30;C	N	37.0	30.6
4	3917	30;D	E	49.5	43.1
4	3917	30;E	E	42.4	36.0
4	3917	30;F	N	43.9	37.6
4	3917	30;G	W	30.1	23.7
4	3917	30;H	S	33.5	27.1
4	3917	30;I	W	32.6	26.2
4	3917	30;J	W	32.4	26.1
4	3917	30;K	S	52.7	46.3
5	3917	30;A	S	53.6	47.3
5	3917	30;B	E	54.1	47.7
5	3917	30;C	N	38.9	32.5
5	3917	30;D	E	50.3	43.9
5	3917	30;E	E	43.8	37.4
5	3917	30;F	N	44.7	38.4
5	3917	30;G	W	30.7	24.3
5	3917	30;H	S	35.8	29.5
5	3917	30;I	W	33.3	26.9
5	3917	30;J	W	33.2	26.9
5	3917	30;K	S	53.4	47.0
1	3918	14;A	SE	44.6	38.1
1	3918	14;B	NE	50.0	43.5
1	3918	14;C	NE	49.6	43.1
1	3918	14;D	SE	49.1	42.7
1	3918	14;E	NE	45.9	39.5
1	3918	14;F	NW	35.5	29.1
1	3918	14;G	SW	28.6	22.3
2	3918	14;A	SE	47.1	40.6
2	3918	14;B	NE	52.7	46.3
2	3918	14;C	NE	52.3	45.9
2	3918	14;D	SE	51.8	45.4
2	3918	14;E	NE	48.6	42.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3918	14;F	NW	36.6	30.2
2	3918	14;G	SW	28.7	22.4
3	3918	14;A	SE	48.3	41.9
3	3918	14;B	NE	53.9	47.5
3	3918	14;C	NE	53.4	47.1
3	3918	14;D	SE	53.0	46.6
3	3918	14;E	NE	49.9	43.5
3	3918	14;F	NW	38.2	31.9
3	3918	14;G	SW	28.9	22.6
4	3918	14;A	SE	49.2	42.8
4	3918	14;B	NE	54.4	48.1
4	3918	14;C	NE	54.0	47.7
4	3918	14;D	SE	53.6	47.2
4	3918	14;E	NE	50.6	44.2
4	3918	14;F	NW	39.4	33.1
4	3918	14;G	SW	29.5	23.2
1	3919	3;A	N	47.5	41.0
1	3919	3;B	N	49.0	42.5
1	3919	3;C	N	49.9	43.4
1	3919	3;D	W	53.6	47.1
1	3919	3;E	S	51.3	44.8
1	3919	3;F	S	50.0	43.5
1	3919	3;G	E	39.0	32.5
2	3919	3;A	N	50.6	44.2
2	3919	3;B	N	52.3	45.9
2	3919	3;C	N	53.1	46.7
2	3919	3;D	W	56.8	50.4
2	3919	3;E	S	54.4	47.9
2	3919	3;F	S	53.0	46.5
2	3919	3;G	E	40.0	33.5
3	3919	3;A	N	52.0	45.6
3	3919	3;B	N	53.7	47.3
3	3919	3;C	N	54.5	48.1
3	3919	3;D	W	58.2	51.8
3	3919	3;E	S	55.8	49.4
3	3919	3;F	S	54.4	48.0
3	3919	3;G	E	41.5	35.0
4	3919	3;A	N	53.0	46.6
4	3919	3;B	N	54.6	48.2
4	3919	3;C	N	55.3	48.9
4	3919	3;D	W	58.9	52.5
4	3919	3;E	S	56.6	50.2
4	3919	3;F	S	55.3	48.9
4	3919	3;G	E	43.0	36.6
1	3920	32;A	N	43.4	36.9
1	3920	32;B	N	46.7	40.2
1	3920	32;C	N	47.3	40.9
1	3920	32;D	N	48.8	42.4
1	3920	32;E	N	49.1	42.7
1	3920	32;F	W	52.9	46.4
1	3920	32;G	S	51.2	44.7
1	3920	32;H	S	48.9	42.4
1	3920	32;I	S	46.9	40.4
1	3920	32;J	E	38.8	32.3
2	3920	32;A	N	46.5	40.1
2	3920	32;B	N	50.0	43.6
2	3920	32;C	N	50.8	44.4
2	3920	32;D	N	52.4	46.0
2	3920	32;E	N	52.8	46.4
2	3920	32;F	W	56.6	50.2
2	3920	32;G	S	54.3	47.9
2	3920	32;H	S	52.1	45.7
2	3920	32;I	S	50.0	43.6
2	3920	32;J	E	39.9	33.5
3	3920	32;A	N	48.2	41.8
3	3920	32;B	N	51.9	45.5



Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	3920	32;C	N	52.7	46.3
3	3920	32;D	N	54.5	48.1
3	3920	32;E	N	55.1	48.7
3	3920	32;F	W	58.7	52.3
3	3920	32;G	S	55.6	49.3
3	3920	32;H	S	53.5	47.1
3	3920	32;I	S	51.3	44.9
3	3920	32;J	E	41.4	34.9
4	3920	32;A	N	49.5	43.1
4	3920	32;B	N	53.0	46.6
4	3920	32;C	N	53.6	47.2
4	3920	32;D	N	55.2	48.8
4	3920	32;E	N	55.7	49.3
4	3920	32;F	W	59.3	52.9
4	3920	32;G	S	56.3	49.9
4	3920	32;H	S	54.4	48.0
4	3920	32;I	S	52.3	45.9
4	3920	32;J	E	42.8	36.4
1	3921	31;A	E	41.1	34.6
1	3921	31;B	N	47.9	41.4
1	3921	31;C	N	49.1	42.7
1	3921	31;D	N	49.3	42.9
1	3921	31;E	N	50.5	44.0
1	3921	31;F	N	51.0	44.6
1	3921	31;G	W	54.3	47.8
1	3921	31;H	S	50.4	43.9
1	3921	31;I	S	47.9	41.4
1	3921	31;J	S	45.9	39.5
1	3921	31;K	E	40.5	33.9
2	3921	31;A	E	43.0	36.6
2	3921	31;B	N	50.6	44.2
2	3921	31;C	N	52.0	45.6
2	3921	31;D	N	52.3	45.9
2	3921	31;E	N	53.4	47.0
2	3921	31;F	N	53.9	47.5
2	3921	31;G	W	57.3	50.9
2	3921	31;H	S	53.7	47.3
2	3921	31;I	S	51.5	45.1
2	3921	31;J	S	49.3	42.9
2	3921	31;K	E	42.2	35.7
3	3921	31;A	E	44.8	38.3
3	3921	31;B	N	52.2	45.8
3	3921	31;C	N	53.5	47.1
3	3921	31;D	N	53.7	47.4
3	3921	31;E	N	54.8	48.5
3	3921	31;F	N	55.3	48.9
3	3921	31;G	W	58.8	52.4
3	3921	31;H	S	55.7	49.3
3	3921	31;I	S	53.8	47.4
3	3921	31;J	S	51.3	44.9
3	3921	31;K	E	43.9	37.5
4	3921	31;A	E	46.0	39.6
4	3921	31;B	N	53.2	46.9
4	3921	31;C	N	54.4	48.0
4	3921	31;D	N	54.6	48.2
4	3921	31;E	N	55.5	49.1
4	3921	31;F	N	55.8	49.5
4	3921	31;G	W	59.3	52.9
4	3921	31;H	S	56.3	50.0
4	3921	31;I	S	54.5	48.2
4	3921	31;J	S	52.5	46.1
4	3921	31;K	E	45.1	38.7
1	3922	33;A	N	47.1	40.6
1	3922	33;B	N	47.2	40.7
1	3922	33;C	N	49.2	42.7
1	3922	33;D	N	50.1	43.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3922	33;E	W	53.9	47.4
1	3922	33;F	S	51.0	44.6
1	3922	33;G	S	49.0	42.5
1	3922	33;H	S	47.3	40.8
1	3922	33;I	E	38.9	32.4
2	3922	33;A	N	50.2	43.8
2	3922	33;B	N	50.5	44.1
2	3922	33;C	N	52.6	46.2
2	3922	33;D	N	53.3	46.9
2	3922	33;E	W	57.1	50.7
2	3922	33;F	S	54.1	47.7
2	3922	33;G	S	52.2	45.8
2	3922	33;H	S	50.3	43.9
2	3922	33;I	E	39.8	33.4
3	3922	33;A	N	51.6	45.2
3	3922	33;B	N	52.2	45.8
3	3922	33;C	N	54.3	47.9
3	3922	33;D	N	55.0	48.6
3	3922	33;E	W	58.5	52.1
3	3922	33;F	S	55.6	49.2
3	3922	33;G	S	53.5	47.1
3	3922	33;H	S	51.7	45.3
3	3922	33;I	E	41.2	34.8
4	3922	33;A	N	52.5	46.2
4	3922	33;B	N	53.2	46.8
4	3922	33;C	N	55.1	48.7
4	3922	33;D	N	55.7	49.3
4	3922	33;E	W	59.1	52.7
4	3922	33;F	S	56.3	49.9
4	3922	33;G	S	54.4	48.0
4	3922	33;H	S	52.7	46.3
4	3922	33;I	E	42.6	36.2
1	3923	19;A	E	56.0	49.7
1	3923	19;B	N	52.7	46.3
1	3923	19;C	N	51.9	45.5
1	3923	19;D	W	42.0	35.6
1	3923	19;E	W	41.7	35.3
1	3923	19;F	W	38.7	32.2
1	3923	19;G	W	38.4	32.0
1	3923	19;H	S	52.1	45.7
2	3923	19;A	E	58.3	51.9
2	3923	19;B	N	55.2	48.8
2	3923	19;C	N	54.5	48.1
2	3923	19;D	W	44.6	38.2
2	3923	19;E	W	44.1	37.7
2	3923	19;F	W	40.5	34.1
2	3923	19;G	W	40.3	33.9
2	3923	19;H	S	54.5	48.2
3	3923	19;A	E	58.9	52.5
3	3923	19;B	N	56.0	49.6
3	3923	19;C	N	55.4	49.0
3	3923	19;D	W	45.6	39.3
3	3923	19;E	W	45.2	38.8
3	3923	19;F	W	41.6	35.3
3	3923	19;G	W	41.5	35.2
3	3923	19;H	S	55.2	48.9
4	3923	19;A	E	59.1	52.8
4	3923	19;B	N	56.3	49.9
4	3923	19;C	N	55.7	49.4
4	3923	19;D	W	46.2	39.8
4	3923	19;E	W	45.9	39.5
4	3923	19;F	W	42.4	36.1
4	3923	19;G	W	42.3	36.0
4	3923	19;H	S	55.6	49.2
5	3923	19;A	E	59.2	52.9
5	3923	19;B	N	56.4	50.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	3923	19;C	N	55.9	49.5
5	3923	19;D	W	46.3	40.0
5	3923	19;E	W	46.0	39.7
5	3923	19;F	W	42.9	36.5
5	3923	19;G	W	42.8	36.5
5	3923	19;H	S	55.7	49.4
6	3923	19;A	E	59.2	52.9
6	3923	19;B	N	56.0	49.6
6	3923	19;C	N	55.5	49.1
6	3923	19;D	W	38.2	31.9
6	3923	19;E	W	43.5	37.1
6	3923	19;F	W	40.9	34.5
6	3923	19;G	W	42.2	35.9
6	3923	19;H	S	55.7	49.4
7	3923	19;A	E	59.2	52.9
7	3923	19;B	N	55.7	49.4
7	3923	19;C	N	55.1	48.8
7	3923	19;D	W	35.7	29.4
7	3923	19;E	W	35.7	29.4
7	3923	19;F	W	35.1	28.8
7	3923	19;G	W	40.2	33.9
7	3923	19;H	S	55.6	49.2
8	3923	19;A	E	59.2	52.8
8	3923	19;B	N	55.7	49.4
8	3923	19;C	N	55.1	48.8
8	3923	19;D	W	36.7	30.4
8	3923	19;E	W	36.6	30.3
8	3923	19;F	W	36.4	30.1
8	3923	19;G	W	36.5	30.1
8	3923	19;H	S	55.5	49.2
1	3924	;A	NE	34.1	27.5
1	3924	;B	NW	42.1	35.6
1	3924	;C	NE	36.9	30.3
1	3924	;D	NW	52.5	45.9
1	3924	;E	SW	56.7	50.1
1	3924	;F	SW	56.6	50.0
1	3924	;G	SE	53.2	46.6
1	3924	;H	SE	49.2	42.7
1	3924	;I	SE	51.4	44.8
1	3924	;J	SE	50.5	43.9
1	3924	;K	SE	47.2	40.6
1	3925	;A	NW	35.7	29.2
1	3925	;B	NE	35.9	29.3
1	3925	;C	NE	35.8	29.3
1	3925	;D	NE	35.9	29.4
1	3925	;E	NE	35.9	29.3
1	3925	;F	NE	36.1	29.6
1	3925	;G	NW	52.2	45.6
1	3925	;H	SW	55.5	48.9
1	3925	;I	SW	56.0	49.4
1	3925	;J	SW	55.4	48.8
1	3925	;K	SW	55.9	49.3
1	3925	;L	SW	55.3	48.7
1	3925	;M	SW	55.8	49.2
1	3925	;N	SE	54.4	47.9
1	3925	;O	SW	54.7	48.1
1	3925	;P	SW	55.2	48.6
1	3925	;Q	SE	51.8	45.2
1	3925	;R	SE	50.3	43.7
1	3925	;S	SE	47.3	40.7
1	3925	;T	NE	36.1	29.5
1	3926	36;A	SW	35.3	28.8
1	3926	36;B	SE	48.3	41.8
1	3926	36;C	SE	47.2	40.6
1	3926	36;D	SE	50.8	44.2
1	3926	36;E	SE	52.9	46.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3926	36;F	NE	57.3	50.7
1	3926	36;G	NW	53.5	46.9
1	3926	36;H	NW	49.5	42.9
1	3926	36;I	NW	50.6	44.0
2	3926	36;A	SW	35.4	28.8
2	3926	36;B	SE	51.9	45.3
2	3926	36;C	SE	50.8	44.3
2	3926	36;D	SE	54.4	47.8
2	3926	36;E	SE	56.2	49.6
2	3926	36;F	NE	60.5	53.9
2	3926	36;G	NW	56.8	50.2
2	3926	36;H	NW	53.1	46.5
2	3926	36;I	NW	54.2	47.6
3	3926	36;A	SW	35.6	29.0
3	3926	36;B	SE	53.5	46.9
3	3926	36;C	SE	52.6	46.0
3	3926	36;D	SE	56.1	49.6
3	3926	36;E	SE	58.1	51.5
3	3926	36;F	NE	61.8	55.2
3	3926	36;G	NW	58.0	51.4
3	3926	36;H	NW	54.5	47.9
3	3926	36;I	NW	55.7	49.1
4	3926	36;A	SW	36.6	30.0
4	3926	36;B	SE	54.8	48.2
4	3926	36;C	SE	53.9	47.3
4	3926	36;D	SE	57.2	50.6
4	3926	36;E	SE	58.6	52.1
4	3926	36;F	NE	62.2	55.7
4	3926	36;G	NW	58.6	52.0
4	3926	36;H	NW	55.3	48.8
4	3926	36;I	NW	56.4	49.9
1	3927	;A	NE	36.2	29.7
1	3927	;B	NW	50.7	44.1
1	3927	;C	SW	53.6	47.0
1	3927	;D	SW	53.9	47.3
1	3927	;E	SW	53.0	46.4
1	3927	;F	SW	54.1	47.5
1	3927	;G	SW	54.3	47.7
1	3927	;H	SW	54.0	47.4
1	3927	;I	SE	51.0	44.4
1	3927	;J	NE	36.6	30.1
1	3927	;K	NE	36.4	29.9
1	3927	;L	NE	36.3	29.8
1	3927	;M	NE	36.3	29.7
1	3928	43;A	NE	62.5	55.9
1	3928	43;B	NE	62.9	56.4
1	3928	43;C	NE	62.1	55.5
1	3928	43;D	NW	58.3	51.8
1	3928	43;E	SW	44.1	37.6
1	3928	43;F	NW	46.2	39.6
1	3928	43;G	SW	43.5	36.9
1	3928	43;H	SE	40.8	34.3
1	3928	43;I	SW	42.5	35.9
1	3928	43;J	NW	39.4	32.9
1	3928	43;K	NW	39.4	32.9
1	3928	43;L	NW	38.6	32.0
1	3928	43;M	NW	40.1	33.6
1	3928	43;N	SW	41.3	34.7
1	3928	43;O	SE	53.4	46.9
1	3928	43;P	E	58.1	51.5
2	3928	43;A	NE	64.5	58.0
2	3928	43;B	NE	64.8	58.3
2	3928	43;C	NE	64.1	57.5
2	3928	43;D	NW	60.8	54.2
2	3928	43;E	SW	46.6	40.0
2	3928	43;F	NW	49.4	42.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3928	43;G	SW	45.7	39.1
2	3928	43;H	SE	41.7	35.2
2	3928	43;I	SW	44.7	38.1
2	3928	43;J	NW	39.4	32.9
2	3928	43;K	NW	39.5	33.0
2	3928	43;L	NW	38.6	32.1
2	3928	43;M	NW	43.0	36.4
2	3928	43;N	SW	43.3	36.8
2	3928	43;O	SE	56.8	50.2
2	3928	43;P	E	60.9	54.4
3	3928	43;A	NE	65.0	58.4
3	3928	43;B	NE	65.3	58.7
3	3928	43;C	NE	64.6	58.0
3	3928	43;D	NW	61.4	54.8
3	3928	43;E	SW	47.6	41.1
3	3928	43;F	NW	50.7	44.2
3	3928	43;G	SW	46.9	40.3
3	3928	43;H	SE	42.8	36.2
3	3928	43;I	SW	45.7	39.1
3	3928	43;J	NW	39.4	32.9
3	3928	43;K	NW	39.6	33.1
3	3928	43;L	NW	38.8	32.2
3	3928	43;M	NW	44.6	38.0
3	3928	43;N	SW	44.6	38.0
3	3928	43;O	SE	58.2	51.6
3	3928	43;P	E	61.7	55.2
4	3928	43;A	NE	65.2	58.6
4	3928	43;B	NE	65.5	58.9
4	3928	43;C	NE	64.7	58.2
4	3928	43;D	NW	61.6	55.1
4	3928	43;E	SW	48.3	41.8
4	3928	43;F	NW	51.5	45.0
4	3928	43;G	SW	47.7	41.1
4	3928	43;H	SE	43.4	36.9
4	3928	43;I	SW	46.4	39.8
4	3928	43;J	NW	39.5	33.0
4	3928	43;K	NW	39.8	33.3
4	3928	43;L	NW	39.0	32.4
4	3928	43;M	NW	45.5	39.0
4	3928	43;N	SW	45.3	38.8
4	3928	43;O	SE	58.8	52.2
4	3928	43;P	E	62.0	55.4
5	3928	43;A	NE	65.2	58.7
5	3928	43;B	NE	65.5	58.9
5	3928	43;C	NE	64.8	58.2
5	3928	43;D	NW	61.7	55.2
5	3928	43;E	SW	48.6	42.0
5	3928	43;F	NW	51.9	45.3
5	3928	43;G	SW	48.1	41.5
5	3928	43;H	SE	44.1	37.5
5	3928	43;I	SW	46.6	40.1
5	3928	43;J	NW	40.0	33.4
5	3928	43;K	NW	40.3	33.7
5	3928	43;L	NW	39.5	32.9
5	3928	43;M	NW	46.1	39.6
5	3928	43;N	SW	45.9	39.3
5	3928	43;O	SE	59.2	52.6
5	3928	43;P	E	62.1	55.6
6	3928	43;A	NE	65.1	58.6
6	3928	43;B	NE	65.4	58.8
6	3928	43;C	NE	64.6	58.1
6	3928	43;D	NW	61.6	55.0
6	3928	43;E	SW	48.8	42.2
6	3928	43;F	NW	52.2	45.6
6	3928	43;G	SW	48.5	42.0
6	3928	43;H	SE	45.4	38.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	3928	43;I	SW	46.8	40.3
6	3928	43;J	NW	41.6	35.0
6	3928	43;K	NW	41.6	35.0
6	3928	43;L	NW	40.6	34.1
6	3928	43;M	NW	46.6	40.1
6	3928	43;N	SW	37.9	31.3
6	3928	43;O	SE	59.4	52.9
6	3928	43;P	E	62.2	55.6
1	3929	44;A	NE	43.0	36.5
1	3929	44;B	NW	37.4	30.9
1	3929	44;C	NE	36.6	30.0
1	3929	44;D	NE	36.7	30.2
1	3929	44;E	NE	37.2	30.7
1	3929	44;F	NE	38.7	32.1
1	3929	44;G	NE	44.4	37.8
1	3929	44;H	NE	42.2	35.6
1	3929	44;I	NE	36.7	30.1
1	3929	44;J	NW	37.3	30.8
1	3929	44;K	NE	36.6	30.1
1	3929	44;L	NE	36.2	29.6
1	3929	44;M	SE	37.0	30.4
1	3929	44;N	NE	41.0	34.5
1	3929	44;O	NW	46.2	39.6
1	3929	44;P	NE	45.4	38.9
1	3929	44;Q	NW	43.3	36.7
1	3929	44;R	SW	34.5	27.9
1	3929	44;S	SE	49.3	42.7
1	3929	44;T	NE	49.9	43.3
1	3929	44;U	SE	49.0	42.5
2	3929	44;A	NE	45.1	38.6
2	3929	44;B	NW	37.5	31.0
2	3929	44;C	NE	36.8	30.2
2	3929	44;D	NE	37.4	30.8
2	3929	44;E	NE	37.9	31.3
2	3929	44;F	NE	40.7	34.1
2	3929	44;G	NE	47.6	41.0
2	3929	44;H	NE	45.0	38.5
2	3929	44;I	NE	37.2	30.6
2	3929	44;J	NW	37.6	31.0
2	3929	44;K	NE	36.9	30.3
2	3929	44;L	NE	36.3	29.8
2	3929	44;M	SE	37.1	30.5
2	3929	44;N	NE	43.4	36.8
2	3929	44;O	NW	49.2	42.7
2	3929	44;P	NE	48.4	41.9
2	3929	44;Q	NW	46.2	39.6
2	3929	44;R	SW	34.5	27.9
2	3929	44;S	SE	52.6	46.0
2	3929	44;T	NE	53.0	46.5
2	3929	44;U	SE	52.0	45.5
3	3929	44;A	NE	47.5	41.0
3	3929	44;B	NW	37.7	31.1
3	3929	44;C	NE	37.1	30.6
3	3929	44;D	NE	38.5	31.9
3	3929	44;E	NE	39.5	33.0
3	3929	44;F	NE	41.9	35.3
3	3929	44;G	NE	49.1	42.5
3	3929	44;H	NE	46.5	39.9
3	3929	44;I	NE	38.3	31.8
3	3929	44;J	NW	38.0	31.5
3	3929	44;K	NE	37.4	30.9
3	3929	44;L	NE	36.7	30.2
3	3929	44;M	SE	37.2	30.6
3	3929	44;N	NE	44.9	38.3
3	3929	44;O	NW	50.7	44.2
3	3929	44;P	NE	49.8	43.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	3929	44;Q	NW	47.6	41.1
3	3929	44;R	SW	34.5	28.0
3	3929	44;S	SE	54.4	47.9
3	3929	44;T	NE	55.0	48.5
3	3929	44;U	SE	54.1	47.6
4	3929	44;A	NE	48.7	42.1
4	3929	44;B	NW	37.6	31.1
4	3929	44;C	NE	38.8	32.3
4	3929	44;D	NE	40.3	33.8
4	3929	44;E	NE	40.9	34.3
4	3929	44;F	NE	43.2	36.6
4	3929	44;G	NE	50.1	43.5
4	3929	44;H	NE	47.4	40.9
4	3929	44;I	NE	39.4	32.8
4	3929	44;J	NW	39.0	32.5
4	3929	44;K	NE	38.8	32.2
4	3929	44;L	NE	38.0	31.5
4	3929	44;M	SE	37.0	30.4
4	3929	44;N	NE	45.9	39.3
4	3929	44;O	NW	51.8	45.2
4	3929	44;P	NE	50.9	44.3
4	3929	44;Q	NW	48.7	42.1
4	3929	44;R	SW	34.9	28.4
4	3929	44;S	SE	55.4	48.9
4	3929	44;T	NE	56.1	49.5
4	3929	44;U	SE	55.2	48.6
1	3930	;A	NE	37.0	30.4
1	3930	;B	NW	36.1	29.5
1	3930	;C	NE	36.0	29.5
1	3930	;D	NE	36.0	29.5
1	3930	;E	NW	49.6	43.0
1	3930	;F	SW	50.5	43.9
1	3930	;G	SW	50.3	43.7
1	3930	;H	SW	49.8	43.2
1	3930	;I	SW	47.7	41.1
1	3930	;J	SW	47.8	41.3
1	3930	;K	SE	44.7	38.2
1	3930	;L	SW	45.9	39.3
1	3930	;M	SW	46.6	40.1
1	3930	;N	SE	44.5	37.9
1	3931	;A	NE	37.2	30.6
1	3931	;B	NW	41.7	35.1
1	3931	;C	NW	46.7	40.2
1	3931	;D	NW	42.2	35.6
1	3931	;E	NW	48.4	41.8
1	3931	;F	NW	48.8	42.3
1	3931	;G	SW	53.8	47.2
1	3931	;H	SE	53.7	47.1
1	3931	;I	SE	51.2	44.6
1	3932	;A	N	45.7	39.2
1	3932	;B	W	46.9	40.5
1	3932	;C	W	46.5	40.0
1	3932	;D	S	39.6	33.2
1	3932	;E	E	35.8	29.3
1	3933	45;A	SE	56.0	49.5
1	3933	45;B	NE	60.9	54.3
1	3933	45;C	E	61.2	54.7
1	3933	45;D	N	63.4	56.9
1	3933	45;E	N	62.6	56.1
1	3933	45;F	W	54.4	47.9
1	3933	45;G	NW	52.1	45.5
1	3933	45;H	SW	35.5	28.9
1	3933	45;I	SE	37.3	30.7
1	3933	45;J	SW	36.3	29.7
1	3933	45;K	SE	53.5	46.9
2	3933	45;A	SE	59.1	52.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3933	45;B	NE	63.7	57.2
2	3933	45;C	E	63.7	57.2
2	3933	45;D	N	65.3	58.8
2	3933	45;E	N	64.8	58.3
2	3933	45;F	W	57.5	51.0
2	3933	45;G	NW	55.6	49.1
2	3933	45;H	SW	36.5	30.0
2	3933	45;I	SE	40.9	34.3
2	3933	45;J	SW	37.2	30.7
2	3933	45;K	SE	56.7	50.2
1	3934	61;A	NW	45.5	39.0
1	3934	61;B	NW	44.4	37.9
1	3934	61;C	NE	37.7	31.2
1	3934	61;D	NW	53.4	46.8
1	3934	61;E	NW	55.1	48.6
1	3934	61;F	SW	57.5	50.9
1	3934	61;G	SE	53.6	47.0
1	3934	61;H	NE	44.1	37.6
1	3934	61;I	NW	45.5	38.9
2	3934	61;A	NW	48.0	41.5
2	3934	61;B	NW	46.7	40.2
2	3934	61;C	NE	38.2	31.6
2	3934	61;D	NW	56.8	50.2
2	3934	61;E	NW	58.3	51.8
2	3934	61;F	SW	60.7	54.2
2	3934	61;G	SE	56.8	50.3
2	3934	61;H	NE	45.6	39.1
2	3934	61;I	NW	48.2	41.7
3	3934	61;A	NW	50.2	43.6
3	3934	61;B	NW	48.9	42.4
3	3934	61;C	NE	39.2	32.7
3	3934	61;D	NW	58.3	51.7
3	3934	61;E	NW	59.7	53.1
3	3934	61;F	SW	62.1	55.6
3	3934	61;G	SE	58.4	51.8
3	3934	61;H	NE	47.6	41.1
3	3934	61;I	NW	50.3	43.7
4	3934	61;A	NW	51.3	44.8
4	3934	61;B	NW	50.3	43.7
4	3934	61;C	NE	40.8	34.2
4	3934	61;D	NW	58.9	52.4
4	3934	61;E	NW	60.2	53.7
4	3934	61;F	SW	62.7	56.1
4	3934	61;G	SE	59.3	52.8
4	3934	61;H	NE	49.1	42.6
4	3934	61;I	NW	51.3	44.7
1	3935	51;A	NE	56.5	49.9
1	3935	51;B	SE	56.2	49.6
1	3935	51;C	NE	59.1	52.6
1	3935	51;D	NW	56.4	49.8
1	3935	51;E	NW	54.7	48.2
1	3935	51;F	SW	37.5	30.9
1	3935	51;G	NW	49.0	42.5
1	3935	51;H	SW	36.1	29.6
1	3935	51;I	NW	38.2	31.6
1	3935	51;J	SW	34.7	28.2
1	3935	51;K	NW	34.6	28.1
1	3935	51;L	SW	34.3	27.8
1	3935	51;M	SE	48.5	41.9
1	3935	51;N	NE	50.8	44.2
1	3935	51;O	SE	50.5	43.9
1	3935	51;P	NE	51.4	44.8
1	3935	51;Q	SE	50.5	44.0
1	3935	51;R	NE	52.5	45.9
1	3935	51;S	SE	52.0	45.5
1	3935	51;T	NE	52.3	45.7



Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3935	51;U	SE	49.6	43.1
1	3935	51;V	SW	40.7	34.1
2	3935	51;A	NE	59.7	53.2
2	3935	51;B	SE	59.6	53.0
2	3935	51;C	NE	62.1	55.6
2	3935	51;D	NW	59.4	52.8
2	3935	51;E	NW	57.9	51.4
2	3935	51;F	SW	37.5	30.9
2	3935	51;G	NW	52.5	46.0
2	3935	51;H	SW	36.1	29.6
2	3935	51;I	NW	41.6	35.0
2	3935	51;J	SW	34.7	28.2
2	3935	51;K	NW	34.7	28.1
2	3935	51;L	SW	34.3	27.8
2	3935	51;M	SE	51.1	44.5
2	3935	51;N	NE	53.8	47.2
2	3935	51;O	SE	53.7	47.2
2	3935	51;P	NE	54.5	48.0
2	3935	51;Q	SE	54.0	47.5
2	3935	51;R	NE	55.8	49.3
2	3935	51;S	SE	55.3	48.7
2	3935	51;T	NE	55.5	49.0
2	3935	51;U	SE	53.0	46.4
2	3935	51;V	SW	43.0	36.5
3	3935	51;A	NE	60.9	54.4
3	3935	51;B	SE	60.8	54.3
3	3935	51;C	NE	63.1	56.6
3	3935	51;D	NW	60.4	53.9
3	3935	51;E	NW	59.3	52.8
3	3935	51;F	SW	37.5	30.9
3	3935	51;G	NW	54.1	47.5
3	3935	51;H	SW	36.1	29.6
3	3935	51;I	NW	43.6	37.1
3	3935	51;J	SW	34.7	28.2
3	3935	51;K	NW	34.7	28.2
3	3935	51;L	SW	34.3	27.8
3	3935	51;M	SE	53.1	46.6
3	3935	51;N	NE	55.7	49.2
3	3935	51;O	SE	55.8	49.2
3	3935	51;P	NE	56.4	49.9
3	3935	51;Q	SE	56.0	49.4
3	3935	51;R	NE	57.6	51.1
3	3935	51;S	SE	57.0	50.5
3	3935	51;T	NE	57.2	50.7
3	3935	51;U	SE	54.7	48.1
3	3935	51;V	SW	44.3	37.8
4	3935	51;A	NE	61.4	54.9
4	3935	51;B	SE	61.3	54.8
4	3935	51;C	NE	63.6	57.0
4	3935	51;D	NW	61.0	54.5
4	3935	51;E	NW	60.0	53.5
4	3935	51;F	SW	37.4	30.9
4	3935	51;G	NW	55.2	48.7
4	3935	51;H	SW	36.1	29.6
4	3935	51;I	NW	44.6	38.0
4	3935	51;J	SW	34.7	28.2
4	3935	51;K	NW	34.7	28.2
4	3935	51;L	SW	34.3	27.8
4	3935	51;M	SE	54.3	47.8
4	3935	51;N	NE	57.0	50.5
4	3935	51;O	SE	57.1	50.5
4	3935	51;P	NE	57.7	51.2
4	3935	51;Q	SE	57.1	50.6
4	3935	51;R	NE	58.6	52.0
4	3935	51;S	SE	58.0	51.4
4	3935	51;T	NE	58.2	51.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	3935	51;U	SE	55.6	49.1
4	3935	51;V	SW	45.3	38.7
5	3935	51;A	NE	61.7	55.2
5	3935	51;B	SE	61.6	55.0
5	3935	51;C	NE	63.7	57.2
5	3935	51;D	NW	61.2	54.6
5	3935	51;E	NW	60.3	53.8
5	3935	51;F	SW	37.4	30.9
5	3935	51;G	NW	55.8	49.3
5	3935	51;H	SW	36.1	29.6
5	3935	51;I	NW	45.5	38.9
5	3935	51;J	SW	34.7	28.1
5	3935	51;K	NW	34.8	28.2
5	3935	51;L	SW	34.3	27.8
5	3935	51;M	SE	55.2	48.6
5	3935	51;N	NE	57.8	51.3
5	3935	51;O	SE	57.8	51.3
5	3935	51;P	NE	58.4	51.8
5	3935	51;Q	SE	57.8	51.2
5	3935	51;R	NE	59.1	52.5
5	3935	51;S	SE	58.5	52.0
5	3935	51;T	NE	58.7	52.2
5	3935	51;U	SE	56.2	49.7
5	3935	51;V	SW	46.1	39.6
6	3935	51;A	NE	61.8	55.3
6	3935	51;B	SE	61.7	55.2
6	3935	51;C	NE	63.8	57.3
6	3935	51;D	NW	61.3	54.7
6	3935	51;E	NW	60.5	53.9
6	3935	51;F	SW	37.4	30.9
6	3935	51;G	NW	56.3	49.7
6	3935	51;H	SW	36.1	29.6
6	3935	51;I	NW	46.0	39.4
6	3935	51;J	SW	34.7	28.1
6	3935	51;K	NW	34.8	28.3
6	3935	51;L	SW	34.3	27.8
6	3935	51;M	SE	55.6	49.1
6	3935	51;N	NE	58.2	51.6
6	3935	51;O	SE	58.2	51.7
6	3935	51;P	NE	58.7	52.2
6	3935	51;Q	SE	58.1	51.5
6	3935	51;R	NE	59.3	52.8
6	3935	51;S	SE	58.8	52.2
6	3935	51;T	NE	59.0	52.4
6	3935	51;U	SE	56.4	49.9
6	3935	51;V	SW	45.6	39.1
7	3935	51;A	NE	61.8	55.3
7	3935	51;B	SE	61.7	55.2
7	3935	51;C	NE	63.8	57.3
7	3935	51;D	NW	61.3	54.8
7	3935	51;E	NW	60.5	54.0
7	3935	51;F	SW	37.4	30.8
7	3935	51;G	NW	56.4	49.8
7	3935	51;H	SW	36.1	29.5
7	3935	51;I	NW	46.2	39.7
7	3935	51;J	SW	34.6	28.1
7	3935	51;K	NW	35.3	28.8
7	3935	51;L	SW	34.3	27.8
7	3935	51;M	SE	55.4	48.8
7	3935	51;N	NE	58.1	51.6
7	3935	51;O	SE	58.1	51.6
7	3935	51;P	NE	58.7	52.1
7	3935	51;Q	SE	57.9	51.4
7	3935	51;R	NE	59.3	52.8
7	3935	51;S	SE	58.8	52.3
7	3935	51;T	NE	59.0	52.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
7	3935	51;U	SE	56.4	49.9
7	3935	51;V	SW	45.8	39.2
8	3935	51;A	NE	61.9	55.3
8	3935	51;B	SE	61.7	55.2
8	3935	51;C	NE	63.8	57.3
8	3935	51;D	NW	61.3	54.8
8	3935	51;E	NW	60.6	54.0
8	3935	51;F	SW	37.3	30.8
8	3935	51;G	NW	56.4	49.9
8	3935	51;H	SW	36.1	29.5
8	3935	51;I	NW	46.4	39.8
8	3935	51;J	SW	34.6	28.1
8	3935	51;K	NW	35.5	29.0
8	3935	51;L	SW	34.3	27.8
8	3935	51;M	SE	55.0	48.5
8	3935	51;N	NE	58.1	51.5
8	3935	51;O	SE	58.1	51.6
8	3935	51;P	NE	58.7	52.2
8	3935	51;Q	SE	57.9	51.4
8	3935	51;R	NE	59.4	52.8
8	3935	51;S	SE	58.9	52.3
8	3935	51;T	NE	59.1	52.5
8	3935	51;U	SE	56.5	50.0
8	3935	51;V	SW	45.8	39.3
9	3935	51;A	NE	61.8	55.3
9	3935	51;B	SE	61.7	55.2
9	3935	51;C	NE	63.8	57.3
9	3935	51;D	NW	61.3	54.8
9	3935	51;E	NW	60.6	54.0
9	3935	51;F	SW	37.4	30.8
9	3935	51;G	NW	56.5	49.9
9	3935	51;H	SW	36.1	29.5
9	3935	51;I	NW	46.5	39.9
9	3935	51;J	SW	34.6	28.1
9	3935	51;K	NW	35.7	29.2
9	3935	51;L	SW	34.3	27.8
9	3935	51;M	SE	55.2	48.6
9	3935	51;N	NE	58.2	51.6
9	3935	51;O	SE	58.2	51.7
9	3935	51;P	NE	58.7	52.2
9	3935	51;Q	SE	58.0	51.4
9	3935	51;R	NE	59.4	52.9
9	3935	51;S	SE	58.9	52.4
9	3935	51;T	NE	59.1	52.6
9	3935	51;U	SE	56.6	50.1
9	3935	51;V	SW	45.9	39.4
10	3935	51;A	NE	61.8	55.3
10	3935	51;B	SE	61.7	55.2
10	3935	51;C	NE	63.8	57.2
10	3935	51;D	NW	61.2	54.7
10	3935	51;E	NW	60.6	54.0
10	3935	51;F	SW	37.6	31.0
10	3935	51;G	NW	56.5	49.9
10	3935	51;H	SW	36.1	29.6
10	3935	51;I	NW	46.6	40.0
10	3935	51;J	SW	34.7	28.2
10	3935	51;K	NW	36.0	29.4
10	3935	51;L	SW	34.4	27.9
10	3935	51;M	SE	55.3	48.7
10	3935	51;N	NE	58.2	51.7
10	3935	51;O	SE	58.3	51.7
10	3935	51;P	NE	58.8	52.3
10	3935	51;Q	SE	58.0	51.5
10	3935	51;R	NE	59.4	52.9
10	3935	51;S	SE	59.0	52.4
10	3935	51;T	NE	59.2	52.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
10	3935	51;U	SE	56.6	50.1
10	3935	51;V	SW	46.0	39.5
11	3935	51;A	NE	61.8	55.3
11	3935	51;B	SE	61.7	55.2
11	3935	51;C	NE	63.7	57.2
11	3935	51;D	NW	61.2	54.7
11	3935	51;E	NW	60.5	54.0
11	3935	51;F	SW	38.6	32.1
11	3935	51;G	NW	56.5	50.0
11	3935	51;H	SW	36.7	30.2
11	3935	51;I	NW	46.9	40.3
11	3935	51;J	SW	35.2	28.7
11	3935	51;K	NW	36.7	30.1
11	3935	51;L	SW	35.1	28.5
11	3935	51;M	SE	55.3	48.8
11	3935	51;N	NE	58.3	51.8
11	3935	51;O	SE	58.3	51.8
11	3935	51;P	NE	58.8	52.3
11	3935	51;Q	SE	58.0	51.5
11	3935	51;R	NE	59.5	53.0
11	3935	51;S	SE	59.0	52.5
11	3935	51;T	NE	59.2	52.7
11	3935	51;U	SE	56.7	50.1
11	3935	51;V	SW	46.3	39.7
1	3936	52;A	SW	34.3	27.8
1	3936	52;B	SE	45.2	38.7
1	3936	52;C	SE	49.7	43.2
1	3936	52;D	NE	56.1	49.6
1	3936	52;E	NW	55.5	49.0
1	3936	52;F	NW	51.9	45.4
1	3936	52;G	NW	51.1	44.6
2	3936	52;A	SW	34.4	27.8
2	3936	52;B	SE	47.7	41.1
2	3936	52;C	SE	52.9	46.3
2	3936	52;D	NE	59.5	52.9
2	3936	52;E	NW	59.0	52.4
2	3936	52;F	NW	55.4	48.8
2	3936	52;G	NW	54.6	48.1
3	3936	52;A	SW	34.5	28.0
3	3936	52;B	SE	49.7	43.2
3	3936	52;C	SE	54.5	48.0
3	3936	52;D	NE	61.2	54.7
3	3936	52;E	NW	60.9	54.4
3	3936	52;F	NW	57.1	50.6
3	3936	52;G	NW	56.2	49.7
4	3936	52;A	SW	35.3	28.8
4	3936	52;B	SE	50.8	44.2
4	3936	52;C	SE	55.5	48.9
4	3936	52;D	NE	61.8	55.3
4	3936	52;E	NW	61.4	54.8
4	3936	52;F	NW	58.1	51.5
4	3936	52;G	NW	57.3	50.8
1	3937	55;A	SW	49.2	42.6
1	3937	55;B	SE	35.0	28.5
1	3937	55;C	NE	39.0	32.6
1	3937	55;D	SE	35.4	28.9
1	3937	55;E	NW	39.8	33.3
1	3937	55;F	NE	36.7	30.1
1	3937	55;G	SE	36.8	30.3
1	3937	55;H	SE	37.7	31.2
1	3937	55;I	SE	39.6	33.0
1	3937	55;J	NE	51.8	45.3
1	3937	55;K	NW	56.1	49.6
1	3937	55;L	NW	56.4	49.9
1	3937	55;M	NW	56.1	49.6
1	3937	55;N	SW	52.5	45.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3937	55;O	NW	53.1	46.5
1	3937	55;P	SW	50.0	43.4
2	3937	55;A	SW	52.1	45.6
2	3937	55;B	SE	35.1	28.6
2	3937	55;C	NE	40.2	33.8
2	3937	55;D	SE	35.5	29.0
2	3937	55;E	NW	40.8	34.3
2	3937	55;F	NE	37.0	30.5
2	3937	55;G	SE	37.0	30.5
2	3937	55;H	SE	38.4	31.9
2	3937	55;I	SE	41.3	34.8
2	3937	55;J	NE	55.3	48.8
2	3937	55;K	NW	59.6	53.0
2	3937	55;L	NW	59.8	53.2
2	3937	55;M	NW	59.4	52.9
2	3937	55;N	SW	56.0	49.5
2	3937	55;O	NW	56.5	49.9
2	3937	55;P	SW	53.1	46.5
3	3937	55;A	SW	53.9	47.3
3	3937	55;B	SE	35.3	28.8
3	3937	55;C	NE	42.1	35.7
3	3937	55;D	SE	35.8	29.3
3	3937	55;E	NW	42.6	36.2
3	3937	55;F	NE	37.8	31.3
3	3937	55;G	SE	37.3	30.8
3	3937	55;H	SE	39.1	32.6
3	3937	55;I	SE	42.7	36.2
3	3937	55;J	NE	57.4	50.9
3	3937	55;K	NW	61.4	54.9
3	3937	55;L	NW	61.2	54.7
3	3937	55;M	NW	60.8	54.3
3	3937	55;N	SW	57.7	51.2
3	3937	55;O	NW	58.0	51.5
3	3937	55;P	SW	54.8	48.2
4	3937	55;A	SW	54.9	48.4
4	3937	55;B	SE	36.4	29.9
4	3937	55;C	NE	43.8	37.4
4	3937	55;D	SE	36.9	30.4
4	3937	55;E	NW	45.2	38.7
4	3937	55;F	NE	40.9	34.4
4	3937	55;G	SE	38.7	32.1
4	3937	55;H	SE	40.3	33.8
4	3937	55;I	SE	43.9	37.4
4	3937	55;J	NE	58.8	52.3
4	3937	55;K	NW	62.4	55.9
4	3937	55;L	NW	62.1	55.5
4	3937	55;M	NW	61.5	55.0
4	3937	55;N	SW	58.6	52.1
4	3937	55;O	NW	58.8	52.3
4	3937	55;P	SW	55.7	49.2
1	3938	56;A	SE	38.7	32.1
1	3938	56;B	NW	52.1	45.6
1	3938	56;C	NE	49.4	43.0
1	3938	56;D	NE	54.5	48.0
1	3938	56;E	NW	55.4	48.9
1	3938	56;F	SW	51.8	45.3
1	3938	56;G	SW	50.4	43.9
1	3938	56;H	SW	47.3	40.8
1	3938	56;I	SW	47.5	40.9
1	3938	56;J	NW	46.1	39.5
1	3938	56;K	SW	36.9	30.4
1	3938	56;L	SE	36.2	29.7
1	3938	56;M	E	39.3	32.8
1	3938	56;N	SE	37.6	31.0
1	3938	56;O	NE	47.8	41.3
1	3938	56;P	NE	46.0	39.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3938	56;A	SE	39.5	33.0
2	3938	56;B	NW	55.4	48.9
2	3938	56;C	NE	52.9	46.5
2	3938	56;D	NE	57.6	51.1
2	3938	56;E	NW	58.7	52.2
2	3938	56;F	SW	55.2	48.7
2	3938	56;G	SW	53.9	47.4
2	3938	56;H	SW	50.8	44.3
2	3938	56;I	SW	50.9	44.4
2	3938	56;J	NW	49.6	43.0
2	3938	56;K	SW	38.6	32.1
2	3938	56;L	SE	36.6	30.1
2	3938	56;M	E	40.2	33.7
2	3938	56;N	SE	38.1	31.6
2	3938	56;O	NE	50.7	44.2
2	3938	56;P	NE	48.6	42.1
3	3938	56;A	SE	40.8	34.3
3	3938	56;B	NW	56.9	50.5
3	3938	56;C	NE	54.5	48.1
3	3938	56;D	NE	58.9	52.4
3	3938	56;E	NW	60.4	53.9
3	3938	56;F	SW	57.1	50.6
3	3938	56;G	SW	55.6	49.1
3	3938	56;H	SW	52.5	46.0
3	3938	56;I	SW	52.6	46.0
3	3938	56;J	NW	51.2	44.7
3	3938	56;K	SW	40.2	33.7
3	3938	56;L	SE	37.5	30.9
3	3938	56;M	E	41.8	35.3
3	3938	56;N	SE	39.3	32.7
3	3938	56;O	NE	52.4	46.0
3	3938	56;P	NE	50.5	44.1
4	3938	56;A	SE	42.3	35.7
4	3938	56;B	NW	57.8	51.4
4	3938	56;C	NE	55.5	49.1
4	3938	56;D	NE	59.3	52.9
4	3938	56;E	NW	61.4	54.9
4	3938	56;F	SW	58.6	52.0
4	3938	56;G	SW	57.0	50.5
4	3938	56;H	SW	53.9	47.4
4	3938	56;I	SW	53.8	47.2
4	3938	56;J	NW	52.6	46.0
4	3938	56;K	SW	42.2	35.7
4	3938	56;L	SE	38.7	32.1
4	3938	56;M	E	43.6	37.0
4	3938	56;N	SE	40.6	34.1
4	3938	56;O	NE	53.5	47.1
4	3938	56;P	NE	51.6	45.2
1	3939	;F	NE	52.0	45.4
1	3939	;G	NE	52.5	45.9
1	3939	;H	NW	44.2	37.6
1	3939	;I	SW	32.2	25.6
1	3939	;J	SW	34.1	27.5
1	3939	;K	SW	35.0	28.4
1	3939	;M	NW	35.4	28.9
1	3940	;A	NW	52.1	45.5
1	3940	;B	NW	48.7	42.1
1	3940	;C	SW	40.9	34.3
1	3940	;D	SW	39.6	33.1
1	3940	;E	NW	38.0	31.4
1	3940	;F	SW	38.8	32.2
1	3940	;G	SE	33.8	27.2
1	3940	;H	SW	34.2	27.7
1	3940	;I	SW	38.5	31.9
1	3940	;J	SE	36.5	29.9
1	3940	;K	SW	33.6	27.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3940	;L	SE	48.6	42.0
1	3940	;M	NE	54.6	48.0
1	3940	;N	NW	53.7	47.0
1	3940	;O	NW	53.7	47.1
1	3940	;P	NE	53.1	46.5
1	3940	;Q	NE	54.1	47.5
1	3940	;R	NE	54.4	47.8
1	3941	;A	SE	45.7	39.0
1	3941	;B	NE	53.8	47.2
1	3941	;C	NW	54.5	47.9
1	3941	;D	SW	33.0	26.4
1	3941	;E	NW	32.8	26.3
1	3942	;E	SE	27.6	21.2
1	3942	;F	SE	26.1	19.7
1	3942	;G	SE	27.5	21.1
1	3942	;H	NE	26.0	19.6
1	3942	;I	NW	29.4	23.0
1	3942	;J	NW	29.2	22.8
1	3942	;K	NW	29.0	22.5
1	3942	;L	NW	29.9	23.5
1	3942	;M	NW	31.6	25.1
1	3943	;A	SW	35.0	28.6
1	3943	;B	SW	35.4	29.0
1	3943	;C	NW	35.4	29.0
1	3943	;D	NW	35.9	29.5
1	3943	;E	SW	34.4	28.0
1	3943	;F	SW	35.2	28.8
1	3943	;G	SE	35.3	28.8
1	3943	;H	SE	35.3	28.8
1	3943	;I	SE	36.0	29.5
1	3943	;J	SE	37.2	30.6
1	3943	;K	SE	37.8	31.3
1	3943	;L	NE	43.7	37.2
1	3943	;M	NE	43.5	37.0
1	3943	;N	NE	43.4	36.9
1	3943	;O	NE	43.0	36.5
1	3943	;P	NW	42.4	35.9
1	3943	;Q	NW	41.6	35.2
1	3944	27;B	N	49.9	43.5
1	3944	27;C	N	49.5	43.1
1	3944	27;D	N	48.3	41.9
1	3944	27;E	N	48.2	41.8
1	3944	27;F	N	47.0	40.6
1	3944	27;G	W	41.1	34.7
1	3944	27;H	S	39.9	33.5
1	3944	27;I	S	38.3	31.9
1	3944	27;J	S	35.0	28.6
1	3944	27;K	W	35.3	28.9
1	3944	27;L	W	35.1	28.7
1	3944	27;M	W	35.3	29.0
1	3944	27;N	W	35.7	29.3
1	3944	27;O	S	52.4	45.9
1	3944	27;P	E	56.1	49.7
1	3944	27;Q	E	56.0	49.6
1	3944	27;R	E	55.4	48.9
1	3944	27;S	E	55.7	49.3
1	3944	27;T	N	51.8	45.4
1	3944	27;U	N	50.2	43.8
1	3944	27;V	N	49.9	43.5
1	3944	27;W	N	49.5	43.1
1	3944	27;X	N	48.3	41.9
1	3944	27;Y	N	48.2	41.8
2	3944	27;B	N	53.1	46.8
2	3944	27;C	N	52.7	46.3
2	3944	27;D	N	51.4	45.1
2	3944	27;E	N	51.3	44.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3944	27;F	N	49.9	43.6
2	3944	27;G	W	43.6	37.2
2	3944	27;H	S	43.3	36.9
2	3944	27;I	S	41.1	34.7
2	3944	27;J	S	35.1	28.7
2	3944	27;K	W	35.3	29.0
2	3944	27;L	W	35.2	28.8
2	3944	27;M	W	35.4	29.1
2	3944	27;N	W	35.8	29.4
2	3944	27;O	S	55.4	49.0
2	3944	27;P	E	59.1	52.8
2	3944	27;Q	E	59.0	52.6
2	3944	27;R	E	58.4	52.0
2	3944	27;S	E	58.7	52.3
2	3944	27;T	N	54.8	48.5
2	3944	27;U	N	53.3	46.9
2	3944	27;V	N	53.1	46.8
2	3944	27;W	N	52.7	46.3
2	3944	27;X	N	51.4	45.1
2	3944	27;Y	N	51.3	44.9
3	3944	27;B	N	54.5	48.2
3	3944	27;C	N	54.1	47.8
3	3944	27;D	N	52.9	46.6
3	3944	27;E	N	52.8	46.5
3	3944	27;F	N	51.5	45.2
3	3944	27;G	W	45.2	38.9
3	3944	27;H	S	45.0	38.6
3	3944	27;I	S	42.8	36.4
3	3944	27;J	S	35.3	28.9
3	3944	27;K	W	35.4	29.1
3	3944	27;L	W	35.3	28.9
3	3944	27;M	W	35.6	29.2
3	3944	27;N	W	36.0	29.7
3	3944	27;O	S	56.7	50.3
3	3944	27;P	E	60.2	53.8
3	3944	27;Q	E	60.0	53.7
3	3944	27;R	E	59.4	53.1
3	3944	27;S	E	59.8	53.4
3	3944	27;T	N	56.0	49.7
3	3944	27;U	N	54.7	48.3
3	3944	27;V	N	54.5	48.2
3	3944	27;W	N	54.1	47.8
3	3944	27;X	N	52.9	46.6
3	3944	27;Y	N	52.8	46.5
4	3944	27;B	N	55.2	48.8
4	3944	27;C	N	54.8	48.5
4	3944	27;D	N	53.8	47.4
4	3944	27;E	N	53.7	47.4
4	3944	27;F	N	52.5	46.2
4	3944	27;G	W	46.1	39.7
4	3944	27;H	S	46.0	39.6
4	3944	27;I	S	43.8	37.4
4	3944	27;J	S	35.8	29.4
4	3944	27;K	W	35.7	29.3
4	3944	27;L	W	35.5	29.2
4	3944	27;M	W	36.0	29.6
4	3944	27;N	W	36.6	30.2
4	3944	27;O	S	57.1	50.8
4	3944	27;P	E	60.5	54.2
4	3944	27;Q	E	60.4	54.1
4	3944	27;R	E	59.8	53.4
4	3944	27;S	E	60.2	53.8
4	3944	27;T	N	56.4	50.1
4	3944	27;U	N	55.2	48.9
4	3944	27;V	N	55.2	48.8
4	3944	27;W	N	54.8	48.5



Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	3944	27;X	N	53.8	47.4
4	3944	27;Y	N	53.7	47.4
5	3944	27;B	N	55.5	49.1
5	3944	27;C	N	55.2	48.8
5	3944	27;D	N	54.2	47.8
5	3944	27;E	N	54.2	47.8
5	3944	27;F	N	53.1	46.7
5	3944	27;G	W	46.8	40.5
5	3944	27;H	S	46.7	40.3
5	3944	27;I	S	44.8	38.5
5	3944	27;J	S	38.3	31.9
5	3944	27;K	W	36.9	30.5
5	3944	27;L	W	36.7	30.4
5	3944	27;M	W	37.3	30.9
5	3944	27;N	W	38.2	31.8
5	3944	27;O	S	57.4	51.1
5	3944	27;P	E	60.7	54.3
5	3944	27;Q	E	60.6	54.3
5	3944	27;R	E	60.0	53.6
5	3944	27;S	E	60.4	54.0
5	3944	27;T	N	56.7	50.3
5	3944	27;U	N	55.5	49.2
5	3944	27;V	N	55.5	49.1
5	3944	27;W	N	55.2	48.8
5	3944	27;X	N	54.2	47.8
5	3944	27;Y	N	54.2	47.8
1	3945	29;A	E	43.1	36.7
1	3945	29;B	N	46.5	40.1
1	3945	29;C	N	46.5	40.1
1	3945	29;D	N	45.7	39.3
1	3945	29;E	N	45.9	39.4
1	3945	29;F	N	45.4	38.9
1	3945	29;G	N	45.8	39.3
1	3945	29;H	N	45.8	39.4
1	3945	29;I	E	45.2	38.8
1	3945	29;J	E	45.2	38.8
1	3945	29;K	E	45.2	38.8
1	3945	29;L	E	45.3	38.9
1	3945	29;M	E	45.5	39.0
1	3945	29;N	N	43.3	36.9
1	3945	29;O	W	29.6	23.3
1	3945	29;P	W	29.6	23.3
1	3945	29;Q	W	29.7	23.4
1	3945	29;R	W	29.6	23.3
1	3945	29;S	W	29.7	23.3
1	3945	29;T	W	29.6	23.2
1	3945	29;U	W	29.5	23.1
1	3945	29;V	S	31.9	25.5
1	3945	29;W	S	30.6	24.3
1	3945	29;X	W	30.2	23.8
1	3945	29;Y	S	37.6	31.2
1	3945	29;Z	S	38.3	31.9
1	3945	29;AA	S	39.3	32.8
2	3945	29;A	E	45.5	39.2
2	3945	29;B	N	49.3	42.9
2	3945	29;C	N	49.2	42.8
2	3945	29;D	N	48.3	41.9
2	3945	29;E	N	48.4	42.0
2	3945	29;F	N	47.7	41.3
2	3945	29;G	N	48.0	41.6
2	3945	29;H	N	47.9	41.5
2	3945	29;I	E	47.3	40.9
2	3945	29;J	E	47.4	41.0
2	3945	29;K	E	47.4	41.0
2	3945	29;L	E	47.5	41.1
2	3945	29;M	E	47.7	41.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3945	29;N	N	45.2	38.9
2	3945	29;O	W	29.7	23.3
2	3945	29;P	W	29.7	23.3
2	3945	29;Q	W	29.7	23.4
2	3945	29;R	W	29.7	23.3
2	3945	29;S	W	29.7	23.3
2	3945	29;T	W	29.6	23.2
2	3945	29;U	W	29.5	23.1
2	3945	29;V	S	32.8	26.4
2	3945	29;W	S	30.8	24.4
2	3945	29;X	W	30.2	23.8
2	3945	29;Y	S	39.7	33.3
2	3945	29;Z	S	40.8	34.4
2	3945	29;AA	S	42.1	35.7
3	3945	29;A	E	47.6	41.2
3	3945	29;B	N	51.0	44.7
3	3945	29;C	N	51.0	44.6
3	3945	29;D	N	50.2	43.8
3	3945	29;E	N	50.3	44.0
3	3945	29;F	N	49.7	43.3
3	3945	29;G	N	50.1	43.7
3	3945	29;H	N	49.9	43.6
3	3945	29;I	E	49.3	43.0
3	3945	29;J	E	49.5	43.1
3	3945	29;K	E	49.5	43.1
3	3945	29;L	E	49.6	43.2
3	3945	29;M	E	49.7	43.4
3	3945	29;N	N	47.2	40.9
3	3945	29;O	W	29.7	23.4
3	3945	29;P	W	29.7	23.4
3	3945	29;Q	W	29.8	23.4
3	3945	29;R	W	29.7	23.4
3	3945	29;S	W	29.7	23.4
3	3945	29;T	W	29.6	23.3
3	3945	29;U	W	29.5	23.1
3	3945	29;V	S	33.8	27.4
3	3945	29;W	S	31.1	24.8
3	3945	29;X	W	30.2	23.9
3	3945	29;Y	S	41.4	35.0
3	3945	29;Z	S	42.4	36.0
3	3945	29;AA	S	43.6	37.2
4	3945	29;A	E	48.7	42.4
4	3945	29;B	N	52.0	45.7
4	3945	29;C	N	52.0	45.7
4	3945	29;D	N	51.2	44.9
4	3945	29;E	N	51.4	45.0
4	3945	29;F	N	50.7	44.4
4	3945	29;G	N	51.1	44.8
4	3945	29;H	N	51.0	44.7
4	3945	29;I	E	50.5	44.1
4	3945	29;J	E	50.6	44.2
4	3945	29;K	E	50.6	44.3
4	3945	29;L	E	50.7	44.3
4	3945	29;M	E	50.8	44.5
4	3945	29;N	N	48.4	42.1
4	3945	29;O	W	30.0	23.6
4	3945	29;P	W	29.9	23.5
4	3945	29;Q	W	29.9	23.6
4	3945	29;R	W	29.8	23.5
4	3945	29;S	W	29.9	23.5
4	3945	29;T	W	29.8	23.4
4	3945	29;U	W	29.6	23.3
4	3945	29;V	S	34.9	28.6
4	3945	29;W	S	31.8	25.4
4	3945	29;X	W	30.4	24.0
4	3945	29;Y	S	42.2	35.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	3945	29;Z	S	43.4	37.0
4	3945	29;AA	S	44.7	38.3
5	3945	29;A	E	49.6	43.3
5	3945	29;B	N	52.7	46.3
5	3945	29;C	N	52.7	46.4
5	3945	29;D	N	52.0	45.6
5	3945	29;E	N	52.1	45.8
5	3945	29;F	N	51.5	45.2
5	3945	29;G	N	51.9	45.6
5	3945	29;H	N	51.8	45.4
5	3945	29;I	E	51.3	44.9
5	3945	29;J	E	51.4	45.0
5	3945	29;K	E	51.4	45.1
5	3945	29;L	E	51.5	45.1
5	3945	29;M	E	51.6	45.3
5	3945	29;N	N	49.2	42.8
5	3945	29;O	W	31.1	24.8
5	3945	29;P	W	30.9	24.5
5	3945	29;Q	W	30.9	24.5
5	3945	29;R	W	30.7	24.4
5	3945	29;S	W	30.8	24.4
5	3945	29;T	W	30.7	24.4
5	3945	29;U	W	30.5	24.2
5	3945	29;V	S	36.6	30.3
5	3945	29;W	S	33.6	27.2
5	3945	29;X	W	31.2	24.8
5	3945	29;Y	S	43.2	36.8
5	3945	29;Z	S	44.3	37.9
5	3945	29;AA	S	45.6	39.2
1	3946	;A	SE	26.9	20.5
1	3946	;B	SE	27.5	21.0
1	3946	;C	SE	27.7	21.2
1	3946	;D	SW	27.6	21.2
1	3946	;E	SW	28.1	21.7
1	3946	;F	SW	28.2	21.8
1	3946	;G	NW	28.5	22.0
1	3946	;H	SW	29.6	23.1
1	3946	;I	SW	29.1	22.6
1	3946	;J	SW	28.5	22.1
1	3946	;K	SW	28.3	21.9
1	3946	;L	SE	26.7	20.3
1	3946	;M	NE	39.7	33.2
1	3946	;N	NE	37.0	30.6
1	3946	;O	SE	24.7	18.4
1	3946	;P	NE	42.0	35.5
1	3946	;Q	NE	42.5	36.0
1	3946	;R	NW	43.8	37.3
1	3946	;S	NE	44.2	37.7
1	3946	;T	NW	42.9	36.4
1	3946	;U	SW	31.4	24.9
1	3946	;V	NW	39.4	32.9
1	3946	;W	SW	33.9	27.4
1	3946	;X	SW	33.3	26.8
1	3946	;Y	SE	26.5	20.1
1	3946	;Z	SE	26.1	19.7
1	3947	;A	SW	35.0	28.5
1	3947	;B	SW	32.1	25.7
1	3947	;C	SE	29.2	22.8
1	3947	;D	SE	29.2	22.8
1	3947	;E	SE	28.3	21.9
1	3947	;F	SE	28.6	22.2
1	3947	;G	SE	27.6	21.2
1	3947	;H	NE	27.1	20.8
1	3947	;I	NE	27.8	21.4
1	3947	;J	NW	35.3	28.8
1	3947	;K	NW	38.0	31.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3947	;L	NE	38.6	32.1
1	3947	;M	NW	38.6	32.2
1	3948	49;B	SW	38.3	31.7
1	3948	49;C	NW	38.2	31.7
1	3948	49;D	SW	38.2	31.6
1	3948	49;E	SE	53.7	47.2
1	3948	49;F	NE	56.4	49.9
1	3948	49;G	SE	56.1	49.6
1	3948	49;H	NE	57.4	50.8
2	3948	49;B	SW	38.3	31.7
2	3948	49;C	NW	38.2	31.7
2	3948	49;D	SW	38.2	31.6
2	3948	49;E	SE	57.0	50.5
2	3948	49;F	NE	59.7	53.2
2	3948	49;G	SE	59.4	52.9
2	3948	49;H	NE	60.6	54.1
3	3948	49;B	SW	38.3	31.7
3	3948	49;C	NW	38.2	31.7
3	3948	49;D	SW	38.2	31.6
3	3948	49;E	SE	58.5	52.0
3	3948	49;F	NE	61.3	54.7
3	3948	49;G	SE	61.0	54.4
3	3948	49;H	NE	62.2	55.6
4	3948	49;B	SW	38.2	31.7
4	3948	49;C	NW	38.2	31.7
4	3948	49;D	SW	38.2	31.6
4	3948	49;E	SE	59.3	52.8
4	3948	49;F	NE	62.1	55.6
4	3948	49;G	SE	61.8	55.2
4	3948	49;H	NE	63.0	56.4
5	3948	49;B	SW	38.2	31.7
5	3948	49;C	NW	38.2	31.7
5	3948	49;D	SW	38.1	31.6
5	3948	49;E	SE	59.7	53.2
5	3948	49;F	NE	62.6	56.0
5	3948	49;G	SE	62.2	55.6
5	3948	49;H	NE	63.2	56.7
6	3948	49;B	SW	38.2	31.6
6	3948	49;C	NW	38.2	31.6
6	3948	49;D	SW	38.1	31.6
6	3948	49;E	SE	60.0	53.4
6	3948	49;F	NE	62.7	56.2
6	3948	49;G	SE	62.3	55.8
6	3948	49;H	NE	63.4	56.8
7	3948	49;B	SW	38.2	31.6
7	3948	49;C	NW	38.2	31.6
7	3948	49;D	SW	38.1	31.6
7	3948	49;E	SE	60.1	53.5
7	3948	49;F	NE	62.8	56.3
7	3948	49;G	SE	62.4	55.9
7	3948	49;H	NE	63.4	56.9
8	3948	49;B	SW	38.2	31.6
8	3948	49;C	NW	38.2	31.7
8	3948	49;D	SW	38.1	31.6
8	3948	49;E	SE	60.1	53.6
8	3948	49;F	NE	62.9	56.3
8	3948	49;G	SE	62.5	56.0
8	3948	49;H	NE	63.5	56.9
9	3948	49;B	SW	38.3	31.7
9	3948	49;C	NW	38.4	31.9
9	3948	49;D	SW	38.3	31.7
9	3948	49;E	SE	60.1	53.6
9	3948	49;F	NE	62.9	56.3
9	3948	49;G	SE	62.5	56.0
9	3948	49;H	NE	63.5	56.9
10	3948	49;B	SW	39.0	32.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
10	3948	49;C	NW	39.6	33.1
10	3948	49;D	SW	39.0	32.5
10	3948	49;E	SE	60.1	53.6
10	3948	49;F	NE	62.9	56.3
10	3948	49;G	SE	62.5	56.0
10	3948	49;H	NE	63.5	56.9
1	3949	37;A	SW	36.8	30.3
1	3949	37;B	SW	36.7	30.2
1	3949	37;C	SW	36.8	30.3
1	3949	37;D	NW	36.8	30.2
1	3949	37;E	NW	36.5	30.0
1	3949	37;F	NW	36.3	29.7
1	3949	37;G	SW	35.3	28.8
1	3949	37;H	SW	35.2	28.7
1	3949	37;I	SE	50.5	44.0
1	3949	37;J	NE	53.7	47.2
1	3949	37;K	SE	54.6	48.0
1	3949	37;L	NE	55.8	49.2
1	3949	37;M	NE	56.9	50.3
1	3949	37;N	NE	57.1	50.5
1	3949	37;O	NE	57.5	50.9
1	3949	37;P	NE	57.1	50.5
1	3949	37;Q	NE	57.2	50.7
1	3949	37;R	NE	56.5	49.9
1	3949	37;S	NW	52.5	45.9
1	3949	37;T	NW	50.6	44.0
1	3949	37;U	SW	36.7	30.1
1	3949	37;V	SW	36.8	30.3
1	3949	37;W	SW	36.7	30.1
2	3949	37;A	SW	36.9	30.4
2	3949	37;B	SW	36.8	30.2
2	3949	37;C	SW	36.9	30.4
2	3949	37;D	NW	36.9	30.3
2	3949	37;E	NW	36.9	30.3
2	3949	37;F	NW	36.8	30.2
2	3949	37;G	SW	35.4	28.8
2	3949	37;H	SW	35.3	28.8
2	3949	37;I	SE	54.0	47.5
2	3949	37;J	NE	57.2	50.6
2	3949	37;K	SE	57.9	51.3
2	3949	37;L	NE	59.4	52.9
2	3949	37;M	NE	60.2	53.6
2	3949	37;N	NE	60.3	53.7
2	3949	37;O	NE	60.7	54.1
2	3949	37;P	NE	60.3	53.7
2	3949	37;Q	NE	60.4	53.9
2	3949	37;R	NE	59.8	53.3
2	3949	37;S	NW	56.1	49.6
2	3949	37;T	NW	54.3	47.7
2	3949	37;U	SW	36.8	30.2
2	3949	37;V	SW	36.9	30.4
2	3949	37;W	SW	36.8	30.2
3	3949	37;A	SW	37.1	30.5
3	3949	37;B	SW	37.0	30.4
3	3949	37;C	SW	37.2	30.6
3	3949	37;D	NW	37.4	30.8
3	3949	37;E	NW	37.7	31.2
3	3949	37;F	NW	37.9	31.4
3	3949	37;G	SW	35.5	29.0
3	3949	37;H	SW	35.6	29.0
3	3949	37;I	SE	55.7	49.2
3	3949	37;J	NE	58.8	52.3
3	3949	37;K	SE	59.4	52.9
3	3949	37;L	NE	61.6	55.1
3	3949	37;M	NE	61.8	55.3
3	3949	37;N	NE	61.5	55.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	3949	37;O	NE	61.8	55.3
3	3949	37;P	NE	61.6	55.0
3	3949	37;Q	NE	61.8	55.3
3	3949	37;R	NE	61.4	54.8
3	3949	37;S	NW	58.4	51.9
3	3949	37;T	NW	56.8	50.2
3	3949	37;U	SW	36.9	30.4
3	3949	37;V	SW	37.1	30.5
3	3949	37;W	SW	36.9	30.4
4	3949	37;A	SW	38.2	31.7
4	3949	37;B	SW	38.0	31.5
4	3949	37;C	SW	38.4	31.9
4	3949	37;D	NW	39.8	33.3
4	3949	37;E	NW	40.7	34.1
4	3949	37;F	NW	40.4	33.9
4	3949	37;G	SW	36.5	29.9
4	3949	37;H	SW	36.9	30.3
4	3949	37;I	SE	57.2	50.7
4	3949	37;J	NE	59.7	53.1
4	3949	37;K	SE	60.0	53.4
4	3949	37;L	NE	62.1	55.5
4	3949	37;M	NE	62.3	55.7
4	3949	37;N	NE	61.9	55.3
4	3949	37;O	NE	62.3	55.7
4	3949	37;P	NE	61.9	55.4
4	3949	37;Q	NE	62.3	55.7
4	3949	37;R	NE	61.8	55.2
4	3949	37;S	NW	58.9	52.3
4	3949	37;T	NW	57.6	51.0
4	3949	37;U	SW	38.0	31.5
4	3949	37;V	SW	38.2	31.6
4	3949	37;W	SW	37.9	31.4
1	3950	39;A	SW	37.8	31.3
1	3950	39;B	SW	37.0	30.4
1	3950	39;C	SW	37.2	30.6
1	3950	39;D	SW	37.3	30.7
1	3950	39;E	SW	37.7	31.1
1	3950	39;F	SW	37.7	31.1
1	3950	39;G	SE	49.0	42.5
1	3950	39;H	SE	53.4	46.8
1	3950	39;I	NE	57.3	50.7
1	3950	39;J	NE	57.5	50.9
1	3950	39;K	NE	56.8	50.2
1	3950	39;L	NE	57.5	50.9
1	3950	39;M	NE	57.3	50.8
1	3950	39;N	NE	57.6	51.0
1	3950	39;O	NE	57.1	50.5
1	3950	39;P	NE	57.5	50.9
1	3950	39;Q	NE	56.8	50.3
1	3950	39;R	NW	53.4	46.8
2	3950	39;A	SW	39.4	32.8
2	3950	39;B	SW	37.1	30.5
2	3950	39;C	SW	37.3	30.7
2	3950	39;D	SW	37.3	30.8
2	3950	39;E	SW	37.7	31.1
2	3950	39;F	SW	37.6	31.1
2	3950	39;G	SE	52.8	46.2
2	3950	39;H	SE	56.6	50.1
2	3950	39;I	NE	60.4	53.9
2	3950	39;J	NE	60.6	54.1
2	3950	39;K	NE	60.0	53.4
2	3950	39;L	NE	60.7	54.1
2	3950	39;M	NE	60.5	54.0
2	3950	39;N	NE	60.7	54.2
2	3950	39;O	NE	60.3	53.7
2	3950	39;P	NE	60.6	54.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	3950	39;Q	NE	60.0	53.5
2	3950	39;R	NW	56.7	50.1
3	3950	39;A	SW	40.6	34.0
3	3950	39;B	SW	37.2	30.7
3	3950	39;C	SW	37.4	30.9
3	3950	39;D	SW	37.4	30.9
3	3950	39;E	SW	37.8	31.2
3	3950	39;F	SW	37.7	31.2
3	3950	39;G	SE	54.2	47.6
3	3950	39;H	SE	57.7	51.2
3	3950	39;I	NE	61.5	54.9
3	3950	39;J	NE	61.7	55.1
3	3950	39;K	NE	61.0	54.4
3	3950	39;L	NE	61.7	55.2
3	3950	39;M	NE	61.6	55.1
3	3950	39;N	NE	61.8	55.3
3	3950	39;O	NE	61.4	54.9
3	3950	39;P	NE	61.7	55.2
3	3950	39;Q	NE	61.2	54.7
3	3950	39;R	NW	58.0	51.5
4	3950	39;A	SW	42.1	35.6
4	3950	39;B	SW	38.2	31.7
4	3950	39;C	SW	38.4	31.9
4	3950	39;D	SW	38.4	31.8
4	3950	39;E	SW	38.6	32.1
4	3950	39;F	SW	38.4	31.9
4	3950	39;G	SE	54.8	48.3
4	3950	39;H	SE	58.1	51.5
4	3950	39;I	NE	61.9	55.3
4	3950	39;J	NE	62.1	55.5
4	3950	39;K	NE	61.3	54.8
4	3950	39;L	NE	62.2	55.6
4	3950	39;M	NE	62.1	55.5
4	3950	39;N	NE	62.2	55.7
4	3950	39;O	NE	61.8	55.3
4	3950	39;P	NE	62.2	55.6
4	3950	39;Q	NE	61.7	55.2
4	3950	39;R	NW	58.7	52.2
1	3951	42;A	SE	38.7	32.2
1	3951	42;B	NE	39.1	32.6
1	3951	42;C	SE	39.3	32.7
1	3951	42;D	NE	47.7	41.2
1	3951	42;E	NW	50.4	43.8
1	3951	42;F	NE	49.5	42.9
1	3951	42;G	NW	45.4	38.8
1	3951	42;H	SW	37.8	31.2
2	3951	42;A	SE	39.0	32.5
2	3951	42;B	NE	39.2	32.7
2	3951	42;C	SE	39.4	32.8
2	3951	42;D	NE	51.2	44.7
2	3951	42;E	NW	53.8	47.2
2	3951	42;F	NE	52.7	46.1
2	3951	42;G	NW	48.5	42.0
2	3951	42;H	SW	37.8	31.3
3	3951	42;A	SE	39.2	32.7
3	3951	42;B	NE	39.4	32.9
3	3951	42;C	SE	39.5	33.0
3	3951	42;D	NE	52.6	46.0
3	3951	42;E	NW	55.1	48.5
3	3951	42;F	NE	54.0	47.4
3	3951	42;G	NW	49.8	43.2
3	3951	42;H	SW	37.2	30.7
4	3951	42;A	SE	40.1	33.5
4	3951	42;B	NE	39.8	33.3
4	3951	42;C	SE	39.8	33.3
4	3951	42;D	NE	53.1	46.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	3951	42;E	NW	55.5	48.9
4	3951	42;F	NE	54.4	47.8
4	3951	42;G	NW	50.3	43.8
4	3951	42;H	SW	37.0	30.5
5	3951	42;A	SE	44.3	37.7
5	3951	42;B	NE	40.7	34.2
5	3951	42;C	SE	40.5	34.0
5	3951	42;D	NE	53.3	46.8
5	3951	42;E	NW	55.6	49.1
5	3951	42;F	NE	54.6	48.0
5	3951	42;G	NW	50.6	44.0
5	3951	42;H	SW	38.5	32.0
6	3951	42;A	SE	40.7	34.1
6	3951	42;B	NE	43.0	36.4
6	3951	42;C	SE	42.2	35.6
6	3951	42;D	NE	53.5	46.9
6	3951	42;E	NW	55.7	49.2
6	3951	42;F	NE	54.8	48.2
6	3951	42;G	NW	50.8	44.2
6	3951	42;H	SW	36.9	30.4
1	3952	50;A	NE	57.4	50.9
1	3952	50;B	NE	58.0	51.5
1	3952	50;C	NE	58.3	51.8
1	3952	50;D	NW	54.6	48.0
1	3952	50;E	SW	38.8	32.3
1	3952	50;F	SW	38.3	31.8
1	3952	50;G	SW	38.2	31.7
2	3952	50;A	NE	60.7	54.2
2	3952	50;B	NE	61.2	54.7
2	3952	50;C	NE	61.5	54.9
2	3952	50;D	NW	57.8	51.2
2	3952	50;E	SW	38.8	32.3
2	3952	50;F	SW	38.3	31.8
2	3952	50;G	SW	38.2	31.7
3	3952	50;A	NE	62.1	55.6
3	3952	50;B	NE	62.5	56.0
3	3952	50;C	NE	62.7	56.2
3	3952	50;D	NW	59.0	52.4
3	3952	50;E	SW	38.8	32.2
3	3952	50;F	SW	38.3	31.8
3	3952	50;G	SW	38.2	31.7
4	3952	50;A	NE	62.8	56.3
4	3952	50;B	NE	63.2	56.7
4	3952	50;C	NE	63.3	56.8
4	3952	50;D	NW	59.4	52.9
4	3952	50;E	SW	38.8	32.2
4	3952	50;F	SW	38.3	31.8
4	3952	50;G	SW	38.2	31.7
5	3952	50;A	NE	63.1	56.5
5	3952	50;B	NE	63.4	56.9
5	3952	50;C	NE	63.5	57.0
5	3952	50;D	NW	59.6	53.1
5	3952	50;E	SW	38.7	32.2
5	3952	50;F	SW	38.3	31.7
5	3952	50;G	SW	38.2	31.6
6	3952	50;A	NE	63.2	56.6
6	3952	50;B	NE	63.5	57.0
6	3952	50;C	NE	63.6	57.1
6	3952	50;D	NW	59.7	53.1
6	3952	50;E	SW	38.7	32.2
6	3952	50;F	SW	38.2	31.7
6	3952	50;G	SW	38.1	31.6
7	3952	50;A	NE	63.2	56.7
7	3952	50;B	NE	63.6	57.0
7	3952	50;C	NE	63.7	57.2
7	3952	50;D	NW	59.7	53.2



Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
7	3952	50;E	SW	38.7	32.1
7	3952	50;F	SW	38.2	31.7
7	3952	50;G	SW	38.1	31.6
8	3952	50;A	NE	63.2	56.7
8	3952	50;B	NE	63.6	57.0
8	3952	50;C	NE	63.7	57.2
8	3952	50;D	NW	59.7	53.2
8	3952	50;E	SW	38.7	32.2
8	3952	50;F	SW	38.2	31.7
8	3952	50;G	SW	38.1	31.6
9	3952	50;A	NE	63.2	56.7
9	3952	50;B	NE	63.6	57.0
9	3952	50;C	NE	63.7	57.2
9	3952	50;D	NW	59.7	53.2
9	3952	50;E	SW	38.8	32.3
9	3952	50;F	SW	38.3	31.8
9	3952	50;G	SW	38.2	31.7
10	3952	50;A	NE	63.2	56.6
10	3952	50;B	NE	63.5	57.0
10	3952	50;C	NE	63.7	57.1
10	3952	50;D	NW	59.7	53.1
10	3952	50;E	SW	39.5	33.0
10	3952	50;F	SW	38.9	32.4
10	3952	50;G	SW	38.8	32.3
1	3954	;A	SE	32.9	26.4
1	3954	;B	NE	54.3	47.7
1	3954	;C	NW	50.8	44.2
1	3954	;D	NW	49.1	42.4
1	3954	;E	SW	37.5	30.9
1	3954	;F	SE	31.7	25.2
1	3955	;A	SW	39.7	33.2
1	3955	;B	SE	45.9	39.3
1	3955	;C	NE	50.1	43.5
1	3955	;D	SE	49.5	42.9
1	3955	;E	NE	52.9	46.2
1	3955	;F	NW	52.8	46.2
1	3955	;G	NW	51.3	44.7
1	3955	;H	SW	43.5	37.0
1	3956	;A	SW	35.0	28.4
1	3956	;B	SE	47.5	40.9
1	3956	;C	NE	53.7	47.2
1	3956	;D	NE	53.8	47.2
1	3956	;E	NW	50.5	44.0
1	3956	;F	NW	49.7	43.1
1	3956	;G	NW	45.5	38.9
1	3957	;A	SW	33.4	27.0
1	3957	;B	SE	44.8	38.2
1	3957	;C	NE	48.7	42.2
1	3957	;D	NW	40.3	33.8
1	3958	24;A	N	48.9	42.4
1	3958	24;B	W	53.9	47.5
1	3958	24;C	S	49.7	43.3
1	3958	24;D	E	33.9	27.5
2	3958	24;A	N	51.6	45.3
2	3958	24;B	W	56.7	50.3
2	3958	24;C	S	52.6	46.3
2	3958	24;D	E	34.0	27.6
3	3958	24;A	N	52.9	46.5
3	3958	24;B	W	57.9	51.5
3	3958	24;C	S	53.9	47.6
3	3958	24;D	E	34.1	27.8
4	3958	24;A	N	53.4	47.1
4	3958	24;B	W	58.3	52.0
4	3958	24;C	S	54.5	48.2
4	3958	24;D	E	34.2	27.9
5	3958	24;A	N	53.7	47.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	3958	24;B	W	58.6	52.2
5	3958	24;C	S	54.8	48.5
5	3958	24;D	E	34.5	28.1
6	3958	24;A	N	53.9	47.5
6	3958	24;B	W	58.7	52.4
6	3958	24;C	S	55.0	48.7
6	3958	24;D	E	34.8	28.5
7	3958	24;A	N	54.0	47.7
7	3958	24;B	W	58.8	52.5
7	3958	24;C	S	55.1	48.8
7	3958	24;D	E	35.6	29.2
1	3959	25;A	N	49.6	43.2
1	3959	25;B	W	54.0	47.6
1	3959	25;C	S	49.5	43.1
1	3959	25;D	E	34.2	27.8
2	3959	25;A	N	52.5	46.2
2	3959	25;B	W	56.9	50.5
2	3959	25;C	S	52.6	46.2
2	3959	25;D	E	34.3	27.9
3	3959	25;A	N	53.8	47.5
3	3959	25;B	W	58.1	51.7
3	3959	25;C	S	54.2	47.9
3	3959	25;D	E	34.4	28.0
4	3959	25;A	N	54.4	48.1
4	3959	25;B	W	58.6	52.3
4	3959	25;C	S	54.9	48.6
4	3959	25;D	E	34.5	28.1
5	3959	25;A	N	54.7	48.3
5	3959	25;B	W	58.8	52.5
5	3959	25;C	S	55.2	48.9
5	3959	25;D	E	34.8	28.4
6	3959	25;A	N	54.8	48.5
6	3959	25;B	W	59.0	52.7
6	3959	25;C	S	55.5	49.1
6	3959	25;D	E	35.1	28.8
7	3959	25;A	N	54.9	48.6
7	3959	25;B	W	59.1	52.8
7	3959	25;C	S	55.6	49.3
7	3959	25;D	E	35.9	29.5
1	3960	;A	N	48.3	41.8
1	3960	;B	W	52.3	45.8
1	3960	;C	S	50.0	43.6
1	3960	;D	E	39.3	32.8
1	3961	;A	NW	49.2	42.7
1	3961	;B	NW	52.1	45.6
1	3961	;C	SW	53.0	46.4
1	3961	;D	SW	52.8	46.3
1	3961	;E	NW	53.4	46.9
1	3961	;F	SW	51.7	45.2
1	3961	;G	SW	49.9	43.4
1	3961	;H	SW	49.3	42.8
1	3961	;I	SE	46.6	40.1
1	3961	;J	SE	46.9	40.3
1	3961	;K	NE	36.1	29.5
1	3961	;L	NE	35.9	29.3
1	3961	;M	SE	35.9	29.3
1	3961	;N	SE	38.3	31.8
1	3961	;O	NE	36.8	30.3
1	3962	;A	NW	42.1	35.6
1	3962	;B	SW	50.3	43.7
1	3962	;C	SW	51.0	44.4
1	3962	;D	SE	50.8	44.2
1	3962	;E	NE	36.8	30.2
1	3963	;A	E	56.0	49.6
1	3963	;B	NE	55.4	49.0
1	3963	;C	NW	47.8	41.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3963	;D	NW	41.3	35.0
1	3963	;E	NW	40.5	34.0
1	3963	;F	SW	28.5	22.2
1	3963	;G	SE	41.0	34.5
1	3963	;H	SE	51.1	44.6
1	3963	;I	SE	53.7	47.3
1	3964	;A	SE	35.0	28.6
1	3964	;B	NE	52.4	46.0
1	3964	;C	NW	47.0	40.6
1	3964	;D	SW	36.7	30.4
1	3965	;A	SE	42.2	35.8
1	3965	;B	NW	59.3	52.9
1	3966	;A	NE	56.9	50.5
1	3967	;A	SW	55.4	48.8
1	3967	;B	SE	48.4	41.8
1	3967	;C	NE	37.0	30.5
1	3967	;D	NW	47.2	40.6
1	3968	;A	W	33.5	27.2
1	3968	;B	S	38.9	32.5
1	3968	;C	E	41.8	35.4
1	3968	;D	N	45.4	39.0
1	3969	;A	S	42.6	36.2
1	3969	;B	E	35.6	29.2
1	3969	;C	N	37.0	30.7
1	3970	;A	S	49.4	42.9
1	3970	;B	E	55.5	49.0
1	3970	;C	N	64.9	58.3
1	3970	;D	W	64.5	58.0
1	3972	;A	SE	40.9	34.3
1	3972	;B	NE	64.2	57.6
1	3972	;C	NW	65.7	59.1
1	3972	;D	SW	49.0	42.4
1	3973	;A	NW	60.9	54.5
1	3973	;B	SW	61.9	55.5
1	3973	;C	SW	60.8	54.5
1	3973	;D	SE	53.1	46.8
1	3973	;E	NE	51.5	45.2
1	3974	;A	N	33.2	26.9
1	3974	;B	NW	32.7	26.4
1	3974	;C	S	48.1	41.7
1	3975	;A	W	56.4	50.0
1	3975	;B	S	47.7	41.3
1	3975	;C	E	47.1	40.7
1	3975	;D	N	53.7	47.3
1	3976	;A	W	56.3	49.9
1	3976	;B	S	53.9	47.4
1	3976	;C	E	47.7	41.3
1	3976	;D	N	47.9	41.5
1	3977	;A	NE	64.5	58.1
1	3977	;B	NW	66.5	60.2
1	3977	;C	SW	62.0	55.7
1	3977	;D	SE	56.5	50.2
1	3978	;A	NW	50.9	44.5
1	3978	;B	SE	42.4	35.9
1	3979	;A	W	47.8	41.4
1	3979	;B	E	43.8	37.4
1	3980	;A	NW	60.6	54.3
1	3980	;B	SW	55.6	49.2
1	3980	;C	SE	44.0	37.7
1	3982	;A	NE	58.1	51.8
1	3982	;B	SW	57.1	50.8
1	3983	;A	NW	40.6	34.3
1	3983	;B	SE	58.5	52.2
1	3984	;A	NW	42.5	36.2
1	3984	;B	SE	59.0	52.7
1	3985	;A	NW	47.4	41.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	3985	;B	SW	50.5	44.1
1	3985	;C	SE	54.5	48.1
1	3985	;D	NE	54.5	48.2
1	3986	;A	NW	59.1	52.8
1	3986	;B	SW	59.4	53.0
1	3986	;C	SE	44.0	37.7
1	3986	;D	NE	50.1	43.8
1	3987	;A	SW	61.8	55.2
1	3987	;B	SE	58.8	52.3
1	3987	;C	NE	42.2	35.6
1	3987	;D	NW	57.3	50.7
1	3988	;A	NW	51.8	45.3
1	3988	;B	SW	55.3	48.7
1	3988	;C	SE	46.7	40.1
1	3988	;D	NE	37.2	30.7
1	3989	;A	NW	47.4	40.8
1	3989	;B	SW	55.3	48.7
1	3989	;C	SE	52.0	45.4
1	3989	;D	NE	37.3	30.7
1	3990	;A	NW	51.9	45.4
1	3990	;B	SW	55.2	48.6
1	3990	;C	SE	51.4	44.8
1	3990	;D	NE	38.0	31.5
1	3991	;A	SW	52.7	46.4
1	3991	;B	NE	38.4	32.1
1	3992	;A	S	43.5	37.1
1	3992	;B	N	42.3	35.9
1	3993	;A	S	39.2	32.9
1	3993	;B	N	46.2	39.8
1	3994	;A	NW	48.3	41.9
1	3994	;B	SE	36.0	29.7
1	3996	;A	S	33.5	27.2
1	3996	;B	E	43.8	37.4
1	3996	;C	N	45.1	38.7
1	3996	;D	W	30.7	24.4
1	3997	;A	SW	41.7	35.1
1	3997	;B	SE	54.3	47.8
1	3997	;C	NE	61.2	54.7
1	3997	;D	NW	57.6	51.0
1	3998	;A	NW	54.0	47.4
1	3998	;B	SW	41.0	34.5
1	3998	;C	SE	57.5	50.9
1	3998	;D	NE	60.9	54.3
1	3999	;A	SW	40.4	33.8
1	3999	;B	SE	57.6	51.0
1	3999	;C	NE	61.3	54.7
1	3999	;D	NW	51.2	44.6
1	4000	;A	SW	40.6	34.0
1	4000	;B	SE	51.2	44.6
1	4000	;C	NE	60.8	54.3
1	4000	;D	NW	57.3	50.7
1	4001	;A	SW	45.6	39.0
1	4001	;B	SE	44.8	38.3
1	4001	;C	NE	40.1	33.6
1	4001	;D	NW	44.5	38.0
1	4002	;A	SW	48.3	41.9
1	4002	;B	SE	56.4	50.0
1	4002	;C	NE	58.5	52.1
1	4002	;D	NW	53.9	47.5
1	4003	;A	SE	58.3	51.7
1	4003	;B	NE	61.2	54.7
1	4003	;C	SW	46.1	39.5
1	4004	;A	SW	52.4	45.8
1	4004	;B	NE	60.9	54.4
1	4004	;C	NE	61.3	54.7
1	4004	;D	NW	58.6	52.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4005	;A	SW	57.1	50.5
1	4005	;B	SE	54.7	48.1
1	4005	;C	NE	49.0	42.4
1	4005	;D	NW	54.2	47.6
1	4006	;A	NW	57.6	51.1
1	4006	;B	SE	57.1	50.5
1	4007	;A	SW	56.8	50.2
1	4007	;B	SE	53.9	47.3
1	4007	;C	NE	49.1	42.5
1	4007	;D	NW	54.9	48.3
1	4008	;A	S	37.7	31.4
1	4008	;B	N	46.9	40.5
1	4009	;A	S	40.1	33.7
1	4009	;B	N	47.2	40.8
1	4010	;A	W	62.3	55.7
1	4010	;B	S	48.2	41.7
1	4010	;C	E	62.9	56.4
1	4010	;D	N	65.9	59.3
1	4015	;A	SE	54.7	48.1
1	4015	;B	NW	57.1	50.5
1	4017	;A	SW	59.5	53.1
1	4017	;B	SE	61.1	54.8
1	4017	;C	NE	54.4	48.1
1	4017	;D	NW	46.7	40.4
1	4018	;A	NW	59.5	53.1
1	4018	;B	SW	60.6	54.3
1	4018	;C	SE	54.0	47.7
1	4018	;D	SE	52.3	46.0
1	4018	;E	NE	47.3	41.0
1	4018	;F	NW	58.0	51.7
1	4019	;A	N	60.7	54.1
1	4019	;B	W	57.6	51.0
1	4019	;C	S	41.3	34.7
1	4019	;D	E	57.3	50.8
1	4020	;A	NE	65.5	58.9
1	4020	;B	NW	62.3	55.8
1	4020	;C	SW	51.7	45.2
1	4020	;D	SE	62.1	55.5
1	4021	;A	SW	50.2	43.6
1	4021	;B	NE	64.9	58.3
1	4022	;A	SE	41.8	35.3
1	4022	;B	NE	44.6	38.1
1	4022	;C	NW	43.5	37.1
1	4022	;D	SW	35.6	29.1
1	4023	;A	W	35.9	29.5
1	4023	;B	S	49.1	42.7
1	4023	;C	E	51.9	45.5
1	4023	;D	N	46.9	40.4
1	4024	;A	N	42.4	36.1
1	4024	;B	W	35.0	28.7
1	4024	;C	S	50.7	44.3
1	4024	;D	E	53.4	47.0
1	4025	;A	W	37.2	30.9
1	4025	;B	E	54.0	47.6
1	4026	;A	S	52.1	45.7
1	4027	;A	SW	49.9	43.5
1	4027	;B	SE	52.7	46.3
1	4027	;C	NE	48.9	42.5
1	4027	;D	NW	34.8	28.4
1	4028	;A	NW	33.4	27.1
1	4028	;B	SW	50.0	43.6
1	4028	;C	SE	51.7	45.4
1	4028	;D	NE	46.7	40.3
1	4029	;A	NE	48.2	41.8
1	4029	;B	NW	33.4	27.0
1	4029	;C	SW	48.5	42.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4030	;A	SE	54.2	47.8
1	4030	;B	NW	36.0	29.7
1	4030	;C	SW	50.5	44.1
1	4031	;A	NE	44.3	37.9
1	4031	;B	NW	53.2	46.8
1	4031	;C	SW	54.6	48.2
1	4031	;D	SE	48.0	41.6
1	4032	;A	NW	51.1	44.6
1	4032	;B	SW	52.7	46.3
1	4033	;A	NE	44.3	37.7
1	4033	;B	NW	58.3	51.7
1	4033	;C	SW	55.4	48.9
1	4033	;D	SE	58.1	51.5
1	4034	;A	SW	68.7	62.1
1	4034	;B	SE	62.8	56.3
1	4034	;C	NE	50.3	43.7
1	4034	;D	NW	63.8	57.2
1	4035	;A	NW	62.9	56.4
1	4035	;B	SW	68.6	62.0
1	4035	;C	SE	63.8	57.2
1	4035	;D	NE	49.9	43.4
1	4036	;A	NE	64.6	58.1
1	4036	;B	NW	60.8	54.2
1	4036	;C	SW	50.1	43.5
1	4036	;D	SE	60.7	54.2
1	4037	;A	SW	46.2	39.7
1	4037	;B	SE	60.8	54.2
1	4037	;C	NE	64.7	58.1
1	4037	;D	NW	60.7	54.1
1	4038	;A	NE	52.4	45.9
1	4038	;B	NW	46.3	39.7
1	4038	;C	SW	47.0	40.4
1	4038	;D	SE	56.9	50.3
1	4039	;A	SE	46.4	39.8
1	4039	;B	NE	48.8	42.3
1	4039	;C	NW	50.9	44.3
1	4039	;D	SW	43.4	36.8
1	4040	;A	SE	51.0	44.4
1	4040	;B	NE	51.2	44.8
1	4040	;C	NW	59.3	52.7
1	4040	;D	NE	58.8	52.2
1	4040	;E	NW	57.0	50.5
1	4040	;F	SW	45.6	39.1
1	4041	;A	NE	46.5	40.0
1	4041	;B	NW	46.5	40.0
1	4041	;C	SW	38.4	31.9
1	4041	;D	SE	53.3	46.7
1	4042	;A	SE	46.3	39.7
1	4042	;B	NE	48.3	41.9
1	4042	;C	NW	53.6	47.1
1	4042	;D	SW	37.5	30.9