

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4050	1;A	NE	42.2	35.7
1	4050	1;B	NW	43.2	36.7
1	4050	1;C	SW	37.7	31.2
1	4050	1;D	SE	34.4	27.9
1	4051	;A	NE	39.3	32.8
1	4051	;B	NW	47.2	40.7
1	4051	;C	SW	44.5	38.0
1	4051	;D	SE	33.5	27.1
1	4052	;A	SW	44.8	38.3
1	4052	;B	SW	44.5	38.0
1	4052	;C	SE	28.6	22.1
1	4052	;D	NE	30.1	23.6
1	4052	;E	NE	38.2	31.7
1	4052	;F	NE	42.8	36.3
1	4052	;G	NW	47.8	41.3
1	4052	;H	SW	45.2	38.7
1	4053	;A	NE	53.1	46.7
1	4053	;B	NW	34.6	28.3
1	4053	;C	SW	35.8	29.4
1	4053	;D	SE	56.1	49.8
1	4053	;E	NE	55.2	48.9
1	4054	;A	W	29.5	23.1
1	4054	;B	S	48.0	41.6
1	4054	;C	E	51.9	45.4
1	4054	;D	E	51.4	45.0
1	4054	;E	E	51.9	45.5
1	4054	;F	E	51.8	45.4
1	4054	;G	N	47.7	41.3
1	4054	;H	N	40.8	34.4
1	4054	;I	W	29.5	23.1
1	4055	;A	E	51.6	45.2
1	4055	;B	E	51.9	45.5
1	4055	;C	N	48.0	41.6
1	4055	;D	W	29.5	23.1
1	4055	;E	W	29.5	23.2
1	4055	;F	W	34.4	27.9
1	4055	;G	W	35.4	29.0
1	4055	;H	NW	31.3	24.9
1	4055	;I	SW	33.3	26.9
1	4055	;J	SE	49.5	43.1
1	4055	;K	E	51.9	45.5
1	4056	;A	SW	38.4	31.9
1	4056	;B	SE	54.5	48.0
1	4057	;A	SW	44.8	38.4
1	4057	;B	SE	51.6	45.1
1	4057	;C	NE	45.4	39.0
1	4057	;D	NW	39.4	33.0
1	4058	;A	NW	40.6	34.1
1	4058	;B	SW	54.9	48.5
1	4058	;C	SE	59.9	53.5
1	4058	;D	NE	51.0	44.6
1	4059	;A	NE	38.2	31.6
1	4059	;B	NW	40.2	33.7
1	4059	;C	NW	39.0	32.5
1	4059	;D	SE	28.7	22.2
1	4059	;E	SE	28.7	22.2
1	4060	;A	E	36.0	29.4
1	4060	;B	E	32.2	25.6
1	4060	;C	N	45.8	39.4
1	4060	;D	W	49.3	42.8
1	4060	;E	S	46.7	40.1
1	4060	;F	E	40.0	33.4
1	4060	;G	E	37.9	31.3
1	4061	;A	SW	41.7	35.1
1	4061	;B	SE	53.1	46.5
1	4061	;C	NE	56.9	50.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4061	;D	NW	50.6	44.1
1	4061	;E	SW	41.2	34.6
1	4062	;A	SE	49.4	42.8
1	4062	;B	SE	53.5	46.9
1	4062	;C	NE	54.2	47.6
1	4062	;D	NE	53.2	46.7
1	4062	;E	NW	42.3	35.7
1	4062	;F	SW	33.0	26.4
1	4062	;G	NW	33.3	26.7
1	4062	;H	SW	33.0	26.4
1	4063	;A	NW	41.5	34.9
1	4063	;B	NW	41.3	34.8
1	4063	;C	SW	37.6	31.1
1	4063	;D	SE	26.5	20.0
1	4063	;E	NE	39.2	32.7
1	4063	;F	NW	41.6	35.1
1	4064	;A	NE	24.0	17.6
1	4064	;C	NW	40.1	33.6
1	4064	;D	NW	40.1	33.6
1	4064	;E	SW	34.7	28.2
1	4064	;F	SE	25.4	18.9
1	4064	;G	NE	26.3	19.8
1	4064	;H	SE	25.4	18.9
1	4064	;I	SE	25.4	18.9
1	4064	;J	SE	24.7	18.1
1	4064	;K	SW	25.3	18.8
1	4064	;L	SW	26.6	20.1
1	4065	;A	W	28.5	22.2
1	4065	;B	SE	43.9	37.5
1	4065	;C	SE	47.6	41.1
1	4065	;D	SE	50.1	43.6
1	4065	;E	E	51.5	45.1
1	4065	;F	E	51.1	44.7
1	4065	;G	E	51.8	45.4
1	4065	;H	N	49.2	42.7
1	4065	;I	NW	44.2	37.8
1	4065	;J	W	37.3	30.8
1	4065	;K	W	35.2	28.7
1	4065	;L	NW	35.8	29.3
1	4069	;A	SW	31.5	25.0
1	4069	;B	SE	46.4	39.8
1	4069	;C	NE	48.8	42.2
1	4069	;D	SE	48.4	41.8
1	4069	;E	NE	47.9	41.4
1	4069	;F	NW	47.9	41.3
1	4069	;G	NE	47.2	40.7
1	4069	;H	NW	46.8	40.2
1	4070	;A	NE	36.1	29.6
1	4070	;B	NW	52.5	46.0
1	4070	;C	SW	55.9	49.3
1	4070	;D	SW	56.8	50.2
1	4070	;E	SE	52.4	45.9
1	4070	;F	SE	49.1	42.6
1	4070	;G	NE	35.8	29.3
1	4070	;H	SE	36.7	30.2
1	4070	;I	NE	36.3	29.8
1	4070	;J	NW	46.9	40.4
1	4071	;A	SW	41.3	34.8
1	4071	;B	SE	36.6	30.1
1	4071	;C	NE	32.3	25.8
1	4071	;D	NW	40.2	33.7
1	4072	;A	SW	38.8	32.3
1	4072	;B	SE	37.0	30.5
1	4072	;C	NE	32.4	26.0
1	4072	;D	NE	32.0	25.5
1	4072	;E	NW	44.1	37.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4072	;F	SW	45.1	38.6
1	4072	;G	SW	43.7	37.2
1	4073	;B	NW	40.8	34.2
1	4073	;C	SW	38.7	32.1
1	4074	;A	SW	23.6	17.2
1	4074	;B	SW	26.7	20.3
1	4074	;C	SE	24.2	17.7
1	4074	;D	NE	36.6	30.1
1	4074	;E	NE	37.0	30.5
1	4074	;F	NW	39.4	32.8
1	4074	;G	NE	39.3	32.8
1	4075	;A	NW	38.2	31.7
1	4075	;B	SW	36.5	30.0
1	4075	;C	SE	29.3	22.7
1	4075	;D	SW	31.6	25.0
1	4075	;E	SE	27.4	21.0
1	4075	;F	NE	26.1	19.6
1	4075	;G	SE	25.0	18.6
1	4076	;B	NW	36.7	30.1
1	4076	;C	SW	35.1	28.6
1	4076	;D	SW	33.1	26.6
1	4078	;A	NE	33.5	27.0
1	4078	;B	NW	32.3	25.8
1	4078	;C	SW	32.5	26.0
1	4078	;D	SE	25.3	18.8
1	4079	;A	NW	32.2	25.7
1	4079	;B	SW	30.3	23.8
1	4079	;C	SE	24.5	18.0
1	4079	;D	NE	32.7	26.2
1	4080	;A	NW	33.4	26.9
1	4080	;B	NE	32.4	25.9
1	4080	;C	NW	31.4	24.9
1	4080	;D	SW	27.9	21.4
1	4080	;F	NE	32.2	25.7
1	4081	;B	SW	32.9	26.4
1	4081	;C	SW	30.2	23.7
1	4081	;D	SE	24.1	17.6
1	4081	;E	SE	24.4	17.9
1	4081	;F	SE	23.4	17.0
1	4081	;G	NE	30.2	23.7
1	4081	;H	NE	27.5	21.0
1	4081	;K	NE	25.7	19.3
1	4081	;L	NE	27.3	20.9
1	4081	;M	NW	33.2	26.7
1	4081	;N	NW	34.9	28.4
1	4081	;O	SW	33.2	26.6
1	4081	;P	SW	29.9	23.4
1	4082	;B	SW	35.0	28.5
1	4082	;C	SW	33.6	27.0
1	4082	;D	SE	29.4	22.8
1	4082	;E	SE	28.6	22.0
1	4082	;F	SE	27.8	21.3
1	4082	;G	NE	29.2	22.7
1	4082	;H	NE	27.3	20.8
1	4082	;I	NE	25.8	19.4
1	4082	;L	NE	23.4	16.9
1	4082	;M	NE	28.6	22.1
1	4082	;P	NE	30.1	23.6
1	4082	;Q	NW	35.7	29.2
1	4083	;A	SW	26.4	19.9
1	4083	;B	SE	26.6	20.1
1	4083	;C	SW	30.2	23.7
1	4083	;D	SE	27.1	20.6
1	4083	;E	NE	35.4	28.9
1	4083	;F	NW	38.6	32.1
1	4083	;G	NW	38.2	31.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4083	;H	SW	36.5	30.0
1	4083	;I	SE	29.3	22.7
1	4083	;J	SW	31.6	25.0
1	4083	;K	SE	27.4	21.0
1	4083	;L	NE	26.1	19.6
1	4083	;M	SE	25.0	18.6
1	4084	;A	SW	41.0	34.5
1	4084	;B	SW	40.5	34.0
1	4084	;C	SW	39.8	33.3
1	4084	;D	SW	37.8	31.3
1	4084	;E	SE	27.2	20.8
1	4084	;F	NE	34.4	27.9
1	4084	;G	NE	27.9	21.4
1	4084	;H	SE	27.3	20.9
1	4084	;I	NE	39.7	33.2
1	4084	;J	SW	41.0	34.5
1	4085	;A	NW	36.9	30.4
1	4085	;B	SW	42.5	36.1
1	4085	;C	SE	53.7	47.4
1	4085	;D	SE	54.6	48.3
1	4085	;E	NE	53.8	47.5
1	4085	;F	NW	34.7	28.3
1	4085	;G	NE	36.7	30.3
1	4086	;A	E	28.2	21.7
1	4086	;B	S	32.8	26.3
1	4086	;C	E	27.6	21.2
1	4086	;D	E	27.8	21.3
1	4086	;E	N	27.6	21.2
1	4086	;F	W	28.9	22.5
1	4086	;G	N	27.9	21.5
1	4086	;H	W	41.3	34.8
1	4086	;I	S	41.2	34.7
1	4086	;J	S	39.6	33.0
1	4087	;A	S	47.4	40.8
1	4087	;B	N	46.5	40.0
1	4088	;A	NW	40.5	34.1
1	4088	;B	NE	41.9	35.5
1	4088	;C	NW	37.7	31.2
1	4088	;D	NW	28.9	22.5
1	4088	;E	SW	36.1	29.7
1	4088	;F	SE	47.0	40.5
1	4088	;G	SE	47.0	40.5
1	4088	;H	SE	45.9	39.5
1	4088	;I	SE	50.0	43.6
1	4088	;J	NE	50.1	43.7
1	4089	;A	NW	56.0	49.5
1	4089	;B	SW	53.6	47.1
1	4089	;C	SE	37.6	31.1
1	4089	;D	NE	50.3	43.8
1	4090	;A	NE	48.8	42.3
1	4090	;B	NW	54.3	47.8
1	4090	;C	SW	50.6	44.1
1	4090	;D	SE	34.5	28.0
1	4091	;A	NE	50.3	43.9
1	4091	;B	NW	51.5	45.0
1	4091	;C	SW	46.4	40.0
1	4091	;D	SE	38.8	32.3
1	4092	;A	SE	63.1	56.6
1	4092	;B	NE	58.8	52.4
1	4092	;C	NW	46.7	40.3
1	4092	;D	SW	56.5	50.1
1	4093	;A	NW	37.4	30.9
1	4093	;B	SW	49.4	43.0
1	4093	;C	SE	52.4	46.0
1	4093	;D	SE	51.5	45.1
1	4093	;E	NE	49.2	42.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4094	:A	NW	39.3	32.8
1	4094	:B	SW	39.9	33.5
1	4094	:C	SE	29.8	23.3
1	4094	:D	NE	38.7	32.3
1	4095	:A	W	41.1	34.7
1	4095	:B	W	47.0	40.5
1	4095	:C	S	57.3	50.8
1	4095	:D	E	55.9	49.5
1	4095	:E	E	51.9	45.5
1	4095	:F	N	40.8	34.3
1	4096	:B	SW	46.6	40.1
1	4096	:C	SE	31.3	24.8
1	4096	:D	NE	45.3	38.8
1	4097	:A	NW	38.6	32.0
1	4097	:B	SW	36.7	30.2
1	4097	:C	SE	25.6	19.1
1	4097	:D	NE	36.2	29.7
1	4098	:A	NW	42.3	35.8
1	4098	:B	SW	32.1	25.7
1	4098	:C	SE	44.8	38.4
1	4098	:D	NE	48.0	41.5
1	4099	:A	SW	52.0	45.7
1	4099	:B	SE	59.1	52.7
1	4099	:C	NE	58.5	52.1
1	4099	:D	NW	49.5	43.1
1	4100	:A	SW	48.6	42.1
1	4100	:B	SE	51.0	44.5
1	4100	:C	NE	43.2	36.6
1	4100	:D	NW	54.6	48.1
1	4101	:A	NW	58.2	51.7
1	4101	:B	SW	62.2	55.7
1	4101	:C	SE	57.5	50.9
1	4101	:D	NE	48.2	41.7
1	4102	:A	NW	49.7	43.2
1	4102	:C	SE	32.0	25.5
1	4102	:D	NE	46.0	39.5
1	4103	:A	NE	42.4	35.9
1	4103	:B	NE	33.1	26.7
1	4103	:C	NW	46.7	40.2
1	4103	:D	SW	37.6	31.2
1	4103	:E	SE	33.6	27.1
1	4104	:A	NE	48.8	42.3
1	4104	:B	NW	50.4	43.9
1	4104	:C	SW	47.5	41.0
1	4105	:A	SW	62.2	55.7
1	4105	:B	SE	58.2	51.7
1	4105	:C	NE	45.2	38.7
1	4105	:D	NW	57.6	51.0
1	4106	:A	SW	44.2	37.7
1	4106	:B	SE	55.0	48.4
1	4106	:C	NE	40.3	33.8
1	4106	:D	NW	51.1	44.5
1	4107	:A	S	51.3	44.7
1	4107	:B	SE	40.7	34.2
1	4107	:C	SW	42.7	36.2
1	4107	:D	S	45.6	39.1
1	4107	:E	NE	40.8	34.3
1	4107	:F	NW	53.0	46.5
1	4108	:A	NW	57.4	50.8
1	4108	:B	S	57.5	51.0
1	4108	:C	E	47.0	40.5
1	4108	:D	N	47.7	41.2
1	4109	:A	NW	39.5	33.1
1	4109	:B	SW	42.9	36.5
1	4109	:C	SE	51.1	44.8
1	4109	:D	NE	54.7	48.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4109	;E	NW	45.0	38.6
1	4113	;A	SW	46.8	40.3
1	4113	;B	SE	40.0	33.6
1	4113	;C	NE	39.2	32.7
1	4113	;D	NW	46.5	40.0
1	4114	;A	SW	48.0	41.5
1	4114	;B	SW	47.2	40.7
1	4114	;C	SW	47.2	40.8
1	4114	;D	SE	39.0	32.5
1	4114	;E	NE	35.5	29.1
1	4114	;F	NE	33.1	26.6
1	4114	;G	NE	35.7	29.2
1	4114	;H	NW	47.2	40.8
1	4115	;A	N	29.1	22.7
1	4115	;B	E	27.6	21.2
1	4115	;C	S	29.2	22.8
1	4115	;D	E	28.2	21.7
1	4115	;E	N	29.4	23.0
1	4115	;F	E	27.7	21.3
1	4115	;G	S	29.5	23.1
1	4115	;H	E	28.4	22.0
1	4115	;I	N	45.3	38.9
1	4115	;J	W	49.2	42.7
1	4115	;K	S	45.5	39.0
1	4115	;L	E	28.7	22.3
1	4115	;M	S	38.2	31.6
1	4115	;N	E	28.0	21.6
1	4115	;O	N	29.2	22.8
1	4115	;P	E	27.5	21.1
1	4115	;Q	S	29.3	22.9
1	4115	;R	E	27.8	21.4
1	4115	;S	N	29.2	22.7
1	4115	;T	E	27.5	21.1
1	4115	;U	S	29.2	22.8
1	4115	;V	E	27.9	21.5
1	4115	;W	N	29.3	22.9
1	4115	;X	E	27.5	21.1
1	4115	;Y	S	29.3	22.9
1	4115	;Z	E	28.0	21.6
1	4115	;AA	N	29.2	22.8
1	4115	;AB	E	27.5	21.1
1	4115	;AC	S	29.2	22.8
1	4115	;AD	E	28.1	21.6
1	4115	;AE	N	29.2	22.8
1	4115	;AF	E	27.5	21.2
1	4115	;AG	S	29.3	22.9
1	4115	;AH	E	28.1	21.7
1	4115	;AI	N	29.1	22.7
1	4115	;AJ	E	27.5	21.2
1	4115	;AK	S	29.3	22.9
1	4115	;AL	E	28.1	21.7
1	4116	;A	W	30.3	23.6
1	4116	;B	S	49.5	42.8
1	4116	;C	E	53.9	47.2
1	4116	;D	N	48.8	42.1
1	4117	;A	S	42.2	35.6
1	4117	;B	S	43.3	36.7
1	4117	;C	E	42.3	35.7
1	4117	;D	N	33.4	26.9
1	4117	;E	N	31.0	24.5
1	4117	;F	NW	30.3	23.8
1	4117	;G	W	28.1	21.6
1	4118	;A	N	44.3	37.8
1	4118	;B	W	45.7	39.2
1	4118	;C	S	40.9	34.4
1	4118	;D	E	27.0	20.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4118	;E	S	28.7	22.3
1	4118	;F	E	34.0	27.5
1	4119	;B	SW	45.9	39.4
1	4119	;C	SE	41.8	35.3
1	4119	;D	E	37.7	31.2
1	4120	;A	N	41.8	35.3
1	4120	;B	SW	42.1	35.6
1	4120	;C	S	38.5	32.0
1	4120	;D	NE	31.9	25.5
1	4121	;A	SE	44.1	37.7
1	4121	;B	SE	42.5	36.1
1	4121	;C	NE	39.5	33.0
1	4121	;D	NW	47.9	41.4
1	4121	;E	SW	50.5	44.1
1	4122	;A	N	28.0	21.5
1	4122	;B	E	26.9	20.5
1	4122	;C	N	33.2	26.7
1	4122	;D	W	45.3	38.7
1	4122	;E	S	43.9	37.3
1	4122	;F	E	28.1	21.6
1	4123	;A	NE	37.7	31.2
1	4123	;B	NW	54.5	48.0
1	4123	;C	SW	58.7	52.1
1	4123	;D	SE	54.4	47.9
1	4124	;A	SW	49.4	42.9
1	4124	;B	SE	38.3	31.8
1	4124	;C	NE	36.1	29.6
1	4124	;D	NW	52.6	46.1
1	4125	;A	SW	43.3	36.8
1	4125	;B	SE	40.3	33.8
1	4125	;C	NE	36.8	30.3
1	4125	;D	NW	40.4	33.9
1	4126	;A	SW	39.8	33.3
1	4126	;B	SE	50.4	43.9
1	4126	;C	NE	36.6	30.1
1	4126	;D	NW	46.9	40.4
1	4130	;A	NW	37.3	30.8
1	4130	;B	SW	33.9	27.4
1	4130	;C	SE	25.3	18.7
1	4130	;D	NE	34.8	28.3
1	4132	1;A	SE	47.7	41.2
1	4132	1;B	NE	49.9	43.3
1	4132	1;C	NW	42.6	36.0
1	4132	1;D	SW	27.9	21.3
1	4133	;A	NE	38.7	32.2
1	4133	;B	NW	40.8	34.3
1	4133	;C	SW	35.4	28.9
1	4133	;D	NW	38.6	32.1
1	4133	;E	SW	36.0	29.5
1	4133	;F	NW	38.2	31.8
1	4133	;G	SW	34.3	27.8
1	4133	;H	SE	24.7	18.2
1	4133	;I	NE	32.1	25.6
1	4133	;J	SE	24.6	18.1
1	4133	;K	NE	35.3	28.9
1	4134	2;A	E	53.3	46.6
1	4134	2;B	E	53.8	47.1
1	4134	2;C	E	53.4	46.7
1	4134	2;D	E	53.9	47.1
1	4134	2;E	E	53.5	46.8
1	4134	2;F	E	53.9	47.2
1	4134	2;G	E	53.4	46.7
1	4134	2;H	E	53.9	47.2
1	4134	2;I	E	53.4	46.7
1	4134	2;J	E	53.9	47.2
1	4134	2;K	N	49.4	42.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4134	2;L	W	31.5	24.8
1	4134	2;M	W	31.5	24.8
1	4134	2;N	W	31.4	24.7
1	4134	2;O	W	31.4	24.7
1	4134	2;P	W	31.3	24.6
1	4134	2;Q	W	31.4	24.7
1	4134	2;R	W	31.3	24.6
1	4134	2;S	W	31.4	24.7
1	4134	2;T	W	31.3	24.6
1	4134	2;U	W	31.4	24.7
1	4134	2;V	W	31.3	24.6
1	4134	2;W	W	31.4	24.7
1	4134	2;X	W	31.3	24.6
1	4134	2;Y	W	31.4	24.7
1	4134	2;Z	W	31.3	24.6
1	4134	2;AA	W	31.4	24.7
1	4134	2;AB	W	31.3	24.6
1	4134	2;AC	S	49.6	42.9
1	4134	2;AD	E	53.8	47.1
1	4134	2;AE	E	53.4	46.7
1	4134	2;AF	E	53.9	47.1
2	4134	2;A	E	55.9	49.1
2	4134	2;B	E	56.3	49.6
2	4134	2;C	E	55.9	49.2
2	4134	2;D	E	56.3	49.6
2	4134	2;E	E	56.0	49.3
2	4134	2;F	E	56.3	49.6
2	4134	2;G	E	55.9	49.2
2	4134	2;H	E	56.3	49.6
2	4134	2;I	E	55.9	49.2
2	4134	2;J	E	56.3	49.6
2	4134	2;K	N	52.2	45.4
2	4134	2;L	W	31.5	24.8
2	4134	2;M	W	31.5	24.8
2	4134	2;N	W	31.4	24.7
2	4134	2;O	W	31.4	24.7
2	4134	2;P	W	31.3	24.6
2	4134	2;Q	W	31.4	24.7
2	4134	2;R	W	31.3	24.6
2	4134	2;S	W	31.4	24.7
2	4134	2;T	W	31.3	24.6
2	4134	2;U	W	31.4	24.7
2	4134	2;V	W	31.3	24.6
2	4134	2;W	W	31.4	24.7
2	4134	2;X	W	31.3	24.6
2	4134	2;Y	W	31.4	24.7
2	4134	2;Z	W	31.3	24.6
2	4134	2;AA	W	31.4	24.7
2	4134	2;AB	W	31.3	24.6
2	4134	2;AC	S	52.2	45.5
2	4134	2;AD	E	56.3	49.6
2	4134	2;AE	E	55.9	49.2
2	4134	2;AF	E	56.3	49.6
3	4134	2;A	E	56.4	49.6
3	4134	2;B	E	56.9	50.2
3	4134	2;C	E	56.4	49.7
3	4134	2;D	E	56.9	50.2
3	4134	2;E	E	56.6	49.8
3	4134	2;F	E	56.9	50.2
3	4134	2;G	E	56.4	49.7
3	4134	2;H	E	56.9	50.2
3	4134	2;I	E	56.4	49.7
3	4134	2;J	E	56.9	50.2
3	4134	2;K	N	52.9	46.2
3	4134	2;L	W	31.5	24.8
3	4134	2;M	W	31.5	24.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	4134	2;N	W	31.4	24.7
3	4134	2;O	W	31.4	24.7
3	4134	2;P	W	31.3	24.6
3	4134	2;Q	W	31.4	24.7
3	4134	2;R	W	31.3	24.6
3	4134	2;S	W	31.4	24.7
3	4134	2;T	W	31.3	24.6
3	4134	2;U	W	31.4	24.7
3	4134	2;V	W	31.3	24.6
3	4134	2;W	W	31.4	24.7
3	4134	2;X	W	31.3	24.6
3	4134	2;Y	W	31.4	24.7
3	4134	2;Z	W	31.2	24.5
3	4134	2;AA	W	31.4	24.6
3	4134	2;AB	W	31.3	24.5
3	4134	2;AC	S	53.0	46.3
3	4134	2;AD	E	56.9	50.2
3	4134	2;AE	E	56.4	49.7
3	4134	2;AF	E	56.9	50.2
4	4134	2;A	E	56.5	49.8
4	4134	2;B	E	57.1	50.4
4	4134	2;C	E	56.6	49.8
4	4134	2;D	E	57.1	50.4
4	4134	2;E	E	56.7	50.0
4	4134	2;F	E	57.1	50.4
4	4134	2;G	E	56.5	49.8
4	4134	2;H	E	57.1	50.4
4	4134	2;I	E	56.6	49.8
4	4134	2;J	E	57.1	50.4
4	4134	2;K	N	53.2	46.4
4	4134	2;L	W	31.5	24.8
4	4134	2;M	W	31.5	24.8
4	4134	2;N	W	31.3	24.6
4	4134	2;O	W	31.4	24.7
4	4134	2;P	W	31.3	24.6
4	4134	2;Q	W	31.4	24.7
4	4134	2;R	W	31.3	24.6
4	4134	2;S	W	31.4	24.7
4	4134	2;T	W	31.2	24.5
4	4134	2;U	W	31.3	24.6
4	4134	2;V	W	31.2	24.5
4	4134	2;W	W	31.3	24.6
4	4134	2;X	W	31.2	24.5
4	4134	2;Y	W	31.3	24.6
4	4134	2;Z	W	31.2	24.5
4	4134	2;AA	W	31.3	24.6
4	4134	2;AB	W	31.2	24.5
4	4134	2;AC	S	53.3	46.6
4	4134	2;AD	E	57.1	50.4
4	4134	2;AE	E	56.5	49.8
4	4134	2;AF	E	57.1	50.4
5	4134	2;A	E	56.5	49.8
5	4134	2;B	E	57.2	50.5
5	4134	2;C	E	56.6	49.9
5	4134	2;D	E	57.2	50.5
5	4134	2;E	E	56.8	50.0
5	4134	2;F	E	57.2	50.5
5	4134	2;G	E	56.5	49.8
5	4134	2;H	E	57.2	50.5
5	4134	2;I	E	56.6	49.9
5	4134	2;J	E	57.2	50.5
5	4134	2;K	N	53.3	46.6
5	4134	2;L	W	31.4	24.8
5	4134	2;M	W	31.4	24.7
5	4134	2;N	W	31.3	24.6
5	4134	2;O	W	31.3	24.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	4134	2;P	W	31.2	24.5
5	4134	2;Q	W	31.3	24.6
5	4134	2;R	W	31.2	24.5
5	4134	2;S	W	31.3	24.6
5	4134	2;T	W	31.2	24.5
5	4134	2;U	W	31.3	24.6
5	4134	2;V	W	31.2	24.5
5	4134	2;W	W	31.3	24.6
5	4134	2;X	W	31.2	24.5
5	4134	2;Y	W	31.3	24.6
5	4134	2;Z	W	31.2	24.5
5	4134	2;AA	W	31.3	24.6
5	4134	2;AB	W	31.2	24.5
5	4134	2;AC	S	53.5	46.8
5	4134	2;AD	E	57.2	50.5
5	4134	2;AE	E	56.5	49.8
5	4134	2;AF	E	57.2	50.5
6	4134	2;A	E	56.5	49.7
6	4134	2;B	E	57.2	50.5
6	4134	2;C	E	56.6	49.8
6	4134	2;D	E	57.3	50.5
6	4134	2;E	E	56.7	50.0
6	4134	2;F	E	57.3	50.5
6	4134	2;G	E	56.5	49.8
6	4134	2;H	E	57.3	50.6
6	4134	2;I	E	56.6	49.8
6	4134	2;J	E	57.3	50.6
6	4134	2;K	N	53.3	46.6
6	4134	2;L	W	31.4	24.7
6	4134	2;M	W	31.4	24.7
6	4134	2;N	W	31.2	24.5
6	4134	2;O	W	31.3	24.6
6	4134	2;P	W	31.2	24.5
6	4134	2;Q	W	31.3	24.6
6	4134	2;R	W	31.2	24.5
6	4134	2;S	W	31.3	24.6
6	4134	2;T	W	31.2	24.5
6	4134	2;U	W	31.2	24.5
6	4134	2;V	W	31.1	24.4
6	4134	2;W	W	31.2	24.5
6	4134	2;X	W	31.1	24.4
6	4134	2;Y	W	31.2	24.5
6	4134	2;Z	W	31.1	24.4
6	4134	2;AA	W	31.2	24.5
6	4134	2;AB	W	31.1	24.4
6	4134	2;AC	S	53.6	46.9
6	4134	2;AD	E	57.2	50.5
6	4134	2;AE	E	56.5	49.8
6	4134	2;AF	E	57.3	50.5
7	4134	2;A	E	56.4	49.7
7	4134	2;B	E	57.2	50.5
7	4134	2;C	E	56.5	49.8
7	4134	2;D	E	57.2	50.5
7	4134	2;E	E	56.7	50.0
7	4134	2;F	E	57.2	50.5
7	4134	2;G	E	56.4	49.7
7	4134	2;H	E	57.2	50.5
7	4134	2;I	E	56.5	49.8
7	4134	2;J	E	57.2	50.5
7	4134	2;K	N	53.3	46.6
7	4134	2;L	W	31.3	24.7
7	4134	2;M	W	31.3	24.6
7	4134	2;N	W	31.2	24.5
7	4134	2;O	W	31.2	24.5
7	4134	2;P	W	31.1	24.4
7	4134	2;Q	W	31.2	24.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
7	4134	2;R	W	31.1	24.4
7	4134	2;S	W	31.2	24.5
7	4134	2;T	W	31.1	24.4
7	4134	2;U	W	31.2	24.5
7	4134	2;V	W	31.1	24.4
7	4134	2;W	W	31.2	24.5
7	4134	2;X	W	31.1	24.4
7	4134	2;Y	W	31.2	24.5
7	4134	2;Z	W	31.1	24.4
7	4134	2;AA	W	31.2	24.5
7	4134	2;AB	W	31.1	24.4
7	4134	2;AC	S	53.6	46.9
7	4134	2;AD	E	57.2	50.5
7	4134	2;AE	E	56.4	49.7
7	4134	2;AF	E	57.2	50.5
8	4134	2;A	E	56.3	49.6
8	4134	2;B	E	57.2	50.5
8	4134	2;C	E	56.4	49.7
8	4134	2;D	E	57.2	50.5
8	4134	2;E	E	56.6	49.9
8	4134	2;F	E	57.2	50.5
8	4134	2;G	E	56.3	49.6
8	4134	2;H	E	57.2	50.5
8	4134	2;I	E	56.4	49.7
8	4134	2;J	E	57.2	50.5
8	4134	2;K	N	53.3	46.6
8	4134	2;L	W	31.3	24.6
8	4134	2;M	W	31.3	24.6
8	4134	2;N	W	31.1	24.4
8	4134	2;O	W	31.1	24.4
8	4134	2;P	W	31.1	24.4
8	4134	2;Q	W	31.2	24.5
8	4134	2;R	W	31.1	24.4
8	4134	2;S	W	31.2	24.5
8	4134	2;T	W	31.0	24.3
8	4134	2;U	W	31.1	24.4
8	4134	2;V	W	31.0	24.3
8	4134	2;W	W	31.1	24.4
8	4134	2;X	W	31.0	24.3
8	4134	2;Y	W	31.1	24.4
8	4134	2;Z	W	31.0	24.3
8	4134	2;AA	W	31.1	24.4
8	4134	2;AB	W	31.0	24.3
8	4134	2;AC	S	53.6	46.9
8	4134	2;AD	E	57.2	50.5
8	4134	2;AE	E	56.4	49.6
8	4134	2;AF	E	57.2	50.5
9	4134	2;A	E	56.2	49.5
9	4134	2;B	E	57.1	50.4
9	4134	2;C	E	56.3	49.6
9	4134	2;D	E	57.1	50.4
9	4134	2;E	E	56.5	49.8
9	4134	2;F	E	57.1	50.4
9	4134	2;G	E	56.2	49.5
9	4134	2;H	E	57.1	50.4
9	4134	2;I	E	56.3	49.6
9	4134	2;J	E	57.1	50.4
9	4134	2;K	N	53.3	46.5
9	4134	2;L	W	31.2	24.5
9	4134	2;M	W	31.2	24.5
9	4134	2;N	W	31.1	24.4
9	4134	2;O	W	31.1	24.4
9	4134	2;P	W	31.0	24.3
9	4134	2;Q	W	31.1	24.4
9	4134	2;R	W	31.0	24.3
9	4134	2;S	W	31.1	24.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
9	4134	2;T	W	31.0	24.3
9	4134	2;U	W	31.0	24.3
9	4134	2;V	W	31.0	24.3
9	4134	2;W	W	31.0	24.3
9	4134	2;X	W	31.0	24.2
9	4134	2;Y	W	31.0	24.3
9	4134	2;Z	W	30.9	24.2
9	4134	2;AA	W	31.1	24.3
9	4134	2;AB	W	31.0	24.3
9	4134	2;AC	S	53.6	46.9
9	4134	2;AD	E	57.1	50.4
9	4134	2;AE	E	56.2	49.5
9	4134	2;AF	E	57.1	50.4
10	4134	2;A	E	56.1	49.4
10	4134	2;B	E	57.0	50.3
10	4134	2;C	E	56.2	49.5
10	4134	2;D	E	57.0	50.3
10	4134	2;E	E	56.4	49.6
10	4134	2;F	E	57.0	50.3
10	4134	2;G	E	56.1	49.4
10	4134	2;H	E	57.0	50.3
10	4134	2;I	E	56.2	49.5
10	4134	2;J	E	57.0	50.3
10	4134	2;K	N	53.2	46.5
10	4134	2;L	W	31.2	24.5
10	4134	2;M	W	31.1	24.5
10	4134	2;N	W	31.0	24.3
10	4134	2;O	W	31.0	24.3
10	4134	2;P	W	30.9	24.2
10	4134	2;Q	W	31.0	24.3
10	4134	2;R	W	30.9	24.2
10	4134	2;S	W	31.0	24.3
10	4134	2;T	W	30.9	24.2
10	4134	2;U	W	31.0	24.3
10	4134	2;V	W	30.9	24.2
10	4134	2;W	W	31.0	24.3
10	4134	2;X	W	30.9	24.2
10	4134	2;Y	W	31.0	24.3
10	4134	2;Z	W	30.9	24.2
10	4134	2;AA	W	31.0	24.3
10	4134	2;AB	W	31.0	24.3
10	4134	2;AC	S	53.6	46.8
10	4134	2;AD	E	57.0	50.3
10	4134	2;AE	E	56.1	49.4
10	4134	2;AF	E	57.0	50.3
11	4134	2;A	E	55.9	49.2
11	4134	2;B	E	56.9	50.2
11	4134	2;C	E	56.0	49.3
11	4134	2;D	E	56.9	50.2
11	4134	2;E	E	56.2	49.5
11	4134	2;F	E	56.9	50.2
11	4134	2;G	E	56.0	49.3
11	4134	2;H	E	56.9	50.2
11	4134	2;I	E	56.0	49.3
11	4134	2;J	E	56.9	50.2
11	4134	2;K	N	53.1	46.4
11	4134	2;L	W	31.2	24.5
11	4134	2;M	W	31.1	24.5
11	4134	2;N	W	31.0	24.3
11	4134	2;O	W	31.0	24.3
11	4134	2;P	W	30.9	24.2
11	4134	2;Q	W	31.0	24.3
11	4134	2;R	W	30.9	24.2
11	4134	2;S	W	31.0	24.3
11	4134	2;T	W	30.9	24.2
11	4134	2;U	W	30.9	24.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
11	4134	2;V	W	30.9	24.2
11	4134	2;W	W	30.9	24.2
11	4134	2;X	W	30.9	24.2
11	4134	2;Y	W	30.9	24.2
11	4134	2;Z	W	30.9	24.1
11	4134	2;AA	W	31.0	24.3
11	4134	2;AB	W	31.1	24.4
11	4134	2;AC	S	53.5	46.8
11	4134	2;AD	E	56.9	50.2
11	4134	2;AE	E	56.0	49.3
11	4134	2;AF	E	56.9	50.2
12	4134	2;A	E	55.8	49.1
12	4134	2;B	E	56.8	50.1
12	4134	2;C	E	55.9	49.2
12	4134	2;D	E	56.8	50.1
12	4134	2;E	E	56.1	49.4
12	4134	2;F	E	56.8	50.1
12	4134	2;G	E	55.8	49.1
12	4134	2;H	E	56.8	50.1
12	4134	2;I	E	55.9	49.2
12	4134	2;J	E	56.8	50.1
12	4134	2;K	N	53.0	46.3
12	4134	2;L	W	31.7	25.0
12	4134	2;M	W	31.5	24.8
12	4134	2;N	W	31.2	24.5
12	4134	2;O	W	31.2	24.5
12	4134	2;P	W	31.2	24.5
12	4134	2;Q	W	31.2	24.6
12	4134	2;R	W	31.1	24.4
12	4134	2;S	W	31.2	24.5
12	4134	2;T	W	31.1	24.4
12	4134	2;U	W	31.2	24.5
12	4134	2;V	W	31.1	24.4
12	4134	2;W	W	31.2	24.5
12	4134	2;X	W	31.1	24.4
12	4134	2;Y	W	31.2	24.5
12	4134	2;Z	W	31.2	24.5
12	4134	2;AA	W	31.5	24.8
12	4134	2;AB	W	31.9	25.2
12	4134	2;AC	S	53.5	46.7
12	4134	2;AD	E	56.8	50.1
12	4134	2;AE	E	55.8	49.1
12	4134	2;AF	E	56.8	50.1
1	4135	22;A	N	43.7	37.2
1	4135	22;B	N	41.9	35.3
1	4135	22;C	W	28.2	21.6
1	4135	22;D	S	29.1	22.5
1	4135	22;E	W	30.0	23.3
1	4135	22;F	S	30.7	24.1
1	4135	22;G	N	32.1	25.5
1	4135	22;H	W	31.2	24.6
1	4135	22;I	W	31.4	24.7
1	4135	22;J	W	31.3	24.6
1	4135	22;K	W	31.3	24.7
1	4135	22;L	W	31.3	24.6
1	4135	22;M	W	31.5	24.9
1	4135	22;N	W	31.6	25.0
1	4135	22;O	S	49.3	42.6
1	4135	22;P	E	53.9	47.2
1	4135	22;Q	E	53.4	46.7
1	4135	22;R	E	53.9	47.2
1	4135	22;S	E	53.3	46.6
1	4135	22;T	E	53.8	47.1
1	4135	22;U	E	53.2	46.5
1	4135	22;V	E	53.6	46.9
1	4135	22;W	E	54.0	47.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4135	22;X	E	53.5	46.9
1	4135	22;Y	N	49.7	43.1
1	4135	22;Z	N	47.5	40.9
1	4135	22;AA	E	47.6	41.0
2	4135	22;A	N	46.5	40.0
2	4135	22;B	N	44.5	37.9
2	4135	22;C	W	28.2	21.6
2	4135	22;D	S	29.1	22.5
2	4135	22;E	W	30.0	23.3
2	4135	22;F	S	30.7	24.1
2	4135	22;G	N	32.1	25.5
2	4135	22;H	W	31.2	24.6
2	4135	22;I	W	31.4	24.7
2	4135	22;J	W	31.3	24.6
2	4135	22;K	W	31.3	24.7
2	4135	22;L	W	31.3	24.6
2	4135	22;M	W	31.5	24.9
2	4135	22;N	W	31.6	25.0
2	4135	22;O	S	52.0	45.3
2	4135	22;P	E	56.3	49.6
2	4135	22;Q	E	56.0	49.2
2	4135	22;R	E	56.3	49.6
2	4135	22;S	E	55.8	49.1
2	4135	22;T	E	56.2	49.5
2	4135	22;U	E	55.8	49.0
2	4135	22;V	E	56.1	49.4
2	4135	22;W	E	56.4	49.7
2	4135	22;X	E	56.0	49.3
2	4135	22;Y	N	52.2	45.7
2	4135	22;Z	N	50.3	43.7
2	4135	22;AA	E	50.5	44.0
3	4135	22;A	N	47.8	41.3
3	4135	22;B	N	45.8	39.3
3	4135	22;C	W	28.2	21.6
3	4135	22;D	S	29.1	22.5
3	4135	22;E	W	30.0	23.3
3	4135	22;F	S	30.7	24.1
3	4135	22;G	N	32.1	25.5
3	4135	22;H	W	31.2	24.6
3	4135	22;I	W	31.4	24.7
3	4135	22;J	W	31.3	24.6
3	4135	22;K	W	31.3	24.7
3	4135	22;L	W	31.3	24.6
3	4135	22;M	W	31.5	24.8
3	4135	22;N	W	31.6	24.9
3	4135	22;O	S	52.7	46.0
3	4135	22;P	E	56.9	50.2
3	4135	22;Q	E	56.5	49.7
3	4135	22;R	E	56.9	50.2
3	4135	22;S	E	56.3	49.6
3	4135	22;T	E	56.8	50.1
3	4135	22;U	E	56.2	49.5
3	4135	22;V	E	56.6	49.9
3	4135	22;W	E	56.9	50.2
3	4135	22;X	E	56.6	49.9
3	4135	22;Y	N	52.9	46.3
3	4135	22;Z	N	51.4	44.9
3	4135	22;AA	E	51.8	45.3
4	4135	22;A	N	48.5	42.0
4	4135	22;B	N	46.6	40.2
4	4135	22;C	W	28.2	21.6
4	4135	22;D	S	29.1	22.5
4	4135	22;E	W	29.9	23.3
4	4135	22;F	S	30.7	24.1
4	4135	22;G	N	32.1	25.4
4	4135	22;H	W	31.2	24.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	4135	22;I	W	31.3	24.7
4	4135	22;J	W	31.2	24.6
4	4135	22;K	W	31.3	24.6
4	4135	22;L	W	31.3	24.6
4	4135	22;M	W	31.5	24.8
4	4135	22;N	W	31.6	24.9
4	4135	22;O	S	53.0	46.3
4	4135	22;P	E	57.1	50.4
4	4135	22;Q	E	56.6	49.9
4	4135	22;R	E	57.1	50.4
4	4135	22;S	E	56.4	49.7
4	4135	22;T	E	57.0	50.3
4	4135	22;U	E	56.4	49.7
4	4135	22;V	E	56.8	50.1
4	4135	22;W	E	57.1	50.5
4	4135	22;X	E	56.8	50.1
4	4135	22;Y	N	53.1	46.6
4	4135	22;Z	N	51.9	45.4
4	4135	22;AA	E	52.3	45.8
5	4135	22;A	N	48.8	42.3
5	4135	22;B	N	47.2	40.7
5	4135	22;C	W	28.2	21.6
5	4135	22;D	S	29.1	22.5
5	4135	22;E	W	29.9	23.3
5	4135	22;F	S	30.7	24.1
5	4135	22;G	N	32.1	25.4
5	4135	22;H	W	31.1	24.5
5	4135	22;I	W	31.3	24.6
5	4135	22;J	W	31.2	24.5
5	4135	22;K	W	31.2	24.6
5	4135	22;L	W	31.2	24.5
5	4135	22;M	W	31.4	24.8
5	4135	22;N	W	31.6	24.9
5	4135	22;O	S	53.1	46.4
5	4135	22;P	E	57.2	50.5
5	4135	22;Q	E	56.6	49.9
5	4135	22;R	E	57.2	50.5
5	4135	22;S	E	56.5	49.8
5	4135	22;T	E	57.1	50.4
5	4135	22;U	E	56.4	49.7
5	4135	22;V	E	56.9	50.2
5	4135	22;W	E	57.2	50.5
5	4135	22;X	E	56.9	50.2
5	4135	22;Y	N	53.2	46.7
5	4135	22;Z	N	52.1	45.5
5	4135	22;AA	E	52.6	46.1
6	4135	22;A	N	49.0	42.5
6	4135	22;B	N	47.3	40.8
6	4135	22;C	W	28.1	21.5
6	4135	22;D	S	29.2	22.6
6	4135	22;E	W	29.9	23.3
6	4135	22;F	S	30.6	24.0
6	4135	22;G	N	32.0	25.4
6	4135	22;H	W	31.1	24.5
6	4135	22;I	W	31.2	24.6
6	4135	22;J	W	31.1	24.5
6	4135	22;K	W	31.2	24.5
6	4135	22;L	W	31.2	24.5
6	4135	22;M	W	31.4	24.7
6	4135	22;N	W	31.5	24.8
6	4135	22;O	S	53.1	46.4
6	4135	22;P	E	57.2	50.5
6	4135	22;Q	E	56.6	49.9
6	4135	22;R	E	57.2	50.5
6	4135	22;S	E	56.5	49.8
6	4135	22;T	E	57.2	50.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	4135	22;U	E	56.4	49.7
6	4135	22;V	E	56.9	50.2
6	4135	22;W	E	57.2	50.6
6	4135	22;X	E	56.9	50.3
6	4135	22;Y	N	53.2	46.7
6	4135	22;Z	N	52.1	45.6
6	4135	22;AA	E	52.7	46.2
7	4135	22;A	N	49.0	42.5
7	4135	22;B	N	47.4	40.9
7	4135	22;C	W	28.1	21.5
7	4135	22;D	S	29.2	22.6
7	4135	22;E	W	29.8	23.2
7	4135	22;F	S	30.6	24.0
7	4135	22;G	N	32.0	25.3
7	4135	22;H	W	31.0	24.4
7	4135	22;I	W	31.2	24.5
7	4135	22;J	W	31.1	24.4
7	4135	22;K	W	31.1	24.5
7	4135	22;L	W	31.1	24.4
7	4135	22;M	W	31.3	24.7
7	4135	22;N	W	31.5	24.8
7	4135	22;O	S	53.1	46.4
7	4135	22;P	E	57.2	50.5
7	4135	22;Q	E	56.6	49.8
7	4135	22;R	E	57.2	50.5
7	4135	22;S	E	56.4	49.7
7	4135	22;T	E	57.1	50.5
7	4135	22;U	E	56.3	49.6
7	4135	22;V	E	56.9	50.2
7	4135	22;W	E	57.2	50.5
7	4135	22;X	E	56.9	50.2
7	4135	22;Y	N	53.2	46.7
7	4135	22;Z	N	52.2	45.7
7	4135	22;AA	E	52.7	46.2
8	4135	22;A	N	49.0	42.5
8	4135	22;B	N	47.4	41.0
8	4135	22;C	W	28.1	21.5
8	4135	22;D	S	29.2	22.6
8	4135	22;E	W	29.8	23.2
8	4135	22;F	S	30.6	23.9
8	4135	22;G	N	31.9	25.2
8	4135	22;H	W	31.0	24.3
8	4135	22;I	W	31.1	24.5
8	4135	22;J	W	31.0	24.4
8	4135	22;K	W	31.1	24.4
8	4135	22;L	W	31.1	24.4
8	4135	22;M	W	31.3	24.6
8	4135	22;N	W	31.4	24.7
8	4135	22;O	S	53.0	46.3
8	4135	22;P	E	57.2	50.5
8	4135	22;Q	E	56.5	49.7
8	4135	22;R	E	57.2	50.5
8	4135	22;S	E	56.3	49.6
8	4135	22;T	E	57.1	50.4
8	4135	22;U	E	56.3	49.6
8	4135	22;V	E	56.8	50.1
8	4135	22;W	E	57.2	50.5
8	4135	22;X	E	56.8	50.2
8	4135	22;Y	N	53.2	46.7
8	4135	22;Z	N	52.2	45.7
8	4135	22;AA	E	52.7	46.2
9	4135	22;A	N	49.0	42.5
9	4135	22;B	N	47.5	41.0
9	4135	22;C	W	28.1	21.5
9	4135	22;D	S	29.3	22.7
9	4135	22;E	W	29.8	23.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
9	4135	22;F	S	30.6	23.9
9	4135	22;G	N	31.8	25.2
9	4135	22;H	W	30.9	24.3
9	4135	22;I	W	31.0	24.4
9	4135	22;J	W	31.0	24.3
9	4135	22;K	W	31.0	24.3
9	4135	22;L	W	31.0	24.3
9	4135	22;M	W	31.2	24.5
9	4135	22;N	W	31.3	24.7
9	4135	22;O	S	52.9	46.2
9	4135	22;P	E	57.1	50.4
9	4135	22;Q	E	56.4	49.6
9	4135	22;R	E	57.1	50.4
9	4135	22;S	E	56.2	49.5
9	4135	22;T	E	57.0	50.4
9	4135	22;U	E	56.2	49.5
9	4135	22;V	E	56.8	50.1
9	4135	22;W	E	57.1	50.4
9	4135	22;X	E	56.7	50.1
9	4135	22;Y	N	53.1	46.6
9	4135	22;Z	N	52.2	45.7
9	4135	22;AA	E	52.7	46.2
10	4135	22;A	N	49.0	42.5
10	4135	22;B	N	47.5	41.0
10	4135	22;C	W	28.1	21.5
10	4135	22;D	S	29.4	22.8
10	4135	22;E	W	29.7	23.1
10	4135	22;F	S	30.6	24.0
10	4135	22;G	N	31.8	25.2
10	4135	22;H	W	30.8	24.2
10	4135	22;I	W	31.0	24.3
10	4135	22;J	W	30.9	24.2
10	4135	22;K	W	30.9	24.3
10	4135	22;L	W	30.9	24.2
10	4135	22;M	W	31.1	24.5
10	4135	22;N	W	31.3	24.6
10	4135	22;O	S	52.9	46.2
10	4135	22;P	E	57.0	50.3
10	4135	22;Q	E	56.2	49.5
10	4135	22;R	E	57.0	50.3
10	4135	22;S	E	56.1	49.4
10	4135	22;T	E	56.9	50.3
10	4135	22;U	E	56.0	49.3
10	4135	22;V	E	56.7	50.0
10	4135	22;W	E	57.0	50.3
10	4135	22;X	E	56.6	50.0
10	4135	22;Y	N	53.0	46.5
10	4135	22;Z	N	52.1	45.6
10	4135	22;AA	E	52.7	46.2
11	4135	22;A	N	49.0	42.5
11	4135	22;B	N	47.5	41.0
11	4135	22;C	W	28.1	21.5
11	4135	22;D	S	29.7	23.1
11	4135	22;E	W	29.7	23.1
11	4135	22;F	S	30.8	24.2
11	4135	22;G	N	31.9	25.3
11	4135	22;H	W	30.8	24.2
11	4135	22;I	W	30.9	24.3
11	4135	22;J	W	30.9	24.2
11	4135	22;K	W	30.9	24.3
11	4135	22;L	W	30.9	24.2
11	4135	22;M	W	31.1	24.5
11	4135	22;N	W	31.4	24.7
11	4135	22;O	S	52.8	46.1
11	4135	22;P	E	56.9	50.2
11	4135	22;Q	E	56.1	49.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
11	4135	22;R	E	56.9	50.2
11	4135	22;S	E	56.0	49.3
11	4135	22;T	E	56.8	50.2
11	4135	22;U	E	55.9	49.2
11	4135	22;V	E	56.6	49.9
11	4135	22;W	E	56.9	50.2
11	4135	22;X	E	56.5	49.9
11	4135	22;Y	N	53.0	46.5
11	4135	22;Z	N	52.1	45.6
11	4135	22;AA	E	52.7	46.2
12	4135	22;A	N	49.0	42.5
12	4135	22;B	N	47.5	41.0
12	4135	22;C	W	28.5	21.9
12	4135	22;D	S	30.3	23.7
12	4135	22;E	W	30.1	23.5
12	4135	22;F	S	31.7	25.0
12	4135	22;G	N	32.8	26.2
12	4135	22;H	W	31.1	24.5
12	4135	22;I	W	31.2	24.6
12	4135	22;J	W	31.1	24.5
12	4135	22;K	W	31.2	24.5
12	4135	22;L	W	31.2	24.5
12	4135	22;M	W	31.5	24.8
12	4135	22;N	W	32.0	25.3
12	4135	22;O	S	52.7	46.0
12	4135	22;P	E	56.8	50.1
12	4135	22;Q	E	56.0	49.3
12	4135	22;R	E	56.8	50.1
12	4135	22;S	E	55.8	49.1
12	4135	22;T	E	56.7	50.0
12	4135	22;U	E	55.8	49.1
12	4135	22;V	E	56.4	49.7
12	4135	22;W	E	56.8	50.1
12	4135	22;X	E	56.4	49.8
12	4135	22;Y	N	52.9	46.4
12	4135	22;Z	N	52.1	45.5
12	4135	22;AA	E	52.7	46.2
1	4136	28;A	E	54.3	47.7
1	4136	28;B	E	54.6	48.0
1	4136	28;C	E	54.5	47.9
1	4136	28;D	E	54.6	48.0
1	4136	28;E	E	54.5	47.9
1	4136	28;F	E	54.6	48.0
1	4136	28;G	E	54.7	48.1
1	4136	28;H	N	50.5	43.9
1	4136	28;I	W	34.7	28.1
1	4136	28;J	W	34.8	28.2
1	4136	28;K	W	37.3	30.7
1	4136	28;L	W	38.1	31.5
1	4136	28;M	W	38.4	31.8
1	4136	28;N	W	38.6	32.0
1	4136	28;O	W	38.8	32.2
1	4136	28;P	W	38.1	31.5
1	4136	28;Q	W	37.6	31.0
1	4136	28;R	W	37.4	30.9
1	4136	28;S	W	37.8	31.2
1	4136	28;T	W	37.8	31.2
1	4136	28;U	W	37.2	30.6
1	4136	28;V	W	37.7	31.1
1	4136	28;W	S	50.0	43.5
2	4136	28;A	E	57.3	50.7
2	4136	28;B	E	57.6	51.0
2	4136	28;C	E	57.5	50.9
2	4136	28;D	E	57.6	51.0
2	4136	28;E	E	57.5	50.9
2	4136	28;F	E	57.6	51.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	4136	28;G	E	57.6	51.1
2	4136	28;H	N	53.5	46.9
2	4136	28;I	W	35.2	28.6
2	4136	28;J	W	35.4	28.8
2	4136	28;K	W	38.1	31.5
2	4136	28;L	W	39.3	32.7
2	4136	28;M	W	39.9	33.3
2	4136	28;N	W	40.1	33.5
2	4136	28;O	W	40.3	33.7
2	4136	28;P	W	40.0	33.4
2	4136	28;Q	W	39.7	33.1
2	4136	28;R	W	39.9	33.3
2	4136	28;S	W	40.4	33.8
2	4136	28;T	W	40.4	33.9
2	4136	28;U	W	40.4	33.8
2	4136	28;V	W	40.0	33.5
2	4136	28;W	S	53.0	46.4
3	4136	28;A	E	58.3	51.7
3	4136	28;B	E	58.4	51.9
3	4136	28;C	E	58.4	51.8
3	4136	28;D	E	58.4	51.9
3	4136	28;E	E	58.4	51.8
3	4136	28;F	E	58.5	51.9
3	4136	28;G	E	58.5	51.9
3	4136	28;H	N	54.6	48.0
3	4136	28;I	W	35.8	29.2
3	4136	28;J	W	36.3	29.7
3	4136	28;K	W	39.5	33.0
3	4136	28;L	W	41.0	34.4
3	4136	28;M	W	42.1	35.6
3	4136	28;N	W	42.5	35.9
3	4136	28;O	W	42.5	35.9
3	4136	28;P	W	42.2	35.6
3	4136	28;Q	W	41.9	35.3
3	4136	28;R	W	42.0	35.4
3	4136	28;S	W	42.4	35.8
3	4136	28;T	W	42.5	35.9
3	4136	28;U	W	42.8	36.2
3	4136	28;V	W	42.3	35.7
3	4136	28;W	S	54.3	47.7
4	4136	28;A	E	58.6	52.0
4	4136	28;B	E	58.8	52.2
4	4136	28;C	E	58.7	52.1
4	4136	28;D	E	58.8	52.2
4	4136	28;E	E	58.7	52.1
4	4136	28;F	E	58.8	52.2
4	4136	28;G	E	58.8	52.2
4	4136	28;H	N	55.0	48.4
4	4136	28;I	W	36.6	30.0
4	4136	28;J	W	37.1	30.5
4	4136	28;K	W	40.9	34.3
4	4136	28;L	W	42.3	35.7
4	4136	28;M	W	43.5	37.0
4	4136	28;N	W	43.9	37.3
4	4136	28;O	W	44.0	37.4
4	4136	28;P	W	43.4	36.8
4	4136	28;Q	W	42.9	36.3
4	4136	28;R	W	43.2	36.7
4	4136	28;S	W	43.2	36.6
4	4136	28;T	W	43.1	36.5
4	4136	28;U	W	43.3	36.7
4	4136	28;V	W	42.6	36.1
4	4136	28;W	S	54.7	48.1
5	4136	28;A	E	58.8	52.2
5	4136	28;B	E	58.9	52.4
5	4136	28;C	E	58.9	52.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	4136	28;D	E	58.9	52.3
5	4136	28;E	E	58.9	52.3
5	4136	28;F	E	58.9	52.3
5	4136	28;G	E	58.9	52.4
5	4136	28;H	N	55.1	48.6
5	4136	28;I	W	37.9	31.2
5	4136	28;J	W	38.1	31.4
5	4136	28;K	W	42.1	35.5
5	4136	28;L	W	43.2	36.6
5	4136	28;M	W	44.5	38.0
5	4136	28;N	W	44.8	38.2
5	4136	28;O	W	44.9	38.4
5	4136	28;P	W	44.2	37.7
5	4136	28;Q	W	43.7	37.1
5	4136	28;R	W	44.1	37.6
5	4136	28;S	W	44.1	37.5
5	4136	28;T	W	44.0	37.4
5	4136	28;U	W	44.1	37.5
5	4136	28;V	W	43.4	36.8
5	4136	28;W	S	55.0	48.4
1	4137	41;A	NW	38.0	31.5
1	4137	41;B	NE	37.4	30.9
1	4137	41;C	NW	38.3	31.8
1	4137	41;D	SW	36.1	29.6
1	4137	41;E	SW	39.2	32.7
1	4137	41;F	SE	46.3	39.8
1	4137	41;G	SE	48.2	41.7
1	4137	41;H	NE	47.0	40.5
2	4137	41;A	NW	38.1	31.6
2	4137	41;B	NE	37.6	31.0
2	4137	41;C	NW	39.7	33.1
2	4137	41;D	SW	36.2	29.7
2	4137	41;E	SW	41.4	34.9
2	4137	41;F	SE	49.5	43.0
2	4137	41;G	SE	51.5	45.0
2	4137	41;H	NE	50.3	43.8
3	4137	41;A	NW	38.2	31.7
3	4137	41;B	NE	37.8	31.3
3	4137	41;C	NW	40.6	34.1
3	4137	41;D	SW	35.7	29.2
3	4137	41;E	SW	42.5	36.0
3	4137	41;F	SE	51.0	44.5
3	4137	41;G	SE	52.7	46.2
3	4137	41;H	NE	51.6	45.1
4	4137	41;A	NW	38.5	32.0
4	4137	41;B	NE	38.1	31.6
4	4137	41;C	NW	41.3	34.7
4	4137	41;D	SW	35.6	29.1
4	4137	41;E	SW	43.3	36.8
4	4137	41;F	SE	51.3	44.8
4	4137	41;G	SE	52.9	46.4
4	4137	41;H	NE	52.0	45.5
5	4137	41;A	NW	39.0	32.5
5	4137	41;B	NE	38.9	32.4
5	4137	41;C	NW	41.9	35.4
5	4137	41;D	SW	35.0	28.4
5	4137	41;E	SW	43.8	37.3
5	4137	41;F	SE	51.5	45.0
5	4137	41;G	SE	53.0	46.5
5	4137	41;H	NE	52.1	45.6
6	4137	41;A	NW	40.0	33.5
6	4137	41;B	NE	40.6	34.1
6	4137	41;C	NW	38.9	32.4
6	4137	41;D	SW	35.3	28.8
6	4137	41;E	SW	35.3	28.8
6	4137	41;F	SE	50.9	44.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	4137	41;G	SE	53.1	46.6
6	4137	41;H	NE	52.2	45.7
1	4138	35;A	SE	49.2	42.7
1	4138	35;B	SE	50.9	44.4
1	4138	35;C	NE	47.6	41.1
1	4138	35;D	NW	39.7	33.2
1	4138	35;E	NE	41.6	35.1
1	4138	35;F	NW	42.0	35.4
1	4138	35;G	SW	34.6	28.1
1	4138	35;H	NW	36.0	29.5
1	4138	35;I	SW	34.3	27.8
2	4138	35;A	SE	52.8	46.3
2	4138	35;B	SE	54.2	47.7
2	4138	35;C	NE	51.5	45.0
2	4138	35;D	NW	44.8	38.3
2	4138	35;E	NE	46.6	40.1
2	4138	35;F	NW	46.6	40.1
2	4138	35;G	SW	34.6	28.1
2	4138	35;H	NW	37.7	31.1
2	4138	35;I	SW	34.3	27.8
3	4138	35;A	SE	54.3	47.8
3	4138	35;B	SE	55.6	49.1
3	4138	35;C	NE	55.5	49.0
3	4138	35;D	NW	50.9	44.3
3	4138	35;E	NE	51.4	44.9
3	4138	35;F	NW	49.6	43.1
3	4138	35;G	SW	34.6	28.0
3	4138	35;H	NW	39.6	33.0
3	4138	35;I	SW	34.2	27.7
4	4138	35;A	SE	55.0	48.5
4	4138	35;B	SE	56.2	49.7
4	4138	35;C	NE	57.6	51.1
4	4138	35;D	NW	54.4	47.9
4	4138	35;E	NE	54.9	48.4
4	4138	35;F	NW	52.6	46.1
4	4138	35;G	SW	34.5	28.0
4	4138	35;H	NW	42.7	36.2
4	4138	35;I	SW	34.2	27.7
5	4138	35;A	SE	55.4	48.9
5	4138	35;B	SE	56.5	50.0
5	4138	35;C	NE	59.1	52.6
5	4138	35;D	NW	56.5	50.0
5	4138	35;E	NE	57.1	50.5
5	4138	35;F	NW	53.9	47.4
5	4138	35;G	SW	34.5	28.0
5	4138	35;H	NW	43.9	37.3
5	4138	35;I	SW	34.2	27.7
6	4138	35;A	SE	55.6	49.1
6	4138	35;B	SE	56.7	50.2
6	4138	35;C	NE	59.6	53.1
6	4138	35;D	NW	58.1	51.6
6	4138	35;E	NE	58.5	52.0
6	4138	35;F	NW	55.5	49.0
6	4138	35;G	SW	34.5	28.0
6	4138	35;H	NW	44.5	38.0
6	4138	35;I	SW	34.2	27.7
7	4138	35;A	SE	55.6	49.1
7	4138	35;B	SE	57.0	50.5
7	4138	35;C	NE	59.9	53.3
7	4138	35;D	NW	58.4	51.9
7	4138	35;E	NE	58.9	52.3
7	4138	35;F	NW	56.1	49.5
7	4138	35;G	SW	34.4	27.9
7	4138	35;H	NW	45.1	38.5
7	4138	35;I	SW	34.2	27.6
8	4138	35;A	SE	56.2	49.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
8	4138	35;B	SE	57.1	50.6
8	4138	35;C	NE	59.9	53.4
8	4138	35;D	NW	58.5	52.0
8	4138	35;E	NE	58.9	52.4
8	4138	35;F	NW	56.1	49.6
8	4138	35;G	SW	34.4	27.9
8	4138	35;H	NW	45.5	38.9
8	4138	35;I	SW	34.1	27.6
9	4138	35;A	SE	56.3	49.8
9	4138	35;B	SE	57.1	50.6
9	4138	35;C	NE	59.9	53.4
9	4138	35;D	NW	58.5	52.0
9	4138	35;E	NE	58.9	52.4
9	4138	35;F	NW	56.1	49.6
9	4138	35;G	SW	34.4	27.9
9	4138	35;H	NW	45.8	39.2
9	4138	35;I	SW	34.1	27.6
10	4138	35;A	SE	56.3	49.8
10	4138	35;B	SE	57.1	50.6
10	4138	35;C	NE	59.9	53.4
10	4138	35;D	NW	58.4	51.9
10	4138	35;E	NE	58.9	52.4
10	4138	35;F	NW	56.1	49.6
10	4138	35;G	SW	34.4	27.9
10	4138	35;H	NW	46.0	39.4
10	4138	35;I	SW	34.1	27.6
11	4138	35;A	SE	56.3	49.8
11	4138	35;B	SE	57.1	50.6
11	4138	35;C	NE	59.9	53.4
11	4138	35;D	NW	58.4	51.9
11	4138	35;E	NE	58.9	52.4
11	4138	35;F	NW	56.1	49.6
11	4138	35;G	SW	34.4	27.9
11	4138	35;H	NW	46.2	39.6
11	4138	35;I	SW	34.1	27.6
12	4138	35;A	SE	56.3	49.8
12	4138	35;B	SE	57.1	50.6
12	4138	35;C	NE	59.8	53.3
12	4138	35;D	NW	58.4	51.9
12	4138	35;E	NE	58.8	52.3
12	4138	35;F	NW	56.1	49.6
12	4138	35;G	SW	34.6	28.1
12	4138	35;H	NW	46.4	39.8
12	4138	35;I	SW	34.2	27.7
13	4138	35;A	SE	56.3	49.8
13	4138	35;B	SE	57.0	50.5
13	4138	35;C	NE	59.8	53.3
13	4138	35;D	NW	58.3	51.8
13	4138	35;E	NE	58.8	52.3
13	4138	35;F	NW	56.0	49.5
13	4138	35;G	SW	35.7	29.2
13	4138	35;H	NW	46.6	40.0
13	4138	35;I	SW	35.1	28.6
1	4139	23;A	N	41.8	35.1
1	4139	23;B	W	45.4	38.7
1	4139	23;C	W	46.8	40.1
1	4139	23;D	W	46.2	39.5
1	4139	23;E	W	47.0	40.3
1	4139	23;F	W	46.2	39.5
1	4139	23;G	W	46.9	40.2
1	4139	23;H	W	46.2	39.5
1	4139	23;I	W	47.1	40.4
1	4139	23;J	W	46.4	39.7
1	4139	23;K	S	44.6	37.9
1	4139	23;L	E	29.6	22.9
2	4139	23;A	N	45.0	38.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	4139	23;B	W	48.3	41.6
2	4139	23;C	W	49.4	42.7
2	4139	23;D	W	48.7	42.0
2	4139	23;E	W	49.5	42.8
2	4139	23;F	W	48.7	42.0
2	4139	23;G	W	49.4	42.7
2	4139	23;H	W	48.7	42.0
2	4139	23;I	W	49.6	42.9
2	4139	23;J	W	48.9	42.2
2	4139	23;K	S	47.1	40.4
2	4139	23;L	E	29.6	23.0
3	4139	23;A	N	47.5	40.7
3	4139	23;B	W	50.3	43.5
3	4139	23;C	W	51.0	44.3
3	4139	23;D	W	50.2	43.4
3	4139	23;E	W	51.0	44.3
3	4139	23;F	W	50.2	43.5
3	4139	23;G	W	50.9	44.2
3	4139	23;H	W	50.3	43.6
3	4139	23;I	W	51.1	44.4
3	4139	23;J	W	50.5	43.9
3	4139	23;K	S	48.7	42.0
3	4139	23;L	E	29.8	23.1
4	4139	23;A	N	48.5	41.7
4	4139	23;B	W	51.2	44.5
4	4139	23;C	W	52.0	45.3
4	4139	23;D	W	51.1	44.4
4	4139	23;E	W	52.0	45.3
4	4139	23;F	W	51.1	44.4
4	4139	23;G	W	51.9	45.2
4	4139	23;H	W	51.2	44.5
4	4139	23;I	W	52.1	45.4
4	4139	23;J	W	51.6	45.0
4	4139	23;K	S	49.7	43.1
4	4139	23;L	E	29.9	23.3
5	4139	23;A	N	49.0	42.3
5	4139	23;B	W	51.8	45.0
5	4139	23;C	W	52.5	45.8
5	4139	23;D	W	51.6	44.8
5	4139	23;E	W	52.6	45.9
5	4139	23;F	W	51.6	44.9
5	4139	23;G	W	52.5	45.8
5	4139	23;H	W	51.7	45.0
5	4139	23;I	W	52.8	46.1
5	4139	23;J	W	52.4	45.8
5	4139	23;K	S	50.6	44.0
5	4139	23;L	E	30.4	23.8
6	4139	23;A	N	49.3	42.6
6	4139	23;B	W	52.0	45.3
6	4139	23;C	W	52.9	46.2
6	4139	23;D	W	51.8	45.1
6	4139	23;E	W	52.9	46.2
6	4139	23;F	W	51.8	45.1
6	4139	23;G	W	52.8	46.1
6	4139	23;H	W	52.0	45.3
6	4139	23;I	W	53.1	46.4
6	4139	23;J	W	52.8	46.2
6	4139	23;K	S	51.0	44.4
6	4139	23;L	E	30.7	24.1
7	4139	23;A	N	49.5	42.8
7	4139	23;B	W	52.2	45.5
7	4139	23;C	W	53.1	46.4
7	4139	23;D	W	51.9	45.2
7	4139	23;E	W	53.1	46.4
7	4139	23;F	W	52.0	45.3
7	4139	23;G	W	53.0	46.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
7	4139	23;H	W	52.2	45.5
7	4139	23;I	W	53.3	46.6
7	4139	23;J	W	53.1	46.4
7	4139	23;K	S	51.2	44.6
7	4139	23;L	E	31.1	24.5
8	4139	23;A	N	49.7	42.9
8	4139	23;B	W	52.3	45.6
8	4139	23;C	W	53.2	46.5
8	4139	23;D	W	52.0	45.3
8	4139	23;E	W	53.3	46.6
8	4139	23;F	W	52.0	45.3
8	4139	23;G	W	53.2	46.5
8	4139	23;H	W	52.2	45.5
8	4139	23;I	W	53.5	46.8
8	4139	23;J	W	53.3	46.6
8	4139	23;K	S	51.4	44.8
8	4139	23;L	E	31.5	24.9
9	4139	23;A	N	49.7	43.0
9	4139	23;B	W	52.4	45.7
9	4139	23;C	W	53.3	46.6
9	4139	23;D	W	52.1	45.3
9	4139	23;E	W	53.3	46.6
9	4139	23;F	W	52.1	45.4
9	4139	23;G	W	53.2	46.5
9	4139	23;H	W	52.3	45.6
9	4139	23;I	W	53.5	46.9
9	4139	23;J	W	53.4	46.7
9	4139	23;K	S	51.5	44.9
9	4139	23;L	E	32.0	25.4
10	4139	23;A	N	49.7	43.0
10	4139	23;B	W	52.4	45.7
10	4139	23;C	W	53.3	46.6
10	4139	23;D	W	52.1	45.4
10	4139	23;E	W	53.4	46.7
10	4139	23;F	W	52.1	45.4
10	4139	23;G	W	53.3	46.6
10	4139	23;H	W	52.3	45.6
10	4139	23;I	W	53.6	46.9
10	4139	23;J	W	53.5	46.8
10	4139	23;K	S	51.6	45.0
10	4139	23;L	E	32.5	25.9
11	4139	23;A	N	49.8	43.0
11	4139	23;B	W	52.4	45.7
11	4139	23;C	W	53.4	46.7
11	4139	23;D	W	52.1	45.4
11	4139	23;E	W	53.4	46.7
11	4139	23;F	W	52.1	45.4
11	4139	23;G	W	53.3	46.7
11	4139	23;H	W	52.4	45.7
11	4139	23;I	W	53.7	47.0
11	4139	23;J	W	53.5	46.9
11	4139	23;K	S	51.7	45.0
11	4139	23;L	E	33.3	26.7
1	4140	21;A	W	32.9	26.4
1	4140	21;B	S	34.6	28.0
1	4140	21;C	W	34.6	28.1
1	4140	21;D	W	33.8	27.3
1	4140	21;E	S	48.9	42.4
1	4140	21;F	E	53.0	46.6
1	4140	21;G	E	52.4	46.0
1	4140	21;H	E	52.2	45.8
1	4140	21;I	N	48.1	41.6
2	4140	21;A	W	34.5	27.9
2	4140	21;B	S	36.7	30.2
2	4140	21;C	W	36.6	30.1
2	4140	21;D	W	35.3	28.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	4140	21;E	S	51.6	45.1
2	4140	21;F	E	55.5	49.0
2	4140	21;G	E	54.9	48.5
2	4140	21;H	E	54.8	48.4
2	4140	21;I	N	50.7	44.3
3	4140	21;A	W	30.9	24.5
3	4140	21;B	S	30.9	24.5
3	4140	21;C	W	30.9	24.4
3	4140	21;D	W	31.1	24.6
3	4140	21;E	S	52.4	45.8
3	4140	21;F	E	56.1	49.7
3	4140	21;G	E	55.5	49.1
3	4140	21;H	E	55.4	49.1
3	4140	21;I	N	51.5	45.1
4	4140	21;A	W	31.1	24.6
4	4140	21;B	S	30.9	24.4
4	4140	21;C	W	31.0	24.5
4	4140	21;D	W	31.1	24.7
4	4140	21;E	S	52.7	46.2
4	4140	21;F	E	56.3	49.9
4	4140	21;G	E	55.7	49.4
4	4140	21;H	E	55.7	49.3
4	4140	21;I	N	51.8	45.4
5	4140	21;A	W	31.5	25.0
5	4140	21;B	S	30.8	24.4
5	4140	21;C	W	31.1	24.6
5	4140	21;D	W	31.2	24.8
5	4140	21;E	S	52.9	46.3
5	4140	21;F	E	56.5	50.0
5	4140	21;G	E	55.9	49.5
5	4140	21;H	E	55.8	49.4
5	4140	21;I	N	51.9	45.5
6	4140	21;A	W	31.7	25.2
6	4140	21;B	S	30.8	24.3
6	4140	21;C	W	31.2	24.7
6	4140	21;D	W	31.3	24.8
6	4140	21;E	S	53.0	46.4
6	4140	21;F	E	56.5	50.0
6	4140	21;G	E	55.8	49.5
6	4140	21;H	E	55.8	49.4
6	4140	21;I	N	51.9	45.5
7	4140	21;A	W	31.8	25.4
7	4140	21;B	S	30.7	24.3
7	4140	21;C	W	30.5	24.1
7	4140	21;D	W	30.7	24.2
7	4140	21;E	S	53.0	46.5
7	4140	21;F	E	56.4	50.0
7	4140	21;G	E	55.8	49.5
7	4140	21;H	E	55.8	49.4
7	4140	21;I	N	51.8	45.4
8	4140	21;A	W	32.4	26.0
8	4140	21;B	S	30.7	24.2
8	4140	21;C	W	30.4	24.0
8	4140	21;D	W	30.6	24.1
8	4140	21;E	S	53.0	46.5
8	4140	21;F	E	56.4	50.0
8	4140	21;G	E	55.8	49.4
8	4140	21;H	E	55.7	49.4
8	4140	21;I	N	51.7	45.4
9	4140	21;A	W	33.5	27.1
9	4140	21;B	S	30.7	24.2
9	4140	21;C	W	30.4	23.9
9	4140	21;D	W	30.6	24.1
9	4140	21;E	S	53.0	46.4
9	4140	21;F	E	56.4	49.9
9	4140	21;G	E	55.7	49.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
9	4140	21;H	E	55.7	49.3
9	4140	21;I	N	51.7	45.3
10	4140	21;A	W	30.4	23.9
10	4140	21;B	S	30.7	24.3
10	4140	21;C	W	30.4	24.0
10	4140	21;D	W	30.6	24.1
10	4140	21;E	S	53.0	46.4
10	4140	21;F	E	56.3	49.8
10	4140	21;G	E	55.6	49.3
10	4140	21;H	E	55.6	49.2
10	4140	21;I	N	51.6	45.2
11	4140	21;A	W	30.8	24.3
11	4140	21;B	S	31.5	25.0
11	4140	21;C	W	30.8	24.4
11	4140	21;D	W	31.1	24.7
11	4140	21;E	S	52.9	46.3
11	4140	21;F	E	56.2	49.7
11	4140	21;G	E	55.6	49.2
11	4140	21;H	E	55.5	49.1
11	4140	21;I	N	51.5	45.1
1	4141	20;A	N	49.7	43.3
1	4141	20;B	W	33.8	27.4
1	4141	20;C	W	32.3	25.9
1	4141	20;D	N	33.3	26.9
1	4141	20;E	W	30.9	24.5
1	4141	20;F	W	30.7	24.3
1	4141	20;G	N	32.3	25.9
1	4141	20;H	W	30.6	24.2
1	4141	20;I	S	48.0	41.6
1	4141	20;J	E	52.3	45.9
1	4141	20;K	E	52.5	46.1
1	4141	20;L	E	53.1	46.7
1	4141	20;M	E	53.4	47.0
1	4141	20;N	E	54.2	47.8
2	4141	20;A	N	52.1	45.8
2	4141	20;B	W	34.8	28.4
2	4141	20;C	W	32.8	26.4
2	4141	20;D	N	34.1	27.7
2	4141	20;E	W	30.9	24.5
2	4141	20;F	W	30.7	24.3
2	4141	20;G	N	32.8	26.4
2	4141	20;H	W	30.7	24.3
2	4141	20;I	S	50.6	44.3
2	4141	20;J	E	54.8	48.4
2	4141	20;K	E	55.0	48.6
2	4141	20;L	E	55.5	49.1
2	4141	20;M	E	55.7	49.3
2	4141	20;N	E	56.3	49.9
3	4141	20;A	N	52.7	46.4
3	4141	20;B	W	35.9	29.6
3	4141	20;C	W	33.5	27.1
3	4141	20;D	N	35.1	28.7
3	4141	20;E	W	31.0	24.6
3	4141	20;F	W	30.8	24.4
3	4141	20;G	N	33.6	27.2
3	4141	20;H	W	30.8	24.4
3	4141	20;I	S	51.5	45.1
3	4141	20;J	E	55.5	49.1
3	4141	20;K	E	55.6	49.2
3	4141	20;L	E	56.0	49.7
3	4141	20;M	E	56.2	49.8
3	4141	20;N	E	56.8	50.4
4	4141	20;A	N	53.0	46.7
4	4141	20;B	W	36.7	30.3
4	4141	20;C	W	34.1	27.7
4	4141	20;D	N	35.8	29.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	4141	20;E	W	31.1	24.7
4	4141	20;F	W	30.9	24.5
4	4141	20;G	N	34.3	27.9
4	4141	20;H	W	31.0	24.5
4	4141	20;I	S	51.7	45.4
4	4141	20;J	E	55.7	49.4
4	4141	20;K	E	55.8	49.4
4	4141	20;L	E	56.3	49.9
4	4141	20;M	E	56.4	50.0
4	4141	20;N	E	57.0	50.6
5	4141	20;A	N	53.1	46.8
5	4141	20;B	W	37.3	30.9
5	4141	20;C	W	34.6	28.2
5	4141	20;D	N	36.5	30.1
5	4141	20;E	W	31.7	25.4
5	4141	20;F	W	31.4	25.0
5	4141	20;G	N	34.8	28.4
5	4141	20;H	W	31.2	24.8
5	4141	20;I	S	51.8	45.5
5	4141	20;J	E	55.9	49.5
5	4141	20;K	E	56.0	49.6
5	4141	20;L	E	56.4	50.0
5	4141	20;M	E	56.5	50.1
5	4141	20;N	E	57.0	50.7
6	4141	20;A	N	53.2	46.8
6	4141	20;B	W	37.7	31.4
6	4141	20;C	W	34.7	28.3
6	4141	20;D	N	36.7	30.4
6	4141	20;E	W	32.6	26.3
6	4141	20;F	W	32.2	25.8
6	4141	20;G	N	35.4	29.0
6	4141	20;H	W	31.9	25.4
6	4141	20;I	S	51.8	45.5
6	4141	20;J	E	55.8	49.5
6	4141	20;K	E	55.9	49.5
6	4141	20;L	E	56.3	49.9
6	4141	20;M	E	56.4	50.0
6	4141	20;N	E	57.0	50.6
7	4141	20;A	N	53.1	46.8
7	4141	20;B	W	37.7	31.4
7	4141	20;C	W	35.2	28.9
7	4141	20;D	N	37.5	31.1
7	4141	20;E	W	34.5	28.2
7	4141	20;F	W	33.3	27.0
7	4141	20;G	N	36.1	29.7
7	4141	20;H	W	32.3	25.9
7	4141	20;I	S	51.8	45.4
7	4141	20;J	E	55.8	49.4
7	4141	20;K	E	55.9	49.5
7	4141	20;L	E	56.2	49.9
7	4141	20;M	E	56.4	50.0
7	4141	20;N	E	56.9	50.5
8	4141	20;A	N	53.1	46.7
8	4141	20;B	W	36.4	30.0
8	4141	20;C	W	31.9	25.5
8	4141	20;D	N	35.9	29.5
8	4141	20;E	W	32.1	25.7
8	4141	20;F	W	33.0	26.7
8	4141	20;G	N	36.6	30.3
8	4141	20;H	W	34.0	27.7
8	4141	20;I	S	51.7	45.4
8	4141	20;J	E	55.8	49.4
8	4141	20;K	E	55.9	49.5
8	4141	20;L	E	56.2	49.8
8	4141	20;M	E	56.3	49.9
8	4141	20;N	E	56.8	50.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
9	4141	20;A	N	53.1	46.7
9	4141	20;B	W	36.5	30.2
9	4141	20;C	W	32.0	25.5
9	4141	20;D	N	36.0	29.6
9	4141	20;E	W	30.9	24.5
9	4141	20;F	W	30.5	24.2
9	4141	20;G	N	35.4	29.0
9	4141	20;H	W	30.3	23.9
9	4141	20;I	S	51.7	45.3
9	4141	20;J	E	55.7	49.3
9	4141	20;K	E	55.8	49.4
9	4141	20;L	E	56.1	49.7
9	4141	20;M	E	56.2	49.8
9	4141	20;N	E	56.7	50.4
10	4141	20;A	N	53.0	46.6
10	4141	20;B	W	36.6	30.3
10	4141	20;C	W	32.3	25.9
10	4141	20;D	N	36.2	29.8
10	4141	20;E	W	31.1	24.7
10	4141	20;F	W	30.6	24.2
10	4141	20;G	N	35.4	29.1
10	4141	20;H	W	30.3	23.9
10	4141	20;I	S	51.6	45.3
10	4141	20;J	E	55.6	49.2
10	4141	20;K	E	55.7	49.3
10	4141	20;L	E	56.0	49.6
10	4141	20;M	E	56.1	49.7
10	4141	20;N	E	56.6	50.3
11	4141	20;A	N	52.9	46.5
11	4141	20;B	W	33.9	27.5
11	4141	20;C	W	32.7	26.3
11	4141	20;D	N	36.1	29.8
11	4141	20;E	W	31.8	25.4
11	4141	20;F	W	31.2	24.8
11	4141	20;G	N	35.7	29.3
11	4141	20;H	W	30.7	24.3
11	4141	20;I	S	51.6	45.2
11	4141	20;J	E	55.5	49.1
11	4141	20;K	E	55.7	49.2
11	4141	20;L	E	55.9	49.5
11	4141	20;M	E	56.0	49.6
11	4141	20;N	E	56.5	50.1
1	4142	26;A	SW	44.8	38.2
1	4142	26;B	SW	43.1	36.4
1	4142	26;C	SW	43.9	37.3
1	4142	26;D	SE	32.6	26.0
1	4142	26;E	NE	28.8	22.2
1	4142	26;F	NE	28.6	22.0
1	4142	26;G	NE	28.5	21.9
1	4142	26;H	NE	30.3	23.7
1	4142	26;I	NW	45.6	38.9
1	4142	26;J	SW	46.8	40.1
1	4142	26;K	SW	45.5	38.8
2	4142	26;A	SW	47.0	40.4
2	4142	26;B	SW	45.2	38.6
2	4142	26;C	SW	46.0	39.4
2	4142	26;D	SE	33.3	26.7
2	4142	26;E	NE	29.0	22.4
2	4142	26;F	NE	28.8	22.2
2	4142	26;G	NE	28.6	22.0
2	4142	26;H	NE	32.0	25.3
2	4142	26;I	NW	48.1	41.4
2	4142	26;J	SW	49.4	42.7
2	4142	26;K	SW	47.8	41.2
3	4142	26;A	SW	48.8	42.2
3	4142	26;B	SW	47.1	40.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	4142	26;C	SW	47.9	41.2
3	4142	26;D	SE	34.3	27.8
3	4142	26;E	NE	29.0	22.4
3	4142	26;F	NE	28.9	22.3
3	4142	26;G	NE	28.6	22.0
3	4142	26;H	NE	33.7	27.1
3	4142	26;I	NW	49.6	42.9
3	4142	26;J	SW	50.9	44.3
3	4142	26;K	SW	49.5	42.9
4	4142	26;A	SW	49.8	43.2
4	4142	26;B	SW	48.1	41.5
4	4142	26;C	SW	48.9	42.3
4	4142	26;D	SE	35.7	29.1
4	4142	26;E	NE	29.6	23.0
4	4142	26;F	NE	29.5	22.9
4	4142	26;G	NE	28.9	22.3
4	4142	26;H	NE	34.8	28.2
4	4142	26;I	NW	50.6	43.9
4	4142	26;J	SW	52.0	45.3
4	4142	26;K	SW	50.6	43.9
5	4142	26;A	SW	50.8	44.1
5	4142	26;B	SW	49.0	42.4
5	4142	26;C	SW	49.7	43.1
5	4142	26;D	SE	38.0	31.4
5	4142	26;E	NE	30.5	24.0
5	4142	26;F	NE	30.7	24.2
5	4142	26;G	NE	29.6	23.0
5	4142	26;H	NE	36.6	30.0
5	4142	26;I	NW	51.4	44.7
5	4142	26;J	SW	52.7	46.1
5	4142	26;K	SW	51.5	44.8
6	4142	26;A	SW	51.3	44.7
6	4142	26;B	SW	49.7	43.1
6	4142	26;C	SW	50.5	43.8
6	4142	26;D	SE	39.8	33.2
6	4142	26;E	NE	31.7	25.2
6	4142	26;F	NE	31.9	25.4
6	4142	26;G	NE	30.0	23.5
6	4142	26;H	NE	37.8	31.2
6	4142	26;I	NW	51.7	45.0
6	4142	26;J	SW	53.1	46.4
6	4142	26;K	SW	52.0	45.3
7	4142	26;A	SW	51.6	45.0
7	4142	26;B	SW	50.1	43.5
7	4142	26;C	SW	50.8	44.2
7	4142	26;D	SE	41.1	34.6
7	4142	26;E	NE	32.2	25.7
7	4142	26;F	NE	32.3	25.8
7	4142	26;G	NE	30.4	23.9
7	4142	26;H	NE	38.5	31.9
7	4142	26;I	NW	51.8	45.1
7	4142	26;J	SW	53.2	46.6
7	4142	26;K	SW	52.2	45.5
8	4142	26;A	SW	51.9	45.3
8	4142	26;B	SW	50.4	43.8
8	4142	26;C	SW	51.2	44.6
8	4142	26;D	SE	42.4	35.8
8	4142	26;E	NE	32.7	26.2
8	4142	26;F	NE	32.7	26.3
8	4142	26;G	NE	30.9	24.4
8	4142	26;H	NE	39.1	32.5
8	4142	26;I	NW	51.9	45.2
8	4142	26;J	SW	53.4	46.7
8	4142	26;K	SW	52.4	45.8
9	4142	26;A	SW	52.2	45.6
9	4142	26;B	SW	50.9	44.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
9	4142	26;C	SW	51.7	45.1
9	4142	26;D	SE	44.0	37.4
9	4142	26;E	NE	33.2	26.7
9	4142	26;F	NE	33.1	26.7
9	4142	26;G	NE	31.3	24.8
9	4142	26;H	NE	39.2	32.6
9	4142	26;I	NW	52.0	45.3
9	4142	26;J	SW	53.4	46.8
9	4142	26;K	SW	52.6	45.9
10	4142	26;A	SW	52.3	45.7
10	4142	26;B	SW	51.1	44.5
10	4142	26;C	SW	51.9	45.3
10	4142	26;D	SE	45.3	38.8
10	4142	26;E	NE	33.6	27.2
10	4142	26;F	NE	33.5	27.1
10	4142	26;G	NE	31.7	25.2
10	4142	26;H	NE	39.3	32.8
10	4142	26;I	NW	52.0	45.3
10	4142	26;J	SW	53.5	46.8
10	4142	26;K	SW	52.7	46.1
11	4142	26;A	SW	52.4	45.8
11	4142	26;B	SW	51.2	44.6
11	4142	26;C	SW	52.0	45.4
11	4142	26;D	SE	45.8	39.2
11	4142	26;E	NE	34.3	27.8
11	4142	26;F	NE	34.2	27.7
11	4142	26;G	NE	32.7	26.2
11	4142	26;H	NE	39.5	33.0
11	4142	26;I	NW	52.0	45.3
11	4142	26;J	SW	53.5	46.9
11	4142	26;K	SW	52.8	46.1
1	4143	60;A	NW	33.8	27.3
1	4143	60;B	NE	33.8	27.3
1	4143	60;C	NW	46.5	40.0
1	4143	60;D	SW	51.2	44.7
1	4143	60;E	SE	47.9	41.4
1	4143	60;F	NE	34.4	27.8
2	4143	60;A	NW	33.8	27.3
2	4143	60;B	NE	33.8	27.3
2	4143	60;C	NW	49.6	43.1
2	4143	60;D	SW	54.5	48.0
2	4143	60;E	SE	51.2	44.7
2	4143	60;F	NE	34.6	28.0
3	4143	60;A	NW	33.9	27.4
3	4143	60;B	NE	33.9	27.4
3	4143	60;C	NW	51.5	45.0
3	4143	60;D	SW	56.2	49.7
3	4143	60;E	SE	52.9	46.4
3	4143	60;F	NE	35.1	28.5
4	4143	60;A	NW	34.1	27.5
4	4143	60;B	NE	34.0	27.5
4	4143	60;C	NW	52.5	46.0
4	4143	60;D	SW	57.3	50.8
4	4143	60;E	SE	54.0	47.5
4	4143	60;F	NE	36.0	29.5
5	4143	60;A	NW	34.6	28.1
5	4143	60;B	NE	34.4	27.9
5	4143	60;C	NW	53.2	46.7
5	4143	60;D	SW	57.9	51.4
5	4143	60;E	SE	54.7	48.2
5	4143	60;F	NE	38.8	32.2
6	4143	60;A	NW	37.1	30.6
6	4143	60;B	NE	36.1	29.6
6	4143	60;C	NW	53.7	47.2
6	4143	60;D	SW	58.1	51.6
6	4143	60;E	SE	55.1	48.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	4143	60;F	NE	40.9	34.4
1	4144	54;A	N	57.3	50.7
1	4144	54;B	N	57.1	50.6
1	4144	54;C	N	56.7	50.2
1	4144	54;D	W	53.8	47.3
1	4144	54;E	W	52.7	46.2
1	4144	54;F	N	53.4	46.9
1	4144	54;G	S	36.5	30.0
1	4144	54;H	W	44.9	38.4
1	4144	54;I	W	46.7	40.2
1	4144	54;J	S	35.4	28.9
1	4144	54;K	S	35.5	29.0
1	4144	54;L	E	43.3	36.8
1	4144	54;M	S	36.5	30.0
1	4144	54;N	S	36.7	30.2
1	4144	54;O	E	53.3	46.7
1	4144	54;P	N	56.0	49.5
1	4144	54;Q	N	54.5	48.0
1	4144	54;R	E	54.5	48.0
1	4144	54;S	E	55.4	48.9
2	4144	54;A	N	60.4	53.8
2	4144	54;B	N	60.2	53.7
2	4144	54;C	N	59.8	53.3
2	4144	54;D	W	57.1	50.6
2	4144	54;E	W	56.1	49.6
2	4144	54;F	N	56.6	50.1
2	4144	54;G	S	36.5	30.0
2	4144	54;H	W	46.8	40.3
2	4144	54;I	W	49.2	42.7
2	4144	54;J	S	35.4	28.9
2	4144	54;K	S	35.5	29.0
2	4144	54;L	E	46.3	39.7
2	4144	54;M	S	36.5	30.0
2	4144	54;N	S	36.9	30.4
2	4144	54;O	E	56.4	49.9
2	4144	54;P	N	59.2	52.7
2	4144	54;Q	N	57.7	51.2
2	4144	54;R	E	57.7	51.2
2	4144	54;S	E	58.7	52.2
3	4144	54;A	N	61.3	54.7
3	4144	54;B	N	61.1	54.6
3	4144	54;C	N	60.8	54.3
3	4144	54;D	W	58.3	51.8
3	4144	54;E	W	57.6	51.1
3	4144	54;F	N	58.0	51.5
3	4144	54;G	S	36.5	29.9
3	4144	54;H	W	48.6	42.1
3	4144	54;I	W	51.0	44.5
3	4144	54;J	S	35.4	28.9
3	4144	54;K	S	35.5	29.0
3	4144	54;L	E	48.1	41.6
3	4144	54;M	S	36.4	29.9
3	4144	54;N	S	37.2	30.7
3	4144	54;O	E	57.6	51.1
3	4144	54;P	N	60.3	53.8
3	4144	54;Q	N	58.8	52.3
3	4144	54;R	E	58.8	52.3
3	4144	54;S	E	59.7	53.2
4	4144	54;A	N	61.6	55.1
4	4144	54;B	N	61.5	54.9
4	4144	54;C	N	61.1	54.6
4	4144	54;D	W	58.7	52.2
4	4144	54;E	W	58.3	51.8
4	4144	54;F	N	58.6	52.1
4	4144	54;G	S	36.4	29.9
4	4144	54;H	W	49.6	43.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	4144	54;I	W	52.0	45.5
4	4144	54;J	S	35.4	28.9
4	4144	54;K	S	35.5	29.0
4	4144	54;L	E	49.4	42.9
4	4144	54;M	S	36.4	29.9
4	4144	54;N	S	37.4	30.8
4	4144	54;O	E	58.0	51.4
4	4144	54;P	N	60.7	54.2
4	4144	54;Q	N	59.1	52.6
4	4144	54;R	E	59.1	52.6
4	4144	54;S	E	60.0	53.5
5	4144	54;A	N	61.8	55.2
5	4144	54;B	N	61.6	55.1
5	4144	54;C	N	61.2	54.7
5	4144	54;D	W	58.9	52.4
5	4144	54;E	W	58.6	52.1
5	4144	54;F	N	58.9	52.4
5	4144	54;G	S	36.4	29.9
5	4144	54;H	W	50.3	43.8
5	4144	54;I	W	52.7	46.2
5	4144	54;J	S	35.5	29.0
5	4144	54;K	S	35.6	29.1
5	4144	54;L	E	50.2	43.7
5	4144	54;M	S	36.4	29.9
5	4144	54;N	S	38.4	31.8
5	4144	54;O	E	58.1	51.6
5	4144	54;P	N	60.8	54.3
5	4144	54;Q	N	59.2	52.7
5	4144	54;R	E	59.2	52.7
5	4144	54;S	E	60.2	53.7
6	4144	54;A	N	61.8	55.3
6	4144	54;B	N	61.7	55.2
6	4144	54;C	N	61.3	54.8
6	4144	54;D	W	59.0	52.5
6	4144	54;E	W	58.8	52.3
6	4144	54;F	N	59.1	52.6
6	4144	54;G	S	36.3	29.8
6	4144	54;H	W	50.9	44.4
6	4144	54;I	W	53.1	46.6
6	4144	54;J	S	35.5	29.0
6	4144	54;K	S	35.6	29.1
6	4144	54;L	E	50.6	44.1
6	4144	54;M	S	36.3	29.8
6	4144	54;N	S	39.1	32.5
6	4144	54;O	E	58.2	51.7
6	4144	54;P	N	60.9	54.4
6	4144	54;Q	N	59.3	52.8
6	4144	54;R	E	59.3	52.8
6	4144	54;S	E	60.3	53.8
7	4144	54;A	N	61.8	55.3
7	4144	54;B	N	61.7	55.2
7	4144	54;C	N	61.3	54.8
7	4144	54;D	W	59.1	52.5
7	4144	54;E	W	58.9	52.4
7	4144	54;F	N	59.2	52.7
7	4144	54;G	S	36.3	29.8
7	4144	54;H	W	51.2	44.7
7	4144	54;I	W	53.3	46.8
7	4144	54;J	S	35.5	29.0
7	4144	54;K	S	35.6	29.1
7	4144	54;L	E	50.8	44.3
7	4144	54;M	S	36.3	29.8
7	4144	54;N	S	36.8	30.3
7	4144	54;O	E	58.2	51.7
7	4144	54;P	N	60.9	54.4
7	4144	54;Q	N	59.3	52.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
7	4144	54;R	E	59.3	52.8
7	4144	54;S	E	60.3	53.8
8	4144	54;A	N	61.8	55.3
8	4144	54;B	N	61.7	55.2
8	4144	54;C	N	61.2	54.7
8	4144	54;D	W	59.1	52.5
8	4144	54;E	W	59.0	52.4
8	4144	54;F	N	59.2	52.7
8	4144	54;G	S	36.2	29.7
8	4144	54;H	W	51.3	44.8
8	4144	54;I	W	53.4	46.9
8	4144	54;J	S	35.6	29.1
8	4144	54;K	S	35.7	29.2
8	4144	54;L	E	51.0	44.5
8	4144	54;M	S	36.2	29.7
8	4144	54;N	S	37.0	30.5
8	4144	54;O	E	58.2	51.7
8	4144	54;P	N	60.9	54.4
8	4144	54;Q	N	59.2	52.7
8	4144	54;R	E	59.3	52.8
8	4144	54;S	E	60.2	53.7
9	4144	54;A	N	61.7	55.2
9	4144	54;B	N	61.6	55.1
9	4144	54;C	N	61.2	54.7
9	4144	54;D	W	59.0	52.5
9	4144	54;E	W	59.0	52.5
9	4144	54;F	N	59.2	52.7
9	4144	54;G	S	36.2	29.7
9	4144	54;H	W	51.4	44.9
9	4144	54;I	W	53.5	47.0
9	4144	54;J	S	35.7	29.1
9	4144	54;K	S	35.7	29.2
9	4144	54;L	E	51.0	44.5
9	4144	54;M	S	36.1	29.6
9	4144	54;N	S	37.0	30.5
9	4144	54;O	E	58.2	51.7
9	4144	54;P	N	60.8	54.3
9	4144	54;Q	N	59.2	52.7
9	4144	54;R	E	59.2	52.7
9	4144	54;S	E	60.1	53.6
10	4144	54;A	N	61.7	55.2
10	4144	54;B	N	61.6	55.0
10	4144	54;C	N	61.1	54.6
10	4144	54;D	W	59.0	52.5
10	4144	54;E	W	59.0	52.5
10	4144	54;F	N	59.2	52.7
10	4144	54;G	S	36.2	29.6
10	4144	54;H	W	51.5	45.0
10	4144	54;I	W	53.5	47.0
10	4144	54;J	S	35.7	29.2
10	4144	54;K	S	35.7	29.2
10	4144	54;L	E	51.1	44.6
10	4144	54;M	S	36.1	29.6
10	4144	54;N	S	37.1	30.6
10	4144	54;O	E	58.1	51.6
10	4144	54;P	N	60.8	54.3
10	4144	54;Q	N	59.1	52.6
10	4144	54;R	E	59.2	52.6
10	4144	54;S	E	60.1	53.6
11	4144	54;A	N	61.6	55.1
11	4144	54;B	N	61.5	55.0
11	4144	54;C	N	61.0	54.5
11	4144	54;D	W	58.9	52.4
11	4144	54;E	W	59.0	52.5
11	4144	54;F	N	59.2	52.7
11	4144	54;G	S	36.2	29.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
11	4144	54;H	W	51.5	45.0
11	4144	54;I	W	53.6	47.1
11	4144	54;J	S	35.7	29.2
11	4144	54;K	S	35.8	29.2
11	4144	54;L	E	51.2	44.6
11	4144	54;M	S	36.1	29.6
11	4144	54;N	S	37.2	30.7
11	4144	54;O	E	58.0	51.5
11	4144	54;P	N	60.7	54.2
11	4144	54;Q	N	59.0	52.5
11	4144	54;R	E	59.1	52.6
11	4144	54;S	E	60.0	53.5
12	4144	54;A	N	61.5	55.0
12	4144	54;B	N	61.4	54.9
12	4144	54;C	N	61.0	54.4
12	4144	54;D	W	58.9	52.4
12	4144	54;E	W	58.9	52.4
12	4144	54;F	N	59.1	52.6
12	4144	54;G	S	36.3	29.8
12	4144	54;H	W	51.6	45.1
12	4144	54;I	W	53.6	47.1
12	4144	54;J	S	35.9	29.4
12	4144	54;K	S	35.8	29.3
12	4144	54;L	E	51.2	44.7
12	4144	54;M	S	36.2	29.7
12	4144	54;N	S	37.4	30.9
12	4144	54;O	E	58.0	51.5
12	4144	54;P	N	60.6	54.1
12	4144	54;Q	N	59.0	52.4
12	4144	54;R	E	59.0	52.5
12	4144	54;S	E	59.9	53.4
13	4144	54;A	N	61.4	54.9
13	4144	54;B	N	61.3	54.8
13	4144	54;C	N	60.9	54.4
13	4144	54;D	W	58.8	52.3
13	4144	54;E	W	58.9	52.4
13	4144	54;F	N	59.1	52.6
13	4144	54;G	S	37.3	30.8
13	4144	54;H	W	51.7	45.2
13	4144	54;I	W	53.6	47.1
13	4144	54;J	S	36.6	30.1
13	4144	54;K	S	36.3	29.8
13	4144	54;L	E	51.3	44.7
13	4144	54;M	S	37.1	30.6
13	4144	54;N	S	38.2	31.7
13	4144	54;O	E	57.9	51.4
13	4144	54;P	N	60.5	54.0
13	4144	54;Q	N	58.9	52.4
13	4144	54;R	E	58.9	52.4
13	4144	54;S	E	59.8	53.3
1	4145	48;A	SW	36.8	30.3
1	4145	48;B	SW	36.6	30.1
1	4145	48;C	SW	36.8	30.3
1	4145	48;D	SE	52.4	45.9
1	4145	48;E	NE	56.3	49.7
1	4145	48;F	SE	56.0	49.4
1	4145	48;G	NE	57.7	51.2
1	4145	48;H	NE	57.7	51.2
1	4145	48;I	NE	57.7	51.2
1	4145	48;J	NE	57.6	51.0
1	4145	48;K	NW	53.7	47.1
1	4145	48;L	SW	37.2	30.7
1	4145	48;M	SW	37.1	30.6
1	4145	48;N	SW	36.9	30.4
2	4145	48;A	SW	36.8	30.3
2	4145	48;B	SW	36.6	30.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	4145	48;C	SW	36.8	30.3
2	4145	48;D	SE	55.6	49.1
2	4145	48;E	NE	59.4	52.8
2	4145	48;F	SE	59.0	52.5
2	4145	48;G	NE	60.7	54.2
2	4145	48;H	NE	60.7	54.2
2	4145	48;I	NE	60.8	54.3
2	4145	48;J	NE	60.7	54.2
2	4145	48;K	NW	56.8	50.3
2	4145	48;L	SW	37.2	30.7
2	4145	48;M	SW	37.1	30.5
2	4145	48;N	SW	36.9	30.4
3	4145	48;A	SW	36.8	30.3
3	4145	48;B	SW	36.6	30.1
3	4145	48;C	SW	36.7	30.2
3	4145	48;D	SE	56.7	50.2
3	4145	48;E	NE	60.5	54.0
3	4145	48;F	SE	60.1	53.6
3	4145	48;G	NE	61.6	55.1
3	4145	48;H	NE	61.6	55.1
3	4145	48;I	NE	61.7	55.2
3	4145	48;J	NE	61.6	55.0
3	4145	48;K	NW	58.0	51.5
3	4145	48;L	SW	37.2	30.7
3	4145	48;M	SW	37.0	30.5
3	4145	48;N	SW	36.9	30.4
4	4145	48;A	SW	36.7	30.2
4	4145	48;B	SW	36.6	30.0
4	4145	48;C	SW	36.7	30.2
4	4145	48;D	SE	57.0	50.5
4	4145	48;E	NE	61.1	54.6
4	4145	48;F	SE	60.8	54.2
4	4145	48;G	NE	62.1	55.6
4	4145	48;H	NE	62.1	55.6
4	4145	48;I	NE	62.1	55.6
4	4145	48;J	NE	61.9	55.4
4	4145	48;K	NW	58.4	51.9
4	4145	48;L	SW	37.1	30.6
4	4145	48;M	SW	37.0	30.5
4	4145	48;N	SW	36.9	30.4
5	4145	48;A	SW	36.7	30.2
5	4145	48;B	SW	36.5	30.0
5	4145	48;C	SW	36.7	30.2
5	4145	48;D	SE	57.2	50.7
5	4145	48;E	NE	61.4	54.9
5	4145	48;F	SE	61.0	54.5
5	4145	48;G	NE	62.2	55.7
5	4145	48;H	NE	62.2	55.7
5	4145	48;I	NE	62.3	55.7
5	4145	48;J	NE	62.1	55.6
5	4145	48;K	NW	58.6	52.1
5	4145	48;L	SW	37.1	30.6
5	4145	48;M	SW	37.0	30.5
5	4145	48;N	SW	36.8	30.3
6	4145	48;A	SW	36.7	30.1
6	4145	48;B	SW	36.5	30.0
6	4145	48;C	SW	36.6	30.1
6	4145	48;D	SE	57.2	50.7
6	4145	48;E	NE	61.6	55.1
6	4145	48;F	SE	61.1	54.6
6	4145	48;G	NE	62.3	55.8
6	4145	48;H	NE	62.3	55.8
6	4145	48;I	NE	62.3	55.8
6	4145	48;J	NE	62.2	55.7
6	4145	48;K	NW	58.7	52.2
6	4145	48;L	SW	37.1	30.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	4145	48;M	SW	36.9	30.4
6	4145	48;N	SW	36.8	30.3
7	4145	48;A	SW	36.6	30.1
7	4145	48;B	SW	36.4	29.9
7	4145	48;C	SW	36.6	30.1
7	4145	48;D	SE	57.2	50.7
7	4145	48;E	NE	61.6	55.1
7	4145	48;F	SE	61.2	54.7
7	4145	48;G	NE	62.3	55.8
7	4145	48;H	NE	62.3	55.8
7	4145	48;I	NE	62.3	55.8
7	4145	48;J	NE	62.2	55.7
7	4145	48;K	NW	58.7	52.2
7	4145	48;L	SW	37.0	30.5
7	4145	48;M	SW	36.9	30.4
7	4145	48;N	SW	36.7	30.2
8	4145	48;A	SW	36.5	30.0
8	4145	48;B	SW	36.4	29.9
8	4145	48;C	SW	36.6	30.1
8	4145	48;D	SE	57.2	50.7
8	4145	48;E	NE	61.6	55.1
8	4145	48;F	SE	61.2	54.6
8	4145	48;G	NE	62.3	55.8
8	4145	48;H	NE	62.3	55.8
8	4145	48;I	NE	62.4	55.8
8	4145	48;J	NE	62.2	55.7
8	4145	48;K	NW	58.7	52.2
8	4145	48;L	SW	37.0	30.5
8	4145	48;M	SW	36.8	30.3
8	4145	48;N	SW	36.7	30.2
9	4145	48;A	SW	36.5	30.0
9	4145	48;B	SW	36.4	29.8
9	4145	48;C	SW	36.5	30.0
9	4145	48;D	SE	57.1	50.6
9	4145	48;E	NE	61.6	55.1
9	4145	48;F	SE	61.1	54.6
9	4145	48;G	NE	62.3	55.8
9	4145	48;H	NE	62.3	55.8
9	4145	48;I	NE	62.3	55.8
9	4145	48;J	NE	62.2	55.7
9	4145	48;K	NW	58.7	52.2
9	4145	48;L	SW	36.9	30.4
9	4145	48;M	SW	36.8	30.3
9	4145	48;N	SW	36.6	30.1
10	4145	48;A	SW	36.5	30.0
10	4145	48;B	SW	36.3	29.8
10	4145	48;C	SW	36.5	30.0
10	4145	48;D	SE	57.1	50.6
10	4145	48;E	NE	61.5	55.0
10	4145	48;F	SE	61.1	54.6
10	4145	48;G	NE	62.3	55.7
10	4145	48;H	NE	62.2	55.7
10	4145	48;I	NE	62.3	55.8
10	4145	48;J	NE	62.1	55.6
10	4145	48;K	NW	58.7	52.2
10	4145	48;L	SW	36.9	30.4
10	4145	48;M	SW	36.7	30.2
10	4145	48;N	SW	36.6	30.1
11	4145	48;A	SW	36.5	30.0
11	4145	48;B	SW	36.3	29.8
11	4145	48;C	SW	36.6	30.1
11	4145	48;D	SE	57.2	50.7
11	4145	48;E	NE	61.5	55.0
11	4145	48;F	SE	61.0	54.5
11	4145	48;G	NE	62.2	55.7
11	4145	48;H	NE	62.1	55.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
11	4145	48;I	NE	62.2	55.7
11	4145	48;J	NE	62.1	55.5
11	4145	48;K	NW	58.6	52.1
11	4145	48;L	SW	36.9	30.4
11	4145	48;M	SW	36.8	30.3
11	4145	48;N	SW	36.6	30.1
12	4145	48;A	SW	37.0	30.5
12	4145	48;B	SW	36.9	30.4
12	4145	48;C	SW	37.4	30.8
12	4145	48;D	SE	56.7	50.2
12	4145	48;E	NE	61.2	54.7
12	4145	48;F	SE	61.0	54.5
12	4145	48;G	NE	62.1	55.6
12	4145	48;H	NE	62.0	55.5
12	4145	48;I	NE	62.1	55.6
12	4145	48;J	NE	62.0	55.5
12	4145	48;K	NW	58.5	52.0
12	4145	48;L	SW	37.4	30.9
12	4145	48;M	SW	37.2	30.7
12	4145	48;N	SW	37.1	30.6
1	4146	57;A	W	52.8	46.2
1	4146	57;B	W	52.5	45.9
1	4146	57;C	W	51.9	45.3
1	4146	57;D	S	48.7	42.2
1	4146	57;E	W	49.5	42.9
1	4146	57;F	W	49.8	43.2
1	4146	57;G	S	43.3	36.8
1	4146	57;H	E	40.3	33.7
1	4146	57;I	E	40.4	33.8
1	4146	57;J	E	40.3	33.7
1	4146	57;K	E	43.2	36.7
1	4146	57;L	N	51.9	45.3
2	4146	57;A	W	56.0	49.4
2	4146	57;B	W	55.8	49.2
2	4146	57;C	W	55.2	48.6
2	4146	57;D	S	51.8	45.3
2	4146	57;E	W	52.8	46.2
2	4146	57;F	W	53.2	46.6
2	4146	57;G	S	46.5	40.0
2	4146	57;H	E	42.0	35.4
2	4146	57;I	E	41.8	35.2
2	4146	57;J	E	41.7	35.1
2	4146	57;K	E	45.8	39.2
2	4146	57;L	N	55.0	48.4
3	4146	57;A	W	57.4	50.8
3	4146	57;B	W	57.2	50.6
3	4146	57;C	W	56.7	50.1
3	4146	57;D	S	53.7	47.2
3	4146	57;E	W	54.4	47.8
3	4146	57;F	W	54.6	48.1
3	4146	57;G	S	48.3	41.8
3	4146	57;H	E	43.6	37.0
3	4146	57;I	E	43.2	36.7
3	4146	57;J	E	43.2	36.6
3	4146	57;K	E	47.4	40.9
3	4146	57;L	N	56.5	49.8
4	4146	57;A	W	57.9	51.3
4	4146	57;B	W	57.8	51.2
4	4146	57;C	W	57.3	50.7
4	4146	57;D	S	54.8	48.3
4	4146	57;E	W	55.1	48.6
4	4146	57;F	W	55.5	48.9
4	4146	57;G	S	49.6	43.0
4	4146	57;H	E	44.5	38.0
4	4146	57;I	E	44.1	37.5
4	4146	57;J	E	44.1	37.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	4146	57;K	E	48.4	41.9
4	4146	57;L	N	56.9	50.3
5	4146	57;A	W	58.1	51.5
5	4146	57;B	W	58.1	51.5
5	4146	57;C	W	57.5	51.0
5	4146	57;D	S	55.4	48.9
5	4146	57;E	W	55.6	49.0
5	4146	57;F	W	56.0	49.4
5	4146	57;G	S	50.7	44.2
5	4146	57;H	E	45.2	38.7
5	4146	57;I	E	44.7	38.2
5	4146	57;J	E	44.7	38.2
5	4146	57;K	E	49.1	42.6
5	4146	57;L	N	57.2	50.6
6	4146	57;A	W	58.2	51.7
6	4146	57;B	W	58.2	51.6
6	4146	57;C	W	57.7	51.1
6	4146	57;D	S	55.8	49.3
6	4146	57;E	W	55.8	49.2
6	4146	57;F	W	56.2	49.7
6	4146	57;G	S	51.5	45.0
6	4146	57;H	E	45.7	39.2
6	4146	57;I	E	45.2	38.7
6	4146	57;J	E	45.2	38.8
6	4146	57;K	E	49.5	43.0
6	4146	57;L	N	57.3	50.7
7	4146	57;A	W	58.3	51.7
7	4146	57;B	W	58.3	51.7
7	4146	57;C	W	57.8	51.2
7	4146	57;D	S	56.0	49.5
7	4146	57;E	W	55.9	49.4
7	4146	57;F	W	56.4	49.8
7	4146	57;G	S	51.9	45.4
7	4146	57;H	E	46.1	39.6
7	4146	57;I	E	45.5	39.0
7	4146	57;J	E	45.6	39.1
7	4146	57;K	E	49.7	43.2
7	4146	57;L	N	57.4	50.8
8	4146	57;A	W	58.3	51.8
8	4146	57;B	W	58.3	51.7
8	4146	57;C	W	57.8	51.2
8	4146	57;D	S	56.2	49.7
8	4146	57;E	W	56.0	49.4
8	4146	57;F	W	56.4	49.9
8	4146	57;G	S	52.1	45.6
8	4146	57;H	E	46.3	39.8
8	4146	57;I	E	45.6	39.2
8	4146	57;J	E	45.7	39.2
8	4146	57;K	E	49.9	43.3
8	4146	57;L	N	57.5	50.9
9	4146	57;A	W	58.3	51.7
9	4146	57;B	W	58.3	51.7
9	4146	57;C	W	57.8	51.3
9	4146	57;D	S	56.2	49.7
9	4146	57;E	W	56.0	49.5
9	4146	57;F	W	56.5	49.9
9	4146	57;G	S	52.2	45.7
9	4146	57;H	E	46.4	39.9
9	4146	57;I	E	45.8	39.3
9	4146	57;J	E	45.9	39.4
9	4146	57;K	E	50.0	43.5
9	4146	57;L	N	57.5	50.9
10	4146	57;A	W	58.3	51.7
10	4146	57;B	W	58.3	51.7
10	4146	57;C	W	57.8	51.3
10	4146	57;D	S	56.3	49.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
10	4146	57;E	W	56.1	49.5
10	4146	57;F	W	56.5	49.9
10	4146	57;G	S	52.3	45.8
10	4146	57;H	E	46.5	40.0
10	4146	57;I	E	45.9	39.4
10	4146	57;J	E	46.0	39.5
10	4146	57;K	E	50.1	43.5
10	4146	57;L	N	57.5	50.9
11	4146	57;A	W	58.3	51.7
11	4146	57;B	W	58.3	51.7
11	4146	57;C	W	57.8	51.2
11	4146	57;D	S	56.4	49.9
11	4146	57;E	W	56.1	49.5
11	4146	57;F	W	56.5	50.0
11	4146	57;G	S	52.4	45.9
11	4146	57;H	E	46.6	40.1
11	4146	57;I	E	46.0	39.6
11	4146	57;J	E	46.2	39.7
11	4146	57;K	E	50.2	43.6
11	4146	57;L	N	57.5	50.9
12	4146	57;A	W	58.3	51.7
12	4146	57;B	W	58.3	51.7
12	4146	57;C	W	57.8	51.2
12	4146	57;D	S	56.4	49.9
12	4146	57;E	W	56.1	49.5
12	4146	57;F	W	56.5	50.0
12	4146	57;G	S	52.5	46.0
12	4146	57;H	E	46.9	40.3
12	4146	57;I	E	46.2	39.7
12	4146	57;J	E	46.3	39.8
12	4146	57;K	E	50.3	43.7
12	4146	57;L	N	57.4	50.8
1	4147	53;A	E	53.2	46.7
1	4147	53;B	E	55.0	48.4
1	4147	53;C	N	57.1	50.6
1	4147	53;D	N	56.2	49.7
1	4147	53;E	N	55.6	49.0
1	4147	53;F	W	51.7	45.2
1	4147	53;G	W	50.2	43.7
1	4147	53;H	N	50.8	44.2
1	4147	53;I	S	35.9	29.4
1	4147	53;J	W	43.4	36.9
1	4147	53;K	S	35.2	28.7
1	4147	53;L	S	35.4	28.9
1	4147	53;M	S	35.5	29.0
1	4147	53;N	E	49.8	43.3
2	4147	53;A	E	56.3	49.8
2	4147	53;B	E	58.0	51.5
2	4147	53;C	N	60.2	53.7
2	4147	53;D	N	59.3	52.8
2	4147	53;E	N	58.7	52.2
2	4147	53;F	W	55.3	48.8
2	4147	53;G	W	53.9	47.4
2	4147	53;H	N	54.4	47.9
2	4147	53;I	S	35.9	29.4
2	4147	53;J	W	46.0	39.5
2	4147	53;K	S	35.2	28.7
2	4147	53;L	S	35.4	28.9
2	4147	53;M	S	35.5	28.9
2	4147	53;N	E	53.2	46.7
3	4147	53;A	E	57.5	51.0
3	4147	53;B	E	58.9	52.4
3	4147	53;C	N	61.2	54.7
3	4147	53;D	N	60.4	53.8
3	4147	53;E	N	59.8	53.3
3	4147	53;F	W	56.8	50.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	4147	53;G	W	55.9	49.4
3	4147	53;H	N	56.3	49.8
3	4147	53;I	S	35.9	29.4
3	4147	53;J	W	48.8	42.3
3	4147	53;K	S	35.2	28.6
3	4147	53;L	S	35.4	28.9
3	4147	53;M	S	35.4	28.9
3	4147	53;N	E	54.8	48.3
4	4147	53;A	E	57.9	51.4
4	4147	53;B	E	59.2	52.7
4	4147	53;C	N	61.6	55.1
4	4147	53;D	N	60.7	54.2
4	4147	53;E	N	60.1	53.6
4	4147	53;F	W	57.6	51.1
4	4147	53;G	W	56.8	50.3
4	4147	53;H	N	57.1	50.6
4	4147	53;I	S	35.9	29.4
4	4147	53;J	W	50.3	43.8
4	4147	53;K	S	35.1	28.6
4	4147	53;L	S	35.3	28.8
4	4147	53;M	S	35.4	28.9
4	4147	53;N	E	55.4	48.9
5	4147	53;A	E	58.1	51.6
5	4147	53;B	E	59.3	52.8
5	4147	53;C	N	61.8	55.3
5	4147	53;D	N	60.9	54.4
5	4147	53;E	N	60.3	53.8
5	4147	53;F	W	57.8	51.3
5	4147	53;G	W	57.3	50.8
5	4147	53;H	N	57.5	51.0
5	4147	53;I	S	35.9	29.3
5	4147	53;J	W	51.1	44.6
5	4147	53;K	S	35.1	28.6
5	4147	53;L	S	35.3	28.8
5	4147	53;M	S	35.4	28.9
5	4147	53;N	E	55.7	49.2
6	4147	53;A	E	58.2	51.6
6	4147	53;B	E	59.4	52.9
6	4147	53;C	N	61.9	55.4
6	4147	53;D	N	61.0	54.5
6	4147	53;E	N	60.4	53.9
6	4147	53;F	W	58.0	51.5
6	4147	53;G	W	57.5	51.0
6	4147	53;H	N	57.6	51.1
6	4147	53;I	S	35.8	29.3
6	4147	53;J	W	51.6	45.1
6	4147	53;K	S	35.1	28.6
6	4147	53;L	S	35.3	28.8
6	4147	53;M	S	35.4	28.8
6	4147	53;N	E	55.9	49.4
7	4147	53;A	E	58.2	51.7
7	4147	53;B	E	59.4	52.9
7	4147	53;C	N	61.9	55.4
7	4147	53;D	N	61.0	54.5
7	4147	53;E	N	60.2	53.7
7	4147	53;F	W	57.7	51.2
7	4147	53;G	W	57.4	50.9
7	4147	53;H	N	57.7	51.2
7	4147	53;I	S	35.8	29.3
7	4147	53;J	W	51.9	45.4
7	4147	53;K	S	35.1	28.6
7	4147	53;L	S	35.2	28.7
7	4147	53;M	S	35.3	28.8
7	4147	53;N	E	56.0	49.5
8	4147	53;A	E	58.2	51.7
8	4147	53;B	E	59.3	52.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
8	4147	53;C	N	61.9	55.4
8	4147	53;D	N	61.0	54.5
8	4147	53;E	N	60.2	53.7
8	4147	53;F	W	57.8	51.3
8	4147	53;G	W	57.5	51.0
8	4147	53;H	N	57.8	51.3
8	4147	53;I	S	35.7	29.2
8	4147	53;J	W	52.1	45.6
8	4147	53;K	S	35.0	28.5
8	4147	53;L	S	35.2	28.7
8	4147	53;M	S	35.3	28.8
8	4147	53;N	E	56.1	49.5
9	4147	53;A	E	58.1	51.6
9	4147	53;B	E	59.3	52.8
9	4147	53;C	N	61.9	55.4
9	4147	53;D	N	60.9	54.4
9	4147	53;E	N	60.1	53.6
9	4147	53;F	W	57.8	51.3
9	4147	53;G	W	57.6	51.1
9	4147	53;H	N	57.8	51.3
9	4147	53;I	S	35.7	29.2
9	4147	53;J	W	52.3	45.8
9	4147	53;K	S	35.0	28.5
9	4147	53;L	S	35.1	28.6
9	4147	53;M	S	35.2	28.7
9	4147	53;N	E	56.1	49.5
10	4147	53;A	E	58.1	51.6
10	4147	53;B	E	59.2	52.7
10	4147	53;C	N	61.8	55.3
10	4147	53;D	N	60.9	54.4
10	4147	53;E	N	60.1	53.6
10	4147	53;F	W	57.8	51.3
10	4147	53;G	W	57.7	51.2
10	4147	53;H	N	57.9	51.4
10	4147	53;I	S	35.6	29.1
10	4147	53;J	W	52.4	45.9
10	4147	53;K	S	35.0	28.5
10	4147	53;L	S	35.1	28.6
10	4147	53;M	S	35.2	28.7
10	4147	53;N	E	56.0	49.5
11	4147	53;A	E	58.0	51.5
11	4147	53;B	E	59.1	52.6
11	4147	53;C	N	61.8	55.3
11	4147	53;D	N	60.8	54.3
11	4147	53;E	N	60.0	53.5
11	4147	53;F	W	57.8	51.3
11	4147	53;G	W	57.7	51.2
11	4147	53;H	N	57.9	51.4
11	4147	53;I	S	35.7	29.1
11	4147	53;J	W	52.5	46.0
11	4147	53;K	S	35.0	28.5
11	4147	53;L	S	35.1	28.6
11	4147	53;M	S	35.2	28.7
11	4147	53;N	E	56.0	49.5
12	4147	53;A	E	57.9	51.4
12	4147	53;B	E	59.0	52.5
12	4147	53;C	N	61.7	55.2
12	4147	53;D	N	60.7	54.2
12	4147	53;E	N	59.9	53.4
12	4147	53;F	W	57.7	51.2
12	4147	53;G	W	57.7	51.2
12	4147	53;H	N	57.9	51.4
12	4147	53;I	S	35.8	29.3
12	4147	53;J	W	52.6	46.1
12	4147	53;K	S	35.1	28.6
12	4147	53;L	S	35.1	28.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
12	4147	53;M	S	35.4	28.9
12	4147	53;N	E	56.0	49.5
13	4147	53;A	E	57.9	51.3
13	4147	53;B	E	58.9	52.4
13	4147	53;C	N	61.6	55.1
13	4147	53;D	N	60.6	54.1
13	4147	53;E	N	59.9	53.3
13	4147	53;F	W	57.7	51.2
13	4147	53;G	W	57.7	51.2
13	4147	53;H	N	57.9	51.4
13	4147	53;I	S	36.8	30.3
13	4147	53;J	W	52.6	46.1
13	4147	53;K	S	35.8	29.3
13	4147	53;L	S	35.7	29.2
13	4147	53;M	S	36.5	30.0
13	4147	53;N	E	56.0	49.4
1	4148	15;A	NW	48.1	41.6
1	4148	15;B	W	50.0	43.5
1	4148	15;C	S	46.3	39.8
1	4148	15;D	E	33.1	26.6
1	4148	15;E	S	31.2	24.7
1	4148	15;F	S	37.6	31.2
1	4148	15;G	E	29.1	22.7
1	4148	15;H	N	43.7	37.2
1	4148	15;I	N	46.2	39.7
2	4148	15;A	NW	50.6	44.2
2	4148	15;B	W	52.5	46.1
2	4148	15;C	S	48.7	42.3
2	4148	15;D	E	34.4	28.0
2	4148	15;E	S	32.1	25.7
2	4148	15;F	S	39.7	33.3
2	4148	15;G	E	30.2	23.8
2	4148	15;H	N	46.2	39.8
2	4148	15;I	N	48.6	42.2
3	4148	15;A	NW	51.9	45.5
3	4148	15;B	W	53.7	47.3
3	4148	15;C	S	50.0	43.6
3	4148	15;D	E	35.6	29.1
3	4148	15;E	S	33.4	26.9
3	4148	15;F	S	41.5	35.1
3	4148	15;G	E	31.4	25.0
3	4148	15;H	N	47.8	41.4
3	4148	15;I	N	50.0	43.6
4	4148	15;A	NW	52.4	46.1
4	4148	15;B	W	54.1	47.8
4	4148	15;C	S	50.6	44.2
4	4148	15;D	E	36.3	29.9
4	4148	15;E	S	34.6	28.1
4	4148	15;F	S	42.4	36.1
4	4148	15;G	E	31.9	25.5
4	4148	15;H	N	49.1	42.8
4	4148	15;I	N	50.9	44.6
5	4148	15;A	NW	52.7	46.3
5	4148	15;B	W	54.4	48.0
5	4148	15;C	S	50.9	44.5
5	4148	15;D	E	36.9	30.5
5	4148	15;E	S	35.6	29.1
5	4148	15;F	S	43.2	36.9
5	4148	15;G	E	32.6	26.2
5	4148	15;H	N	49.6	43.2
5	4148	15;I	N	51.2	44.9
6	4148	15;A	NW	52.8	46.5
6	4148	15;B	W	54.6	48.2
6	4148	15;C	S	51.1	44.7
6	4148	15;D	E	37.8	31.4
6	4148	15;E	S	37.2	30.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	4148	15;F	S	44.0	37.7
6	4148	15;G	E	33.8	27.4
6	4148	15;H	N	49.8	43.5
6	4148	15;I	N	51.4	45.1
1	4149	17;A	S	45.0	38.5
1	4149	17;B	E	33.6	27.1
1	4149	17;C	S	35.5	28.9
1	4149	17;D	E	29.8	23.4
1	4149	17;E	S	29.4	23.0
1	4149	17;F	S	30.9	24.4
1	4149	17;G	S	34.3	27.8
1	4149	17;H	W	35.1	28.7
1	4149	17;I	S	35.0	28.5
1	4149	17;J	E	27.5	21.0
1	4149	17;K	S	27.8	21.4
1	4149	17;L	E	28.4	21.9
1	4149	17;M	S	27.9	21.5
1	4149	17;N	E	27.4	20.9
1	4149	17;O	N	27.0	20.6
1	4149	17;P	E	26.4	20.1
1	4149	17;Q	N	34.2	27.8
1	4149	17;R	N	33.6	27.2
1	4149	17;S	N	32.4	26.0
1	4149	17;T	W	40.7	34.2
1	4149	17;U	W	40.6	34.1
1	4149	17;V	W	39.7	33.2
1	4149	17;W	N	37.7	31.2
1	4149	17;X	N	40.3	33.8
1	4149	17;Y	N	44.1	37.6
1	4149	17;Z	W	48.5	42.0
1	4149	17;AA	W	48.3	41.8
1	4149	17;AB	W	47.9	41.4
1	4149	17;AC	W	48.7	42.2
1	4149	17;AD	W	48.3	41.9
2	4149	17;A	S	47.5	41.1
2	4149	17;B	E	35.3	28.9
2	4149	17;C	S	38.0	31.6
2	4149	17;D	E	30.2	23.8
2	4149	17;E	S	30.0	23.6
2	4149	17;F	S	33.1	26.6
2	4149	17;G	S	36.5	30.1
2	4149	17;H	W	37.5	31.0
2	4149	17;I	S	37.3	30.8
2	4149	17;J	E	27.8	21.4
2	4149	17;K	S	29.4	22.9
2	4149	17;L	E	28.3	21.8
2	4149	17;M	S	28.1	21.7
2	4149	17;N	E	27.3	20.9
2	4149	17;O	N	27.2	20.8
2	4149	17;P	E	26.5	20.1
2	4149	17;Q	N	35.7	29.3
2	4149	17;R	N	35.2	28.8
2	4149	17;S	N	34.0	27.6
2	4149	17;T	W	42.7	36.3
2	4149	17;U	W	42.6	36.2
2	4149	17;V	W	41.6	35.1
2	4149	17;W	N	39.8	33.4
2	4149	17;X	N	42.5	36.1
2	4149	17;Y	N	46.5	40.1
2	4149	17;Z	W	51.0	44.6
2	4149	17;AA	W	50.8	44.4
2	4149	17;AB	W	50.4	44.0
2	4149	17;AC	W	51.1	44.7
2	4149	17;AD	W	50.8	44.4
3	4149	17;A	S	48.8	42.4
3	4149	17;B	E	29.9	23.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	4149	17;C	S	35.1	28.5
3	4149	17;D	E	29.7	23.3
3	4149	17;E	S	30.4	23.9
3	4149	17;F	S	34.7	28.2
3	4149	17;G	S	39.3	32.9
3	4149	17;H	W	40.7	34.2
3	4149	17;I	S	40.2	33.7
3	4149	17;J	E	28.5	22.1
3	4149	17;K	S	32.6	25.9
3	4149	17;L	E	28.3	21.9
3	4149	17;M	S	28.5	22.0
3	4149	17;N	E	27.4	21.0
3	4149	17;O	N	27.5	21.1
3	4149	17;P	E	26.6	20.2
3	4149	17;Q	N	37.9	31.5
3	4149	17;R	N	37.8	31.4
3	4149	17;S	N	36.9	30.6
3	4149	17;T	W	44.3	37.9
3	4149	17;U	W	44.0	37.6
3	4149	17;V	W	43.0	36.6
3	4149	17;W	N	41.3	34.9
3	4149	17;X	N	43.9	37.5
3	4149	17;Y	N	47.7	41.3
3	4149	17;Z	W	52.3	45.9
3	4149	17;AA	W	52.1	45.7
3	4149	17;AB	W	51.7	45.3
3	4149	17;AC	W	52.4	46.1
3	4149	17;AD	W	52.2	45.8
4	4149	17;A	S	49.6	43.3
4	4149	17;B	E	30.3	23.8
4	4149	17;C	S	39.0	32.4
4	4149	17;D	E	30.0	23.6
4	4149	17;E	S	31.6	25.1
4	4149	17;F	S	37.4	30.9
4	4149	17;G	S	40.6	34.2
4	4149	17;H	W	41.7	35.2
4	4149	17;I	S	40.7	34.2
4	4149	17;J	E	28.7	22.3
4	4149	17;K	S	33.4	26.7
4	4149	17;L	E	28.5	22.1
4	4149	17;M	S	29.4	22.9
4	4149	17;N	E	27.7	21.3
4	4149	17;O	N	27.9	21.6
4	4149	17;P	E	26.9	20.5
4	4149	17;Q	N	39.5	33.1
4	4149	17;R	N	39.5	33.1
4	4149	17;S	N	38.7	32.3
4	4149	17;T	W	45.3	38.9
4	4149	17;U	W	44.9	38.5
4	4149	17;V	W	43.9	37.5
4	4149	17;W	N	42.3	35.9
4	4149	17;X	N	44.8	38.4
4	4149	17;Y	N	48.5	42.1
4	4149	17;Z	W	52.9	46.6
4	4149	17;AA	W	52.8	46.4
4	4149	17;AB	W	52.4	46.0
4	4149	17;AC	W	53.1	46.7
4	4149	17;AD	W	52.9	46.5
5	4149	17;A	S	50.0	43.6
5	4149	17;B	E	31.6	25.2
5	4149	17;C	S	40.3	33.7
5	4149	17;D	E	31.1	24.7
5	4149	17;E	S	34.4	27.9
5	4149	17;F	S	39.9	33.3
5	4149	17;G	S	43.1	36.7
5	4149	17;H	W	44.6	38.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	4149	17;I	S	43.4	37.0
5	4149	17;J	E	29.8	23.4
5	4149	17;K	S	36.6	29.9
5	4149	17;L	E	29.4	23.0
5	4149	17;M	S	31.7	25.2
5	4149	17;N	E	28.6	22.1
5	4149	17;O	N	29.6	23.2
5	4149	17;P	E	27.9	21.5
5	4149	17;Q	N	41.0	34.6
5	4149	17;R	N	41.4	35.1
5	4149	17;S	N	41.2	34.8
5	4149	17;T	W	46.2	39.9
5	4149	17;U	W	45.6	39.3
5	4149	17;V	W	44.8	38.4
5	4149	17;W	N	43.0	36.7
5	4149	17;X	N	45.4	39.0
5	4149	17;Y	N	48.8	42.5
5	4149	17;Z	W	53.3	46.9
5	4149	17;AA	W	53.1	46.7
5	4149	17;AB	W	52.7	46.3
5	4149	17;AC	W	53.4	47.0
5	4149	17;AD	W	53.2	46.8
1	4150	16;A	S	36.9	30.4
1	4150	16;B	E	26.7	20.3
1	4150	16;C	E	26.8	20.4
1	4150	16;D	E	26.3	19.9
1	4150	16;E	E	26.9	20.6
1	4150	16;F	W	26.2	19.8
1	4150	16;G	S	27.2	20.8
1	4150	16;H	S	27.4	21.0
1	4150	16;I	W	27.9	21.4
1	4150	16;J	W	27.9	21.4
1	4150	16;K	S	28.2	21.7
1	4150	16;L	S	30.0	23.5
1	4150	16;M	E	27.1	20.7
1	4150	16;N	E	27.0	20.5
1	4150	16;O	E	27.1	20.7
1	4150	16;P	E	27.1	20.7
1	4150	16;Q	N	34.8	28.3
1	4150	16;R	W	36.7	30.2
1	4150	16;S	N	35.4	29.0
1	4150	16;T	N	35.1	28.6
1	4150	16;U	N	35.0	28.6
1	4150	16;V	W	37.2	30.7
1	4150	16;W	W	37.5	31.0
1	4150	16;X	N	37.8	31.3
1	4150	16;Y	N	38.7	32.2
1	4150	16;Z	W	40.4	33.9
1	4150	16;AA	N	39.8	33.4
1	4150	16;AB	N	39.5	33.0
1	4150	16;AC	W	43.4	36.9
1	4150	16;AD	W	43.4	37.0
1	4150	16;AE	W	43.4	36.9
1	4150	16;AF	S	42.1	35.6
1	4150	16;AG	SW	41.3	34.8
1	4150	16;AH	SW	40.5	34.0
2	4150	16;A	S	38.5	32.1
2	4150	16;B	E	26.6	20.2
2	4150	16;C	E	26.8	20.4
2	4150	16;D	E	26.3	19.9
2	4150	16;E	E	26.9	20.6
2	4150	16;F	W	26.2	19.8
2	4150	16;G	S	27.2	20.8
2	4150	16;H	S	27.7	21.3
2	4150	16;I	W	28.3	21.8
2	4150	16;J	W	28.6	22.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	4150	16;K	S	28.9	22.3
2	4150	16;L	S	30.9	24.4
2	4150	16;M	E	27.6	21.2
2	4150	16;N	E	27.5	21.0
2	4150	16;O	E	27.6	21.2
2	4150	16;P	E	27.8	21.4
2	4150	16;Q	N	36.5	30.1
2	4150	16;R	W	38.6	32.2
2	4150	16;S	N	37.6	31.2
2	4150	16;T	N	37.3	30.9
2	4150	16;U	N	37.3	30.9
2	4150	16;V	W	39.5	33.0
2	4150	16;W	W	39.7	33.3
2	4150	16;X	N	40.2	33.7
2	4150	16;Y	N	41.0	34.6
2	4150	16;Z	W	42.7	36.3
2	4150	16;AA	N	42.2	35.8
2	4150	16;AB	N	42.1	35.7
2	4150	16;AC	W	45.7	39.3
2	4150	16;AD	W	45.7	39.3
2	4150	16;AE	W	45.7	39.3
2	4150	16;AF	S	44.3	37.9
2	4150	16;AG	SW	43.4	37.0
2	4150	16;AH	SW	42.5	36.0
3	4150	16;A	S	40.1	33.7
3	4150	16;B	E	26.7	20.3
3	4150	16;C	E	26.9	20.5
3	4150	16;D	E	26.3	19.9
3	4150	16;E	E	27.0	20.6
3	4150	16;F	W	26.2	19.8
3	4150	16;G	S	27.3	20.9
3	4150	16;H	S	28.1	21.6
3	4150	16;I	W	28.9	22.4
3	4150	16;J	W	29.5	23.0
3	4150	16;K	S	30.0	23.4
3	4150	16;L	S	32.7	26.2
3	4150	16;M	E	28.7	22.3
3	4150	16;N	E	28.6	22.2
3	4150	16;O	E	28.8	22.4
3	4150	16;P	E	29.1	22.7
3	4150	16;Q	N	39.6	33.2
3	4150	16;R	W	41.9	35.4
3	4150	16;S	N	41.5	35.0
3	4150	16;T	N	41.0	34.6
3	4150	16;U	N	40.9	34.5
3	4150	16;V	W	42.8	36.4
3	4150	16;W	W	43.3	36.9
3	4150	16;X	N	43.3	36.9
3	4150	16;Y	N	43.7	37.3
3	4150	16;Z	W	45.3	38.9
3	4150	16;AA	N	44.9	38.5
3	4150	16;AB	N	44.8	38.4
3	4150	16;AC	W	47.8	41.4
3	4150	16;AD	W	47.7	41.3
3	4150	16;AE	W	47.7	41.3
3	4150	16;AF	S	45.8	39.4
3	4150	16;AG	SW	44.9	38.5
3	4150	16;AH	SW	44.0	37.6
4	4150	16;A	S	41.0	34.7
4	4150	16;B	E	26.8	20.4
4	4150	16;C	E	27.0	20.6
4	4150	16;D	E	26.3	20.0
4	4150	16;E	E	27.0	20.6
4	4150	16;F	W	26.3	19.9
4	4150	16;G	S	27.5	21.1
4	4150	16;H	S	28.6	22.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	4150	16;I	W	29.7	23.1
4	4150	16;J	W	30.6	24.1
4	4150	16;K	S	31.0	24.5
4	4150	16;L	S	33.8	27.3
4	4150	16;M	E	29.4	22.9
4	4150	16;N	E	29.3	22.9
4	4150	16;O	E	29.5	23.1
4	4150	16;P	E	29.9	23.5
4	4150	16;Q	N	41.7	35.3
4	4150	16;R	W	44.1	37.7
4	4150	16;S	N	44.0	37.6
4	4150	16;T	N	43.6	37.2
4	4150	16;U	N	43.6	37.2
4	4150	16;V	W	45.2	38.8
4	4150	16;W	W	45.9	39.5
4	4150	16;X	N	45.7	39.3
4	4150	16;Y	N	45.8	39.4
4	4150	16;Z	W	47.1	40.7
4	4150	16;AA	N	46.9	40.5
4	4150	16;AB	N	47.1	40.7
4	4150	16;AC	W	49.5	43.1
4	4150	16;AD	W	49.4	43.0
4	4150	16;AE	W	49.3	42.9
4	4150	16;AF	S	46.8	40.5
4	4150	16;AG	SW	45.9	39.5
4	4150	16;AH	SW	45.0	38.6
5	4150	16;A	S	41.8	35.4
5	4150	16;B	E	27.1	20.7
5	4150	16;C	E	27.4	21.0
5	4150	16;D	E	26.5	20.1
5	4150	16;E	E	27.1	20.7
5	4150	16;F	W	26.5	20.1
5	4150	16;G	S	28.0	21.6
5	4150	16;H	S	29.9	23.3
5	4150	16;I	W	30.9	24.4
5	4150	16;J	W	31.5	25.0
5	4150	16;K	S	32.0	25.5
5	4150	16;L	S	34.8	28.4
5	4150	16;M	E	30.1	23.6
5	4150	16;N	E	30.1	23.6
5	4150	16;O	E	30.2	23.8
5	4150	16;P	E	30.7	24.3
5	4150	16;Q	N	43.6	37.2
5	4150	16;R	W	46.0	39.6
5	4150	16;S	N	46.0	39.6
5	4150	16;T	N	45.5	39.1
5	4150	16;U	N	45.5	39.1
5	4150	16;V	W	47.0	40.6
5	4150	16;W	W	47.7	41.4
5	4150	16;X	N	47.5	41.1
5	4150	16;Y	N	47.3	41.0
5	4150	16;Z	W	48.8	42.5
5	4150	16;AA	N	48.7	42.3
5	4150	16;AB	N	48.7	42.4
5	4150	16;AC	W	50.8	44.4
5	4150	16;AD	W	50.7	44.3
5	4150	16;AE	W	50.6	44.2
5	4150	16;AF	S	47.7	41.3
5	4150	16;AG	SW	46.8	40.4
5	4150	16;AH	SW	45.9	39.5
6	4150	16;A	S	42.6	36.2
6	4150	16;B	E	27.4	21.0
6	4150	16;C	E	27.7	21.3
6	4150	16;D	E	26.7	20.3
6	4150	16;E	E	27.3	20.9
6	4150	16;F	W	26.8	20.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	4150	16;G	S	29.0	22.5
6	4150	16;H	S	32.3	25.7
6	4150	16;I	W	33.5	26.9
6	4150	16;J	W	33.8	27.2
6	4150	16;K	S	34.0	27.4
6	4150	16;L	S	36.0	29.5
6	4150	16;M	E	30.7	24.2
6	4150	16;N	E	30.7	24.2
6	4150	16;O	E	30.8	24.4
6	4150	16;P	E	31.2	24.7
6	4150	16;Q	N	45.0	38.6
6	4150	16;R	W	47.2	40.8
6	4150	16;S	N	47.4	41.0
6	4150	16;T	N	46.8	40.4
6	4150	16;U	N	46.7	40.3
6	4150	16;V	W	48.1	41.7
6	4150	16;W	W	48.8	42.4
6	4150	16;X	N	48.3	42.0
6	4150	16;Y	N	48.2	41.8
6	4150	16;Z	W	49.7	43.4
6	4150	16;AA	N	49.6	43.2
6	4150	16;AB	N	49.4	43.1
6	4150	16;AC	W	51.2	44.8
6	4150	16;AD	W	51.1	44.7
6	4150	16;AE	W	50.9	44.6
6	4150	16;AF	S	48.0	41.7
6	4150	16;AG	SW	47.2	40.8
6	4150	16;AH	SW	46.5	40.1
7	4150	16;A	S	42.7	36.3
7	4150	16;B	E	27.9	21.4
7	4150	16;C	E	28.3	21.9
7	4150	16;D	E	27.1	20.7
7	4150	16;E	E	27.7	21.3
7	4150	16;F	W	27.7	21.3
7	4150	16;G	S	30.2	23.7
7	4150	16;H	S	34.1	27.5
7	4150	16;I	W	35.3	28.7
7	4150	16;J	W	35.4	28.9
7	4150	16;K	S	35.7	29.1
7	4150	16;L	S	37.3	30.8
7	4150	16;M	E	31.2	24.7
7	4150	16;N	E	31.1	24.7
7	4150	16;O	E	31.4	25.0
7	4150	16;P	E	31.8	25.4
7	4150	16;Q	N	45.7	39.4
7	4150	16;R	W	47.9	41.5
7	4150	16;S	N	48.0	41.7
7	4150	16;T	N	47.5	41.1
7	4150	16;U	N	47.3	40.9
7	4150	16;V	W	48.7	42.3
7	4150	16;W	W	49.2	42.9
7	4150	16;X	N	48.7	42.4
7	4150	16;Y	N	48.6	42.2
7	4150	16;Z	W	50.1	43.7
7	4150	16;AA	N	49.9	43.6
7	4150	16;AB	N	49.8	43.4
7	4150	16;AC	W	51.4	45.1
7	4150	16;AD	W	51.3	45.0
7	4150	16;AE	W	51.2	44.8
7	4150	16;AF	S	48.3	41.9
7	4150	16;AG	SW	47.4	41.1
7	4150	16;AH	SW	46.8	40.4
8	4150	16;A	S	43.6	37.2
8	4150	16;B	E	29.0	22.6
8	4150	16;C	E	29.7	23.2
8	4150	16;D	E	28.5	22.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
8	4150	16;E	E	29.4	23.0
8	4150	16;F	W	31.2	24.8
8	4150	16;G	S	32.5	26.0
8	4150	16;H	S	36.0	29.4
8	4150	16;I	W	37.1	30.5
8	4150	16;J	W	36.9	30.3
8	4150	16;K	S	36.5	29.9
8	4150	16;L	S	38.4	31.9
8	4150	16;M	E	32.0	25.6
8	4150	16;N	E	31.8	25.4
8	4150	16;O	E	32.3	25.9
8	4150	16;P	E	33.1	26.7
8	4150	16;Q	N	46.2	39.8
8	4150	16;R	W	48.3	42.0
8	4150	16;S	N	48.4	42.1
8	4150	16;T	N	47.8	41.5
8	4150	16;U	N	47.6	41.3
8	4150	16;V	W	49.0	42.7
8	4150	16;W	W	49.5	43.2
8	4150	16;X	N	49.0	42.6
8	4150	16;Y	N	48.8	42.5
8	4150	16;Z	W	50.3	43.9
8	4150	16;AA	N	50.1	43.8
8	4150	16;AB	N	49.9	43.6
8	4150	16;AC	W	51.5	45.2
8	4150	16;AD	W	51.4	45.0
8	4150	16;AE	W	51.2	44.9
8	4150	16;AF	S	48.5	42.1
8	4150	16;AG	SW	47.8	41.5
8	4150	16;AH	SW	47.2	40.8
1	4151	13;A	S	44.2	37.8
1	4151	13;B	W	34.8	28.4
1	4151	13;C	S	48.7	42.3
1	4151	13;D	E	53.3	46.9
1	4151	13;E	E	53.5	47.1
1	4151	13;F	E	53.2	46.9
1	4151	13;G	E	53.5	47.1
1	4151	13;H	E	53.2	46.8
1	4151	13;I	E	53.4	47.1
1	4151	13;J	E	53.2	46.8
1	4151	13;K	N	49.5	43.1
1	4151	13;L	W	39.1	32.7
1	4151	13;M	N	45.2	38.8
1	4151	13;N	W	35.2	28.7
1	4151	13;O	S	33.0	26.5
1	4151	13;P	W	30.8	24.5
1	4151	13;Q	N	30.6	24.3
1	4151	13;R	W	35.2	28.7
1	4151	13;S	S	35.4	28.9
1	4151	13;T	W	30.8	24.5
1	4151	13;U	N	30.7	24.3
1	4151	13;V	W	38.5	32.0
2	4151	13;A	S	47.1	40.7
2	4151	13;B	W	36.1	29.6
2	4151	13;C	S	51.2	44.9
2	4151	13;D	E	55.6	49.2
2	4151	13;E	E	55.7	49.4
2	4151	13;F	E	55.6	49.2
2	4151	13;G	E	55.8	49.4
2	4151	13;H	E	55.5	49.1
2	4151	13;I	E	55.7	49.3
2	4151	13;J	E	55.5	49.1
2	4151	13;K	N	52.0	45.7
2	4151	13;L	W	42.1	35.7
2	4151	13;M	N	48.1	41.7
2	4151	13;N	W	37.3	30.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	4151	13;O	S	34.1	27.6
2	4151	13;P	W	30.8	24.5
2	4151	13;Q	N	30.6	24.3
2	4151	13;R	W	36.9	30.5
2	4151	13;S	S	37.0	30.6
2	4151	13;T	W	30.8	24.5
2	4151	13;U	N	30.7	24.3
2	4151	13;V	W	40.4	34.0
3	4151	13;A	S	48.3	42.0
3	4151	13;B	W	36.9	30.5
3	4151	13;C	S	51.9	45.6
3	4151	13;D	E	56.1	49.8
3	4151	13;E	E	56.2	49.9
3	4151	13;F	E	56.1	49.7
3	4151	13;G	E	56.3	49.9
3	4151	13;H	E	56.0	49.7
3	4151	13;I	E	56.2	49.9
3	4151	13;J	E	56.0	49.7
3	4151	13;K	N	52.5	46.1
3	4151	13;L	W	36.4	30.0
3	4151	13;M	N	48.5	42.2
3	4151	13;N	W	35.2	28.7
3	4151	13;O	S	34.9	28.5
3	4151	13;P	W	30.8	24.4
3	4151	13;Q	N	30.6	24.3
3	4151	13;R	W	38.0	31.6
3	4151	13;S	S	37.9	31.5
3	4151	13;T	W	30.8	24.4
3	4151	13;U	N	30.7	24.3
3	4151	13;V	W	41.4	35.0
4	4151	13;A	S	48.9	42.6
4	4151	13;B	W	37.8	31.4
4	4151	13;C	S	52.2	45.9
4	4151	13;D	E	56.4	50.0
4	4151	13;E	E	56.5	50.1
4	4151	13;F	E	56.3	50.0
4	4151	13;G	E	56.5	50.1
4	4151	13;H	E	56.2	49.9
4	4151	13;I	E	56.4	50.1
4	4151	13;J	E	56.2	49.9
4	4151	13;K	N	52.8	46.5
4	4151	13;L	W	36.4	30.0
4	4151	13;M	N	48.9	42.5
4	4151	13;N	W	36.1	29.7
4	4151	13;O	S	35.4	29.0
4	4151	13;P	W	30.8	24.4
4	4151	13;Q	N	30.6	24.2
4	4151	13;R	W	37.9	31.5
4	4151	13;S	S	38.5	32.1
4	4151	13;T	W	30.8	24.4
4	4151	13;U	N	30.6	24.3
4	4151	13;V	W	42.1	35.8
5	4151	13;A	S	49.2	42.8
5	4151	13;B	W	37.9	31.5
5	4151	13;C	S	52.4	46.0
5	4151	13;D	E	56.4	50.1
5	4151	13;E	E	56.5	50.2
5	4151	13;F	E	56.4	50.0
5	4151	13;G	E	56.6	50.2
5	4151	13;H	E	56.3	50.0
5	4151	13;I	E	56.5	50.2
5	4151	13;J	E	56.3	49.9
5	4151	13;K	N	52.8	46.5
5	4151	13;L	W	30.9	24.6
5	4151	13;M	N	49.0	42.7
5	4151	13;N	W	35.7	29.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	4151	13;O	S	35.9	29.6
5	4151	13;P	W	30.7	24.4
5	4151	13;Q	N	30.6	24.2
5	4151	13;R	W	38.4	32.0
5	4151	13;S	S	38.9	32.5
5	4151	13;T	W	30.7	24.4
5	4151	13;U	N	30.6	24.2
5	4151	13;V	W	42.1	35.7
6	4151	13;A	S	49.1	42.8
6	4151	13;B	W	38.0	31.6
6	4151	13;C	S	52.5	46.1
6	4151	13;D	E	56.5	50.1
6	4151	13;E	E	56.6	50.2
6	4151	13;F	E	56.4	50.1
6	4151	13;G	E	56.6	50.2
6	4151	13;H	E	56.3	50.0
6	4151	13;I	E	56.5	50.2
6	4151	13;J	E	56.3	50.0
6	4151	13;K	N	52.9	46.5
6	4151	13;L	W	31.0	24.6
6	4151	13;M	N	49.2	42.8
6	4151	13;N	W	36.0	29.6
6	4151	13;O	S	36.2	29.9
6	4151	13;P	W	30.7	24.3
6	4151	13;Q	N	30.6	24.2
6	4151	13;R	W	38.7	32.3
6	4151	13;S	S	39.4	33.0
6	4151	13;T	W	30.7	24.4
6	4151	13;U	N	30.6	24.3
6	4151	13;V	W	40.8	34.5
7	4151	13;A	S	49.2	42.8
7	4151	13;B	W	31.8	25.5
7	4151	13;C	S	52.5	46.1
7	4151	13;D	E	56.4	50.1
7	4151	13;E	E	56.5	50.2
7	4151	13;F	E	56.4	50.0
7	4151	13;G	E	56.6	50.2
7	4151	13;H	E	56.3	49.9
7	4151	13;I	E	56.5	50.2
7	4151	13;J	E	56.3	49.9
7	4151	13;K	N	52.9	46.5
7	4151	13;L	W	31.1	24.8
7	4151	13;M	N	49.3	43.0
7	4151	13;N	W	36.6	30.2
7	4151	13;O	S	37.0	30.6
7	4151	13;P	W	30.7	24.4
7	4151	13;Q	N	30.8	24.5
7	4151	13;R	W	38.5	32.2
7	4151	13;S	S	38.5	32.2
7	4151	13;T	W	30.7	24.4
7	4151	13;U	N	30.8	24.4
7	4151	13;V	W	30.7	24.3
8	4151	13;A	S	49.4	43.1
8	4151	13;B	W	33.0	26.6
8	4151	13;C	S	52.5	46.1
8	4151	13;D	E	56.4	50.0
8	4151	13;E	E	56.5	50.1
8	4151	13;F	E	56.3	50.0
8	4151	13;G	E	56.5	50.2
8	4151	13;H	E	56.2	49.9
8	4151	13;I	E	56.5	50.1
8	4151	13;J	E	56.2	49.9
8	4151	13;K	N	52.9	46.5
8	4151	13;L	W	32.3	25.9
8	4151	13;M	N	49.4	43.1
8	4151	13;N	W	36.8	30.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
8	4151	13;O	S	36.8	30.4
8	4151	13;P	W	31.3	25.0
8	4151	13;Q	N	32.3	25.9
8	4151	13;R	W	30.8	24.4
8	4151	13;S	S	32.2	25.8
8	4151	13;T	W	31.3	25.0
8	4151	13;U	N	32.1	25.7
8	4151	13;V	W	31.3	25.0
1	4152	34;A	NE	54.5	47.9
1	4152	34;B	NE	54.4	47.9
1	4152	34;C	NE	54.4	47.8
1	4152	34;D	NE	54.3	47.7
1	4152	34;E	NE	54.1	47.6
1	4152	34;F	NW	49.0	42.4
1	4152	34;G	SW	32.8	26.2
1	4152	34;H	SW	33.0	26.4
1	4152	34;I	SW	33.0	26.5
1	4152	34;J	SW	33.1	26.5
1	4152	34;K	SW	33.1	26.6
1	4152	34;L	SW	33.1	26.6
1	4152	34;M	SW	33.1	26.5
1	4152	34;N	SE	50.9	44.3
2	4152	34;A	NE	57.5	50.9
2	4152	34;B	NE	57.4	50.9
2	4152	34;C	NE	57.4	50.8
2	4152	34;D	NE	57.3	50.8
2	4152	34;E	NE	57.2	50.6
2	4152	34;F	NW	52.3	45.7
2	4152	34;G	SW	32.9	26.3
2	4152	34;H	SW	33.1	26.5
2	4152	34;I	SW	33.1	26.6
2	4152	34;J	SW	33.2	26.6
2	4152	34;K	SW	33.2	26.7
2	4152	34;L	SW	33.2	26.6
2	4152	34;M	SW	33.2	26.6
2	4152	34;N	SE	53.9	47.4
3	4152	34;A	NE	58.4	51.9
3	4152	34;B	NE	58.4	51.8
3	4152	34;C	NE	58.4	51.8
3	4152	34;D	NE	58.3	51.7
3	4152	34;E	NE	58.2	51.6
3	4152	34;F	NW	53.5	47.0
3	4152	34;G	SW	33.1	26.5
3	4152	34;H	SW	33.2	26.7
3	4152	34;I	SW	33.3	26.7
3	4152	34;J	SW	33.4	26.8
3	4152	34;K	SW	33.4	26.8
3	4152	34;L	SW	33.4	26.8
3	4152	34;M	SW	33.4	26.9
3	4152	34;N	SE	55.1	48.5
4	4152	34;A	NE	58.8	52.3
4	4152	34;B	NE	58.8	52.2
4	4152	34;C	NE	58.8	52.2
4	4152	34;D	NE	58.7	52.1
4	4152	34;E	NE	58.6	52.0
4	4152	34;F	NW	54.1	47.5
4	4152	34;G	SW	34.3	27.7
4	4152	34;H	SW	34.3	27.8
4	4152	34;I	SW	34.4	27.8
4	4152	34;J	SW	34.4	27.9
4	4152	34;K	SW	34.5	27.9
4	4152	34;L	SW	34.5	27.9
4	4152	34;M	SW	34.7	28.1
4	4152	34;N	SE	55.6	49.0
1	4153	40;A	SE	57.7	51.2
1	4153	40;B	NE	62.0	55.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4153	40;C	NE	62.9	56.3
1	4153	40;D	NE	62.2	55.7
1	4153	40;E	NE	62.8	56.3
1	4153	40;F	NW	58.0	51.5
1	4153	40;G	NW	55.1	48.5
1	4153	40;H	NW	48.3	41.8
1	4153	40;I	NW	49.0	42.4
1	4153	40;J	NW	49.8	43.3
1	4153	40;K	SW	40.3	33.7
1	4153	40;L	SE	37.4	30.9
1	4153	40;M	SE	38.7	32.2
1	4153	40;N	SW	39.3	32.8
1	4153	40;O	SW	39.2	32.6
1	4153	40;P	SW	39.9	33.4
2	4153	40;A	SE	59.9	53.4
2	4153	40;B	NE	63.8	57.3
2	4153	40;C	NE	64.4	57.9
2	4153	40;D	NE	63.9	57.4
2	4153	40;E	NE	64.3	57.8
2	4153	40;F	NW	60.1	53.6
2	4153	40;G	NW	57.9	51.4
2	4153	40;H	NW	51.6	45.1
2	4153	40;I	NW	52.6	46.1
2	4153	40;J	NW	53.2	46.7
2	4153	40;K	SW	42.4	35.9
2	4153	40;L	SE	38.1	31.5
2	4153	40;M	SE	38.7	32.2
2	4153	40;N	SW	40.1	33.6
2	4153	40;O	SW	39.1	32.6
2	4153	40;P	SW	40.5	33.9
3	4153	40;A	SE	60.3	53.8
3	4153	40;B	NE	64.1	57.6
3	4153	40;C	NE	64.7	58.2
3	4153	40;D	NE	64.3	57.8
3	4153	40;E	NE	64.6	58.1
3	4153	40;F	NW	60.6	54.1
3	4153	40;G	NW	58.6	52.1
3	4153	40;H	NW	53.2	46.7
3	4153	40;I	NW	54.2	47.7
3	4153	40;J	NW	54.5	48.0
3	4153	40;K	SW	43.8	37.3
3	4153	40;L	SE	38.8	32.3
3	4153	40;M	SE	38.8	32.2
3	4153	40;N	SW	40.6	34.1
3	4153	40;O	SW	39.1	32.6
3	4153	40;P	SW	41.1	34.6
4	4153	40;A	SE	60.4	53.9
4	4153	40;B	NE	64.2	57.7
4	4153	40;C	NE	64.8	58.3
4	4153	40;D	NE	64.4	57.9
4	4153	40;E	NE	64.7	58.2
4	4153	40;F	NW	60.7	54.2
4	4153	40;G	NW	58.9	52.4
4	4153	40;H	NW	54.0	47.5
4	4153	40;I	NW	54.8	48.3
4	4153	40;J	NW	55.0	48.5
4	4153	40;K	SW	44.5	38.0
4	4153	40;L	SE	39.2	32.7
4	4153	40;M	SE	38.8	32.3
4	4153	40;N	SW	41.0	34.5
4	4153	40;O	SW	39.1	32.6
4	4153	40;P	SW	41.4	34.9
5	4153	40;A	SE	60.4	53.9
5	4153	40;B	NE	64.2	57.7
5	4153	40;C	NE	64.8	58.3
5	4153	40;D	NE	64.3	57.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	4153	40;E	NE	64.7	58.2
5	4153	40;F	NW	60.8	54.3
5	4153	40;G	NW	59.1	52.6
5	4153	40;H	NW	54.5	48.0
5	4153	40;I	NW	55.2	48.7
5	4153	40;J	NW	55.3	48.8
5	4153	40;K	SW	45.2	38.7
5	4153	40;L	SE	39.8	33.3
5	4153	40;M	SE	39.1	32.5
5	4153	40;N	SW	41.2	34.7
5	4153	40;O	SW	39.1	32.6
5	4153	40;P	SW	41.8	35.3
6	4153	40;A	SE	60.3	53.8
6	4153	40;B	NE	64.0	57.5
6	4153	40;C	NE	64.6	58.1
6	4153	40;D	NE	64.2	57.6
6	4153	40;E	NE	64.5	58.0
6	4153	40;F	NW	60.8	54.3
6	4153	40;G	NW	59.1	52.6
6	4153	40;H	NW	54.7	48.2
6	4153	40;I	NW	55.6	49.1
6	4153	40;J	NW	55.8	49.3
6	4153	40;K	SW	36.2	29.6
6	4153	40;L	SE	40.6	34.1
6	4153	40;M	SE	40.0	33.5
6	4153	40;N	SW	41.8	35.3
6	4153	40;O	SW	39.5	33.0
6	4153	40;P	SW	42.4	35.9
1	4154	59;A	NW	33.6	27.1
1	4154	59;B	NE	33.7	27.2
1	4154	59;C	NE	35.1	28.5
1	4154	59;D	SE	35.2	28.6
1	4154	59;E	NE	35.0	28.4
1	4154	59;F	NW	46.5	40.0
1	4154	59;G	NW	47.7	41.2
1	4154	59;H	SW	50.6	44.1
1	4154	59;I	SW	50.4	43.8
1	4154	59;J	NW	50.4	43.8
1	4154	59;K	SW	51.2	44.7
1	4154	59;L	SE	47.7	41.2
1	4154	59;M	SE	47.2	40.7
1	4154	59;N	SW	47.7	41.2
1	4154	59;O	SE	46.4	39.8
1	4154	59;P	NE	35.0	28.5
2	4154	59;A	NW	33.7	27.2
2	4154	59;B	NE	33.7	27.2
2	4154	59;C	NE	35.3	28.7
2	4154	59;D	SE	35.4	28.8
2	4154	59;E	NE	35.2	28.7
2	4154	59;F	NW	49.8	43.2
2	4154	59;G	NW	51.1	44.6
2	4154	59;H	SW	54.1	47.6
2	4154	59;I	SW	53.9	47.4
2	4154	59;J	NW	53.9	47.3
2	4154	59;K	SW	54.6	48.1
2	4154	59;L	SE	50.8	44.3
2	4154	59;M	SE	50.2	43.7
2	4154	59;N	SW	50.7	44.1
2	4154	59;O	SE	49.3	42.8
2	4154	59;P	NE	35.3	28.8
3	4154	59;A	NW	33.8	27.2
3	4154	59;B	NE	33.8	27.2
3	4154	59;C	NE	35.8	29.2
3	4154	59;D	SE	36.0	29.4
3	4154	59;E	NE	35.8	29.2
3	4154	59;F	NW	51.7	45.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	4154	59;G	NW	52.8	46.3
3	4154	59;H	SW	55.8	49.3
3	4154	59;I	SW	55.6	49.1
3	4154	59;J	NW	55.5	49.0
3	4154	59;K	SW	56.3	49.8
3	4154	59;L	SE	52.7	46.1
3	4154	59;M	SE	52.2	45.7
3	4154	59;N	SW	52.6	46.1
3	4154	59;O	SE	51.2	44.7
3	4154	59;P	NE	35.9	29.4
4	4154	59;A	NW	34.0	27.4
4	4154	59;B	NE	33.9	27.4
4	4154	59;C	NE	36.5	29.9
4	4154	59;D	SE	36.8	30.2
4	4154	59;E	NE	36.6	30.0
4	4154	59;F	NW	52.8	46.3
4	4154	59;G	NW	53.8	47.3
4	4154	59;H	SW	56.8	50.3
4	4154	59;I	SW	56.6	50.1
4	4154	59;J	NW	56.5	50.0
4	4154	59;K	SW	57.3	50.8
4	4154	59;L	SE	53.8	47.2
4	4154	59;M	SE	53.3	46.8
4	4154	59;N	SW	53.7	47.2
4	4154	59;O	SE	52.3	45.8
4	4154	59;P	NE	36.8	30.2
5	4154	59;A	NW	34.7	28.1
5	4154	59;B	NE	34.4	27.9
5	4154	59;C	NE	37.4	30.8
5	4154	59;D	SE	38.0	31.4
5	4154	59;E	NE	37.9	31.3
5	4154	59;F	NW	53.6	47.1
5	4154	59;G	NW	54.5	48.0
5	4154	59;H	SW	57.5	51.0
5	4154	59;I	SW	57.3	50.8
5	4154	59;J	NW	57.1	50.6
5	4154	59;K	SW	57.9	51.4
5	4154	59;L	SE	54.4	47.9
5	4154	59;M	SE	54.1	47.6
5	4154	59;N	SW	54.4	47.9
5	4154	59;O	SE	53.1	46.6
5	4154	59;P	NE	38.3	31.8
6	4154	59;A	NW	37.1	30.6
6	4154	59;B	NE	35.9	29.4
6	4154	59;C	NE	38.6	32.0
6	4154	59;D	SE	39.8	33.2
6	4154	59;E	NE	39.2	32.7
6	4154	59;F	NW	54.5	48.0
6	4154	59;G	NW	55.3	48.8
6	4154	59;H	SW	58.0	51.5
6	4154	59;I	SW	57.9	51.4
6	4154	59;J	NW	57.6	51.1
6	4154	59;K	SW	58.3	51.7
6	4154	59;L	SE	54.9	48.4
6	4154	59;M	SE	54.5	48.0
6	4154	59;N	SW	55.0	48.5
6	4154	59;O	SE	53.5	47.0
6	4154	59;P	NE	39.9	33.3
1	4155	47;A	NE	56.6	50.1
1	4155	47;B	SE	56.2	49.7
1	4155	47;C	NE	58.1	51.6
1	4155	47;D	NE	57.3	50.8
1	4155	47;E	SE	57.2	50.7
1	4155	47;F	NE	58.1	51.6
1	4155	47;G	NW	56.2	49.7
1	4155	47;H	NE	56.5	50.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4155	47;I	NE	57.2	50.7
1	4155	47;J	NW	55.3	48.7
1	4155	47;K	NE	55.5	49.0
1	4155	47;L	NW	51.8	45.3
1	4155	47;M	SW	36.6	30.1
1	4155	47;N	SW	36.5	30.0
1	4155	47;O	SW	36.7	30.2
1	4155	47;P	SW	36.7	30.2
1	4155	47;Q	SW	36.8	30.3
1	4155	47;R	SW	36.7	30.2
1	4155	47;S	SW	36.9	30.4
1	4155	47;T	SW	36.9	30.4
1	4155	47;U	SW	37.0	30.4
1	4155	47;V	NW	36.9	30.4
1	4155	47;W	SW	36.9	30.4
1	4155	47;X	SW	37.3	30.7
1	4155	47;Y	SE	52.5	46.0
2	4155	47;A	NE	59.7	53.2
2	4155	47;B	SE	59.4	52.9
2	4155	47;C	NE	61.1	54.6
2	4155	47;D	NE	60.5	54.0
2	4155	47;E	SE	60.3	53.8
2	4155	47;F	NE	61.1	54.6
2	4155	47;G	NW	59.3	52.8
2	4155	47;H	NE	59.7	53.1
2	4155	47;I	NE	60.3	53.8
2	4155	47;J	NW	58.5	52.0
2	4155	47;K	NE	58.8	52.3
2	4155	47;L	NW	55.2	48.7
2	4155	47;M	SW	36.6	30.1
2	4155	47;N	SW	36.5	30.0
2	4155	47;O	SW	36.7	30.2
2	4155	47;P	SW	36.7	30.2
2	4155	47;Q	SW	36.8	30.3
2	4155	47;R	SW	36.7	30.2
2	4155	47;S	SW	36.9	30.4
2	4155	47;T	SW	36.9	30.4
2	4155	47;U	SW	36.9	30.4
2	4155	47;V	NW	36.9	30.4
2	4155	47;W	SW	36.9	30.4
2	4155	47;X	SW	37.2	30.7
2	4155	47;Y	SE	55.7	49.2
3	4155	47;A	NE	60.9	54.4
3	4155	47;B	SE	60.4	53.9
3	4155	47;C	NE	62.0	55.5
3	4155	47;D	NE	61.4	54.9
3	4155	47;E	SE	61.2	54.7
3	4155	47;F	NE	62.0	55.5
3	4155	47;G	NW	60.4	53.9
3	4155	47;H	NE	60.7	54.2
3	4155	47;I	NE	61.4	54.9
3	4155	47;J	NW	59.8	53.3
3	4155	47;K	NE	60.1	53.6
3	4155	47;L	NW	56.7	50.2
3	4155	47;M	SW	36.6	30.1
3	4155	47;N	SW	36.5	30.0
3	4155	47;O	SW	36.7	30.2
3	4155	47;P	SW	36.7	30.2
3	4155	47;Q	SW	36.8	30.3
3	4155	47;R	SW	36.6	30.1
3	4155	47;S	SW	36.8	30.3
3	4155	47;T	SW	36.9	30.4
3	4155	47;U	SW	36.9	30.4
3	4155	47;V	NW	36.9	30.4
3	4155	47;W	SW	36.9	30.4
3	4155	47;X	SW	37.2	30.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	4155	47;Y	SE	56.8	50.3
4	4155	47;A	NE	61.3	54.8
4	4155	47;B	SE	60.8	54.3
4	4155	47;C	NE	62.3	55.8
4	4155	47;D	NE	61.7	55.2
4	4155	47;E	SE	61.5	55.0
4	4155	47;F	NE	62.3	55.8
4	4155	47;G	NW	60.7	54.2
4	4155	47;H	NE	61.1	54.6
4	4155	47;I	NE	61.7	55.2
4	4155	47;J	NW	60.2	53.7
4	4155	47;K	NE	60.5	54.0
4	4155	47;L	NW	57.0	50.5
4	4155	47;M	SW	36.6	30.1
4	4155	47;N	SW	36.5	30.0
4	4155	47;O	SW	36.6	30.1
4	4155	47;P	SW	36.6	30.1
4	4155	47;Q	SW	36.8	30.3
4	4155	47;R	SW	36.6	30.1
4	4155	47;S	SW	36.8	30.3
4	4155	47;T	SW	36.9	30.4
4	4155	47;U	SW	36.9	30.4
4	4155	47;V	NW	36.8	30.3
4	4155	47;W	SW	36.8	30.3
4	4155	47;X	SW	37.2	30.7
4	4155	47;Y	SE	57.2	50.7
5	4155	47;A	NE	61.5	55.0
5	4155	47;B	SE	61.0	54.5
5	4155	47;C	NE	62.5	56.0
5	4155	47;D	NE	61.9	55.3
5	4155	47;E	SE	61.7	55.2
5	4155	47;F	NE	62.5	56.0
5	4155	47;G	NW	60.9	54.4
5	4155	47;H	NE	61.3	54.8
5	4155	47;I	NE	62.0	55.5
5	4155	47;J	NW	60.4	53.9
5	4155	47;K	NE	60.7	54.2
5	4155	47;L	NW	57.4	50.9
5	4155	47;M	SW	36.5	30.0
5	4155	47;N	SW	36.4	29.9
5	4155	47;O	SW	36.6	30.1
5	4155	47;P	SW	36.6	30.1
5	4155	47;Q	SW	36.8	30.3
5	4155	47;R	SW	36.6	30.1
5	4155	47;S	SW	36.8	30.3
5	4155	47;T	SW	36.8	30.3
5	4155	47;U	SW	36.9	30.4
5	4155	47;V	NW	36.8	30.3
5	4155	47;W	SW	36.8	30.3
5	4155	47;X	SW	37.2	30.7
5	4155	47;Y	SE	57.3	50.8
6	4155	47;A	NE	61.6	55.1
6	4155	47;B	SE	61.0	54.5
6	4155	47;C	NE	62.5	56.0
6	4155	47;D	NE	61.9	55.4
6	4155	47;E	SE	61.8	55.3
6	4155	47;F	NE	62.6	56.1
6	4155	47;G	NW	61.0	54.5
6	4155	47;H	NE	61.4	54.9
6	4155	47;I	NE	62.1	55.6
6	4155	47;J	NW	60.6	54.1
6	4155	47;K	NE	61.0	54.5
6	4155	47;L	NW	57.7	51.2
6	4155	47;M	SW	36.5	30.0
6	4155	47;N	SW	36.4	29.9
6	4155	47;O	SW	36.6	30.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	4155	47;P	SW	36.6	30.1
6	4155	47;Q	SW	36.7	30.2
6	4155	47;R	SW	36.5	30.0
6	4155	47;S	SW	36.7	30.2
6	4155	47;T	SW	36.8	30.3
6	4155	47;U	SW	36.8	30.3
6	4155	47;V	NW	36.8	30.3
6	4155	47;W	SW	36.8	30.3
6	4155	47;X	SW	37.1	30.6
6	4155	47;Y	SE	57.4	50.9
7	4155	47;A	NE	61.7	55.2
7	4155	47;B	SE	61.0	54.5
7	4155	47;C	NE	62.6	56.0
7	4155	47;D	NE	61.9	55.4
7	4155	47;E	SE	61.8	55.3
7	4155	47;F	NE	62.6	56.1
7	4155	47;G	NW	61.0	54.5
7	4155	47;H	NE	61.4	54.9
7	4155	47;I	NE	62.2	55.6
7	4155	47;J	NW	60.6	54.1
7	4155	47;K	NE	61.1	54.6
7	4155	47;L	NW	57.9	51.4
7	4155	47;M	SW	36.5	30.0
7	4155	47;N	SW	36.4	29.9
7	4155	47;O	SW	36.5	30.0
7	4155	47;P	SW	36.5	30.0
7	4155	47;Q	SW	36.7	30.2
7	4155	47;R	SW	36.5	30.0
7	4155	47;S	SW	36.7	30.2
7	4155	47;T	SW	36.7	30.2
7	4155	47;U	SW	36.8	30.3
7	4155	47;V	NW	36.7	30.2
7	4155	47;W	SW	36.7	30.2
7	4155	47;X	SW	37.1	30.6
7	4155	47;Y	SE	57.4	50.9
8	4155	47;A	NE	61.7	55.2
8	4155	47;B	SE	61.0	54.5
8	4155	47;C	NE	62.5	56.0
8	4155	47;D	NE	61.9	55.4
8	4155	47;E	SE	61.8	55.3
8	4155	47;F	NE	62.6	56.0
8	4155	47;G	NW	61.0	54.5
8	4155	47;H	NE	61.4	54.9
8	4155	47;I	NE	62.1	55.6
8	4155	47;J	NW	60.6	54.1
8	4155	47;K	NE	61.0	54.5
8	4155	47;L	NW	57.7	51.2
8	4155	47;M	SW	36.4	29.9
8	4155	47;N	SW	36.3	29.8
8	4155	47;O	SW	36.5	30.0
8	4155	47;P	SW	36.5	30.0
8	4155	47;Q	SW	36.6	30.1
8	4155	47;R	SW	36.5	29.9
8	4155	47;S	SW	36.6	30.1
8	4155	47;T	SW	36.7	30.2
8	4155	47;U	SW	36.7	30.2
8	4155	47;V	NW	36.7	30.2
8	4155	47;W	SW	36.7	30.2
8	4155	47;X	SW	37.1	30.6
8	4155	47;Y	SE	57.4	50.9
9	4155	47;A	NE	61.7	55.2
9	4155	47;B	SE	61.0	54.5
9	4155	47;C	NE	62.5	56.0
9	4155	47;D	NE	61.9	55.4
9	4155	47;E	SE	61.7	55.2
9	4155	47;F	NE	62.5	56.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
9	4155	47;G	NW	60.9	54.4
9	4155	47;H	NE	61.4	54.9
9	4155	47;I	NE	62.1	55.6
9	4155	47;J	NW	60.6	54.0
9	4155	47;K	NE	61.0	54.5
9	4155	47;L	NW	57.8	51.2
9	4155	47;M	SW	36.4	29.9
9	4155	47;N	SW	36.3	29.8
9	4155	47;O	SW	36.4	29.9
9	4155	47;P	SW	36.4	29.9
9	4155	47;Q	SW	36.6	30.1
9	4155	47;R	SW	36.4	29.9
9	4155	47;S	SW	36.6	30.1
9	4155	47;T	SW	36.6	30.1
9	4155	47;U	SW	36.7	30.2
9	4155	47;V	NW	36.6	30.1
9	4155	47;W	SW	36.7	30.1
9	4155	47;X	SW	37.0	30.5
9	4155	47;Y	SE	57.3	50.8
10	4155	47;A	NE	61.7	55.2
10	4155	47;B	SE	61.0	54.5
10	4155	47;C	NE	62.4	55.9
10	4155	47;D	NE	61.8	55.3
10	4155	47;E	SE	61.7	55.2
10	4155	47;F	NE	62.4	55.9
10	4155	47;G	NW	60.9	54.4
10	4155	47;H	NE	61.3	54.8
10	4155	47;I	NE	62.1	55.6
10	4155	47;J	NW	60.5	54.0
10	4155	47;K	NE	61.0	54.5
10	4155	47;L	NW	57.7	51.2
10	4155	47;M	SW	36.4	29.9
10	4155	47;N	SW	36.3	29.7
10	4155	47;O	SW	36.4	29.9
10	4155	47;P	SW	36.4	29.9
10	4155	47;Q	SW	36.5	30.0
10	4155	47;R	SW	36.4	29.8
10	4155	47;S	SW	36.6	30.0
10	4155	47;T	SW	36.6	30.1
10	4155	47;U	SW	36.6	30.1
10	4155	47;V	NW	36.6	30.1
10	4155	47;W	SW	36.6	30.1
10	4155	47;X	SW	37.0	30.5
10	4155	47;Y	SE	57.3	50.8
11	4155	47;A	NE	61.6	55.1
11	4155	47;B	SE	60.9	54.4
11	4155	47;C	NE	62.3	55.8
11	4155	47;D	NE	61.7	55.2
11	4155	47;E	SE	61.6	55.1
11	4155	47;F	NE	62.3	55.8
11	4155	47;G	NW	60.8	54.3
11	4155	47;H	NE	61.3	54.8
11	4155	47;I	NE	62.0	55.5
11	4155	47;J	NW	60.4	53.9
11	4155	47;K	NE	61.0	54.4
11	4155	47;L	NW	57.7	51.2
11	4155	47;M	SW	36.6	30.1
11	4155	47;N	SW	36.3	29.8
11	4155	47;O	SW	36.4	29.9
11	4155	47;P	SW	36.4	29.9
11	4155	47;Q	SW	36.6	30.1
11	4155	47;R	SW	36.4	29.9
11	4155	47;S	SW	36.6	30.1
11	4155	47;T	SW	36.7	30.1
11	4155	47;U	SW	36.7	30.2
11	4155	47;V	NW	36.8	30.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
11	4155	47;W	SW	36.6	30.1
11	4155	47;X	SW	37.0	30.5
11	4155	47;Y	SE	57.1	50.6
12	4155	47;A	NE	61.5	55.0
12	4155	47;B	SE	60.8	54.3
12	4155	47;C	NE	62.2	55.7
12	4155	47;D	NE	61.6	55.1
12	4155	47;E	SE	61.5	55.0
12	4155	47;F	NE	62.2	55.7
12	4155	47;G	NW	60.7	54.2
12	4155	47;H	NE	61.2	54.7
12	4155	47;I	NE	62.0	55.4
12	4155	47;J	NW	60.4	53.9
12	4155	47;K	NE	60.9	54.4
12	4155	47;L	NW	57.7	51.2
12	4155	47;M	SW	37.5	31.0
12	4155	47;N	SW	36.8	30.3
12	4155	47;O	SW	36.9	30.4
12	4155	47;P	SW	36.8	30.3
12	4155	47;Q	SW	37.0	30.5
12	4155	47;R	SW	36.8	30.3
12	4155	47;S	SW	37.1	30.6
12	4155	47;T	SW	37.1	30.6
12	4155	47;U	SW	37.2	30.7
12	4155	47;V	NW	37.7	31.2
12	4155	47;W	SW	37.1	30.5
12	4155	47;X	SW	37.6	31.1
12	4155	47;Y	SE	57.1	50.6
1	4156	58;A	NW	53.2	46.6
1	4156	58;B	NE	53.0	46.4
1	4156	58;C	NW	54.4	47.8
1	4156	58;D	NW	54.3	47.7
1	4156	58;E	NW	54.1	47.5
1	4156	58;F	NW	53.9	47.3
1	4156	58;G	NW	53.7	47.0
1	4156	58;H	SW	51.4	44.8
1	4156	58;I	SE	43.4	36.8
1	4156	58;J	SE	42.6	36.0
1	4156	58;K	SE	40.8	34.2
1	4156	58;L	SE	39.9	33.3
1	4156	58;M	SE	35.4	28.8
1	4156	58;N	SE	41.5	35.0
1	4156	58;O	SE	42.8	36.2
1	4156	58;P	NE	50.5	43.9
2	4156	58;A	NW	56.2	49.6
2	4156	58;B	NE	56.0	49.3
2	4156	58;C	NW	57.4	50.7
2	4156	58;D	NW	57.2	50.6
2	4156	58;E	NW	57.1	50.5
2	4156	58;F	NW	57.0	50.4
2	4156	58;G	NW	56.7	50.1
2	4156	58;H	SW	54.6	48.0
2	4156	58;I	SE	46.1	39.5
2	4156	58;J	SE	45.0	38.4
2	4156	58;K	SE	42.7	36.2
2	4156	58;L	SE	41.6	35.1
2	4156	58;M	SE	35.9	29.3
2	4156	58;N	SE	43.6	37.0
2	4156	58;O	SE	45.1	38.5
2	4156	58;P	NE	53.5	46.9
3	4156	58;A	NW	57.3	50.7
3	4156	58;B	NE	57.1	50.5
3	4156	58;C	NW	58.5	51.8
3	4156	58;D	NW	58.4	51.7
3	4156	58;E	NW	58.2	51.6
3	4156	58;F	NW	58.2	51.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	4156	58;G	NW	57.9	51.3
3	4156	58;H	SW	56.0	49.4
3	4156	58;I	SE	47.4	40.8
3	4156	58;J	SE	46.4	39.9
3	4156	58;K	SE	44.4	37.9
3	4156	58;L	SE	43.1	36.6
3	4156	58;M	SE	36.4	29.8
3	4156	58;N	SE	45.1	38.6
3	4156	58;O	SE	46.5	40.0
3	4156	58;P	NE	54.7	48.1
4	4156	58;A	NW	57.7	51.1
4	4156	58;B	NE	57.5	50.9
4	4156	58;C	NW	58.8	52.2
4	4156	58;D	NW	58.7	52.1
4	4156	58;E	NW	58.6	52.0
4	4156	58;F	NW	58.7	52.1
4	4156	58;G	NW	58.4	51.8
4	4156	58;H	SW	56.6	50.0
4	4156	58;I	SE	48.2	41.6
4	4156	58;J	SE	47.3	40.7
4	4156	58;K	SE	45.3	38.8
4	4156	58;L	SE	44.1	37.6
4	4156	58;M	SE	36.7	30.2
4	4156	58;N	SE	46.0	39.5
4	4156	58;O	SE	47.4	40.9
4	4156	58;P	NE	55.3	48.7
5	4156	58;A	NW	57.8	51.2
5	4156	58;B	NE	57.6	51.0
5	4156	58;C	NW	59.0	52.4
5	4156	58;D	NW	59.0	52.3
5	4156	58;E	NW	58.8	52.2
5	4156	58;F	NW	58.9	52.3
5	4156	58;G	NW	58.6	52.0
5	4156	58;H	SW	56.9	50.3
5	4156	58;I	SE	48.5	41.9
5	4156	58;J	SE	47.7	41.2
5	4156	58;K	SE	46.0	39.5
5	4156	58;L	SE	44.9	38.4
5	4156	58;M	SE	37.1	30.5
5	4156	58;N	SE	46.6	40.1
5	4156	58;O	SE	47.9	41.4
5	4156	58;P	NE	55.4	48.9
6	4156	58;A	NW	57.9	51.3
6	4156	58;B	NE	57.7	51.1
6	4156	58;C	NW	59.1	52.5
6	4156	58;D	NW	59.1	52.4
6	4156	58;E	NW	59.0	52.3
6	4156	58;F	NW	59.1	52.5
6	4156	58;G	NW	58.7	52.1
6	4156	58;H	SW	57.0	50.4
6	4156	58;I	SE	48.7	42.2
6	4156	58;J	SE	48.0	41.5
6	4156	58;K	SE	46.6	40.1
6	4156	58;L	SE	45.5	39.0
6	4156	58;M	SE	37.4	30.8
6	4156	58;N	SE	46.9	40.5
6	4156	58;O	SE	48.2	41.7
6	4156	58;P	NE	55.5	48.9
7	4156	58;A	NW	57.9	51.3
7	4156	58;B	NE	57.7	51.1
7	4156	58;C	NW	59.2	52.6
7	4156	58;D	NW	59.1	52.5
7	4156	58;E	NW	59.0	52.4
7	4156	58;F	NW	59.2	52.6
7	4156	58;G	NW	58.8	52.2
7	4156	58;H	SW	57.1	50.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
7	4156	58;I	SE	48.9	42.3
7	4156	58;J	SE	48.2	41.7
7	4156	58;K	SE	46.9	40.4
7	4156	58;L	SE	45.7	39.3
7	4156	58;M	SE	37.6	31.0
7	4156	58;N	SE	47.1	40.6
7	4156	58;O	SE	48.4	41.9
7	4156	58;P	NE	55.6	49.0
8	4156	58;A	NW	57.9	51.2
8	4156	58;B	NE	57.7	51.0
8	4156	58;C	NW	59.2	52.6
8	4156	58;D	NW	59.1	52.5
8	4156	58;E	NW	59.0	52.4
8	4156	58;F	NW	59.2	52.6
8	4156	58;G	NW	58.8	52.2
8	4156	58;H	SW	57.2	50.6
8	4156	58;I	SE	49.0	42.4
8	4156	58;J	SE	48.3	41.8
8	4156	58;K	SE	47.0	40.5
8	4156	58;L	SE	45.9	39.4
8	4156	58;M	SE	37.8	31.2
8	4156	58;N	SE	47.2	40.8
8	4156	58;O	SE	48.4	42.0
8	4156	58;P	NE	55.6	49.0
9	4156	58;A	NW	57.8	51.2
9	4156	58;B	NE	57.6	51.0
9	4156	58;C	NW	59.2	52.6
9	4156	58;D	NW	59.1	52.5
9	4156	58;E	NW	59.0	52.4
9	4156	58;F	NW	59.2	52.6
9	4156	58;G	NW	58.8	52.2
9	4156	58;H	SW	57.2	50.6
9	4156	58;I	SE	49.0	42.5
9	4156	58;J	SE	48.4	41.9
9	4156	58;K	SE	47.2	40.7
9	4156	58;L	SE	46.0	39.6
9	4156	58;M	SE	37.9	31.4
9	4156	58;N	SE	47.3	40.8
9	4156	58;O	SE	48.5	42.0
9	4156	58;P	NE	55.6	49.0
10	4156	58;A	NW	57.8	51.1
10	4156	58;B	NE	57.6	50.9
10	4156	58;C	NW	59.1	52.5
10	4156	58;D	NW	59.0	52.4
10	4156	58;E	NW	59.0	52.4
10	4156	58;F	NW	59.2	52.6
10	4156	58;G	NW	58.7	52.1
10	4156	58;H	SW	57.2	50.6
10	4156	58;I	SE	49.1	42.5
10	4156	58;J	SE	48.4	41.9
10	4156	58;K	SE	47.2	40.8
10	4156	58;L	SE	46.1	39.6
10	4156	58;M	SE	38.2	31.6
10	4156	58;N	SE	47.4	40.9
10	4156	58;O	SE	48.5	42.0
10	4156	58;P	NE	55.5	48.9
11	4156	58;A	NW	57.7	51.1
11	4156	58;B	NE	57.5	50.9
11	4156	58;C	NW	59.1	52.5
11	4156	58;D	NW	59.0	52.4
11	4156	58;E	NW	58.9	52.3
11	4156	58;F	NW	59.1	52.5
11	4156	58;G	NW	58.7	52.1
11	4156	58;H	SW	57.2	50.6
11	4156	58;I	SE	49.1	42.6
11	4156	58;J	SE	48.5	42.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
11	4156	58;K	SE	47.3	40.8
11	4156	58;L	SE	46.2	39.7
11	4156	58;M	SE	38.3	31.8
11	4156	58;N	SE	47.4	40.9
11	4156	58;O	SE	48.5	42.1
11	4156	58;P	NE	55.5	48.9
12	4156	58;A	NW	57.6	51.0
12	4156	58;B	NE	57.4	50.8
12	4156	58;C	NW	59.0	52.4
12	4156	58;D	NW	58.9	52.3
12	4156	58;E	NW	58.8	52.2
12	4156	58;F	NW	59.1	52.5
12	4156	58;G	NW	58.7	52.1
12	4156	58;H	SW	57.2	50.6
12	4156	58;I	SE	49.2	42.6
12	4156	58;J	SE	48.5	42.0
12	4156	58;K	SE	47.3	40.9
12	4156	58;L	SE	46.2	39.8
12	4156	58;M	SE	38.7	32.2
12	4156	58;N	SE	47.4	41.0
12	4156	58;O	SE	48.6	42.1
12	4156	58;P	NE	55.4	48.8
1	4157	30;A	S	44.4	37.8
1	4157	30;B	E	44.8	38.2
1	4157	30;C	N	32.9	26.3
1	4157	30;D	E	40.3	33.7
1	4157	30;E	E	34.3	27.7
1	4157	30;F	N	36.9	30.3
1	4157	30;G	W	27.7	21.1
1	4157	30;H	S	29.4	22.8
1	4157	30;I	W	30.4	23.9
1	4157	30;J	W	30.2	23.7
1	4157	30;K	S	44.5	37.9
2	4157	30;A	S	47.8	41.2
2	4157	30;B	E	48.4	41.8
2	4157	30;C	N	33.2	26.6
2	4157	30;D	E	43.4	36.9
2	4157	30;E	E	37.5	30.9
2	4157	30;F	N	39.5	32.9
2	4157	30;G	W	27.7	21.1
2	4157	30;H	S	29.6	23.0
2	4157	30;I	W	30.5	23.9
2	4157	30;J	W	30.3	23.7
2	4157	30;K	S	47.6	41.0
3	4157	30;A	S	50.3	43.7
3	4157	30;B	E	50.8	44.2
3	4157	30;C	N	33.7	27.1
3	4157	30;D	E	46.6	40.0
3	4157	30;E	E	39.4	32.9
3	4157	30;F	N	40.9	34.3
3	4157	30;G	W	27.7	21.1
3	4157	30;H	S	30.2	23.6
3	4157	30;I	W	30.5	23.9
3	4157	30;J	W	30.3	23.7
3	4157	30;K	S	49.9	43.3
4	4157	30;A	S	51.3	44.7
4	4157	30;B	E	51.8	45.2
4	4157	30;C	N	34.5	27.9
4	4157	30;D	E	47.7	41.2
4	4157	30;E	E	40.4	33.8
4	4157	30;F	N	41.8	35.2
4	4157	30;G	W	27.8	21.2
4	4157	30;H	S	31.2	24.7
4	4157	30;I	W	30.5	24.0
4	4157	30;J	W	30.4	23.8
4	4157	30;K	S	51.0	44.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	4157	30;A	S	51.8	45.2
5	4157	30;B	E	52.2	45.6
5	4157	30;C	N	36.1	29.5
5	4157	30;D	E	48.6	42.0
5	4157	30;E	E	41.6	35.1
5	4157	30;F	N	42.5	35.9
5	4157	30;G	W	28.4	21.8
5	4157	30;H	S	33.5	26.9
5	4157	30;I	W	31.2	24.6
5	4157	30;J	W	31.2	24.6
5	4157	30;K	S	51.5	44.9
1	4158	14;A	SE	42.4	35.9
1	4158	14;B	NE	47.9	41.5
1	4158	14;C	NE	47.5	41.0
1	4158	14;D	SE	47.0	40.6
1	4158	14;E	NE	43.8	37.3
1	4158	14;F	NW	32.5	26.1
1	4158	14;G	SW	26.0	19.6
2	4158	14;A	SE	44.9	38.4
2	4158	14;B	NE	50.5	44.1
2	4158	14;C	NE	50.1	43.7
2	4158	14;D	SE	49.7	43.3
2	4158	14;E	NE	46.4	40.1
2	4158	14;F	NW	34.3	27.9
2	4158	14;G	SW	26.0	19.6
3	4158	14;A	SE	46.1	39.7
3	4158	14;B	NE	51.7	45.3
3	4158	14;C	NE	51.2	44.8
3	4158	14;D	SE	50.8	44.4
3	4158	14;E	NE	47.7	41.3
3	4158	14;F	NW	36.1	29.7
3	4158	14;G	SW	26.2	19.8
4	4158	14;A	SE	47.0	40.6
4	4158	14;B	NE	52.1	45.7
4	4158	14;C	NE	51.7	45.3
4	4158	14;D	SE	51.2	44.9
4	4158	14;E	NE	48.2	41.9
4	4158	14;F	NW	37.6	31.3
4	4158	14;G	SW	26.7	20.3
1	4159	3;A	N	43.7	37.1
1	4159	3;B	N	45.0	38.4
1	4159	3;C	N	45.7	39.1
1	4159	3;D	W	49.4	42.8
1	4159	3;E	S	47.3	40.7
1	4159	3;F	S	46.1	39.5
1	4159	3;G	E	35.5	28.9
2	4159	3;A	N	46.5	39.9
2	4159	3;B	N	48.0	41.5
2	4159	3;C	N	48.7	42.1
2	4159	3;D	W	52.4	45.8
2	4159	3;E	S	50.2	43.6
2	4159	3;F	S	48.8	42.2
2	4159	3;G	E	36.5	29.9
3	4159	3;A	N	48.2	41.6
3	4159	3;B	N	49.7	43.2
3	4159	3;C	N	50.3	43.7
3	4159	3;D	W	54.0	47.4
3	4159	3;E	S	51.8	45.2
3	4159	3;F	S	50.6	44.0
3	4159	3;G	E	37.9	31.4
4	4159	3;A	N	49.3	42.7
4	4159	3;B	N	50.7	44.2
4	4159	3;C	N	51.3	44.8
4	4159	3;D	W	55.0	48.4
4	4159	3;E	S	52.9	46.3
4	4159	3;F	S	51.6	45.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	4159	3;G	E	39.5	32.9
1	4160	32;A	N	39.5	32.9
1	4160	32;B	N	42.7	36.0
1	4160	32;C	N	43.0	36.3
1	4160	32;D	N	44.1	37.5
1	4160	32;E	N	44.2	37.5
1	4160	32;F	W	48.3	41.7
1	4160	32;G	S	47.0	40.4
1	4160	32;H	S	44.8	38.2
1	4160	32;I	S	43.1	36.5
1	4160	32;J	E	35.3	28.7
2	4160	32;A	N	42.3	35.7
2	4160	32;B	N	45.8	39.2
2	4160	32;C	N	46.2	39.6
2	4160	32;D	N	47.5	40.9
2	4160	32;E	N	47.9	41.3
2	4160	32;F	W	52.2	45.6
2	4160	32;G	S	50.0	43.4
2	4160	32;H	S	47.9	41.3
2	4160	32;I	S	45.9	39.3
2	4160	32;J	E	36.3	29.7
3	4160	32;A	N	44.3	37.7
3	4160	32;B	N	48.0	41.4
3	4160	32;C	N	48.4	41.8
3	4160	32;D	N	49.8	43.2
3	4160	32;E	N	50.3	43.7
3	4160	32;F	W	54.2	47.6
3	4160	32;G	S	51.5	44.9
3	4160	32;H	S	49.5	42.9
3	4160	32;I	S	47.5	41.0
3	4160	32;J	E	37.8	31.2
4	4160	32;A	N	45.5	38.9
4	4160	32;B	N	49.0	42.5
4	4160	32;C	N	49.4	42.8
4	4160	32;D	N	50.9	44.2
4	4160	32;E	N	51.3	44.7
4	4160	32;F	W	55.1	48.6
4	4160	32;G	S	52.5	45.9
4	4160	32;H	S	50.5	43.9
4	4160	32;I	S	48.5	42.0
4	4160	32;J	E	39.2	32.6
1	4161	31;A	E	36.9	30.2
1	4161	31;B	N	42.8	36.2
1	4161	31;C	N	44.3	37.6
1	4161	31;D	N	44.3	37.6
1	4161	31;E	N	45.3	38.7
1	4161	31;F	N	45.7	39.0
1	4161	31;G	W	49.4	42.8
1	4161	31;H	S	46.1	39.4
1	4161	31;I	S	43.7	37.1
1	4161	31;J	S	42.0	35.4
1	4161	31;K	E	36.4	29.8
2	4161	31;A	E	38.5	31.8
2	4161	31;B	N	45.2	38.5
2	4161	31;C	N	46.8	40.2
2	4161	31;D	N	46.9	40.3
2	4161	31;E	N	48.2	41.5
2	4161	31;F	N	48.6	42.0
2	4161	31;G	W	52.6	46.0
2	4161	31;H	S	49.5	42.9
2	4161	31;I	S	47.2	40.6
2	4161	31;J	S	45.2	38.6
2	4161	31;K	E	37.9	31.2
3	4161	31;A	E	40.1	33.5
3	4161	31;B	N	46.9	40.2
3	4161	31;C	N	48.5	41.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	4161	31;D	N	48.5	41.8
3	4161	31;E	N	49.5	42.9
3	4161	31;F	N	49.9	43.3
3	4161	31;G	W	54.1	47.5
3	4161	31;H	S	51.5	45.0
3	4161	31;I	S	49.6	43.0
3	4161	31;J	S	47.6	41.0
3	4161	31;K	E	39.5	32.8
4	4161	31;A	E	41.4	34.8
4	4161	31;B	N	47.9	41.3
4	4161	31;C	N	49.5	42.8
4	4161	31;D	N	49.6	42.9
4	4161	31;E	N	50.6	44.0
4	4161	31;F	N	51.0	44.4
4	4161	31;G	W	55.0	48.4
4	4161	31;H	S	52.5	45.9
4	4161	31;I	S	50.6	44.0
4	4161	31;J	S	48.7	42.1
4	4161	31;K	E	40.8	34.2
1	4162	33;A	N	43.3	36.7
1	4162	33;B	N	43.3	36.7
1	4162	33;C	N	45.1	38.5
1	4162	33;D	N	45.6	39.0
1	4162	33;E	W	49.5	42.9
1	4162	33;F	S	46.9	40.3
1	4162	33;G	S	45.1	38.4
1	4162	33;H	S	43.6	36.9
1	4162	33;I	E	35.4	28.8
2	4162	33;A	N	46.1	39.5
2	4162	33;B	N	46.4	39.8
2	4162	33;C	N	48.2	41.6
2	4162	33;D	N	48.8	42.2
2	4162	33;E	W	52.6	46.0
2	4162	33;F	S	49.9	43.3
2	4162	33;G	S	48.0	41.4
2	4162	33;H	S	46.3	39.7
2	4162	33;I	E	36.3	29.7
3	4162	33;A	N	47.8	41.2
3	4162	33;B	N	48.3	41.7
3	4162	33;C	N	50.0	43.4
3	4162	33;D	N	50.5	43.9
3	4162	33;E	W	54.2	47.6
3	4162	33;F	S	51.5	44.9
3	4162	33;G	S	49.6	43.0
3	4162	33;H	S	48.0	41.4
3	4162	33;I	E	37.7	31.1
4	4162	33;A	N	48.8	42.2
4	4162	33;B	N	49.4	42.8
4	4162	33;C	N	51.1	44.5
4	4162	33;D	N	51.5	44.9
4	4162	33;E	W	55.1	48.5
4	4162	33;F	S	52.5	45.9
4	4162	33;G	S	50.6	44.0
4	4162	33;H	S	49.0	42.4
4	4162	33;I	E	39.2	32.6
1	4163	19;A	E	54.3	47.9
1	4163	19;B	N	50.9	44.5
1	4163	19;C	N	50.0	43.6
1	4163	19;D	W	39.9	33.5
1	4163	19;E	W	39.5	33.1
1	4163	19;F	W	36.5	30.0
1	4163	19;G	W	36.2	29.8
1	4163	19;H	S	50.2	43.8
2	4163	19;A	E	56.4	50.0
2	4163	19;B	N	53.2	46.9
2	4163	19;C	N	52.5	46.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	4163	19;D	W	42.4	36.0
2	4163	19;E	W	41.9	35.5
2	4163	19;F	W	38.3	31.9
2	4163	19;G	W	38.2	31.8
2	4163	19;H	S	52.5	46.2
3	4163	19;A	E	56.8	50.5
3	4163	19;B	N	53.9	47.5
3	4163	19;C	N	53.2	46.9
3	4163	19;D	W	43.5	37.1
3	4163	19;E	W	42.9	36.6
3	4163	19;F	W	39.4	33.0
3	4163	19;G	W	39.3	33.0
3	4163	19;H	S	53.1	46.8
4	4163	19;A	E	57.0	50.7
4	4163	19;B	N	54.1	47.8
4	4163	19;C	N	53.5	47.1
4	4163	19;D	W	43.9	37.5
4	4163	19;E	W	43.6	37.2
4	4163	19;F	W	40.2	33.8
4	4163	19;G	W	40.2	33.8
4	4163	19;H	S	53.3	47.0
5	4163	19;A	E	57.1	50.7
5	4163	19;B	N	54.2	47.9
5	4163	19;C	N	53.6	47.3
5	4163	19;D	W	44.0	37.6
5	4163	19;E	W	43.6	37.3
5	4163	19;F	W	40.5	34.1
5	4163	19;G	W	40.5	34.1
5	4163	19;H	S	53.4	47.1
6	4163	19;A	E	57.0	50.7
6	4163	19;B	N	53.9	47.5
6	4163	19;C	N	53.3	47.0
6	4163	19;D	W	38.8	32.5
6	4163	19;E	W	42.4	36.0
6	4163	19;F	W	40.0	33.7
6	4163	19;G	W	39.8	33.5
6	4163	19;H	S	53.3	47.0
7	4163	19;A	E	57.0	50.6
7	4163	19;B	N	53.5	47.1
7	4163	19;C	N	53.0	46.6
7	4163	19;D	W	33.3	26.9
7	4163	19;E	W	33.2	26.9
7	4163	19;F	W	32.5	26.1
7	4163	19;G	W	38.7	32.3
7	4163	19;H	S	53.3	46.9
8	4163	19;A	E	56.9	50.6
8	4163	19;B	N	53.4	47.1
8	4163	19;C	N	52.9	46.5
8	4163	19;D	W	34.2	27.8
8	4163	19;E	W	34.1	27.7
8	4163	19;F	W	33.9	27.5
8	4163	19;G	W	34.0	27.6
8	4163	19;H	S	53.2	46.9
1	4164	;A	NE	30.8	24.3
1	4164	;B	NW	39.1	32.6
1	4164	;C	NE	33.8	27.2
1	4164	;D	NW	48.7	42.2
1	4164	;E	SW	52.7	46.1
1	4164	;F	SW	52.6	46.1
1	4164	;G	SE	49.4	42.8
1	4164	;H	SE	45.6	39.0
1	4164	;I	SE	48.0	41.4
1	4164	;J	SE	47.2	40.7
1	4164	;K	SE	44.1	37.6
1	4165	;A	NW	32.8	26.3
1	4165	;B	NE	32.9	26.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4165	;C	NE	32.9	26.4
1	4165	;D	NE	32.9	26.4
1	4165	;E	NE	32.9	26.3
1	4165	;F	NE	33.0	26.5
1	4165	;G	NW	48.6	42.1
1	4165	;H	SW	51.8	45.2
1	4165	;I	SW	52.2	45.6
1	4165	;J	SW	51.7	45.1
1	4165	;K	SW	52.1	45.6
1	4165	;L	SW	51.6	45.1
1	4165	;M	SW	52.0	45.5
1	4165	;N	SE	50.8	44.3
1	4165	;O	SW	51.1	44.5
1	4165	;P	SW	51.5	45.0
1	4165	;Q	SE	48.3	41.7
1	4165	;R	SE	46.8	40.3
1	4165	;S	SE	43.7	37.2
1	4165	;T	NE	32.9	26.4
1	4166	36;A	SW	34.1	27.6
1	4166	36;B	SE	47.1	40.6
1	4166	36;C	SE	46.1	39.6
1	4166	36;D	SE	49.8	43.3
1	4166	36;E	SE	52.0	45.5
1	4166	36;F	NE	56.6	50.1
1	4166	36;G	NW	52.7	46.2
1	4166	36;H	NW	48.6	42.1
1	4166	36;I	NW	49.5	43.0
2	4166	36;A	SW	34.1	27.6
2	4166	36;B	SE	50.7	44.2
2	4166	36;C	SE	49.9	43.4
2	4166	36;D	SE	53.3	46.8
2	4166	36;E	SE	55.3	48.8
2	4166	36;F	NE	59.7	53.2
2	4166	36;G	NW	55.9	49.4
2	4166	36;H	NW	52.1	45.5
2	4166	36;I	NW	53.1	46.6
3	4166	36;A	SW	34.3	27.8
3	4166	36;B	SE	52.3	45.8
3	4166	36;C	SE	51.6	45.1
3	4166	36;D	SE	54.9	48.4
3	4166	36;E	SE	57.0	50.5
3	4166	36;F	NE	60.8	54.3
3	4166	36;G	NW	57.0	50.5
3	4166	36;H	NW	53.5	46.9
3	4166	36;I	NW	54.6	48.1
4	4166	36;A	SW	35.3	28.7
4	4166	36;B	SE	53.4	46.9
4	4166	36;C	SE	52.8	46.3
4	4166	36;D	SE	56.0	49.5
4	4166	36;E	SE	57.6	51.1
4	4166	36;F	NE	61.1	54.6
4	4166	36;G	NW	57.4	50.8
4	4166	36;H	NW	53.9	47.4
4	4166	36;I	NW	55.1	48.6
1	4167	;A	NE	33.1	26.6
1	4167	;B	NW	47.3	40.8
1	4167	;C	SW	50.2	43.7
1	4167	;D	SW	50.4	43.9
1	4167	;E	SW	49.5	43.0
1	4167	;F	SW	50.7	44.1
1	4167	;G	SW	50.7	44.2
1	4167	;H	SW	50.4	43.9
1	4167	;I	SE	47.5	41.0
1	4167	;J	NE	33.6	27.0
1	4167	;K	NE	33.4	26.9
1	4167	;L	NE	33.2	26.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4167	;M	NE	33.1	26.6
1	4168	43;A	NE	62.2	55.7
1	4168	43;B	NE	62.7	56.2
1	4168	43;C	NE	61.8	55.3
1	4168	43;D	NW	58.0	51.4
1	4168	43;E	SW	43.0	36.5
1	4168	43;F	NW	45.2	38.7
1	4168	43;G	SW	42.2	35.7
1	4168	43;H	SE	39.5	33.0
1	4168	43;I	SW	41.4	34.9
1	4168	43;J	NW	38.2	31.7
1	4168	43;K	NW	38.2	31.7
1	4168	43;L	NW	37.2	30.7
1	4168	43;M	NW	39.0	32.5
1	4168	43;N	SW	39.8	33.3
1	4168	43;O	SE	52.3	45.7
1	4168	43;P	E	57.4	50.9
2	4168	43;A	NE	63.9	57.4
2	4168	43;B	NE	64.3	57.8
2	4168	43;C	NE	63.6	57.1
2	4168	43;D	NW	60.2	53.7
2	4168	43;E	SW	45.5	39.0
2	4168	43;F	NW	48.5	42.0
2	4168	43;G	SW	44.5	38.0
2	4168	43;H	SE	40.4	33.9
2	4168	43;I	SW	43.7	37.2
2	4168	43;J	NW	38.3	31.8
2	4168	43;K	NW	38.3	31.8
2	4168	43;L	NW	37.3	30.8
2	4168	43;M	NW	42.1	35.6
2	4168	43;N	SW	42.0	35.5
2	4168	43;O	SE	55.5	49.0
2	4168	43;P	E	60.1	53.6
3	4168	43;A	NE	64.3	57.8
3	4168	43;B	NE	64.6	58.1
3	4168	43;C	NE	63.9	57.4
3	4168	43;D	NW	60.7	54.2
3	4168	43;E	SW	46.5	40.0
3	4168	43;F	NW	49.8	43.3
3	4168	43;G	SW	45.7	39.1
3	4168	43;H	SE	41.3	34.8
3	4168	43;I	SW	44.6	38.1
3	4168	43;J	NW	38.3	31.8
3	4168	43;K	NW	38.4	31.9
3	4168	43;L	NW	37.4	30.9
3	4168	43;M	NW	43.5	37.0
3	4168	43;N	SW	43.2	36.7
3	4168	43;O	SE	56.9	50.4
3	4168	43;P	E	60.6	54.1
4	4168	43;A	NE	64.4	57.8
4	4168	43;B	NE	64.7	58.2
4	4168	43;C	NE	64.0	57.5
4	4168	43;D	NW	60.9	54.3
4	4168	43;E	SW	47.1	40.6
4	4168	43;F	NW	50.5	44.0
4	4168	43;G	SW	46.3	39.8
4	4168	43;H	SE	41.9	35.4
4	4168	43;I	SW	45.3	38.8
4	4168	43;J	NW	38.3	31.8
4	4168	43;K	NW	38.6	32.1
4	4168	43;L	NW	37.6	31.1
4	4168	43;M	NW	44.5	38.0
4	4168	43;N	SW	44.0	37.5
4	4168	43;O	SE	57.3	50.8
4	4168	43;P	E	60.8	54.3
5	4168	43;A	NE	64.3	57.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	4168	43;B	NE	64.7	58.2
5	4168	43;C	NE	64.0	57.5
5	4168	43;D	NW	60.9	54.4
5	4168	43;E	SW	47.3	40.8
5	4168	43;F	NW	50.7	44.2
5	4168	43;G	SW	46.6	40.1
5	4168	43;H	SE	42.5	36.0
5	4168	43;I	SW	45.4	38.9
5	4168	43;J	NW	38.7	32.2
5	4168	43;K	NW	38.9	32.4
5	4168	43;L	NW	37.9	31.4
5	4168	43;M	NW	45.0	38.5
5	4168	43;N	SW	44.5	38.0
5	4168	43;O	SE	57.6	51.1
5	4168	43;P	E	60.9	54.4
6	4168	43;A	NE	64.2	57.6
6	4168	43;B	NE	64.5	58.0
6	4168	43;C	NE	63.8	57.3
6	4168	43;D	NW	60.8	54.3
6	4168	43;E	SW	47.4	40.9
6	4168	43;F	NW	50.9	44.4
6	4168	43;G	SW	47.0	40.5
6	4168	43;H	SE	43.6	37.1
6	4168	43;I	SW	45.6	39.1
6	4168	43;J	NW	40.0	33.5
6	4168	43;K	NW	39.9	33.4
6	4168	43;L	NW	38.8	32.3
6	4168	43;M	NW	45.3	38.8
6	4168	43;N	SW	36.3	29.8
6	4168	43;O	SE	57.9	51.4
6	4168	43;P	E	60.9	54.4
1	4169	44;A	NE	41.4	34.9
1	4169	44;B	NW	36.0	29.5
1	4169	44;C	NE	35.0	28.5
1	4169	44;D	NE	35.2	28.7
1	4169	44;E	NE	35.7	29.2
1	4169	44;F	NE	37.3	30.8
1	4169	44;G	NE	43.1	36.5
1	4169	44;H	NE	40.8	34.3
1	4169	44;I	NE	35.3	28.8
1	4169	44;J	NW	35.8	29.3
1	4169	44;K	NE	35.1	28.6
1	4169	44;L	NE	34.7	28.2
1	4169	44;M	SE	35.5	29.0
1	4169	44;N	NE	39.7	33.2
1	4169	44;O	NW	44.8	38.3
1	4169	44;P	NE	44.1	37.5
1	4169	44;Q	NW	41.9	35.3
1	4169	44;R	SW	32.9	26.4
1	4169	44;S	SE	47.7	41.2
1	4169	44;T	NE	48.2	41.7
1	4169	44;U	SE	47.3	40.8
2	4169	44;A	NE	43.7	37.2
2	4169	44;B	NW	36.1	29.5
2	4169	44;C	NE	35.2	28.7
2	4169	44;D	NE	35.8	29.3
2	4169	44;E	NE	36.2	29.7
2	4169	44;F	NE	39.5	33.0
2	4169	44;G	NE	46.4	39.9
2	4169	44;H	NE	43.8	37.3
2	4169	44;I	NE	35.9	29.4
2	4169	44;J	NW	36.0	29.5
2	4169	44;K	NE	35.3	28.8
2	4169	44;L	NE	34.8	28.3
2	4169	44;M	SE	35.6	29.0
2	4169	44;N	NE	42.2	35.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	4169	44;O	NW	48.1	41.5
2	4169	44;P	NE	47.2	40.7
2	4169	44;Q	NW	44.9	38.4
2	4169	44;R	SW	32.9	26.4
2	4169	44;S	SE	51.1	44.6
2	4169	44;T	NE	51.5	45.0
2	4169	44;U	SE	50.6	44.0
3	4169	44;A	NE	46.0	39.5
3	4169	44;B	NW	36.2	29.7
3	4169	44;C	NE	35.5	29.0
3	4169	44;D	NE	36.9	30.4
3	4169	44;E	NE	37.6	31.1
3	4169	44;F	NE	40.8	34.3
3	4169	44;G	NE	47.8	41.3
3	4169	44;H	NE	45.1	38.6
3	4169	44;I	NE	37.3	30.8
3	4169	44;J	NW	36.4	29.9
3	4169	44;K	NE	35.8	29.3
3	4169	44;L	NE	35.2	28.7
3	4169	44;M	SE	35.7	29.2
3	4169	44;N	NE	43.6	37.1
3	4169	44;O	NW	49.5	43.0
3	4169	44;P	NE	48.6	42.1
3	4169	44;Q	NW	46.3	39.8
3	4169	44;R	SW	32.9	26.4
3	4169	44;S	SE	52.8	46.3
3	4169	44;T	NE	53.4	46.9
3	4169	44;U	SE	52.5	46.0
4	4169	44;A	NE	47.1	40.6
4	4169	44;B	NW	36.1	29.5
4	4169	44;C	NE	37.1	30.6
4	4169	44;D	NE	38.6	32.1
4	4169	44;E	NE	38.9	32.4
4	4169	44;F	NE	42.2	35.7
4	4169	44;G	NE	48.8	42.3
4	4169	44;H	NE	46.1	39.6
4	4169	44;I	NE	38.3	31.8
4	4169	44;J	NW	37.3	30.8
4	4169	44;K	NE	37.0	30.5
4	4169	44;L	NE	36.5	30.0
4	4169	44;M	SE	35.4	28.9
4	4169	44;N	NE	44.7	38.2
4	4169	44;O	NW	50.6	44.1
4	4169	44;P	NE	49.7	43.1
4	4169	44;Q	NW	47.4	40.9
4	4169	44;R	SW	33.3	26.8
4	4169	44;S	SE	53.9	47.3
4	4169	44;T	NE	54.4	47.9
4	4169	44;U	SE	53.5	47.0
1	4170	;A	NE	33.8	27.2
1	4170	;B	NW	33.1	26.5
1	4170	;C	NE	33.0	26.5
1	4170	;D	NE	33.1	26.6
1	4170	;E	NW	46.2	39.7
1	4170	;F	SW	46.8	40.2
1	4170	;G	SW	46.6	40.1
1	4170	;H	SW	46.2	39.7
1	4170	;I	SW	43.3	36.8
1	4170	;J	SW	44.0	37.5
1	4170	;K	SE	40.3	33.8
1	4170	;L	SW	41.2	34.7
1	4170	;M	SW	42.5	35.9
1	4170	;N	SE	40.0	33.4
1	4171	;A	NE	33.9	27.4
1	4171	;B	NW	38.4	31.9
1	4171	;C	NW	43.4	36.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4171	;D	NW	38.8	32.3
1	4171	;E	NW	44.7	38.1
1	4171	;F	NW	44.8	38.3
1	4171	;G	SW	46.6	40.1
1	4171	;H	SE	47.7	41.2
1	4171	;I	SE	46.7	40.2
1	4172	;A	N	41.0	34.3
1	4172	;B	W	42.4	35.7
1	4172	;C	W	41.9	35.3
1	4172	;D	S	36.3	29.7
1	4172	;E	E	32.7	26.1
1	4173	45;A	SE	55.0	48.4
1	4173	45;B	NE	59.9	53.4
1	4173	45;C	E	60.4	53.9
1	4173	45;D	N	62.8	56.3
1	4173	45;E	N	62.0	55.5
1	4173	45;F	W	53.7	47.2
1	4173	45;G	NW	50.9	44.4
1	4173	45;H	SW	34.1	27.6
1	4173	45;I	SE	35.8	29.3
1	4173	45;J	SW	34.9	28.4
1	4173	45;K	SE	52.1	45.6
2	4173	45;A	SE	58.0	51.5
2	4173	45;B	NE	62.6	56.1
2	4173	45;C	E	62.6	56.1
2	4173	45;D	N	64.4	57.8
2	4173	45;E	N	63.8	57.3
2	4173	45;F	W	56.8	50.3
2	4173	45;G	NW	54.5	48.0
2	4173	45;H	SW	35.1	28.6
2	4173	45;I	SE	39.1	32.6
2	4173	45;J	SW	35.8	29.3
2	4173	45;K	SE	55.4	48.9
1	4174	61;A	NW	41.7	35.2
1	4174	61;B	NW	40.6	34.1
1	4174	61;C	NE	34.5	27.9
1	4174	61;D	NW	48.7	42.2
1	4174	61;E	NW	50.2	43.7
1	4174	61;F	SW	53.0	46.4
1	4174	61;G	SE	50.0	43.4
1	4174	61;H	NE	40.4	33.9
1	4174	61;I	NW	40.0	33.5
2	4174	61;A	NW	43.8	37.3
2	4174	61;B	NW	42.4	35.9
2	4174	61;C	NE	34.8	28.3
2	4174	61;D	NW	52.0	45.5
2	4174	61;E	NW	53.6	47.1
2	4174	61;F	SW	56.4	49.9
2	4174	61;G	SE	53.0	46.5
2	4174	61;H	NE	41.9	35.3
2	4174	61;I	NW	42.2	35.7
3	4174	61;A	NW	46.0	39.5
3	4174	61;B	NW	44.7	38.2
3	4174	61;C	NE	35.7	29.2
3	4174	61;D	NW	53.7	47.2
3	4174	61;E	NW	55.2	48.7
3	4174	61;F	SW	58.0	51.5
3	4174	61;G	SE	54.9	48.3
3	4174	61;H	NE	44.0	37.5
3	4174	61;I	NW	44.3	37.8
4	4174	61;A	NW	47.4	40.9
4	4174	61;B	NW	46.3	39.8
4	4174	61;C	NE	37.3	30.7
4	4174	61;D	NW	54.7	48.2
4	4174	61;E	NW	56.0	49.5
4	4174	61;F	SW	58.9	52.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	4174	61;G	SE	55.9	49.4
4	4174	61;H	NE	45.5	38.9
4	4174	61;I	NW	45.7	39.2
1	4175	;A	NW	59.9	53.4
1	4175	;B	SW	64.3	57.8
1	4175	;C	SW	64.0	57.5
1	4175	;D	SE	59.9	53.3
1	4175	;E	NE	45.3	38.7
1	4176	51;A	NE	55.3	48.8
1	4176	51;B	SE	55.0	48.5
1	4176	51;C	NE	58.0	51.5
1	4176	51;D	NW	55.3	48.7
1	4176	51;E	NW	53.5	47.0
1	4176	51;F	SW	35.9	29.4
1	4176	51;G	NW	47.4	40.9
1	4176	51;H	SW	34.4	27.9
1	4176	51;I	NW	36.7	30.2
1	4176	51;J	SW	32.9	26.4
1	4176	51;K	NW	32.8	26.3
1	4176	51;L	SW	32.5	26.0
1	4176	51;M	SE	46.6	40.0
1	4176	51;N	NE	49.1	42.5
1	4176	51;O	SE	48.8	42.3
1	4176	51;P	NE	49.7	43.2
1	4176	51;Q	SE	48.7	42.2
1	4176	51;R	NE	50.9	44.4
1	4176	51;S	SE	50.4	43.9
1	4176	51;T	NE	50.7	44.2
1	4176	51;U	SE	48.2	41.7
1	4176	51;V	SW	39.2	32.7
2	4176	51;A	NE	58.5	52.0
2	4176	51;B	SE	58.3	51.8
2	4176	51;C	NE	60.9	54.4
2	4176	51;D	NW	58.2	51.7
2	4176	51;E	NW	56.5	50.0
2	4176	51;F	SW	35.9	29.4
2	4176	51;G	NW	50.9	44.4
2	4176	51;H	SW	34.4	27.9
2	4176	51;I	NW	40.2	33.7
2	4176	51;J	SW	32.9	26.4
2	4176	51;K	NW	32.8	26.3
2	4176	51;L	SW	32.5	26.0
2	4176	51;M	SE	49.4	42.9
2	4176	51;N	NE	52.2	45.7
2	4176	51;O	SE	52.2	45.7
2	4176	51;P	NE	53.0	46.4
2	4176	51;Q	SE	52.4	45.9
2	4176	51;R	NE	54.4	47.9
2	4176	51;S	SE	53.8	47.3
2	4176	51;T	NE	54.1	47.6
2	4176	51;U	SE	51.7	45.2
2	4176	51;V	SW	41.6	35.1
3	4176	51;A	NE	59.6	53.1
3	4176	51;B	SE	59.4	52.9
3	4176	51;C	NE	61.7	55.2
3	4176	51;D	NW	58.9	52.4
3	4176	51;E	NW	57.7	51.2
3	4176	51;F	SW	35.8	29.3
3	4176	51;G	NW	52.4	45.9
3	4176	51;H	SW	34.4	27.9
3	4176	51;I	NW	42.2	35.7
3	4176	51;J	SW	32.9	26.4
3	4176	51;K	NW	32.9	26.4
3	4176	51;L	SW	32.5	26.0
3	4176	51;M	SE	51.4	44.9
3	4176	51;N	NE	54.0	47.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	4176	51;O	SE	54.1	47.6
3	4176	51;P	NE	54.7	48.2
3	4176	51;Q	SE	54.3	47.8
3	4176	51;R	NE	56.1	49.6
3	4176	51;S	SE	55.6	49.1
3	4176	51;T	NE	55.8	49.3
3	4176	51;U	SE	53.4	46.9
3	4176	51;V	SW	42.7	36.2
4	4176	51;A	NE	60.0	53.5
4	4176	51;B	SE	59.8	53.3
4	4176	51;C	NE	62.2	55.7
4	4176	51;D	NW	59.6	53.1
4	4176	51;E	NW	58.4	51.9
4	4176	51;F	SW	35.8	29.3
4	4176	51;G	NW	53.3	46.8
4	4176	51;H	SW	34.4	27.9
4	4176	51;I	NW	43.1	36.6
4	4176	51;J	SW	32.9	26.4
4	4176	51;K	NW	32.9	26.4
4	4176	51;L	SW	32.5	26.0
4	4176	51;M	SE	52.5	46.0
4	4176	51;N	NE	55.3	48.8
4	4176	51;O	SE	55.4	48.9
4	4176	51;P	NE	56.0	49.5
4	4176	51;Q	SE	55.5	49.0
4	4176	51;R	NE	57.0	50.5
4	4176	51;S	SE	56.5	50.0
4	4176	51;T	NE	56.7	50.2
4	4176	51;U	SE	54.3	47.8
4	4176	51;V	SW	43.6	37.1
5	4176	51;A	NE	60.3	53.7
5	4176	51;B	SE	60.0	53.5
5	4176	51;C	NE	62.3	55.8
5	4176	51;D	NW	59.7	53.2
5	4176	51;E	NW	58.8	52.3
5	4176	51;F	SW	35.8	29.3
5	4176	51;G	NW	53.9	47.3
5	4176	51;H	SW	34.3	27.8
5	4176	51;I	NW	44.0	37.5
5	4176	51;J	SW	32.9	26.4
5	4176	51;K	NW	32.9	26.4
5	4176	51;L	SW	32.5	26.0
5	4176	51;M	SE	53.4	46.9
5	4176	51;N	NE	56.1	49.6
5	4176	51;O	SE	56.1	49.6
5	4176	51;P	NE	56.6	50.1
5	4176	51;Q	SE	56.0	49.5
5	4176	51;R	NE	57.4	50.9
5	4176	51;S	SE	57.0	50.5
5	4176	51;T	NE	57.2	50.7
5	4176	51;U	SE	54.8	48.3
5	4176	51;V	SW	44.7	38.1
6	4176	51;A	NE	60.3	53.8
6	4176	51;B	SE	60.1	53.6
6	4176	51;C	NE	62.4	55.8
6	4176	51;D	NW	59.8	53.3
6	4176	51;E	NW	58.9	52.4
6	4176	51;F	SW	35.8	29.2
6	4176	51;G	NW	54.4	47.9
6	4176	51;H	SW	34.3	27.8
6	4176	51;I	NW	44.3	37.8
6	4176	51;J	SW	32.9	26.3
6	4176	51;K	NW	33.0	26.5
6	4176	51;L	SW	32.5	26.0
6	4176	51;M	SE	53.9	47.4
6	4176	51;N	NE	56.5	50.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	4176	51;O	SE	56.5	50.0
6	4176	51;P	NE	57.0	50.5
6	4176	51;Q	SE	56.3	49.8
6	4176	51;R	NE	57.7	51.2
6	4176	51;S	SE	57.2	50.7
6	4176	51;T	NE	57.4	50.9
6	4176	51;U	SE	55.0	48.5
6	4176	51;V	SW	43.7	37.2
7	4176	51;A	NE	60.4	53.8
7	4176	51;B	SE	60.1	53.6
7	4176	51;C	NE	62.3	55.8
7	4176	51;D	NW	59.8	53.3
7	4176	51;E	NW	59.0	52.4
7	4176	51;F	SW	35.7	29.2
7	4176	51;G	NW	54.6	48.1
7	4176	51;H	SW	34.3	27.8
7	4176	51;I	NW	44.4	37.9
7	4176	51;J	SW	32.8	26.3
7	4176	51;K	NW	33.5	27.0
7	4176	51;L	SW	32.5	26.0
7	4176	51;M	SE	53.6	47.1
7	4176	51;N	NE	56.4	49.9
7	4176	51;O	SE	56.4	49.9
7	4176	51;P	NE	56.9	50.4
7	4176	51;Q	SE	56.2	49.7
7	4176	51;R	NE	57.7	51.2
7	4176	51;S	SE	57.2	50.7
7	4176	51;T	NE	57.4	50.9
7	4176	51;U	SE	54.9	48.4
7	4176	51;V	SW	43.8	37.3
8	4176	51;A	NE	60.4	53.8
8	4176	51;B	SE	60.1	53.6
8	4176	51;C	NE	62.3	55.8
8	4176	51;D	NW	59.8	53.3
8	4176	51;E	NW	59.0	52.5
8	4176	51;F	SW	35.7	29.2
8	4176	51;G	NW	54.6	48.1
8	4176	51;H	SW	34.3	27.8
8	4176	51;I	NW	44.5	38.0
8	4176	51;J	SW	32.8	26.3
8	4176	51;K	NW	33.6	27.1
8	4176	51;L	SW	32.5	26.0
8	4176	51;M	SE	53.3	46.8
8	4176	51;N	NE	56.3	49.8
8	4176	51;O	SE	56.3	49.8
8	4176	51;P	NE	56.8	50.3
8	4176	51;Q	SE	56.1	49.6
8	4176	51;R	NE	57.7	51.2
8	4176	51;S	SE	57.2	50.7
8	4176	51;T	NE	57.5	50.9
8	4176	51;U	SE	55.0	48.5
8	4176	51;V	SW	43.8	37.3
9	4176	51;A	NE	60.3	53.8
9	4176	51;B	SE	60.1	53.6
9	4176	51;C	NE	62.3	55.8
9	4176	51;D	NW	59.7	53.2
9	4176	51;E	NW	59.0	52.5
9	4176	51;F	SW	35.7	29.2
9	4176	51;G	NW	54.6	48.1
9	4176	51;H	SW	34.3	27.8
9	4176	51;I	NW	44.6	38.0
9	4176	51;J	SW	32.8	26.3
9	4176	51;K	NW	33.8	27.3
9	4176	51;L	SW	32.5	26.0
9	4176	51;M	SE	53.3	46.8
9	4176	51;N	NE	56.3	49.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
9	4176	51;O	SE	56.4	49.9
9	4176	51;P	NE	56.9	50.4
9	4176	51;Q	SE	56.1	49.6
9	4176	51;R	NE	57.7	51.2
9	4176	51;S	SE	57.3	50.8
9	4176	51;T	NE	57.5	51.0
9	4176	51;U	SE	55.0	48.5
9	4176	51;V	SW	43.9	37.4
10	4176	51;A	NE	60.3	53.8
10	4176	51;B	SE	60.1	53.6
10	4176	51;C	NE	62.2	55.7
10	4176	51;D	NW	59.7	53.2
10	4176	51;E	NW	58.9	52.4
10	4176	51;F	SW	35.9	29.4
10	4176	51;G	NW	54.6	48.1
10	4176	51;H	SW	34.3	27.8
10	4176	51;I	NW	44.6	38.1
10	4176	51;J	SW	32.9	26.4
10	4176	51;K	NW	34.1	27.5
10	4176	51;L	SW	32.6	26.1
10	4176	51;M	SE	53.4	46.9
10	4176	51;N	NE	56.4	49.9
10	4176	51;O	SE	56.4	49.9
10	4176	51;P	NE	56.9	50.4
10	4176	51;Q	SE	56.2	49.7
10	4176	51;R	NE	57.7	51.2
10	4176	51;S	SE	57.3	50.8
10	4176	51;T	NE	57.5	51.0
10	4176	51;U	SE	55.1	48.6
10	4176	51;V	SW	43.9	37.4
11	4176	51;A	NE	60.2	53.7
11	4176	51;B	SE	60.0	53.5
11	4176	51;C	NE	62.1	55.6
11	4176	51;D	NW	59.6	53.1
11	4176	51;E	NW	58.9	52.4
11	4176	51;F	SW	36.8	30.3
11	4176	51;G	NW	54.6	48.1
11	4176	51;H	SW	34.8	28.3
11	4176	51;I	NW	44.9	38.4
11	4176	51;J	SW	33.3	26.8
11	4176	51;K	NW	34.6	28.1
11	4176	51;L	SW	33.1	26.6
11	4176	51;M	SE	53.4	46.9
11	4176	51;N	NE	56.4	49.9
11	4176	51;O	SE	56.5	50.0
11	4176	51;P	NE	57.0	50.4
11	4176	51;Q	SE	56.2	49.7
11	4176	51;R	NE	57.8	51.3
11	4176	51;S	SE	57.3	50.8
11	4176	51;T	NE	57.5	51.0
11	4176	51;U	SE	55.1	48.6
11	4176	51;V	SW	44.2	37.7
1	4177	52;A	SW	32.6	26.1
1	4177	52;B	SE	42.5	36.0
1	4177	52;C	SE	48.0	41.5
1	4177	52;D	NE	54.8	48.2
1	4177	52;E	NW	54.2	47.7
1	4177	52;F	NW	50.4	43.9
1	4177	52;G	NW	49.4	42.9
2	4177	52;A	SW	32.7	26.2
2	4177	52;B	SE	45.5	39.0
2	4177	52;C	SE	51.4	44.9
2	4177	52;D	NE	58.1	51.6
2	4177	52;E	NW	57.6	51.1
2	4177	52;F	NW	53.9	47.4
2	4177	52;G	NW	53.0	46.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	4177	52;A	SW	32.8	26.3
3	4177	52;B	SE	47.5	40.9
3	4177	52;C	SE	53.1	46.6
3	4177	52;D	NE	59.8	53.3
3	4177	52;E	NW	59.4	52.9
3	4177	52;F	NW	55.6	49.1
3	4177	52;G	NW	54.5	48.0
4	4177	52;A	SW	33.5	27.0
4	4177	52;B	SE	48.4	41.9
4	4177	52;C	SE	54.0	47.4
4	4177	52;D	NE	60.3	53.7
4	4177	52;E	NW	59.7	53.2
4	4177	52;F	NW	56.5	49.9
4	4177	52;G	NW	55.6	49.1
1	4178	55;A	SW	47.4	40.8
1	4178	55;B	SE	33.3	26.8
1	4178	55;C	NE	37.1	30.5
1	4178	55;D	SE	33.7	27.2
1	4178	55;E	NW	38.1	31.5
1	4178	55;F	NE	34.9	28.4
1	4178	55;G	SE	35.2	28.7
1	4178	55;H	SE	36.2	29.7
1	4178	55;I	SE	37.8	31.3
1	4178	55;J	NE	50.4	43.8
1	4178	55;K	NW	54.8	48.3
1	4178	55;L	NW	55.2	48.7
1	4178	55;M	NW	54.8	48.3
1	4178	55;N	SW	51.1	44.6
1	4178	55;O	NW	51.6	45.1
1	4178	55;P	SW	48.2	41.7
2	4178	55;A	SW	50.5	44.0
2	4178	55;B	SE	33.3	26.8
2	4178	55;C	NE	38.4	31.8
2	4178	55;D	SE	33.8	27.3
2	4178	55;E	NW	39.2	32.6
2	4178	55;F	NE	35.2	28.7
2	4178	55;G	SE	35.3	28.8
2	4178	55;H	SE	36.8	30.3
2	4178	55;I	SE	39.5	33.0
2	4178	55;J	NE	53.7	47.2
2	4178	55;K	NW	58.1	51.6
2	4178	55;L	NW	58.4	51.9
2	4178	55;M	NW	58.1	51.6
2	4178	55;N	SW	54.7	48.2
2	4178	55;O	NW	55.1	48.5
2	4178	55;P	SW	51.6	45.1
3	4178	55;A	SW	52.3	45.8
3	4178	55;B	SE	33.5	27.0
3	4178	55;C	NE	40.3	33.7
3	4178	55;D	SE	34.0	27.5
3	4178	55;E	NW	41.1	34.5
3	4178	55;F	NE	36.0	29.5
3	4178	55;G	SE	35.6	29.1
3	4178	55;H	SE	37.5	31.0
3	4178	55;I	SE	40.7	34.2
3	4178	55;J	NE	55.4	48.9
3	4178	55;K	NW	59.5	53.0
3	4178	55;L	NW	59.6	53.1
3	4178	55;M	NW	59.3	52.8
3	4178	55;N	SW	56.4	49.9
3	4178	55;O	NW	56.6	50.1
3	4178	55;P	SW	53.2	46.7
4	4178	55;A	SW	53.4	46.8
4	4178	55;B	SE	34.6	28.1
4	4178	55;C	NE	42.0	35.4
4	4178	55;D	SE	35.0	28.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	4178	55;E	NW	43.3	36.8
4	4178	55;F	NE	38.7	32.2
4	4178	55;G	SE	36.8	30.3
4	4178	55;H	SE	38.6	32.1
4	4178	55;I	SE	41.9	35.4
4	4178	55;J	NE	56.8	50.3
4	4178	55;K	NW	60.8	54.3
4	4178	55;L	NW	60.5	54.0
4	4178	55;M	NW	59.8	53.3
4	4178	55;N	SW	57.2	50.7
4	4178	55;O	NW	57.3	50.8
4	4178	55;P	SW	54.1	47.6
1	4179	56;A	SE	36.6	30.0
1	4179	56;B	NW	50.3	43.7
1	4179	56;C	NE	47.6	41.0
1	4179	56;D	NE	53.2	46.7
1	4179	56;E	NW	54.1	47.6
1	4179	56;F	SW	50.3	43.8
1	4179	56;G	SW	48.6	42.1
1	4179	56;H	SW	45.5	39.0
1	4179	56;I	SW	45.7	39.2
1	4179	56;J	NW	44.2	37.7
1	4179	56;K	SW	34.9	28.4
1	4179	56;L	SE	34.0	27.5
1	4179	56;M	E	36.8	30.2
1	4179	56;N	SE	35.2	28.7
1	4179	56;O	NE	45.7	39.1
1	4179	56;P	NE	43.8	37.2
2	4179	56;A	SE	37.3	30.7
2	4179	56;B	NW	53.7	47.2
2	4179	56;C	NE	51.2	44.7
2	4179	56;D	NE	56.2	49.7
2	4179	56;E	NW	57.3	50.8
2	4179	56;F	SW	53.7	47.2
2	4179	56;G	SW	52.3	45.7
2	4179	56;H	SW	49.0	42.5
2	4179	56;I	SW	49.2	42.7
2	4179	56;J	NW	47.7	41.2
2	4179	56;K	SW	36.4	29.9
2	4179	56;L	SE	34.3	27.8
2	4179	56;M	E	37.7	31.1
2	4179	56;N	SE	35.7	29.1
2	4179	56;O	NE	48.8	42.2
2	4179	56;P	NE	46.5	39.9
3	4179	56;A	SE	38.4	31.8
3	4179	56;B	NW	55.3	48.7
3	4179	56;C	NE	52.8	46.2
3	4179	56;D	NE	57.4	50.8
3	4179	56;E	NW	58.8	52.3
3	4179	56;F	SW	55.5	49.0
3	4179	56;G	SW	53.9	47.3
3	4179	56;H	SW	50.6	44.1
3	4179	56;I	SW	50.7	44.2
3	4179	56;J	NW	49.2	42.7
3	4179	56;K	SW	37.8	31.2
3	4179	56;L	SE	34.9	28.4
3	4179	56;M	E	39.2	32.6
3	4179	56;N	SE	36.5	30.0
3	4179	56;O	NE	50.5	43.9
3	4179	56;P	NE	48.4	41.7
4	4179	56;A	SE	39.8	33.2
4	4179	56;B	NW	56.0	49.4
4	4179	56;C	NE	53.7	47.1
4	4179	56;D	NE	57.7	51.1
4	4179	56;E	NW	59.7	53.1
4	4179	56;F	SW	56.5	50.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	4179	56;G	SW	54.9	48.4
4	4179	56;H	SW	51.8	45.3
4	4179	56;I	SW	51.9	45.4
4	4179	56;J	NW	50.5	44.0
4	4179	56;K	SW	39.7	33.2
4	4179	56;L	SE	35.9	29.4
4	4179	56;M	E	40.8	34.2
4	4179	56;N	SE	37.8	31.2
4	4179	56;O	NE	51.6	45.0
4	4179	56;P	NE	49.5	42.9
1	4181	;A	NW	48.8	42.2
1	4181	;B	NW	45.3	38.8
1	4181	;C	SW	38.5	31.9
1	4181	;D	SW	37.1	30.5
1	4181	;E	NW	35.1	28.6
1	4181	;F	SW	35.9	29.4
1	4181	;G	SE	30.3	23.8
1	4181	;H	SW	31.0	24.4
1	4181	;I	SW	35.9	29.4
1	4181	;J	SE	33.1	26.6
1	4181	;K	SW	30.1	23.6
1	4181	;L	SE	45.3	38.8
1	4181	;M	NE	51.3	44.7
1	4181	;N	NW	50.3	43.8
1	4181	;O	NW	50.3	43.8
1	4181	;P	NE	49.8	43.2
1	4181	;Q	NE	50.7	44.2
1	4181	;R	NE	51.0	44.5
1	4184	;A	SW	30.2	23.8
1	4184	;B	SW	30.9	24.4
1	4184	;C	NW	30.9	24.4
1	4184	;D	NW	30.9	24.5
1	4184	;E	SW	29.6	23.1
1	4184	;F	SW	30.8	24.3
1	4184	;M	NE	32.7	26.1
1	4184	;N	NE	32.0	25.4
1	4184	;O	NE	30.4	23.9
1	4184	;P	NW	29.6	23.1
1	4184	;Q	NW	29.7	23.3
1	4185	27;B	N	48.0	41.4
1	4185	27;C	N	47.4	40.8
1	4185	27;D	N	46.1	39.4
1	4185	27;E	N	46.0	39.3
1	4185	27;F	N	44.6	37.9
1	4185	27;G	W	38.9	32.3
1	4185	27;H	S	38.1	31.5
1	4185	27;I	S	36.9	30.3
1	4185	27;J	S	33.0	26.4
1	4185	27;K	W	33.4	26.8
1	4185	27;L	W	33.3	26.7
1	4185	27;M	W	33.4	26.8
1	4185	27;N	W	33.8	27.2
1	4185	27;O	S	50.9	44.3
1	4185	27;P	E	54.8	48.2
1	4185	27;Q	E	54.6	48.0
1	4185	27;R	E	53.9	47.3
1	4185	27;S	E	54.3	47.7
1	4185	27;T	N	50.2	43.5
1	4185	27;U	N	48.3	41.7
1	4185	27;V	N	48.0	41.4
1	4185	27;W	N	47.4	40.8
1	4185	27;X	N	46.1	39.4
1	4185	27;Y	N	46.0	39.3
2	4185	27;B	N	51.1	44.5
2	4185	27;C	N	50.6	44.0
2	4185	27;D	N	49.3	42.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	4185	27;E	N	49.2	42.5
2	4185	27;F	N	47.7	41.0
2	4185	27;G	W	41.5	34.9
2	4185	27;H	S	41.6	35.0
2	4185	27;I	S	39.9	33.4
2	4185	27;J	S	33.1	26.5
2	4185	27;K	W	33.5	26.9
2	4185	27;L	W	33.4	26.8
2	4185	27;M	W	33.5	26.9
2	4185	27;N	W	33.9	27.3
2	4185	27;O	S	53.9	47.3
2	4185	27;P	E	57.7	51.1
2	4185	27;Q	E	57.6	51.0
2	4185	27;R	E	56.9	50.3
2	4185	27;S	E	57.2	50.6
2	4185	27;T	N	53.1	46.5
2	4185	27;U	N	51.4	44.8
2	4185	27;V	N	51.1	44.5
2	4185	27;W	N	50.6	44.0
2	4185	27;X	N	49.3	42.7
2	4185	27;Y	N	49.2	42.5
3	4185	27;B	N	52.5	45.9
3	4185	27;C	N	52.1	45.4
3	4185	27;D	N	50.7	44.1
3	4185	27;E	N	50.6	44.0
3	4185	27;F	N	49.1	42.5
3	4185	27;G	W	43.0	36.4
3	4185	27;H	S	43.2	36.6
3	4185	27;I	S	41.5	35.0
3	4185	27;J	S	33.2	26.6
3	4185	27;K	W	33.6	27.0
3	4185	27;L	W	33.5	26.9
3	4185	27;M	W	33.7	27.1
3	4185	27;N	W	34.1	27.5
3	4185	27;O	S	55.0	48.4
3	4185	27;P	E	58.5	51.9
3	4185	27;Q	E	58.4	51.8
3	4185	27;R	E	57.7	51.1
3	4185	27;S	E	58.1	51.5
3	4185	27;T	N	54.1	47.4
3	4185	27;U	N	52.7	46.0
3	4185	27;V	N	52.5	45.9
3	4185	27;W	N	52.1	45.4
3	4185	27;X	N	50.7	44.1
3	4185	27;Y	N	50.6	44.0
4	4185	27;B	N	52.9	46.3
4	4185	27;C	N	52.6	45.9
4	4185	27;D	N	51.4	44.8
4	4185	27;E	N	51.4	44.8
4	4185	27;F	N	50.1	43.4
4	4185	27;G	W	43.9	37.2
4	4185	27;H	S	44.2	37.7
4	4185	27;I	S	42.6	36.0
4	4185	27;J	S	33.7	27.1
4	4185	27;K	W	33.9	27.3
4	4185	27;L	W	33.8	27.2
4	4185	27;M	W	34.0	27.5
4	4185	27;N	W	34.6	28.0
4	4185	27;O	S	55.4	48.8
4	4185	27;P	E	58.8	52.2
4	4185	27;Q	E	58.7	52.1
4	4185	27;R	E	57.9	51.3
4	4185	27;S	E	58.4	51.8
4	4185	27;T	N	54.3	47.7
4	4185	27;U	N	53.0	46.4
4	4185	27;V	N	52.9	46.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	4185	27;W	N	52.6	45.9
4	4185	27;X	N	51.4	44.8
4	4185	27;Y	N	51.4	44.8
5	4185	27;B	N	53.1	46.5
5	4185	27;C	N	52.8	46.2
5	4185	27;D	N	51.7	45.1
5	4185	27;E	N	51.7	45.1
5	4185	27;F	N	50.5	43.8
5	4185	27;G	W	44.6	37.9
5	4185	27;H	S	44.8	38.2
5	4185	27;I	S	43.4	36.8
5	4185	27;J	S	36.1	29.5
5	4185	27;K	W	35.0	28.4
5	4185	27;L	W	34.9	28.3
5	4185	27;M	W	35.3	28.7
5	4185	27;N	W	36.0	29.5
5	4185	27;O	S	55.7	49.1
5	4185	27;P	E	59.0	52.4
5	4185	27;Q	E	58.8	52.3
5	4185	27;R	E	58.0	51.4
5	4185	27;S	E	58.6	52.0
5	4185	27;T	N	54.5	47.9
5	4185	27;U	N	53.2	46.6
5	4185	27;V	N	53.1	46.5
5	4185	27;W	N	52.8	46.2
5	4185	27;X	N	51.7	45.1
5	4185	27;Y	N	51.7	45.1
1	4186	29;A	E	40.2	33.5
1	4186	29;B	N	44.1	37.4
1	4186	29;C	N	44.1	37.4
1	4186	29;D	N	43.3	36.6
1	4186	29;E	N	43.4	36.8
1	4186	29;F	N	42.8	36.2
1	4186	29;G	N	43.3	36.6
1	4186	29;H	N	43.2	36.6
1	4186	29;I	E	42.6	35.9
1	4186	29;J	E	42.7	36.0
1	4186	29;K	E	42.7	36.0
1	4186	29;L	E	42.8	36.1
1	4186	29;M	E	42.9	36.2
1	4186	29;N	N	40.5	33.8
1	4186	29;O	W	27.2	20.6
1	4186	29;P	W	27.2	20.6
1	4186	29;Q	W	27.3	20.7
1	4186	29;R	W	27.2	20.6
1	4186	29;S	W	27.2	20.6
1	4186	29;T	W	27.2	20.6
1	4186	29;U	W	27.1	20.5
1	4186	29;V	S	29.3	22.7
1	4186	29;W	S	28.0	21.4
1	4186	29;X	W	27.9	21.3
1	4186	29;Y	S	35.4	28.8
1	4186	29;Z	S	36.3	29.7
1	4186	29;AA	S	37.3	30.7
2	4186	29;A	E	42.8	36.1
2	4186	29;B	N	47.0	40.3
2	4186	29;C	N	46.9	40.3
2	4186	29;D	N	45.9	39.3
2	4186	29;E	N	46.0	39.4
2	4186	29;F	N	45.3	38.6
2	4186	29;G	N	45.7	39.0
2	4186	29;H	N	45.4	38.8
2	4186	29;I	E	44.7	38.0
2	4186	29;J	E	44.9	38.3
2	4186	29;K	E	44.9	38.3
2	4186	29;L	E	45.0	38.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	4186	29;M	E	45.2	38.5
2	4186	29;N	N	42.4	35.7
2	4186	29;O	W	27.2	20.6
2	4186	29;P	W	27.2	20.6
2	4186	29;Q	W	27.3	20.7
2	4186	29;R	W	27.2	20.6
2	4186	29;S	W	27.3	20.6
2	4186	29;T	W	27.2	20.6
2	4186	29;U	W	27.1	20.5
2	4186	29;V	S	30.2	23.6
2	4186	29;W	S	28.1	21.5
2	4186	29;X	W	27.9	21.3
2	4186	29;Y	S	37.8	31.2
2	4186	29;Z	S	38.9	32.3
2	4186	29;AA	S	40.3	33.7
3	4186	29;A	E	44.7	38.0
3	4186	29;B	N	48.6	42.0
3	4186	29;C	N	48.6	41.9
3	4186	29;D	N	47.6	41.0
3	4186	29;E	N	47.8	41.2
3	4186	29;F	N	47.1	40.4
3	4186	29;G	N	47.5	40.9
3	4186	29;H	N	47.3	40.7
3	4186	29;I	E	46.6	39.9
3	4186	29;J	E	46.8	40.2
3	4186	29;K	E	46.8	40.2
3	4186	29;L	E	46.9	40.3
3	4186	29;M	E	47.1	40.4
3	4186	29;N	N	44.2	37.5
3	4186	29;O	W	27.3	20.6
3	4186	29;P	W	27.3	20.6
3	4186	29;Q	W	27.3	20.7
3	4186	29;R	W	27.3	20.7
3	4186	29;S	W	27.3	20.7
3	4186	29;T	W	27.3	20.6
3	4186	29;U	W	27.1	20.5
3	4186	29;V	S	31.1	24.5
3	4186	29;W	S	28.3	21.6
3	4186	29;X	W	27.9	21.3
3	4186	29;Y	S	39.2	32.6
3	4186	29;Z	S	40.4	33.8
3	4186	29;AA	S	41.7	35.2
4	4186	29;A	E	45.8	39.1
4	4186	29;B	N	49.6	43.0
4	4186	29;C	N	49.6	42.9
4	4186	29;D	N	48.6	42.0
4	4186	29;E	N	48.8	42.2
4	4186	29;F	N	48.1	41.4
4	4186	29;G	N	48.5	41.9
4	4186	29;H	N	48.3	41.7
4	4186	29;I	E	47.6	41.0
4	4186	29;J	E	47.8	41.2
4	4186	29;K	E	47.8	41.2
4	4186	29;L	E	47.9	41.3
4	4186	29;M	E	48.1	41.4
4	4186	29;N	N	45.3	38.6
4	4186	29;O	W	27.5	20.8
4	4186	29;P	W	27.4	20.8
4	4186	29;Q	W	27.5	20.9
4	4186	29;R	W	27.4	20.8
4	4186	29;S	W	27.4	20.8
4	4186	29;T	W	27.4	20.8
4	4186	29;U	W	27.3	20.7
4	4186	29;V	S	32.1	25.5
4	4186	29;W	S	28.7	22.1
4	4186	29;X	W	28.0	21.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	4186	29;Y	S	40.1	33.5
4	4186	29;Z	S	41.3	34.7
4	4186	29;AA	S	42.8	36.3
5	4186	29;A	E	46.7	40.0
5	4186	29;B	N	50.1	43.5
5	4186	29;C	N	50.2	43.5
5	4186	29;D	N	49.3	42.7
5	4186	29;E	N	49.6	42.9
5	4186	29;F	N	48.9	42.2
5	4186	29;G	N	49.3	42.6
5	4186	29;H	N	49.1	42.4
5	4186	29;I	E	48.4	41.7
5	4186	29;J	E	48.6	41.9
5	4186	29;K	E	48.6	42.0
5	4186	29;L	E	48.7	42.1
5	4186	29;M	E	48.8	42.2
5	4186	29;N	N	46.0	39.3
5	4186	29;O	W	28.5	21.9
5	4186	29;P	W	28.3	21.7
5	4186	29;Q	W	28.3	21.7
5	4186	29;R	W	28.2	21.6
5	4186	29;S	W	28.2	21.6
5	4186	29;T	W	28.2	21.6
5	4186	29;U	W	28.0	21.4
5	4186	29;V	S	33.8	27.2
5	4186	29;W	S	30.4	23.8
5	4186	29;X	W	28.7	22.1
5	4186	29;Y	S	41.0	34.4
5	4186	29;Z	S	42.2	35.6
5	4186	29;AA	S	43.6	37.0
1	4189	49;B	SW	36.7	30.2
1	4189	49;C	NW	36.7	30.2
1	4189	49;D	SW	36.6	30.1
1	4189	49;E	SE	52.1	45.6
1	4189	49;F	NE	55.2	48.6
1	4189	49;G	SE	54.9	48.3
1	4189	49;H	NE	56.2	49.7
2	4189	49;B	SW	36.7	30.2
2	4189	49;C	NW	36.7	30.2
2	4189	49;D	SW	36.6	30.1
2	4189	49;E	SE	55.5	49.0
2	4189	49;F	NE	58.4	51.9
2	4189	49;G	SE	58.1	51.6
2	4189	49;H	NE	59.4	52.9
3	4189	49;B	SW	36.7	30.2
3	4189	49;C	NW	36.7	30.2
3	4189	49;D	SW	36.6	30.1
3	4189	49;E	SE	56.9	50.4
3	4189	49;F	NE	59.8	53.3
3	4189	49;G	SE	59.5	53.0
3	4189	49;H	NE	60.6	54.1
4	4189	49;B	SW	36.7	30.2
4	4189	49;C	NW	36.6	30.1
4	4189	49;D	SW	36.6	30.0
4	4189	49;E	SE	57.5	50.9
4	4189	49;F	NE	60.5	54.0
4	4189	49;G	SE	60.3	53.8
4	4189	49;H	NE	61.5	55.0
5	4189	49;B	SW	36.7	30.2
5	4189	49;C	NW	36.6	30.1
5	4189	49;D	SW	36.5	30.0
5	4189	49;E	SE	57.9	51.4
5	4189	49;F	NE	61.1	54.6
5	4189	49;G	SE	60.7	54.2
5	4189	49;H	NE	61.8	55.3
6	4189	49;B	SW	36.6	30.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	4189	49;C	NW	36.6	30.1
6	4189	49;D	SW	36.5	30.0
6	4189	49;E	SE	58.0	51.5
6	4189	49;F	NE	61.2	54.7
6	4189	49;G	SE	60.8	54.3
6	4189	49;H	NE	61.9	55.4
7	4189	49;B	SW	36.6	30.1
7	4189	49;C	NW	36.6	30.1
7	4189	49;D	SW	36.5	30.0
7	4189	49;E	SE	58.1	51.6
7	4189	49;F	NE	61.3	54.8
7	4189	49;G	SE	60.9	54.4
7	4189	49;H	NE	61.9	55.4
8	4189	49;B	SW	36.6	30.1
8	4189	49;C	NW	36.6	30.1
8	4189	49;D	SW	36.5	30.0
8	4189	49;E	SE	58.1	51.6
8	4189	49;F	NE	61.3	54.8
8	4189	49;G	SE	60.9	54.4
8	4189	49;H	NE	62.0	55.5
9	4189	49;B	SW	36.7	30.2
9	4189	49;C	NW	36.8	30.2
9	4189	49;D	SW	36.6	30.1
9	4189	49;E	SE	58.1	51.6
9	4189	49;F	NE	61.3	54.8
9	4189	49;G	SE	60.9	54.4
9	4189	49;H	NE	62.0	55.5
10	4189	49;B	SW	37.3	30.8
10	4189	49;C	NW	37.7	31.2
10	4189	49;D	SW	37.2	30.7
10	4189	49;E	SE	58.1	51.6
10	4189	49;F	NE	61.3	54.8
10	4189	49;G	SE	60.9	54.4
10	4189	49;H	NE	61.9	55.4
1	4190	37;A	SW	35.7	29.2
1	4190	37;B	SW	35.6	29.1
1	4190	37;C	SW	35.7	29.2
1	4190	37;D	NW	35.6	29.1
1	4190	37;E	NW	35.3	28.8
1	4190	37;F	NW	35.0	28.5
1	4190	37;G	SW	34.1	27.6
1	4190	37;H	SW	34.0	27.5
1	4190	37;I	SE	49.4	42.9
1	4190	37;J	NE	52.9	46.3
1	4190	37;K	SE	53.7	47.2
1	4190	37;L	NE	55.0	48.5
1	4190	37;M	NE	56.1	49.6
1	4190	37;N	NE	56.3	49.8
1	4190	37;O	NE	56.8	50.3
1	4190	37;P	NE	56.3	49.8
1	4190	37;Q	NE	56.5	50.0
1	4190	37;R	NE	55.7	49.2
1	4190	37;S	NW	51.7	45.2
1	4190	37;T	NW	49.7	43.1
1	4190	37;U	SW	35.6	29.1
1	4190	37;V	SW	35.7	29.2
1	4190	37;W	SW	35.6	29.1
2	4190	37;A	SW	35.8	29.3
2	4190	37;B	SW	35.7	29.2
2	4190	37;C	SW	35.8	29.3
2	4190	37;D	NW	35.8	29.3
2	4190	37;E	NW	35.7	29.2
2	4190	37;F	NW	35.5	29.0
2	4190	37;G	SW	34.1	27.6
2	4190	37;H	SW	34.1	27.6
2	4190	37;I	SE	52.9	46.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	4190	37;J	NE	56.2	49.7
2	4190	37;K	SE	57.0	50.5
2	4190	37;L	NE	58.6	52.1
2	4190	37;M	NE	59.4	52.9
2	4190	37;N	NE	59.5	53.0
2	4190	37;O	NE	59.9	53.4
2	4190	37;P	NE	59.5	53.0
2	4190	37;Q	NE	59.7	53.2
2	4190	37;R	NE	59.0	52.5
2	4190	37;S	NW	55.3	48.8
2	4190	37;T	NW	53.4	46.9
2	4190	37;U	SW	35.6	29.1
2	4190	37;V	SW	35.8	29.3
2	4190	37;W	SW	35.6	29.1
3	4190	37;A	SW	36.0	29.5
3	4190	37;B	SW	35.8	29.3
3	4190	37;C	SW	36.0	29.5
3	4190	37;D	NW	36.2	29.7
3	4190	37;E	NW	36.4	29.9
3	4190	37;F	NW	36.5	30.0
3	4190	37;G	SW	34.3	27.8
3	4190	37;H	SW	34.3	27.8
3	4190	37;I	SE	54.4	47.9
3	4190	37;J	NE	57.7	51.2
3	4190	37;K	SE	58.4	51.9
3	4190	37;L	NE	60.6	54.1
3	4190	37;M	NE	60.9	54.4
3	4190	37;N	NE	60.5	54.0
3	4190	37;O	NE	60.9	54.4
3	4190	37;P	NE	60.6	54.1
3	4190	37;Q	NE	60.9	54.4
3	4190	37;R	NE	60.4	53.9
3	4190	37;S	NW	57.4	50.9
3	4190	37;T	NW	55.7	49.1
3	4190	37;U	SW	35.8	29.3
3	4190	37;V	SW	35.9	29.4
3	4190	37;W	SW	35.8	29.3
4	4190	37;A	SW	37.0	30.5
4	4190	37;B	SW	36.8	30.3
4	4190	37;C	SW	37.2	30.7
4	4190	37;D	NW	38.5	31.9
4	4190	37;E	NW	39.1	32.6
4	4190	37;F	NW	38.6	32.1
4	4190	37;G	SW	35.1	28.6
4	4190	37;H	SW	35.5	29.0
4	4190	37;I	SE	56.0	49.5
4	4190	37;J	NE	58.6	52.1
4	4190	37;K	SE	58.9	52.4
4	4190	37;L	NE	61.0	54.5
4	4190	37;M	NE	61.2	54.7
4	4190	37;N	NE	60.8	54.3
4	4190	37;O	NE	61.2	54.7
4	4190	37;P	NE	60.9	54.4
4	4190	37;Q	NE	61.2	54.7
4	4190	37;R	NE	60.7	54.2
4	4190	37;S	NW	57.8	51.3
4	4190	37;T	NW	56.5	50.0
4	4190	37;U	SW	36.8	30.3
4	4190	37;V	SW	37.0	30.5
4	4190	37;W	SW	36.7	30.2
1	4191	39;A	SW	36.8	30.3
1	4191	39;B	SW	35.8	29.3
1	4191	39;C	SW	36.0	29.5
1	4191	39;D	SW	36.1	29.6
1	4191	39;E	SW	36.5	30.0
1	4191	39;F	SW	36.5	30.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4191	39;G	SE	48.3	41.8
1	4191	39;H	SE	52.7	46.2
1	4191	39;I	NE	56.6	50.1
1	4191	39;J	NE	56.7	50.2
1	4191	39;K	NE	56.1	49.6
1	4191	39;L	NE	56.8	50.3
1	4191	39;M	NE	56.6	50.0
1	4191	39;N	NE	56.8	50.3
1	4191	39;O	NE	56.3	49.8
1	4191	39;P	NE	56.7	50.2
1	4191	39;Q	NE	56.1	49.6
1	4191	39;R	NW	52.5	46.0
2	4191	39;A	SW	38.5	32.0
2	4191	39;B	SW	35.9	29.4
2	4191	39;C	SW	36.1	29.6
2	4191	39;D	SW	36.1	29.6
2	4191	39;E	SW	36.5	30.0
2	4191	39;F	SW	36.4	29.9
2	4191	39;G	SE	51.9	45.4
2	4191	39;H	SE	55.8	49.3
2	4191	39;I	NE	59.6	53.1
2	4191	39;J	NE	59.8	53.3
2	4191	39;K	NE	59.2	52.6
2	4191	39;L	NE	59.9	53.4
2	4191	39;M	NE	59.7	53.2
2	4191	39;N	NE	59.9	53.4
2	4191	39;O	NE	59.5	53.0
2	4191	39;P	NE	59.8	53.3
2	4191	39;Q	NE	59.2	52.7
2	4191	39;R	NW	55.8	49.2
3	4191	39;A	SW	39.6	33.1
3	4191	39;B	SW	36.0	29.5
3	4191	39;C	SW	36.2	29.7
3	4191	39;D	SW	36.3	29.8
3	4191	39;E	SW	36.6	30.1
3	4191	39;F	SW	36.5	30.0
3	4191	39;G	SE	53.2	46.7
3	4191	39;H	SE	56.7	50.2
3	4191	39;I	NE	60.5	54.0
3	4191	39;J	NE	60.7	54.2
3	4191	39;K	NE	60.0	53.5
3	4191	39;L	NE	60.8	54.3
3	4191	39;M	NE	60.6	54.1
3	4191	39;N	NE	60.8	54.3
3	4191	39;O	NE	60.4	53.9
3	4191	39;P	NE	60.7	54.2
3	4191	39;Q	NE	60.2	53.7
3	4191	39;R	NW	56.9	50.4
4	4191	39;A	SW	41.2	34.6
4	4191	39;B	SW	37.0	30.5
4	4191	39;C	SW	37.2	30.7
4	4191	39;D	SW	37.1	30.6
4	4191	39;E	SW	37.4	30.9
4	4191	39;F	SW	37.2	30.7
4	4191	39;G	SE	53.7	47.2
4	4191	39;H	SE	57.0	50.5
4	4191	39;I	NE	60.8	54.3
4	4191	39;J	NE	61.0	54.5
4	4191	39;K	NE	60.2	53.7
4	4191	39;L	NE	61.1	54.6
4	4191	39;M	NE	61.0	54.5
4	4191	39;N	NE	61.2	54.7
4	4191	39;O	NE	60.7	54.2
4	4191	39;P	NE	61.1	54.6
4	4191	39;Q	NE	60.6	54.1
4	4191	39;R	NW	57.6	51.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4192	42;A	SE	37.3	30.8
1	4192	42;B	NE	37.7	31.2
1	4192	42;C	SE	37.9	31.4
1	4192	42;D	NE	47.1	40.6
1	4192	42;E	NW	49.6	43.1
1	4192	42;F	NE	48.6	42.1
1	4192	42;G	NW	44.4	37.9
1	4192	42;H	SW	36.4	29.9
2	4192	42;A	SE	37.6	31.0
2	4192	42;B	NE	37.8	31.3
2	4192	42;C	SE	38.0	31.5
2	4192	42;D	NE	50.5	44.0
2	4192	42;E	NW	52.9	46.3
2	4192	42;F	NE	51.7	45.2
2	4192	42;G	NW	47.5	41.0
2	4192	42;H	SW	36.4	29.9
3	4192	42;A	SE	37.8	31.2
3	4192	42;B	NE	38.0	31.5
3	4192	42;C	SE	38.1	31.6
3	4192	42;D	NE	51.8	45.3
3	4192	42;E	NW	54.1	47.6
3	4192	42;F	NE	52.9	46.4
3	4192	42;G	NW	48.8	42.3
3	4192	42;H	SW	35.7	29.2
4	4192	42;A	SE	38.5	32.0
4	4192	42;B	NE	38.3	31.8
4	4192	42;C	SE	38.4	31.9
4	4192	42;D	NE	52.1	45.6
4	4192	42;E	NW	54.4	47.9
4	4192	42;F	NE	53.2	46.7
4	4192	42;G	NW	49.2	42.7
4	4192	42;H	SW	35.5	29.0
5	4192	42;A	SE	42.4	35.9
5	4192	42;B	NE	39.0	32.5
5	4192	42;C	SE	38.9	32.4
5	4192	42;D	NE	52.3	45.8
5	4192	42;E	NW	54.5	48.0
5	4192	42;F	NE	53.4	46.9
5	4192	42;G	NW	49.4	42.9
5	4192	42;H	SW	36.7	30.2
6	4192	42;A	SE	38.7	32.2
6	4192	42;B	NE	40.9	34.4
6	4192	42;C	SE	40.2	33.7
6	4192	42;D	NE	52.5	46.0
6	4192	42;E	NW	54.6	48.1
6	4192	42;F	NE	53.5	47.0
6	4192	42;G	NW	49.6	43.1
6	4192	42;H	SW	35.4	28.9
1	4193	50;A	NE	56.3	49.8
1	4193	50;B	NE	56.8	50.3
1	4193	50;C	NE	57.1	50.6
1	4193	50;D	NW	53.4	46.9
1	4193	50;E	SW	37.4	30.9
1	4193	50;F	SW	36.9	30.4
1	4193	50;G	SW	36.7	30.2
2	4193	50;A	NE	59.4	52.9
2	4193	50;B	NE	60.0	53.4
2	4193	50;C	NE	60.2	53.7
2	4193	50;D	NW	56.5	50.0
2	4193	50;E	SW	37.4	30.9
2	4193	50;F	SW	36.9	30.4
2	4193	50;G	SW	36.7	30.2
3	4193	50;A	NE	60.6	54.1
3	4193	50;B	NE	61.0	54.5
3	4193	50;C	NE	61.3	54.7
3	4193	50;D	NW	57.6	51.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	4193	50;E	SW	37.3	30.8
3	4193	50;F	SW	36.8	30.3
3	4193	50;G	SW	36.7	30.2
4	4193	50;A	NE	61.4	54.8
4	4193	50;B	NE	61.8	55.3
4	4193	50;C	NE	61.9	55.4
4	4193	50;D	NW	57.9	51.4
4	4193	50;E	SW	37.3	30.8
4	4193	50;F	SW	36.8	30.3
4	4193	50;G	SW	36.7	30.2
5	4193	50;A	NE	61.6	55.1
5	4193	50;B	NE	62.0	55.5
5	4193	50;C	NE	62.1	55.6
5	4193	50;D	NW	58.1	51.6
5	4193	50;E	SW	37.3	30.8
5	4193	50;F	SW	36.8	30.3
5	4193	50;G	SW	36.6	30.1
6	4193	50;A	NE	61.7	55.1
6	4193	50;B	NE	62.1	55.6
6	4193	50;C	NE	62.2	55.7
6	4193	50;D	NW	58.1	51.6
6	4193	50;E	SW	37.3	30.8
6	4193	50;F	SW	36.7	30.2
6	4193	50;G	SW	36.6	30.1
7	4193	50;A	NE	61.7	55.2
7	4193	50;B	NE	62.1	55.6
7	4193	50;C	NE	62.2	55.7
7	4193	50;D	NW	58.1	51.6
7	4193	50;E	SW	37.2	30.7
7	4193	50;F	SW	36.7	30.2
7	4193	50;G	SW	36.6	30.0
8	4193	50;A	NE	61.7	55.1
8	4193	50;B	NE	62.1	55.6
8	4193	50;C	NE	62.2	55.7
8	4193	50;D	NW	58.1	51.6
8	4193	50;E	SW	37.2	30.7
8	4193	50;F	SW	36.7	30.2
8	4193	50;G	SW	36.5	30.0
9	4193	50;A	NE	61.6	55.1
9	4193	50;B	NE	62.0	55.5
9	4193	50;C	NE	62.2	55.7
9	4193	50;D	NW	58.1	51.6
9	4193	50;E	SW	37.3	30.8
9	4193	50;F	SW	36.7	30.2
9	4193	50;G	SW	36.6	30.1
10	4193	50;A	NE	61.6	55.1
10	4193	50;B	NE	62.0	55.5
10	4193	50;C	NE	62.1	55.6
10	4193	50;D	NW	58.0	51.5
10	4193	50;E	SW	37.9	31.4
10	4193	50;F	SW	37.3	30.8
10	4193	50;G	SW	37.1	30.6
1	4196	;A	SW	37.3	30.7
1	4196	;B	SE	42.7	36.2
1	4196	;C	NE	46.9	40.4
1	4196	;D	SE	46.3	39.8
1	4196	;E	NE	49.5	43.0
1	4196	;F	NW	49.6	43.1
1	4196	;G	NW	48.1	41.5
1	4196	;H	SW	41.1	34.4
1	4197	;A	SW	33.7	27.2
1	4197	;B	SE	46.3	39.8
1	4197	;C	NE	52.7	46.2
1	4197	;D	NE	52.8	46.3
1	4197	;E	NW	49.4	42.9
1	4197	;F	NW	48.5	41.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4197	;G	NW	44.1	37.6
1	4198	;A	SW	30.4	23.8
1	4198	;B	SE	42.5	36.0
1	4198	;C	NE	46.5	40.0
1	4198	;D	NW	38.0	31.5
1	4199	24;A	N	44.2	37.7
1	4199	24;B	W	48.5	41.9
1	4199	24;C	S	44.7	38.0
1	4199	24;D	E	29.6	23.0
2	4199	24;A	N	46.7	40.2
2	4199	24;B	W	51.1	44.5
2	4199	24;C	S	47.2	40.5
2	4199	24;D	E	29.7	23.1
3	4199	24;A	N	48.0	41.5
3	4199	24;B	W	52.5	45.8
3	4199	24;C	S	48.6	41.9
3	4199	24;D	E	29.8	23.2
4	4199	24;A	N	48.9	42.4
4	4199	24;B	W	53.2	46.6
4	4199	24;C	S	49.5	42.8
4	4199	24;D	E	30.0	23.4
5	4199	24;A	N	49.3	42.8
5	4199	24;B	W	53.6	46.9
5	4199	24;C	S	49.9	43.2
5	4199	24;D	E	30.4	23.8
6	4199	24;A	N	49.5	43.1
6	4199	24;B	W	53.8	47.2
6	4199	24;C	S	50.2	43.5
6	4199	24;D	E	30.8	24.3
7	4199	24;A	N	49.7	43.2
7	4199	24;B	W	54.0	47.3
7	4199	24;C	S	50.3	43.7
7	4199	24;D	E	31.7	25.1
1	4200	25;A	N	44.6	38.0
1	4200	25;B	W	48.6	41.9
1	4200	25;C	S	44.5	37.8
1	4200	25;D	E	29.8	23.2
2	4200	25;A	N	47.1	40.5
2	4200	25;B	W	51.2	44.5
2	4200	25;C	S	47.1	40.4
2	4200	25;D	E	29.9	23.3
3	4200	25;A	N	48.5	41.8
3	4200	25;B	W	52.6	45.9
3	4200	25;C	S	48.8	42.1
3	4200	25;D	E	30.1	23.5
4	4200	25;A	N	49.3	42.7
4	4200	25;B	W	53.4	46.7
4	4200	25;C	S	49.7	43.0
4	4200	25;D	E	30.2	23.6
5	4200	25;A	N	49.7	43.1
5	4200	25;B	W	53.7	47.0
5	4200	25;C	S	50.2	43.5
5	4200	25;D	E	30.7	24.1
6	4200	25;A	N	49.9	43.3
6	4200	25;B	W	54.0	47.3
6	4200	25;C	S	50.5	43.8
6	4200	25;D	E	31.1	24.5
7	4200	25;A	N	50.1	43.5
7	4200	25;B	W	54.1	47.4
7	4200	25;C	S	50.7	44.0
7	4200	25;D	E	31.9	25.3
1	4201	;A	N	44.5	37.9
1	4201	;B	W	48.5	41.8
1	4201	;C	S	46.3	39.7
1	4201	;D	E	36.0	29.4
1	4202	;A	NW	45.3	38.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4202	;B	NW	48.1	41.6
1	4202	;C	SW	49.0	42.5
1	4202	;D	SW	48.7	42.2
1	4202	;E	NW	49.3	42.8
1	4202	;F	SW	47.7	41.2
1	4202	;G	SW	46.2	39.6
1	4202	;H	SW	45.7	39.1
1	4202	;I	SE	43.3	36.8
1	4202	;J	SE	43.6	37.1
1	4202	;K	NE	32.9	26.4
1	4202	;L	NE	32.7	26.2
1	4202	;M	SE	32.7	26.2
1	4202	;N	SE	34.8	28.3
1	4202	;O	NE	33.5	27.0
1	4203	;A	NW	39.6	33.1
1	4203	;B	SW	47.0	40.5
1	4203	;C	SW	47.7	41.1
1	4203	;D	SE	47.3	40.8
1	4203	;E	NE	33.5	27.0
1	4204	2;A	E	54.2	47.9
1	4204	2;B	NE	53.7	47.3
1	4204	2;C	NW	45.9	39.6
1	4204	2;D	NW	39.5	33.1
1	4204	2;E	NW	38.2	31.7
1	4204	2;F	SW	26.2	19.7
1	4204	2;G	SE	38.8	32.2
1	4204	2;H	SE	49.1	42.7
1	4204	2;I	SE	51.9	45.5
1	4205	4;A	NW	50.7	44.2
1	4205	4;B	SW	47.8	41.3
1	4205	4;C	SE	32.9	26.4
1	4205	4;D	SW	34.7	28.3
1	4205	4;F	NE	46.7	40.2
1	4206	;A	SE	33.3	26.9
1	4206	;B	NE	50.9	44.5
1	4206	;C	NW	45.3	38.9
1	4206	;D	SW	34.7	28.4
1	4208	;A	SE	34.2	27.7
1	4208	;B	NW	46.3	39.8
1	4209	;A	NE	44.9	38.4
1	4210	;A	SW	51.7	45.2
1	4210	;B	SE	44.6	38.1
1	4210	;C	NE	33.5	26.9
1	4210	;D	NW	43.5	36.9
1	4211	;A	W	28.3	21.9
1	4211	;B	S	34.6	28.1
1	4211	;C	E	31.9	25.4
1	4211	;D	N	37.7	31.2
1	4212	;A	S	36.8	30.4
1	4212	;B	E	30.5	24.0
1	4212	;C	N	32.1	25.7
1	4213	;A	S	49.2	42.6
1	4213	;B	E	55.0	48.5
1	4213	;C	N	64.5	58.0
1	4213	;D	W	64.0	57.5
1	4216	;A	NW	54.0	47.6
1	4216	;B	SW	54.9	48.5
1	4216	;C	SW	53.9	47.5
1	4216	;D	SE	46.1	39.6
1	4216	;E	NE	44.8	38.3
1	4217	;A	N	39.2	32.8
1	4217	;B	NW	34.1	27.7
1	4217	;C	S	47.5	41.0
1	4218	;A	W	51.2	44.6
1	4218	;B	S	42.8	36.2
1	4218	;C	E	42.9	36.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4218	;D	N	48.3	41.7
1	4219	;A	W	51.2	44.6
1	4219	;B	S	49.2	42.6
1	4219	;C	E	43.6	37.0
1	4219	;D	N	43.0	36.4
1	4220	;A	NW	55.7	49.2
1	4220	;B	SE	46.4	39.9
1	4221	;A	SW	48.8	42.3
1	4221	;B	SE	37.3	30.9
1	4221	;C	NE	46.6	40.1
1	4221	;D	NW	55.2	48.7
1	4222	;A	NE	52.9	46.4
1	4222	;B	NW	54.8	48.3
1	4222	;C	SW	51.1	44.7
1	4222	;D	SE	45.6	39.1
1	4223	;A	NW	42.0	35.5
1	4223	;B	SE	34.2	27.7
1	4224	;A	W	41.1	34.6
1	4224	;B	E	32.6	26.1
1	4225	;A	W	50.7	44.3
1	4225	;B	E	63.9	57.5
1	4226	;A	NW	51.6	45.1
1	4226	;B	SW	46.3	39.8
1	4226	;C	SE	34.4	27.9
1	4228	;A	NE	48.1	41.6
1	4228	;B	SW	47.7	41.2
1	4230	;A	NW	45.5	39.1
1	4230	;B	SE	63.8	57.4
1	4231	;A	NW	45.1	38.6
1	4231	;B	SE	63.9	57.4
1	4232	;A	NW	46.3	40.0
1	4232	;B	SW	49.0	42.6
1	4232	;C	SE	53.3	46.9
1	4232	;D	NE	53.6	47.2
1	4233	;A	NW	52.6	46.1
1	4233	;B	SW	52.8	46.4
1	4233	;C	SE	38.5	32.1
1	4233	;D	NE	43.6	37.2
1	4234	;A	SW	56.1	49.6
1	4234	;B	SE	53.4	46.8
1	4234	;C	NE	37.9	31.3
1	4234	;D	NW	51.9	45.4
1	4235	;A	NW	48.2	41.7
1	4235	;B	SW	51.6	45.1
1	4235	;C	SE	43.0	36.5
1	4235	;D	NE	33.6	27.1
1	4236	;A	NW	43.6	37.0
1	4236	;B	SW	51.6	45.1
1	4236	;C	SE	48.4	41.9
1	4236	;D	NE	33.7	27.2
1	4237	;A	NW	48.3	41.8
1	4237	;B	SW	51.5	45.0
1	4237	;C	SE	47.8	41.3
1	4237	;D	NE	34.6	28.1
1	4238	;A	NW	50.5	44.1
1	4238	;B	SE	33.0	26.5
1	4239	;A	SW	53.6	47.1
1	4239	;B	NE	39.0	32.6
1	4240	;A	S	36.8	30.4
1	4240	;B	N	33.6	27.2
1	4241	;A	S	32.8	26.4
1	4241	;B	N	38.9	32.4
1	4242	;A	NW	42.5	36.1
1	4242	;B	SE	29.9	23.4
1	4244	;A	S	31.2	24.8
1	4244	;B	E	41.7	35.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4244	;C	N	43.0	36.6
1	4244	;D	W	28.6	22.3
1	4245	;A	SW	41.1	34.6
1	4245	;B	SE	53.8	47.2
1	4245	;C	NE	60.8	54.3
1	4245	;D	NW	57.1	50.6
1	4246	;A	NW	53.5	47.0
1	4246	;B	SW	40.3	33.8
1	4246	;C	SE	57.0	50.5
1	4246	;D	NE	60.5	54.0
1	4247	;A	SW	39.6	33.1
1	4247	;B	SE	57.1	50.6
1	4247	;C	NE	60.9	54.4
1	4247	;D	NW	50.5	44.0
1	4248	;A	SW	39.8	33.3
1	4248	;B	SE	50.6	44.1
1	4248	;C	NE	60.4	53.9
1	4248	;D	NW	56.8	50.2
1	4249	;A	SW	41.3	34.8
1	4249	;B	SE	39.9	33.4
1	4249	;C	NE	36.8	30.3
1	4249	;D	NW	40.9	34.3
1	4250	;A	SW	39.1	32.6
1	4250	;B	SE	26.1	19.6
1	4250	;C	NE	34.1	27.6
1	4250	;D	NW	39.8	33.3
1	4251	;A	NW	39.4	32.9
1	4251	;B	SW	37.9	31.4
1	4251	;C	NE	27.7	21.3
1	4251	;D	NE	35.2	28.7
1	4252	;A	SW	46.9	40.3
1	4252	;B	SE	55.2	48.6
1	4252	;C	NE	57.4	50.9
1	4252	;D	NW	52.7	46.1
1	4253	;A	SE	57.8	51.3
1	4253	;B	NE	60.9	54.4
1	4253	;C	SW	45.4	38.8
1	4254	;A	SW	51.4	44.9
1	4254	;B	NE	60.5	54.0
1	4254	;C	NE	60.9	54.4
1	4254	;D	NW	58.1	51.6
1	4255	;A	SW	53.0	46.5
1	4255	;B	SE	50.8	44.3
1	4255	;C	NE	45.7	39.1
1	4255	;D	NW	50.2	43.7
1	4256	;A	NW	53.0	46.5
1	4256	;B	SE	52.4	45.9
1	4257	;A	SW	52.7	46.2
1	4257	;B	SE	49.8	43.3
1	4257	;C	NE	45.7	39.2
1	4257	;D	NW	51.0	44.5
1	4258	;A	S	32.0	25.6
1	4258	;B	N	39.4	32.9
1	4259	;A	S	35.7	29.2
1	4259	;B	N	39.8	33.3
1	4260	;A	W	61.7	55.2
1	4260	;B	S	46.8	40.3
1	4260	;C	E	62.5	56.0
1	4260	;D	N	65.5	59.0
1	4265	;A	SE	51.3	44.7
1	4265	;B	NW	53.7	47.2
1	4267	;A	SW	45.7	39.2
1	4267	;B	SE	29.9	23.5
1	4267	;C	NE	44.8	38.3
1	4267	;D	NW	48.5	42.0
1	4268	;A	NW	52.9	46.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4268	;B	SW	53.8	47.4
1	4268	;C	SE	47.1	40.7
1	4268	;D	SE	46.2	39.7
1	4268	;E	NE	41.9	35.4
1	4268	;F	NW	51.9	45.4
1	4269	;A	N	59.7	53.1
1	4269	;B	W	56.5	50.0
1	4269	;C	S	40.0	33.5
1	4269	;D	E	56.3	49.7
1	4270	;A	NE	65.0	58.5
1	4270	;B	NW	61.8	55.3
1	4270	;C	SW	50.4	43.8
1	4270	;D	SE	61.5	55.0
1	4271	;A	SW	48.8	42.2
1	4271	;B	NE	64.3	57.8
1	4272	;A	SE	40.2	33.7
1	4272	;B	NE	43.1	36.5
1	4272	;C	NW	41.8	35.2
1	4272	;D	SW	34.5	28.0
1	4273	;A	W	34.1	27.5
1	4273	;B	S	47.4	40.8
1	4273	;C	E	50.2	43.6
1	4273	;D	N	45.3	38.7
1	4274	;A	N	39.3	32.6
1	4274	;B	W	32.0	25.3
1	4274	;C	S	48.0	41.3
1	4274	;D	E	50.7	44.0
1	4275	;A	W	34.4	27.6
1	4275	;B	E	51.3	44.6
1	4276	;A	S	50.2	43.7
1	4278	;A	SE	59.1	52.6
1	4278	;B	NW	43.3	36.8
1	4279	;A	SW	53.1	46.6
1	4279	;B	SE	57.2	50.8
1	4279	;C	NE	54.4	47.9
1	4279	;D	NW	37.3	30.9
1	4280	;A	NW	36.6	30.2
1	4280	;B	SW	53.4	47.0
1	4280	;C	SE	56.6	50.1
1	4280	;D	NE	53.0	46.6
1	4281	;A	NE	53.0	46.6
1	4281	;B	NW	38.0	31.6
1	4281	;C	SW	51.6	45.2
1	4282	;A	SE	59.1	52.7
1	4282	;B	NW	38.7	32.3
1	4282	;C	SW	54.5	48.1
1	4283	;A	NE	40.2	33.8
1	4283	;B	NW	48.5	42.0
1	4283	;C	SW	49.7	43.3
1	4283	;D	SE	43.7	37.2
1	4284	;A	NW	46.8	40.3
1	4284	;B	SW	48.4	41.9
1	4285	;A	NE	40.7	34.2
1	4285	;B	NW	52.6	46.1
1	4285	;C	SW	50.2	43.7
1	4285	;D	SE	52.7	46.2
1	4286	;A	SW	60.7	54.2
1	4286	;B	SE	56.1	49.6
1	4286	;C	NE	45.0	38.5
1	4286	;D	NW	56.2	49.7
1	4287	;A	NW	56.2	49.7
1	4287	;B	SW	60.7	54.2
1	4287	;C	SE	56.6	50.1
1	4287	;D	NE	45.0	38.5
1	4288	;A	NE	64.5	58.0
1	4288	;B	NW	60.7	54.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4288	;C	SW	49.7	43.2
1	4288	;D	SE	60.5	54.0
1	4289	;A	SW	45.8	39.3
1	4289	;B	SE	60.6	54.1
1	4289	;C	NE	64.6	58.1
1	4289	;D	NW	60.5	54.0
1	4290	;A	NE	51.9	45.4
1	4290	;B	NW	45.0	38.5
1	4290	;C	SW	46.3	39.8
1	4290	;D	SE	56.4	49.9
1	4291	;A	SE	45.1	38.6
1	4291	;B	NE	47.9	41.4
1	4291	;C	NW	50.0	43.5
1	4291	;D	SW	42.2	35.7
1	4292	;A	SE	50.1	43.6
1	4292	;B	NE	50.5	43.9
1	4292	;C	NW	58.9	52.4
1	4292	;D	NE	58.3	51.8
1	4292	;E	NW	56.5	50.0
1	4292	;F	SW	44.6	38.1
1	4293	;A	NE	44.9	38.4
1	4293	;B	NW	45.4	38.9
1	4293	;C	SW	37.2	30.7
1	4293	;D	SE	52.6	46.1
1	4294	;A	SE	45.1	38.6
1	4294	;B	NE	47.0	40.5
1	4294	;C	NW	52.8	46.3
1	4294	;D	SW	36.5	30.0
1	4295	;A	W	56.3	49.6
1	4295	;B	S	53.8	47.2
1	4295	;C	E	41.2	34.6
1	4295	;D	N	51.8	45.0
1	4296	;A	W	40.1	33.4
1	4296	;B	S	51.9	45.3
1	4296	;C	E	37.8	31.2
1	4296	;D	N	50.2	43.5
1	4297	;A	NW	36.9	30.3
1	4297	;B	SW	32.2	25.7
1	4297	;C	SE	23.8	17.3
1	4297	;D	NE	34.7	28.2
1	4298	;A	NW	36.0	29.5
1	4298	;B	SW	33.0	26.4
1	4298	;C	SE	25.0	18.5
1	4298	;D	NE	31.1	24.6
1	4299	;A	SW	31.0	24.5
1	4299	;B	SE	25.5	18.9
1	4299	;C	NE	29.0	22.5
1	4299	;D	NW	35.7	29.2
1	4303	;A	SW	33.7	27.2
1	4303	;B	SE	27.1	20.5
1	4303	;C	NE	35.3	28.7
1	4303	;D	NW	37.2	30.7
1	4304	;A	SW	32.4	25.9
1	4304	;B	SE	24.0	17.5
1	4304	;C	NE	35.2	28.7
1	4304	;D	NW	37.0	30.4
1	4305	;A	NW	34.1	27.7
1	4305	;B	SW	35.1	28.6
1	4305	;C	SE	29.9	23.4
1	4305	;D	SE	28.2	21.7
1	4305	;E	SE	29.2	22.7
1	4305	;F	NE	42.2	35.7
1	4305	;G	NE	43.8	37.3
1	4305	;H	NW	47.7	41.2
1	4305	;I	NW	48.1	41.6
1	4305	;J	SW	45.9	39.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4305	;K	SE	28.8	22.3
1	4305	;L	SE	30.4	23.9
1	4305	;M	SW	31.2	24.8
1	4306	;A	W	60.3	53.8
1	4306	;B	S	66.5	60.1
1	4306	;C	E	58.8	52.4
1	4306	;D	N	43.1	36.4
1	4306	;E	W	40.6	34.1
1	4306	;F	E	39.4	33.0
1	4306	;G	N	43.9	37.4
1	4306	;H	NW	46.7	40.2
1	4307	;A	W	60.3	53.8
1	4307	;B	SE	65.6	59.1
1	4307	;C	NE	60.5	54.0
1	4307	;D	N	49.3	42.8
1	4308	;A	NE	55.8	49.4
1	4308	;B	SW	55.8	49.3
1	4309	;A	SW	54.7	48.3
1	4309	;B	SE	59.8	53.3
1	4309	;C	NE	55.4	48.9
1	4309	;D	NW	48.3	41.6
1	4310	;A	NW	50.0	43.4
1	4310	;B	SW	62.0	55.5
1	4310	;C	SE	65.7	59.3
1	4310	;D	NE	61.1	54.6
1	4311	;A	E	50.8	44.2
1	4311	;B	NW	48.0	41.3
1	4311	;C	W	46.0	39.5
1	4311	;D	W	47.9	41.4
1	4311	;E	SE	51.7	45.2
1	4312	;A	NE	49.4	42.7
1	4312	;B	NW	47.0	40.3
1	4312	;C	SW	44.3	37.8
1	4312	;D	SE	48.3	41.7
1	4313	;A	S	55.6	49.1
1	4313	;B	E	45.3	38.7
1	4313	;C	N	41.4	34.7
1	4313	;D	W	53.6	47.1
1	4314	;A	E	50.6	44.1
1	4314	;B	N	42.4	35.8
1	4314	;C	SW	39.0	32.5
1	4314	;D	W	50.9	44.4
1	4314	;E	W	53.5	47.0
1	4314	;F	S	55.9	49.4
1	4315	;A	SE	46.8	40.4
1	4315	;B	E	46.7	40.1
1	4315	;C	N	40.9	34.2
1	4315	;D	W	46.2	39.7
1	4316	;A	NW	33.5	26.8
1	4316	;B	NW	35.7	29.0
1	4316	;C	NW	35.8	29.2
1	4316	;D	S	42.8	36.1
1	4316	;E	S	44.2	37.5
1	4316	;F	E	52.3	45.6
1	4316	;G	NE	54.6	47.9
1	4316	;H	NE	50.3	43.6
1	4317	;A	N	46.1	39.4
1	4317	;B	NW	33.7	27.1
1	4317	;C	SW	36.8	30.2
1	4317	;D	SW	37.3	30.7
1	4317	;E	SE	47.1	40.4
1	4318	;A	SW	44.2	37.6
1	4318	;B	SE	51.5	44.8
1	4318	;C	NE	52.8	46.1
1	4318	;D	SE	53.1	46.4
1	4318	;E	NE	51.6	44.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4318	;F	NW	44.3	37.6
1	4318	;G	NW	43.0	36.3
1	4318	;H	NW	39.1	32.4
1	4318	;I	SW	42.4	35.8
1	4318	;J	SE	46.0	39.3
1	4319	;A	NE	45.3	38.6
1	4319	;B	NW	37.5	30.8
1	4319	;C	SW	41.6	35.0
1	4319	;D	SE	47.1	40.4
1	4320	;A	NE	40.0	33.4
1	4320	;B	NE	34.6	27.9
1	4320	;C	NW	33.8	27.2
1	4320	;D	SW	40.9	34.4
1	4320	;E	SE	45.7	39.1
1	4321	;A	NE	40.2	33.5
1	4321	;B	NW	31.0	24.5
1	4321	;C	SW	43.8	37.3
1	4321	;D	SE	45.7	39.1
1	4322	;A	E	39.9	33.2
1	4322	;B	N	40.5	33.8
1	4322	;C	NW	23.2	16.7
1	4322	;D	S	30.2	23.7
1	4323	;A	SW	38.0	31.3
1	4323	;B	SE	43.6	36.9
1	4323	;C	N	36.2	29.5
1	4323	;D	NW	22.2	15.7
1	4324	;A	N	33.9	27.2
1	4324	;B	NW	24.1	17.6
1	4324	;C	S	36.8	30.3
1	4324	;D	SE	35.3	28.7
1	4325	;A	N	32.0	25.4
1	4325	;B	NW	25.3	18.8
1	4325	;C	SW	41.4	34.9
1	4325	;D	E	41.7	35.1
1	4326	;A	SW	53.2	46.7
1	4326	;B	SE	56.4	50.0
1	4326	;C	NE	50.6	44.2
1	4326	;D	NW	38.0	31.5
1	4327	;A	SW	53.5	47.1
1	4327	;B	SE	59.2	52.7
1	4327	;C	SE	60.2	53.8
1	4327	;D	SE	60.5	54.1
1	4327	;E	NE	57.2	50.8
1	4327	;F	NW	41.7	35.2
1	4327	;G	NW	43.2	36.7
1	4327	;H	NW	43.4	37.0
1	4328	;A	SW	52.9	46.5
1	4328	;B	SE	58.0	51.5
1	4328	;C	NE	54.4	48.0
1	4328	;D	NW	38.0	31.5
1	4329	;A	SW	44.8	38.3
1	4329	;B	SW	48.0	41.6
1	4329	;C	SE	49.4	43.0
1	4329	;D	NE	34.8	28.3
1	4329	;E	NW	31.3	24.9
1	4330	;A	NW	33.6	27.2
1	4330	;B	SW	48.1	41.6
1	4330	;C	SE	49.8	43.4
1	4330	;D	NE	48.7	42.2
1	4331	;A	SW	40.5	34.0
1	4331	;B	SE	47.6	41.2
1	4331	;C	SW	47.8	41.4
1	4331	;D	SE	49.0	42.6
1	4331	;E	NE	43.0	36.6
1	4331	;F	NW	30.4	24.0
1	4331	;G	NW	30.8	24.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4332	;A	S	52.4	46.0
1	4332	;B	S	54.3	47.8
1	4332	;C	NE	54.3	47.8
1	4332	;D	N	43.2	36.7
1	4332	;E	W	46.8	40.4
1	4333	;A	S	50.8	44.3
1	4333	;B	E	55.4	48.9
1	4333	;C	N	51.9	45.5
1	4333	;D	E	51.8	45.3
1	4333	;E	N	48.5	42.0
1	4333	;F	W	30.9	24.5
1	4334	;A	E	50.9	44.4
1	4334	;B	N	34.1	27.6
1	4334	;C	SW	35.2	28.8
1	4334	;D	S	50.9	44.4
1	4335	;A	NE	42.5	35.9
1	4335	;B	NW	46.5	40.0
1	4335	;C	NW	46.7	40.1
1	4335	;D	NW	45.8	39.3
1	4335	;E	SW	42.6	36.1
1	4335	;F	SE	30.2	23.7
1	4335	;G	SE	32.1	25.5
1	4336	;A	NW	46.3	39.8
1	4336	;B	SW	43.7	37.2
1	4336	;C	SE	29.0	22.6
1	4336	;D	NE	41.9	35.4
1	4337	;A	E	56.3	49.8
1	4337	;B	N	60.4	54.0
1	4337	;C	W	56.2	49.8
1	4337	;D	S	47.7	41.3
1	4338	;A	NE	59.6	53.1
1	4338	;B	NW	62.2	55.7
1	4338	;C	SW	55.6	49.2
1	4338	;D	SE	50.4	43.9
1	4339	;A	NE	55.3	48.9
1	4339	;B	NW	55.9	49.4
1	4339	;C	SW	46.6	40.1
1	4339	;D	SE	43.9	37.5
1	4340	;A	NE	36.2	29.8
1	4340	;B	NW	44.1	37.7
1	4340	;C	SE	35.9	29.4
1	4341	;A	NE	55.7	49.3
1	4341	;B	NW	55.6	49.1
1	4341	;C	SW	36.8	30.4
1	4341	;D	SE	36.4	29.9
1	4341	;E	SE	36.6	30.2
1	4341	;F	SE	36.9	30.5
1	4342	;A	NW	60.6	54.1
1	4342	;B	SW	54.9	48.5
1	4342	;C	SE	43.0	36.5
1	4342	;D	NE	56.1	49.6
1	4343	;A	NW	62.4	55.9
1	4343	;B	SW	57.4	50.9
1	4343	;C	SE	49.1	42.6
1	4343	;D	NE	57.3	50.8
1	4344	;A	NE	59.8	53.3
1	4344	;B	NW	63.5	57.0
1	4344	;C	SW	58.8	52.4
1	4344	;D	SE	44.4	38.0
1	4345	;A	NE	51.3	44.9
1	4345	;B	NW	54.7	48.2
1	4345	;C	SW	51.3	44.8
1	4345	;D	SE	35.6	29.2
1	4346	;A	NE	50.4	43.9
1	4346	;B	NW	52.5	46.0
1	4346	;C	SW	41.6	35.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	4346	;D	SE	32.7	26.2
1	4347	;A	NE	42.0	35.5
1	4347	;B	NW	48.7	42.2
1	4347	;C	SW	45.5	39.0
1	4347	;D	SE	31.6	25.2
1	4348	;A	NE	51.3	44.8
1	4348	;B	NW	51.6	45.1
1	4348	;C	SW	42.9	36.4
1	4348	;D	SE	34.6	28.2
1	4349	;A	SE	50.7	44.3
1	4349	;B	NE	61.8	55.3
1	4349	;C	NW	63.5	57.0
1	4349	;D	SW	58.3	51.9