

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2522	1;A	SE	34.2	27.5
1	2522	1;B	SW	35.0	28.4
1	2522	1;C	NW	42.7	36.2
1	2522	1;D	NE	39.9	33.2
1	2523	66;A	SE	32.0	25.3
1	2523	66;B	SW	44.9	38.4
1	2523	66;C	NW	46.7	40.2
1	2523	66;D	NE	35.9	29.3
1	2524	;A	SW	42.3	35.6
1	2524	;B	NW	26.4	19.8
1	2524	;C	NE	32.5	25.8
1	2524	;D	NE	36.0	29.3
1	2524	;E	NE	37.2	30.5
1	2524	;F	SE	43.6	36.9
1	2524	;G	SW	43.0	36.3
1	2524	;H	SW	42.6	35.9
1	2525	;A	NW	19.3	12.6
1	2525	;B	SW	41.6	34.9
1	2525	;C	SE	41.9	35.2
1	2525	;D	SE	41.0	34.3
1	2525	;E	SE	41.1	34.4
1	2525	;F	NE	26.2	19.4
1	2525	;G	N	17.3	10.6
1	2526	;A	NE	54.0	47.1
1	2526	;B	SE	55.0	48.0
1	2526	;C	SW	34.7	27.7
1	2526	;D	NW	33.4	26.4
1	2526	;E	NE	52.1	45.1
1	2528	;A	W	28.4	21.4
1	2528	;B	S	47.3	40.4
1	2528	;C	E	51.1	44.1
1	2528	;D	E	50.6	43.7
1	2528	;E	E	51.1	44.2
1	2528	;F	E	51.1	44.1
1	2528	;G	N	46.9	39.9
1	2528	;H	N	39.7	32.7
1	2528	;I	W	28.4	21.4
1	2529	;A	E	51.1	44.1
1	2529	;B	SE	48.9	41.9
1	2529	;C	SW	32.6	25.6
1	2529	;D	NW	29.7	22.8
1	2529	;E	W	34.7	27.8
1	2529	;F	W	33.8	26.9
1	2529	;G	W	28.5	21.4
1	2529	;H	W	28.4	21.4
1	2529	;I	N	47.3	40.3
1	2529	;J	E	51.1	44.2
1	2529	;K	E	50.9	43.9
1	2530	;A	SE	50.9	44.2
1	2530	;B	SW	34.7	28.0
1	2531	;A	SW	42.2	35.7
1	2531	;B	SE	46.7	40.2
1	2531	;C	NE	35.7	29.1
1	2531	;D	NW	26.3	19.8
1	2532	;A	NE	37.8	31.2
1	2532	;B	SE	49.6	43.1
1	2532	;C	SW	48.3	41.8
1	2532	;D	NW	32.7	26.0
1	2535	;A	SE	40.5	33.8
1	2535	;B	SE	41.7	35.0
1	2535	;C	NW	29.7	23.0
1	2535	;D	NW	27.2	20.6
1	2535	;E	NE	16.7	10.0
1	2536	;A	E	35.0	28.2
1	2536	;B	E	31.1	24.3
1	2536	;C	N	45.2	38.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2536	;D	W	48.5	41.7
1	2536	;E	S	45.8	39.0
1	2536	;F	E	39.2	32.4
1	2536	;G	E	37.0	30.2
1	2537	;A	SW	40.1	33.5
1	2537	;B	SE	51.4	44.8
1	2537	;C	NE	55.2	48.5
1	2537	;D	NW	48.9	42.3
1	2537	;E	SW	39.6	32.9
1	2538	;A	SW	31.1	24.5
1	2538	;B	NW	31.4	24.7
1	2538	;C	SW	31.1	24.5
1	2538	;D	NW	40.7	34.0
1	2538	;E	NE	51.6	44.9
1	2538	;F	NE	52.6	45.9
1	2538	;G	SE	51.9	45.3
1	2538	;H	SE	47.6	40.9
1	2539	;A	NW	40.9	34.2
1	2539	;B	NE	40.2	33.5
1	2539	;C	SE	31.4	24.7
1	2539	;D	SW	36.2	29.5
1	2539	;E	NW	40.5	33.8
1	2539	;F	NW	40.7	34.0
1	2540	;A	SW	23.8	17.1
1	2540	;B	SW	22.6	15.9
1	2540	;C	SE	23.0	16.3
1	2540	;D	SE	24.0	17.3
1	2540	;E	SE	22.7	16.0
1	2540	;F	NE	23.3	16.6
1	2540	;G	SE	22.7	16.1
1	2540	;H	SW	33.5	26.8
1	2540	;I	NW	40.5	33.8
1	2540	;J	NW	39.8	33.1
1	2540	;L	NE	20.9	14.2
1	2541	;A	NW	35.3	28.5
1	2541	;B	W	34.9	28.0
1	2541	;C	W	37.0	30.2
1	2541	;D	NW	43.4	36.5
1	2541	;E	N	48.4	41.5
1	2541	;F	E	51.0	44.1
1	2541	;G	E	50.4	43.4
1	2541	;H	E	50.7	43.8
1	2541	;I	SE	49.4	42.5
1	2541	;J	SE	47.0	40.1
1	2541	;K	SE	43.5	36.6
1	2541	;L	W	27.5	20.5
1	2549	;A	NW	45.1	38.5
1	2549	;B	NE	45.5	38.8
1	2549	;C	NW	46.1	39.5
1	2549	;D	NE	46.0	39.4
1	2549	;E	SE	46.7	40.1
1	2549	;F	NE	47.1	40.5
1	2549	;G	SE	44.9	38.2
1	2549	;H	SW	29.7	23.0
1	2550	;A	NE	32.7	26.1
1	2550	;B	NW	49.4	42.7
1	2550	;C	SW	52.8	46.1
1	2550	;D	SW	53.7	47.1
1	2550	;E	SE	49.5	42.8
1	2550	;F	SE	46.3	39.6
1	2550	;G	NE	32.5	25.9
1	2550	;H	SE	33.5	26.9
1	2550	;I	NE	33.2	26.6
1	2550	;J	NW	43.6	36.9
1	2551	;A	NW	39.6	32.7
1	2551	;B	NE	31.2	24.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2551	;C	SE	36.0	29.1
1	2551	;D	SW	40.6	33.8
1	2552	;A	SW	43.2	36.4
1	2552	;B	SW	44.7	37.8
1	2552	;C	NW	43.6	36.8
1	2552	;D	NE	30.6	23.8
1	2552	;E	NE	31.1	24.4
1	2552	;F	SE	36.4	29.6
1	2552	;G	SW	38.3	31.4
1	2553	;B	SW	37.5	30.8
1	2553	;C	NW	42.3	35.6
1	2554	;A	NE	42.3	35.6
1	2554	;B	NW	42.7	36.0
1	2554	;C	NE	40.7	34.0
1	2554	;D	NE	40.3	33.6
1	2554	;E	SE	23.5	16.8
1	2554	;F	SW	24.4	17.7
1	2554	;G	SW	20.8	14.1
1	2555	;A	NW	36.7	30.1
1	2555	;B	SW	35.8	29.3
1	2555	;C	SE	27.9	21.3
1	2555	;D	SW	30.6	23.9
1	2555	;E	SE	25.6	19.0
1	2555	;F	NE	23.0	16.3
1	2555	;G	SE	22.0	15.4
1	2556	;B	SW	32.4	25.6
1	2556	;C	SW	34.5	27.8
1	2556	;D	NW	36.0	29.3
1	2558	;A	SE	24.0	17.3
1	2558	;B	SW	31.7	25.0
1	2558	;C	NW	31.4	24.7
1	2558	;D	NE	32.3	25.6
1	2559	;A	NW	31.8	25.2
1	2559	;B	SW	30.1	23.5
1	2559	;C	SE	22.2	15.5
1	2559	;D	NE	31.7	25.0
1	2560	;A	NW	32.9	26.2
1	2560	;B	NE	31.5	24.8
1	2560	;C	NW	30.9	24.2
1	2560	;D	SW	26.7	20.1
1	2560	;E	SE	22.0	15.2
1	2560	;F	NE	30.6	23.9
1	2561	;A	SW	29.1	22.2
1	2561	;B	SW	32.5	25.7
1	2561	;C	NW	34.3	27.6
1	2561	;D	NW	32.4	25.6
1	2561	;E	NE	25.0	18.3
1	2561	;F	NE	24.2	17.5
1	2561	;I	NE	25.8	19.1
1	2561	;J	NE	29.4	22.7
1	2561	;K	SE	21.4	14.6
1	2561	;L	SE	22.2	15.5
1	2561	;M	SE	21.9	15.2
1	2561	;N	SW	29.3	22.5
1	2561	;O	SW	32.3	25.5
1	2562	;A	NW	35.2	28.5
1	2562	;B	NE	28.3	21.5
1	2562	;E	NE	28.4	21.6
1	2562	;F	NE	23.1	16.3
1	2562	;I	NE	25.0	18.2
1	2562	;J	NE	27.2	20.5
1	2562	;K	NE	28.9	22.2
1	2562	;L	SE	27.3	20.6
1	2562	;M	SE	28.0	21.3
1	2562	;N	SE	28.9	22.2
1	2562	;O	SW	33.0	26.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2562	;P	SW	34.4	27.7
1	2563	;A	SW	24.3	17.6
1	2563	;B	SE	24.4	17.7
1	2563	;C	SW	29.1	22.4
1	2563	;D	SE	26.0	19.3
1	2563	;E	NE	32.6	25.9
1	2563	;F	NW	37.1	30.5
1	2563	;G	NW	36.7	30.1
1	2563	;H	SW	35.8	29.3
1	2563	;I	SE	27.9	21.3
1	2563	;J	SW	30.6	23.9
1	2563	;K	SE	25.6	19.0
1	2563	;L	NE	23.0	16.3
1	2563	;M	SE	22.0	15.4
1	2564	;A	SW	40.4	33.5
1	2564	;B	NE	37.8	31.2
1	2564	;C	SE	27.4	20.7
1	2564	;D	NE	28.6	22.0
1	2564	;E	NE	31.6	24.9
1	2564	;F	SE	25.9	19.1
1	2564	;G	SW	37.3	30.4
1	2564	;H	SW	39.2	32.3
1	2564	;I	SW	39.9	33.0
1	2564	;J	SW	40.3	33.5
1	2565	;A	NE	35.8	28.8
1	2565	;B	NW	32.9	26.0
1	2565	;C	NE	52.8	45.8
1	2565	;D	SE	53.6	46.6
1	2565	;E	SE	52.8	45.8
1	2565	;F	SW	41.5	34.5
1	2565	;G	NW	35.8	29.0
1	2567	63;A	S	39.0	32.1
1	2567	63;B	S	40.7	33.9
1	2567	63;C	W	40.8	33.9
1	2567	63;D	N	26.7	19.7
1	2567	63;E	W	27.8	20.8
1	2567	63;F	N	26.5	19.5
1	2567	63;G	E	26.2	19.3
1	2567	63;H	E	26.1	19.2
1	2567	63;I	S	31.7	24.8
1	2567	63;J	E	26.6	19.7
1	2568	;A	S	46.1	39.2
1	2568	;B	N	45.5	38.6
1	2569	;A	NE	48.7	41.9
1	2569	;B	SE	48.9	42.0
1	2569	;C	SE	45.0	38.1
1	2569	;D	SE	45.9	39.0
1	2569	;E	SE	45.9	39.0
1	2569	;F	SW	35.1	28.2
1	2569	;G	NW	26.9	20.1
1	2569	;H	NW	31.4	24.8
1	2569	;I	NE	39.1	32.7
1	2569	;J	NW	34.8	28.3
1	2570	;A	NE	50.2	43.5
1	2570	;B	SE	36.1	29.4
1	2570	;C	SW	53.2	46.6
1	2570	;D	NW	56.4	49.7
1	2571	;A	SE	33.5	26.8
1	2571	;B	SW	49.1	42.4
1	2571	;C	NW	54.1	47.4
1	2571	;D	NE	49.0	42.3
1	2572	;A	SE	38.1	31.6
1	2572	;B	SW	47.1	40.7
1	2572	;C	NW	51.0	44.5
1	2572	;D	NE	48.4	41.8
1	2573	;A	SW	44.4	37.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2573	:B	NW	37.0	30.4
1	2573	:C	NE	42.0	35.3
1	2573	:D	SE	48.1	41.5
1	2574	:A	NW	29.1	22.5
1	2574	:B	SW	39.3	32.7
1	2574	:C	SE	42.7	36.1
1	2574	:D	SE	37.3	30.8
1	2574	:E	NE	34.3	27.6
1	2575	:A	NW	38.1	31.4
1	2575	:B	SW	39.3	32.7
1	2575	:C	SE	30.9	24.2
1	2575	:D	NE	36.8	30.1
1	2576	:A	W	39.2	32.3
1	2576	:B	W	44.6	38.0
1	2576	:C	S	52.9	46.4
1	2576	:D	E	50.1	43.6
1	2576	:E	E	44.6	38.1
1	2576	:F	N	37.5	31.0
1	2577	:B	SW	44.5	37.8
1	2577	:C	SE	33.9	27.2
1	2577	:D	NE	45.6	38.9
1	2578	:A	NW	33.6	26.9
1	2578	:B	SW	45.0	38.3
1	2578	:C	SE	44.1	37.4
1	2578	:D	NE	19.3	12.6
1	2579	:A	NW	40.3	33.7
1	2579	:B	SW	30.8	23.8
1	2579	:C	SE	43.8	36.9
1	2579	:D	NE	46.7	39.8
1	2580	:A	SW	50.7	43.6
1	2580	:B	SE	57.6	50.6
1	2580	:C	NE	56.9	49.9
1	2580	:D	NW	47.2	40.4
1	2581	:A	SW	44.9	38.2
1	2581	:B	SE	47.9	41.2
1	2581	:C	NE	40.0	33.3
1	2581	:D	NW	51.3	44.6
1	2582	:A	NE	44.7	38.1
1	2582	:B	SE	54.1	47.4
1	2582	:C	SW	58.8	52.1
1	2582	:D	NW	54.9	48.2
1	2583	:A	NE	49.6	42.9
1	2583	:B	SE	35.5	28.8
1	2583	:D	NW	52.3	45.6
1	2584	:A	SE	34.4	27.7
1	2584	:B	SW	36.1	29.7
1	2584	:C	NW	44.5	37.8
1	2584	:D	NE	28.4	21.9
1	2584	:E	NE	40.9	34.2
1	2585	:A	NE	49.6	42.9
1	2585	:B	NW	50.0	43.3
1	2585	:C	SW	45.5	38.8
1	2586	:A	SW	58.9	52.2
1	2586	:B	SE	54.9	48.3
1	2586	:C	NE	41.7	35.0
1	2586	:D	NW	54.2	47.6
1	2587	:A	SW	40.6	33.9
1	2587	:B	SE	51.7	45.1
1	2587	:C	NE	36.6	30.0
1	2587	:D	NW	47.9	41.3
1	2588	:A	NW	49.8	43.1
1	2588	:B	NE	37.6	31.0
1	2588	:C	S	42.2	35.5
1	2588	:D	SW	39.1	32.5
1	2588	:E	SE	37.1	30.4
1	2588	:F	S	47.9	41.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2589	;A	N	44.4	37.7
1	2589	;B	E	43.9	37.2
1	2589	;C	S	54.3	47.6
1	2589	;D	NW	54.0	47.3
1	2590	;A	NW	42.7	36.1
1	2590	;B	NE	53.2	46.2
1	2590	;C	SE	49.7	42.7
1	2590	;D	SW	41.5	34.6
1	2590	;E	NW	38.8	32.0
1	2594	;A	NW	45.9	39.0
1	2594	;B	NE	38.4	31.5
1	2594	;C	SE	39.4	32.6
1	2594	;D	SW	46.2	39.3
1	2595	;A	SW	47.4	40.6
1	2595	;B	SW	46.7	39.8
1	2595	;C	SW	46.7	39.8
1	2595	;D	SE	38.5	31.6
1	2595	;E	NE	34.9	28.0
1	2595	;F	NE	32.4	25.6
1	2595	;G	NE	34.9	28.0
1	2595	;H	NW	46.7	39.8
1	2596	;A	N	27.9	21.0
1	2596	;B	E	26.5	19.5
1	2596	;C	S	28.1	21.1
1	2596	;D	E	26.7	19.8
1	2596	;E	N	28.3	21.3
1	2596	;F	E	26.6	19.6
1	2596	;G	S	28.3	21.3
1	2596	;H	E	26.9	20.0
1	2596	;I	N	44.7	37.8
1	2596	;J	W	48.5	41.6
1	2596	;K	S	44.8	37.9
1	2596	;L	E	27.4	20.5
1	2596	;M	S	37.4	30.5
1	2596	;N	E	26.5	19.6
1	2596	;O	N	28.0	21.0
1	2596	;P	E	26.4	19.4
1	2596	;Q	S	28.1	21.2
1	2596	;R	E	26.4	19.5
1	2596	;S	N	28.0	21.0
1	2596	;T	E	26.4	19.4
1	2596	;U	S	28.1	21.1
1	2596	;V	E	26.5	19.6
1	2596	;W	N	28.1	21.1
1	2596	;X	E	26.4	19.4
1	2596	;Y	S	28.1	21.1
1	2596	;Z	E	26.5	19.6
1	2596	;AA	N	28.0	21.0
1	2596	;AB	E	26.5	19.5
1	2596	;AC	S	28.0	21.1
1	2596	;AD	E	26.5	19.6
1	2596	;AE	N	28.0	21.0
1	2596	;AF	E	26.5	19.5
1	2596	;AG	S	28.1	21.1
1	2596	;AH	E	26.6	19.7
1	2596	;AI	N	27.9	20.9
1	2596	;AJ	E	26.5	19.5
1	2596	;AK	S	28.1	21.1
1	2596	;AL	E	26.6	19.7
1	2597	;A	W	28.2	21.3
1	2597	;B	S	47.7	40.9
1	2597	;C	E	52.0	45.1
1	2597	;D	N	46.9	40.1
1	2599	;A	S	41.2	34.4
1	2599	;B	S	42.3	35.4
1	2599	;C	E	41.2	34.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2599	;D	N	32.5	25.6
1	2599	;E	N	30.1	23.2
1	2599	;F	NW	29.3	22.4
1	2599	;G	W	26.5	19.6
1	2600	;A	N	43.7	36.9
1	2600	;B	W	45.1	38.3
1	2600	;C	S	40.3	33.5
1	2600	;D	E	26.7	19.8
1	2600	;E	S	28.0	21.1
1	2600	;F	E	32.7	26.0
1	2601	;A	E	37.1	30.2
1	2601	;B	SE	41.2	34.3
1	2601	;C	SW	45.4	38.5
1	2602	;A	N	41.2	34.3
1	2602	;B	SW	41.4	34.5
1	2602	;C	S	37.8	30.9
1	2602	;D	NE	30.3	23.7
1	2603	;A	SE	43.4	36.5
1	2603	;B	SE	41.9	35.0
1	2603	;C	NE	38.9	32.0
1	2603	;D	NW	47.3	40.4
1	2603	;E	SW	49.9	43.0
1	2604	;A	N	26.9	19.9
1	2604	;B	E	25.7	18.8
1	2604	;C	N	32.2	25.3
1	2604	;D	W	44.4	37.5
1	2604	;E	S	42.9	36.0
1	2604	;F	E	26.3	19.5
1	2605	;A	NE	34.7	28.1
1	2605	;B	NW	51.4	44.7
1	2605	;C	SW	55.6	49.0
1	2605	;D	SE	51.6	45.0
1	2606	;A	SW	46.0	39.3
1	2606	;B	SE	34.6	27.9
1	2606	;C	NE	32.4	25.8
1	2606	;D	NW	49.4	42.7
1	2607	;A	SW	39.5	32.9
1	2607	;B	SE	36.7	30.1
1	2607	;C	NE	33.4	26.7
1	2607	;D	NW	36.7	30.1
1	2608	;A	SW	36.2	29.5
1	2608	;B	SE	47.3	40.6
1	2608	;C	NE	33.1	26.4
1	2608	;D	NW	43.7	37.0
1	2614	;A	SE	46.0	39.3
1	2614	;B	NE	48.3	41.6
1	2614	;C	NW	41.1	34.4
1	2614	;D	SW	26.1	19.4
1	2615	;A	NE	37.6	30.9
1	2615	;B	NW	39.5	32.8
1	2615	;C	SW	33.7	27.1
1	2615	;D	NW	36.8	30.1
1	2615	;E	SW	34.1	27.4
1	2615	;F	NW	36.3	29.6
1	2615	;G	SW	32.7	26.0
1	2615	;H	SE	23.8	17.1
1	2615	;I	NE	33.2	26.5
1	2615	;J	SE	29.5	22.8
1	2615	;K	NE	34.6	27.9
1	2624	2;A	E	51.4	44.6
1	2624	2;B	E	51.9	45.0
1	2624	2;C	E	51.5	44.6
1	2624	2;D	E	51.9	45.1
1	2624	2;E	E	51.6	44.7
1	2624	2;F	E	51.9	45.1
1	2624	2;G	E	51.5	44.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2624	2;H	E	52.0	45.1
1	2624	2;I	E	51.5	44.7
1	2624	2;J	E	52.0	45.1
1	2624	2;K	N	47.6	40.8
1	2624	2;L	W	29.4	22.5
1	2624	2;M	W	29.4	22.5
1	2624	2;N	W	29.2	22.3
1	2624	2;O	W	29.2	22.3
1	2624	2;P	W	29.1	22.3
1	2624	2;Q	W	29.2	22.4
1	2624	2;R	W	29.1	22.3
1	2624	2;S	W	29.2	22.4
1	2624	2;T	W	29.1	22.2
1	2624	2;U	W	29.2	22.3
1	2624	2;V	W	29.1	22.2
1	2624	2;W	W	29.2	22.3
1	2624	2;X	W	29.1	22.2
1	2624	2;Y	W	29.2	22.3
1	2624	2;Z	W	29.1	22.2
1	2624	2;AA	W	29.2	22.3
1	2624	2;AB	W	29.1	22.2
1	2624	2;AC	S	47.8	40.9
1	2624	2;AD	E	51.9	45.0
1	2624	2;AE	E	51.5	44.6
1	2624	2;AF	E	51.9	45.1
2	2624	2;A	E	53.7	46.9
2	2624	2;B	E	54.2	47.3
2	2624	2;C	E	53.8	46.9
2	2624	2;D	E	54.2	47.3
2	2624	2;E	E	53.9	47.0
2	2624	2;F	E	54.2	47.3
2	2624	2;G	E	53.8	46.9
2	2624	2;H	E	54.2	47.3
2	2624	2;I	E	53.8	46.9
2	2624	2;J	E	54.2	47.3
2	2624	2;K	N	50.0	43.2
2	2624	2;L	W	29.4	22.5
2	2624	2;M	W	29.4	22.5
2	2624	2;N	W	29.2	22.3
2	2624	2;O	W	29.2	22.4
2	2624	2;P	W	29.2	22.3
2	2624	2;Q	W	29.3	22.4
2	2624	2;R	W	29.1	22.3
2	2624	2;S	W	29.2	22.4
2	2624	2;T	W	29.1	22.2
2	2624	2;U	W	29.2	22.3
2	2624	2;V	W	29.1	22.2
2	2624	2;W	W	29.2	22.3
2	2624	2;X	W	29.1	22.2
2	2624	2;Y	W	29.2	22.3
2	2624	2;Z	W	29.1	22.2
2	2624	2;AA	W	29.2	22.3
2	2624	2;AB	W	29.1	22.2
2	2624	2;AC	S	50.1	43.2
2	2624	2;AD	E	54.2	47.3
2	2624	2;AE	E	53.8	46.9
2	2624	2;AF	E	54.2	47.3
3	2624	2;A	E	54.2	47.3
3	2624	2;B	E	54.7	47.8
3	2624	2;C	E	54.3	47.4
3	2624	2;D	E	54.7	47.8
3	2624	2;E	E	54.4	47.5
3	2624	2;F	E	54.7	47.9
3	2624	2;G	E	54.2	47.3
3	2624	2;H	E	54.7	47.9
3	2624	2;I	E	54.3	47.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	2624	2;J	E	54.8	47.9
3	2624	2;K	N	50.7	43.9
3	2624	2;L	W	29.4	22.5
3	2624	2;M	W	29.4	22.5
3	2624	2;N	W	29.2	22.3
3	2624	2;O	W	29.2	22.3
3	2624	2;P	W	29.1	22.3
3	2624	2;Q	W	29.2	22.4
3	2624	2;R	W	29.1	22.2
3	2624	2;S	W	29.2	22.3
3	2624	2;T	W	29.1	22.2
3	2624	2;U	W	29.2	22.3
3	2624	2;V	W	29.1	22.2
3	2624	2;W	W	29.2	22.3
3	2624	2;X	W	29.1	22.2
3	2624	2;Y	W	29.2	22.3
3	2624	2;Z	W	29.1	22.2
3	2624	2;AA	W	29.2	22.3
3	2624	2;AB	W	29.1	22.2
3	2624	2;AC	S	50.8	44.0
3	2624	2;AD	E	54.7	47.8
3	2624	2;AE	E	54.2	47.3
3	2624	2;AF	E	54.7	47.8
4	2624	2;A	E	54.3	47.4
4	2624	2;B	E	54.9	48.0
4	2624	2;C	E	54.4	47.5
4	2624	2;D	E	54.9	48.1
4	2624	2;E	E	54.5	47.7
4	2624	2;F	E	54.9	48.1
4	2624	2;G	E	54.3	47.5
4	2624	2;H	E	55.0	48.1
4	2624	2;I	E	54.4	47.5
4	2624	2;J	E	55.0	48.1
4	2624	2;K	N	51.0	44.1
4	2624	2;L	W	29.3	22.4
4	2624	2;M	W	29.3	22.4
4	2624	2;N	W	29.2	22.3
4	2624	2;O	W	29.2	22.3
4	2624	2;P	W	29.1	22.2
4	2624	2;Q	W	29.2	22.3
4	2624	2;R	W	29.1	22.2
4	2624	2;S	W	29.2	22.3
4	2624	2;T	W	29.1	22.2
4	2624	2;U	W	29.1	22.3
4	2624	2;V	W	29.0	22.2
4	2624	2;W	W	29.1	22.3
4	2624	2;X	W	29.0	22.2
4	2624	2;Y	W	29.1	22.3
4	2624	2;Z	W	29.0	22.2
4	2624	2;AA	W	29.1	22.3
4	2624	2;AB	W	29.0	22.2
4	2624	2;AC	S	51.1	44.3
4	2624	2;AD	E	54.9	48.0
4	2624	2;AE	E	54.4	47.5
4	2624	2;AF	E	54.9	48.1
5	2624	2;A	E	54.3	47.4
5	2624	2;B	E	55.0	48.1
5	2624	2;C	E	54.4	47.5
5	2624	2;D	E	55.0	48.2
5	2624	2;E	E	54.6	47.7
5	2624	2;F	E	55.0	48.2
5	2624	2;G	E	54.4	47.5
5	2624	2;H	E	55.1	48.2
5	2624	2;I	E	54.4	47.5
5	2624	2;J	E	55.1	48.2
5	2624	2;K	N	51.1	44.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	2624	2;L	W	29.3	22.4
5	2624	2;M	W	29.3	22.4
5	2624	2;N	W	29.1	22.2
5	2624	2;O	W	29.2	22.3
5	2624	2;P	W	29.1	22.2
5	2624	2;Q	W	29.2	22.3
5	2624	2;R	W	29.1	22.2
5	2624	2;S	W	29.2	22.3
5	2624	2;T	W	29.0	22.1
5	2624	2;U	W	29.1	22.2
5	2624	2;V	W	29.0	22.1
5	2624	2;W	W	29.1	22.2
5	2624	2;X	W	29.0	22.1
5	2624	2;Y	W	29.1	22.2
5	2624	2;Z	W	29.0	22.1
5	2624	2;AA	W	29.1	22.2
5	2624	2;AB	W	29.0	22.1
5	2624	2;AC	S	51.3	44.4
5	2624	2;AD	E	55.0	48.1
5	2624	2;AE	E	54.4	47.5
5	2624	2;AF	E	55.0	48.2
6	2624	2;A	E	54.3	47.4
6	2624	2;B	E	55.0	48.2
6	2624	2;C	E	54.4	47.5
6	2624	2;D	E	55.1	48.2
6	2624	2;E	E	54.6	47.7
6	2624	2;F	E	55.1	48.2
6	2624	2;G	E	54.3	47.4
6	2624	2;H	E	55.1	48.2
6	2624	2;I	E	54.4	47.5
6	2624	2;J	E	55.1	48.2
6	2624	2;K	N	51.2	44.3
6	2624	2;L	W	29.3	22.4
6	2624	2;M	W	29.2	22.4
6	2624	2;N	W	29.1	22.2
6	2624	2;O	W	29.1	22.2
6	2624	2;P	W	29.0	22.1
6	2624	2;Q	W	29.1	22.2
6	2624	2;R	W	29.0	22.1
6	2624	2;S	W	29.1	22.2
6	2624	2;T	W	29.0	22.1
6	2624	2;U	W	29.1	22.2
6	2624	2;V	W	29.0	22.1
6	2624	2;W	W	29.0	22.2
6	2624	2;X	W	29.0	22.1
6	2624	2;Y	W	29.0	22.2
6	2624	2;Z	W	28.9	22.1
6	2624	2;AA	W	29.0	22.2
6	2624	2;AB	W	28.9	22.1
6	2624	2;AC	S	51.4	44.5
6	2624	2;AD	E	55.1	48.2
6	2624	2;AE	E	54.3	47.4
6	2624	2;AF	E	55.1	48.2
7	2624	2;A	E	54.2	47.3
7	2624	2;B	E	55.0	48.2
7	2624	2;C	E	54.3	47.4
7	2624	2;D	E	55.1	48.2
7	2624	2;E	E	54.5	47.6
7	2624	2;F	E	55.1	48.2
7	2624	2;G	E	54.3	47.4
7	2624	2;H	E	55.1	48.2
7	2624	2;I	E	54.3	47.4
7	2624	2;J	E	55.1	48.2
7	2624	2;K	N	51.2	44.3
7	2624	2;L	W	29.2	22.3
7	2624	2;M	W	29.2	22.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
7	2624	2;N	W	29.0	22.1
7	2624	2;O	W	29.0	22.2
7	2624	2;P	W	29.0	22.1
7	2624	2;Q	W	29.1	22.2
7	2624	2;R	W	29.0	22.1
7	2624	2;S	W	29.0	22.2
7	2624	2;T	W	28.9	22.0
7	2624	2;U	W	29.0	22.1
7	2624	2;V	W	28.9	22.0
7	2624	2;W	W	29.0	22.1
7	2624	2;X	W	28.9	22.0
7	2624	2;Y	W	29.0	22.1
7	2624	2;Z	W	28.9	22.0
7	2624	2;AA	W	29.0	22.1
7	2624	2;AB	W	28.9	22.0
7	2624	2;AC	S	51.4	44.6
7	2624	2;AD	E	55.0	48.2
7	2624	2;AE	E	54.3	47.4
7	2624	2;AF	E	55.0	48.2
8	2624	2;A	E	54.1	47.3
8	2624	2;B	E	55.0	48.1
8	2624	2;C	E	54.2	47.3
8	2624	2;D	E	55.0	48.1
8	2624	2;E	E	54.4	47.5
8	2624	2;F	E	55.0	48.1
8	2624	2;G	E	54.2	47.3
8	2624	2;H	E	55.0	48.2
8	2624	2;I	E	54.2	47.4
8	2624	2;J	E	55.0	48.2
8	2624	2;K	N	51.1	44.2
8	2624	2;L	W	29.1	22.3
8	2624	2;M	W	29.1	22.2
8	2624	2;N	W	29.0	22.1
8	2624	2;O	W	29.0	22.1
8	2624	2;P	W	28.9	22.0
8	2624	2;Q	W	29.0	22.1
8	2624	2;R	W	28.9	22.0
8	2624	2;S	W	29.0	22.1
8	2624	2;T	W	28.9	22.0
8	2624	2;U	W	28.9	22.1
8	2624	2;V	W	28.8	22.0
8	2624	2;W	W	28.9	22.1
8	2624	2;X	W	28.8	22.0
8	2624	2;Y	W	28.9	22.1
8	2624	2;Z	W	28.8	21.9
8	2624	2;AA	W	28.9	22.1
8	2624	2;AB	W	28.8	22.0
8	2624	2;AC	S	51.4	44.6
8	2624	2;AD	E	55.0	48.1
8	2624	2;AE	E	54.2	47.3
8	2624	2;AF	E	55.0	48.1
9	2624	2;A	E	54.0	47.1
9	2624	2;B	E	54.9	48.0
9	2624	2;C	E	54.1	47.2
9	2624	2;D	E	54.9	48.1
9	2624	2;E	E	54.3	47.4
9	2624	2;F	E	54.9	48.1
9	2624	2;G	E	54.1	47.2
9	2624	2;H	E	55.0	48.1
9	2624	2;I	E	54.1	47.3
9	2624	2;J	E	55.0	48.1
9	2624	2;K	N	51.1	44.2
9	2624	2;L	W	29.1	22.2
9	2624	2;M	W	29.1	22.2
9	2624	2;N	W	28.9	22.0
9	2624	2;O	W	28.9	22.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
9	2624	2;P	W	28.8	22.0
9	2624	2;Q	W	28.9	22.0
9	2624	2;R	W	28.8	21.9
9	2624	2;S	W	28.9	22.0
9	2624	2;T	W	28.8	21.9
9	2624	2;U	W	28.9	22.0
9	2624	2;V	W	28.8	21.9
9	2624	2;W	W	28.9	22.0
9	2624	2;X	W	28.8	21.9
9	2624	2;Y	W	28.9	22.0
9	2624	2;Z	W	28.8	21.9
9	2624	2;AA	W	28.9	22.0
9	2624	2;AB	W	28.8	21.9
9	2624	2;AC	S	51.4	44.6
9	2624	2;AD	E	54.9	48.1
9	2624	2;AE	E	54.1	47.2
9	2624	2;AF	E	54.9	48.1
10	2624	2;A	E	53.9	47.0
10	2624	2;B	E	54.8	48.0
10	2624	2;C	E	54.0	47.1
10	2624	2;D	E	54.9	48.0
10	2624	2;E	E	54.2	47.3
10	2624	2;F	E	54.9	48.0
10	2624	2;G	E	53.9	47.1
10	2624	2;H	E	54.9	48.0
10	2624	2;I	E	54.0	47.1
10	2624	2;J	E	54.9	48.0
10	2624	2;K	N	51.0	44.1
10	2624	2;L	W	29.0	22.1
10	2624	2;M	W	29.0	22.1
10	2624	2;N	W	28.8	21.9
10	2624	2;O	W	28.8	22.0
10	2624	2;P	W	28.8	21.9
10	2624	2;Q	W	28.8	22.0
10	2624	2;R	W	28.8	21.9
10	2624	2;S	W	28.8	22.0
10	2624	2;T	W	28.7	21.8
10	2624	2;U	W	28.8	21.9
10	2624	2;V	W	28.7	21.8
10	2624	2;W	W	28.8	21.9
10	2624	2;X	W	28.7	21.8
10	2624	2;Y	W	28.8	21.9
10	2624	2;Z	W	28.7	21.8
10	2624	2;AA	W	28.8	21.9
10	2624	2;AB	W	28.8	21.9
10	2624	2;AC	S	51.4	44.5
10	2624	2;AD	E	54.8	48.0
10	2624	2;AE	E	53.9	47.1
10	2624	2;AF	E	54.8	48.0
11	2624	2;A	E	53.8	46.9
11	2624	2;B	E	54.7	47.9
11	2624	2;C	E	53.9	47.0
11	2624	2;D	E	54.8	47.9
11	2624	2;E	E	54.1	47.2
11	2624	2;F	E	54.8	47.9
11	2624	2;G	E	53.8	46.9
11	2624	2;H	E	54.8	47.9
11	2624	2;I	E	53.9	47.0
11	2624	2;J	E	54.8	47.9
11	2624	2;K	N	50.9	44.0
11	2624	2;L	W	29.1	22.2
11	2624	2;M	W	29.0	22.1
11	2624	2;N	W	28.8	21.9
11	2624	2;O	W	28.8	21.9
11	2624	2;P	W	28.7	21.9
11	2624	2;Q	W	28.8	22.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
11	2624	2;R	W	28.7	21.9
11	2624	2;S	W	28.8	21.9
11	2624	2;T	W	28.7	21.8
11	2624	2;U	W	28.8	21.9
11	2624	2;V	W	28.7	21.8
11	2624	2;W	W	28.8	21.9
11	2624	2;X	W	28.7	21.8
11	2624	2;Y	W	28.8	21.9
11	2624	2;Z	W	28.7	21.8
11	2624	2;AA	W	28.8	22.0
11	2624	2;AB	W	28.9	22.0
11	2624	2;AC	S	51.3	44.5
11	2624	2;AD	E	54.8	47.9
11	2624	2;AE	E	53.8	46.9
11	2624	2;AF	E	54.8	47.9
12	2624	2;A	E	53.6	46.8
12	2624	2;B	E	54.6	47.8
12	2624	2;C	E	53.7	46.9
12	2624	2;D	E	54.7	47.8
12	2624	2;E	E	53.9	47.1
12	2624	2;F	E	54.7	47.8
12	2624	2;G	E	53.7	46.8
12	2624	2;H	E	54.7	47.8
12	2624	2;I	E	53.8	46.9
12	2624	2;J	E	54.7	47.8
12	2624	2;K	N	50.8	43.9
12	2624	2;L	W	29.5	22.6
12	2624	2;M	W	29.4	22.5
12	2624	2;N	W	29.1	22.2
12	2624	2;O	W	29.1	22.2
12	2624	2;P	W	29.0	22.1
12	2624	2;Q	W	29.1	22.2
12	2624	2;R	W	29.0	22.1
12	2624	2;S	W	29.1	22.2
12	2624	2;T	W	29.0	22.1
12	2624	2;U	W	29.0	22.2
12	2624	2;V	W	29.0	22.1
12	2624	2;W	W	29.0	22.2
12	2624	2;X	W	29.0	22.1
12	2624	2;Y	W	29.1	22.2
12	2624	2;Z	W	29.0	22.1
12	2624	2;AA	W	29.4	22.5
12	2624	2;AB	W	29.7	22.8
12	2624	2;AC	S	51.3	44.4
12	2624	2;AD	E	54.7	47.8
12	2624	2;AE	E	53.7	46.8
12	2624	2;AF	E	54.7	47.8
1	2625	22;A	E	46.6	39.7
1	2625	22;B	N	46.3	39.5
1	2625	22;C	N	48.3	41.4
1	2625	22;D	E	51.8	44.9
1	2625	22;E	E	52.2	45.3
1	2625	22;F	E	51.8	44.9
1	2625	22;G	E	51.4	44.6
1	2625	22;H	E	51.9	45.1
1	2625	22;I	E	51.5	44.6
1	2625	22;J	E	52.0	45.1
1	2625	22;K	E	51.5	44.7
1	2625	22;L	E	52.0	45.1
1	2625	22;M	S	47.4	40.6
1	2625	22;N	W	29.5	22.6
1	2625	22;O	W	29.4	22.5
1	2625	22;P	W	29.2	22.3
1	2625	22;Q	W	29.3	22.4
1	2625	22;R	W	29.3	22.3
1	2625	22;S	W	29.4	22.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2625	22;T	W	29.2	22.3
1	2625	22;U	N	30.1	23.2
1	2625	22;V	S	28.8	21.9
1	2625	22;W	W	28.0	21.1
1	2625	22;X	S	27.3	20.3
1	2625	22;Y	W	26.4	19.4
1	2625	22;Z	N	41.1	34.2
1	2625	22;AA	N	42.8	36.0
2	2625	22;A	E	49.2	42.3
2	2625	22;B	N	48.9	41.9
2	2625	22;C	N	50.7	43.7
2	2625	22;D	E	54.1	47.2
2	2625	22;E	E	54.4	47.5
2	2625	22;F	E	54.0	47.2
2	2625	22;G	E	53.7	46.8
2	2625	22;H	E	54.2	47.3
2	2625	22;I	E	53.7	46.9
2	2625	22;J	E	54.2	47.3
2	2625	22;K	E	53.8	47.0
2	2625	22;L	E	54.2	47.3
2	2625	22;M	S	49.9	43.0
2	2625	22;N	W	29.5	22.6
2	2625	22;O	W	29.4	22.5
2	2625	22;P	W	29.2	22.3
2	2625	22;Q	W	29.3	22.4
2	2625	22;R	W	29.3	22.4
2	2625	22;S	W	29.4	22.5
2	2625	22;T	W	29.3	22.3
2	2625	22;U	N	30.1	23.2
2	2625	22;V	S	28.8	21.9
2	2625	22;W	W	28.1	21.1
2	2625	22;X	S	27.3	20.4
2	2625	22;Y	W	26.4	19.4
2	2625	22;Z	N	43.4	36.4
2	2625	22;AA	N	45.3	38.4
3	2625	22;A	E	50.4	43.5
3	2625	22;B	N	50.0	43.0
3	2625	22;C	N	51.3	44.4
3	2625	22;D	E	54.7	47.8
3	2625	22;E	E	54.9	48.0
3	2625	22;F	E	54.5	47.7
3	2625	22;G	E	54.2	47.3
3	2625	22;H	E	54.7	47.8
3	2625	22;I	E	54.2	47.3
3	2625	22;J	E	54.8	47.9
3	2625	22;K	E	54.3	47.4
3	2625	22;L	E	54.8	47.9
3	2625	22;M	S	50.6	43.7
3	2625	22;N	W	29.5	22.6
3	2625	22;O	W	29.4	22.5
3	2625	22;P	W	29.2	22.3
3	2625	22;Q	W	29.3	22.4
3	2625	22;R	W	29.2	22.3
3	2625	22;S	W	29.3	22.4
3	2625	22;T	W	29.2	22.3
3	2625	22;U	N	30.1	23.2
3	2625	22;V	S	28.8	21.9
3	2625	22;W	W	28.1	21.1
3	2625	22;X	S	27.3	20.4
3	2625	22;Y	W	26.4	19.4
3	2625	22;Z	N	44.6	37.7
3	2625	22;AA	N	46.5	39.5
4	2625	22;A	E	51.0	44.0
4	2625	22;B	N	50.4	43.4
4	2625	22;C	N	51.6	44.6
4	2625	22;D	E	54.9	48.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	2625	22;E	E	55.1	48.2
4	2625	22;F	E	54.7	47.8
4	2625	22;G	E	54.3	47.4
4	2625	22;H	E	55.0	48.1
4	2625	22;I	E	54.4	47.5
4	2625	22;J	E	55.0	48.1
4	2625	22;K	E	54.5	47.6
4	2625	22;L	E	55.0	48.1
4	2625	22;M	S	50.8	43.9
4	2625	22;N	W	29.5	22.6
4	2625	22;O	W	29.4	22.5
4	2625	22;P	W	29.2	22.3
4	2625	22;Q	W	29.2	22.3
4	2625	22;R	W	29.2	22.3
4	2625	22;S	W	29.3	22.4
4	2625	22;T	W	29.2	22.3
4	2625	22;U	N	30.1	23.2
4	2625	22;V	S	28.8	21.9
4	2625	22;W	W	28.0	21.1
4	2625	22;X	S	27.3	20.4
4	2625	22;Y	W	26.4	19.4
4	2625	22;Z	N	45.4	38.4
4	2625	22;AA	N	47.2	40.2
5	2625	22;A	E	51.2	44.2
5	2625	22;B	N	50.6	43.6
5	2625	22;C	N	51.7	44.7
5	2625	22;D	E	55.0	48.1
5	2625	22;E	E	55.2	48.3
5	2625	22;F	E	54.8	47.9
5	2625	22;G	E	54.4	47.5
5	2625	22;H	E	55.1	48.2
5	2625	22;I	E	54.4	47.5
5	2625	22;J	E	55.1	48.2
5	2625	22;K	E	54.5	47.6
5	2625	22;L	E	55.1	48.2
5	2625	22;M	S	50.9	44.0
5	2625	22;N	W	29.4	22.5
5	2625	22;O	W	29.3	22.4
5	2625	22;P	W	29.1	22.2
5	2625	22;Q	W	29.2	22.3
5	2625	22;R	W	29.2	22.3
5	2625	22;S	W	29.3	22.4
5	2625	22;T	W	29.2	22.3
5	2625	22;U	N	30.1	23.1
5	2625	22;V	S	28.8	21.9
5	2625	22;W	W	28.0	21.1
5	2625	22;X	S	27.3	20.4
5	2625	22;Y	W	26.3	19.4
5	2625	22;Z	N	45.9	38.9
5	2625	22;AA	N	47.5	40.5
6	2625	22;A	E	51.3	44.3
6	2625	22;B	N	50.7	43.7
6	2625	22;C	N	51.7	44.8
6	2625	22;D	E	55.0	48.1
6	2625	22;E	E	55.2	48.3
6	2625	22;F	E	54.8	47.9
6	2625	22;G	E	54.3	47.4
6	2625	22;H	E	55.1	48.2
6	2625	22;I	E	54.4	47.5
6	2625	22;J	E	55.1	48.2
6	2625	22;K	E	54.4	47.6
6	2625	22;L	E	55.1	48.2
6	2625	22;M	S	50.9	44.1
6	2625	22;N	W	29.4	22.5
6	2625	22;O	W	29.3	22.4
6	2625	22;P	W	29.1	22.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	2625	22;Q	W	29.2	22.3
6	2625	22;R	W	29.1	22.2
6	2625	22;S	W	29.2	22.3
6	2625	22;T	W	29.1	22.2
6	2625	22;U	N	30.0	23.1
6	2625	22;V	S	28.7	21.8
6	2625	22;W	W	28.0	21.1
6	2625	22;X	S	27.3	20.4
6	2625	22;Y	W	26.3	19.4
6	2625	22;Z	N	46.0	39.0
6	2625	22;AA	N	47.6	40.6
7	2625	22;A	E	51.3	44.3
7	2625	22;B	N	50.7	43.7
7	2625	22;C	N	51.7	44.8
7	2625	22;D	E	55.0	48.0
7	2625	22;E	E	55.2	48.3
7	2625	22;F	E	54.8	47.9
7	2625	22;G	E	54.3	47.4
7	2625	22;H	E	55.1	48.2
7	2625	22;I	E	54.3	47.4
7	2625	22;J	E	55.1	48.2
7	2625	22;K	E	54.4	47.5
7	2625	22;L	E	55.1	48.2
7	2625	22;M	S	50.9	44.0
7	2625	22;N	W	29.3	22.4
7	2625	22;O	W	29.2	22.3
7	2625	22;P	W	29.0	22.1
7	2625	22;Q	W	29.1	22.2
7	2625	22;R	W	29.1	22.2
7	2625	22;S	W	29.2	22.3
7	2625	22;T	W	29.1	22.2
7	2625	22;U	N	30.0	23.0
7	2625	22;V	S	28.7	21.8
7	2625	22;W	W	28.0	21.0
7	2625	22;X	S	27.3	20.4
7	2625	22;Y	W	26.3	19.4
7	2625	22;Z	N	46.1	39.1
7	2625	22;AA	N	47.6	40.7
8	2625	22;A	E	51.3	44.3
8	2625	22;B	N	50.7	43.7
8	2625	22;C	N	51.7	44.7
8	2625	22;D	E	54.9	48.0
8	2625	22;E	E	55.2	48.3
8	2625	22;F	E	54.7	47.8
8	2625	22;G	E	54.2	47.3
8	2625	22;H	E	55.1	48.2
8	2625	22;I	E	54.3	47.4
8	2625	22;J	E	55.1	48.2
8	2625	22;K	E	54.3	47.4
8	2625	22;L	E	55.1	48.2
8	2625	22;M	S	50.9	44.0
8	2625	22;N	W	29.3	22.4
8	2625	22;O	W	29.2	22.3
8	2625	22;P	W	29.0	22.1
8	2625	22;Q	W	29.0	22.1
8	2625	22;R	W	29.0	22.1
8	2625	22;S	W	29.1	22.2
8	2625	22;T	W	29.0	22.1
8	2625	22;U	N	29.9	23.0
8	2625	22;V	S	28.7	21.7
8	2625	22;W	W	27.9	21.0
8	2625	22;X	S	27.4	20.5
8	2625	22;Y	W	26.3	19.4
8	2625	22;Z	N	46.1	39.1
8	2625	22;AA	N	47.6	40.7
9	2625	22;A	E	51.3	44.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
9	2625	22;B	N	50.7	43.7
9	2625	22;C	N	51.6	44.7
9	2625	22;D	E	54.8	47.9
9	2625	22;E	E	55.1	48.2
9	2625	22;F	E	54.7	47.8
9	2625	22;G	E	54.1	47.2
9	2625	22;H	E	55.0	48.1
9	2625	22;I	E	54.2	47.3
9	2625	22;J	E	55.0	48.1
9	2625	22;K	E	54.2	47.3
9	2625	22;L	E	55.0	48.1
9	2625	22;M	S	50.8	43.9
9	2625	22;N	W	29.2	22.3
9	2625	22;O	W	29.1	22.2
9	2625	22;P	W	28.9	22.0
9	2625	22;Q	W	29.0	22.1
9	2625	22;R	W	28.9	22.0
9	2625	22;S	W	29.0	22.1
9	2625	22;T	W	28.9	22.0
9	2625	22;U	N	29.8	22.9
9	2625	22;V	S	28.7	21.7
9	2625	22;W	W	27.9	21.0
9	2625	22;X	S	27.4	20.5
9	2625	22;Y	W	26.3	19.3
9	2625	22;Z	N	46.1	39.2
9	2625	22;AA	N	47.6	40.7
10	2625	22;A	E	51.3	44.3
10	2625	22;B	N	50.6	43.7
10	2625	22;C	N	51.6	44.6
10	2625	22;D	E	54.8	47.8
10	2625	22;E	E	55.0	48.1
10	2625	22;F	E	54.6	47.7
10	2625	22;G	E	54.0	47.1
10	2625	22;H	E	54.9	48.0
10	2625	22;I	E	54.0	47.2
10	2625	22;J	E	54.9	48.0
10	2625	22;K	E	54.1	47.2
10	2625	22;L	E	54.9	48.0
10	2625	22;M	S	50.7	43.8
10	2625	22;N	W	29.2	22.3
10	2625	22;O	W	29.0	22.2
10	2625	22;P	W	28.9	22.0
10	2625	22;Q	W	28.9	22.0
10	2625	22;R	W	28.9	22.0
10	2625	22;S	W	29.0	22.1
10	2625	22;T	W	28.9	22.0
10	2625	22;U	N	29.8	22.9
10	2625	22;V	S	28.7	21.8
10	2625	22;W	W	27.8	20.9
10	2625	22;X	S	27.5	20.6
10	2625	22;Y	W	26.3	19.3
10	2625	22;Z	N	46.1	39.2
10	2625	22;AA	N	47.6	40.7
11	2625	22;A	E	51.3	44.3
11	2625	22;B	N	50.6	43.6
11	2625	22;C	N	51.5	44.5
11	2625	22;D	E	54.6	47.7
11	2625	22;E	E	54.9	48.0
11	2625	22;F	E	54.5	47.6
11	2625	22;G	E	53.9	47.0
11	2625	22;H	E	54.8	47.9
11	2625	22;I	E	53.9	47.0
11	2625	22;J	E	54.8	47.9
11	2625	22;K	E	54.0	47.1
11	2625	22;L	E	54.8	47.9
11	2625	22;M	S	50.6	43.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
11	2625	22;N	W	29.2	22.3
11	2625	22;O	W	29.0	22.2
11	2625	22;P	W	28.8	21.9
11	2625	22;Q	W	28.9	22.0
11	2625	22;R	W	28.9	22.0
11	2625	22;S	W	29.0	22.0
11	2625	22;T	W	28.9	22.0
11	2625	22;U	N	29.9	23.0
11	2625	22;V	S	28.9	22.0
11	2625	22;W	W	27.9	20.9
11	2625	22;X	S	27.7	20.8
11	2625	22;Y	W	26.3	19.4
11	2625	22;Z	N	46.1	39.2
11	2625	22;AA	N	47.6	40.6
12	2625	22;A	E	51.2	44.3
12	2625	22;B	N	50.6	43.6
12	2625	22;C	N	51.4	44.4
12	2625	22;D	E	54.5	47.6
12	2625	22;E	E	54.8	47.9
12	2625	22;F	E	54.3	47.5
12	2625	22;G	E	53.7	46.8
12	2625	22;H	E	54.7	47.8
12	2625	22;I	E	53.8	46.9
12	2625	22;J	E	54.7	47.8
12	2625	22;K	E	53.8	46.9
12	2625	22;L	E	54.7	47.8
12	2625	22;M	S	50.5	43.6
12	2625	22;N	W	29.8	23.0
12	2625	22;O	W	29.4	22.5
12	2625	22;P	W	29.1	22.2
12	2625	22;Q	W	29.2	22.3
12	2625	22;R	W	29.1	22.2
12	2625	22;S	W	29.2	22.3
12	2625	22;T	W	29.2	22.3
12	2625	22;U	N	30.9	23.9
12	2625	22;V	S	29.7	22.8
12	2625	22;W	W	28.2	21.3
12	2625	22;X	S	28.3	21.4
12	2625	22;Y	W	26.8	19.8
12	2625	22;Z	N	46.2	39.2
12	2625	22;AA	N	47.6	40.6
1	2626	28;A	S	48.4	41.7
1	2626	28;B	W	36.2	29.6
1	2626	28;C	W	35.8	29.1
1	2626	28;D	W	36.3	29.6
1	2626	28;E	W	36.2	29.5
1	2626	28;F	W	35.8	29.1
1	2626	28;G	W	35.9	29.2
1	2626	28;H	W	36.3	29.6
1	2626	28;I	W	36.9	30.2
1	2626	28;J	W	36.7	30.0
1	2626	28;K	W	36.5	29.8
1	2626	28;L	W	36.3	29.6
1	2626	28;M	W	35.5	28.8
1	2626	28;N	W	33.0	26.3
1	2626	28;O	W	32.9	26.2
1	2626	28;P	N	48.8	42.2
1	2626	28;Q	E	53.0	46.3
1	2626	28;R	E	52.9	46.3
1	2626	28;S	E	52.8	46.1
1	2626	28;T	E	52.9	46.2
1	2626	28;U	E	52.8	46.1
1	2626	28;V	E	52.9	46.2
1	2626	28;W	E	52.6	46.0
2	2626	28;A	S	51.2	44.5
2	2626	28;B	W	38.5	31.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	2626	28;C	W	38.8	32.1
2	2626	28;D	W	38.8	32.1
2	2626	28;E	W	38.7	32.0
2	2626	28;F	W	38.2	31.5
2	2626	28;G	W	38.0	31.3
2	2626	28;H	W	38.2	31.5
2	2626	28;I	W	38.5	31.8
2	2626	28;J	W	38.2	31.5
2	2626	28;K	W	38.0	31.3
2	2626	28;L	W	37.5	30.8
2	2626	28;M	W	36.2	29.5
2	2626	28;N	W	33.6	26.9
2	2626	28;O	W	33.4	26.6
2	2626	28;P	N	51.7	45.1
2	2626	28;Q	E	55.9	49.2
2	2626	28;R	E	55.8	49.1
2	2626	28;S	E	55.7	49.0
2	2626	28;T	E	55.8	49.1
2	2626	28;U	E	55.7	49.0
2	2626	28;V	E	55.8	49.1
2	2626	28;W	E	55.6	48.9
3	2626	28;A	S	52.5	45.8
3	2626	28;B	W	40.7	34.0
3	2626	28;C	W	41.1	34.4
3	2626	28;D	W	40.8	34.1
3	2626	28;E	W	40.6	33.9
3	2626	28;F	W	40.2	33.5
3	2626	28;G	W	40.1	33.4
3	2626	28;H	W	40.4	33.7
3	2626	28;I	W	40.6	33.9
3	2626	28;J	W	40.5	33.9
3	2626	28;K	W	40.3	33.6
3	2626	28;L	W	39.1	32.4
3	2626	28;M	W	37.7	31.0
3	2626	28;N	W	34.4	27.7
3	2626	28;O	W	33.9	27.2
3	2626	28;P	N	52.8	46.2
3	2626	28;Q	E	56.7	50.0
3	2626	28;R	E	56.7	50.0
3	2626	28;S	E	56.6	49.9
3	2626	28;T	E	56.6	50.0
3	2626	28;U	E	56.6	49.9
3	2626	28;V	E	56.7	50.0
3	2626	28;W	E	56.5	49.8
4	2626	28;A	S	52.9	46.2
4	2626	28;B	W	40.9	34.3
4	2626	28;C	W	41.5	34.8
4	2626	28;D	W	41.3	34.6
4	2626	28;E	W	41.4	34.7
4	2626	28;F	W	41.4	34.8
4	2626	28;G	W	41.1	34.4
4	2626	28;H	W	41.5	34.8
4	2626	28;I	W	42.1	35.4
4	2626	28;J	W	41.9	35.2
4	2626	28;K	W	41.6	34.9
4	2626	28;L	W	40.4	33.7
4	2626	28;M	W	39.0	32.3
4	2626	28;N	W	35.2	28.5
4	2626	28;O	W	34.7	27.9
4	2626	28;P	N	53.2	46.5
4	2626	28;Q	E	57.0	50.3
4	2626	28;R	E	57.0	50.3
4	2626	28;S	E	56.9	50.2
4	2626	28;T	E	57.0	50.3
4	2626	28;U	E	56.9	50.2
4	2626	28;V	E	57.0	50.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	2626	28;W	E	56.8	50.1
5	2626	28;A	S	53.1	46.5
5	2626	28;B	W	41.7	35.0
5	2626	28;C	W	42.4	35.7
5	2626	28;D	W	42.2	35.5
5	2626	28;E	W	42.3	35.6
5	2626	28;F	W	42.3	35.6
5	2626	28;G	W	41.9	35.2
5	2626	28;H	W	42.3	35.6
5	2626	28;I	W	43.0	36.3
5	2626	28;J	W	42.8	36.1
5	2626	28;K	W	42.6	35.9
5	2626	28;L	W	41.3	34.6
5	2626	28;M	W	40.2	33.5
5	2626	28;N	W	36.0	29.3
5	2626	28;O	W	35.9	29.1
5	2626	28;P	N	53.4	46.7
5	2626	28;Q	E	57.1	50.4
5	2626	28;R	E	57.1	50.4
5	2626	28;S	E	57.1	50.4
5	2626	28;T	E	57.1	50.4
5	2626	28;U	E	57.1	50.4
5	2626	28;V	E	57.1	50.4
5	2626	28;W	E	57.0	50.3
1	2627	41;A	NW	34.2	27.6
1	2627	41;B	NE	33.6	27.0
1	2627	41;C	NW	34.7	28.0
1	2627	41;D	SW	32.3	25.7
1	2627	41;E	SW	36.0	29.3
1	2627	41;F	SE	43.1	36.4
1	2627	41;G	SE	44.8	38.1
1	2627	41;H	NE	43.3	36.6
2	2627	41;A	NW	34.3	27.7
2	2627	41;B	NE	33.8	27.1
2	2627	41;C	NW	35.9	29.3
2	2627	41;D	SW	32.4	25.7
2	2627	41;E	SW	37.9	31.2
2	2627	41;F	SE	45.9	39.2
2	2627	41;G	SE	47.8	41.1
2	2627	41;H	NE	46.5	39.8
3	2627	41;A	NW	34.5	27.8
3	2627	41;B	NE	34.0	27.3
3	2627	41;C	NW	36.8	30.2
3	2627	41;D	SW	31.9	25.2
3	2627	41;E	SW	38.9	32.2
3	2627	41;F	SE	47.3	40.6
3	2627	41;G	SE	48.9	42.2
3	2627	41;H	NE	47.7	41.1
4	2627	41;A	NW	34.7	28.1
4	2627	41;B	NE	34.4	27.7
4	2627	41;C	NW	37.5	30.8
4	2627	41;D	SW	31.6	25.0
4	2627	41;E	SW	39.6	33.0
4	2627	41;F	SE	47.6	40.9
4	2627	41;G	SE	49.1	42.4
4	2627	41;H	NE	48.1	41.4
5	2627	41;A	NW	35.2	28.6
5	2627	41;B	NE	35.2	28.5
5	2627	41;C	NW	38.1	31.4
5	2627	41;D	SW	31.2	24.5
5	2627	41;E	SW	40.1	33.4
5	2627	41;F	SE	47.8	41.1
5	2627	41;G	SE	49.2	42.6
5	2627	41;H	NE	48.2	41.5
6	2627	41;A	NW	36.3	29.6
6	2627	41;B	NE	36.9	30.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	2627	41;C	NW	35.2	28.5
6	2627	41;D	SW	31.6	24.9
6	2627	41;E	SW	31.6	24.9
6	2627	41;F	SE	47.2	40.5
6	2627	41;G	SE	49.3	42.6
6	2627	41;H	NE	48.3	41.6
1	2628	35;A	SE	46.0	39.3
1	2628	35;B	SE	47.5	40.9
1	2628	35;C	NE	44.0	37.4
1	2628	35;D	NW	36.3	29.7
1	2628	35;E	NE	38.4	31.7
1	2628	35;F	NW	38.7	32.0
1	2628	35;G	SW	30.9	24.2
1	2628	35;H	NW	33.0	26.3
1	2628	35;I	SW	30.6	23.9
2	2628	35;A	SE	49.1	42.5
2	2628	35;B	SE	50.6	43.9
2	2628	35;C	NE	47.8	41.1
2	2628	35;D	NW	41.5	34.8
2	2628	35;E	NE	43.4	36.8
2	2628	35;F	NW	43.2	36.5
2	2628	35;G	SW	30.9	24.2
2	2628	35;H	NW	35.1	28.4
2	2628	35;I	SW	30.6	23.9
3	2628	35;A	SE	50.5	43.9
3	2628	35;B	SE	51.8	45.2
3	2628	35;C	NE	51.9	45.2
3	2628	35;D	NW	47.6	41.0
3	2628	35;E	NE	48.3	41.6
3	2628	35;F	NW	46.5	39.8
3	2628	35;G	SW	30.9	24.2
3	2628	35;H	NW	37.3	30.6
3	2628	35;I	SW	30.6	23.9
4	2628	35;A	SE	51.2	44.5
4	2628	35;B	SE	52.4	45.8
4	2628	35;C	NE	53.9	47.3
4	2628	35;D	NW	51.1	44.4
4	2628	35;E	NE	51.7	45.1
4	2628	35;F	NW	49.3	42.7
4	2628	35;G	SW	30.9	24.2
4	2628	35;H	NW	40.6	34.0
4	2628	35;I	SW	30.6	23.9
5	2628	35;A	SE	51.6	44.9
5	2628	35;B	SE	52.8	46.1
5	2628	35;C	NE	55.5	48.8
5	2628	35;D	NW	53.0	46.4
5	2628	35;E	NE	53.6	47.0
5	2628	35;F	NW	50.6	43.9
5	2628	35;G	SW	30.8	24.2
5	2628	35;H	NW	41.8	35.2
5	2628	35;I	SW	30.5	23.9
6	2628	35;A	SE	51.7	45.1
6	2628	35;B	SE	52.8	46.2
6	2628	35;C	NE	55.9	49.2
6	2628	35;D	NW	54.5	47.8
6	2628	35;E	NE	55.0	48.3
6	2628	35;F	NW	52.0	45.4
6	2628	35;G	SW	30.8	24.1
6	2628	35;H	NW	42.5	35.8
6	2628	35;I	SW	30.5	23.8
7	2628	35;A	SE	51.7	45.1
7	2628	35;B	SE	53.1	46.5
7	2628	35;C	NE	56.1	49.5
7	2628	35;D	NW	54.8	48.1
7	2628	35;E	NE	55.3	48.6
7	2628	35;F	NW	52.5	45.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
7	2628	35;G	SW	30.8	24.1
7	2628	35;H	NW	43.1	36.4
7	2628	35;I	SW	30.5	23.8
8	2628	35;A	SE	52.3	45.6
8	2628	35;B	SE	53.3	46.6
8	2628	35;C	NE	56.2	49.5
8	2628	35;D	NW	54.8	48.2
8	2628	35;E	NE	55.4	48.7
8	2628	35;F	NW	52.6	45.9
8	2628	35;G	SW	30.7	24.1
8	2628	35;H	NW	43.5	36.8
8	2628	35;I	SW	30.4	23.8
9	2628	35;A	SE	52.4	45.7
9	2628	35;B	SE	53.3	46.6
9	2628	35;C	NE	56.2	49.5
9	2628	35;D	NW	54.8	48.2
9	2628	35;E	NE	55.4	48.7
9	2628	35;F	NW	52.6	46.0
9	2628	35;G	SW	30.7	24.0
9	2628	35;H	NW	43.8	37.1
9	2628	35;I	SW	30.4	23.7
10	2628	35;A	SE	52.4	45.8
10	2628	35;B	SE	53.3	46.6
10	2628	35;C	NE	56.2	49.5
10	2628	35;D	NW	54.8	48.1
10	2628	35;E	NE	55.4	48.7
10	2628	35;F	NW	52.6	46.0
10	2628	35;G	SW	30.7	24.0
10	2628	35;H	NW	44.0	37.4
10	2628	35;I	SW	30.4	23.7
11	2628	35;A	SE	52.4	45.8
11	2628	35;B	SE	53.3	46.6
11	2628	35;C	NE	56.2	49.5
11	2628	35;D	NW	54.8	48.1
11	2628	35;E	NE	55.4	48.7
11	2628	35;F	NW	52.6	46.0
11	2628	35;G	SW	30.7	24.1
11	2628	35;H	NW	44.2	37.5
11	2628	35;I	SW	30.4	23.8
12	2628	35;A	SE	52.4	45.7
12	2628	35;B	SE	53.2	46.6
12	2628	35;C	NE	56.1	49.5
12	2628	35;D	NW	54.8	48.1
12	2628	35;E	NE	55.4	48.7
12	2628	35;F	NW	52.6	45.9
12	2628	35;G	SW	31.0	24.3
12	2628	35;H	NW	44.4	37.7
12	2628	35;I	SW	30.6	23.9
13	2628	35;A	SE	52.4	45.7
13	2628	35;B	SE	53.2	46.5
13	2628	35;C	NE	56.1	49.4
13	2628	35;D	NW	54.7	48.0
13	2628	35;E	NE	55.3	48.6
13	2628	35;F	NW	52.6	45.9
13	2628	35;G	SW	32.1	25.5
13	2628	35;H	NW	44.6	37.9
13	2628	35;I	SW	31.5	24.8
1	2629	23;A	N	40.6	33.8
1	2629	23;B	W	44.3	37.5
1	2629	23;C	W	45.6	38.8
1	2629	23;D	W	45.0	38.2
1	2629	23;E	W	45.7	38.9
1	2629	23;F	W	45.0	38.2
1	2629	23;G	W	45.6	38.8
1	2629	23;H	W	45.0	38.2
1	2629	23;I	W	45.8	39.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2629	23;J	W	45.1	38.4
1	2629	23;K	S	43.4	36.6
1	2629	23;L	E	27.3	20.5
2	2629	23;A	N	43.5	36.7
2	2629	23;B	W	46.7	39.8
2	2629	23;C	W	47.7	40.9
2	2629	23;D	W	47.0	40.2
2	2629	23;E	W	47.8	40.9
2	2629	23;F	W	47.0	40.2
2	2629	23;G	W	47.7	40.9
2	2629	23;H	W	47.1	40.3
2	2629	23;I	W	47.8	41.0
2	2629	23;J	W	47.3	40.5
2	2629	23;K	S	45.4	38.7
2	2629	23;L	E	27.3	20.6
3	2629	23;A	N	45.6	38.7
3	2629	23;B	W	48.4	41.5
3	2629	23;C	W	49.1	42.3
3	2629	23;D	W	48.3	41.4
3	2629	23;E	W	49.1	42.3
3	2629	23;F	W	48.3	41.5
3	2629	23;G	W	49.0	42.2
3	2629	23;H	W	48.4	41.6
3	2629	23;I	W	49.2	42.4
3	2629	23;J	W	48.7	41.9
3	2629	23;K	S	46.9	40.1
3	2629	23;L	E	27.4	20.7
4	2629	23;A	N	46.5	39.6
4	2629	23;B	W	49.2	42.4
4	2629	23;C	W	50.0	43.2
4	2629	23;D	W	49.1	42.2
4	2629	23;E	W	50.0	43.2
4	2629	23;F	W	49.1	42.3
4	2629	23;G	W	50.0	43.2
4	2629	23;H	W	49.2	42.4
4	2629	23;I	W	50.2	43.4
4	2629	23;J	W	49.7	43.0
4	2629	23;K	S	47.9	41.1
4	2629	23;L	E	27.6	20.8
5	2629	23;A	N	47.0	40.1
5	2629	23;B	W	49.7	42.8
5	2629	23;C	W	50.5	43.7
5	2629	23;D	W	49.5	42.7
5	2629	23;E	W	50.6	43.7
5	2629	23;F	W	49.6	42.7
5	2629	23;G	W	50.5	43.7
5	2629	23;H	W	49.7	42.9
5	2629	23;I	W	50.8	44.0
5	2629	23;J	W	50.5	43.7
5	2629	23;K	S	48.7	42.0
5	2629	23;L	E	27.9	21.1
6	2629	23;A	N	47.3	40.4
6	2629	23;B	W	50.0	43.1
6	2629	23;C	W	50.8	44.0
6	2629	23;D	W	49.8	42.9
6	2629	23;E	W	50.9	44.0
6	2629	23;F	W	49.8	42.9
6	2629	23;G	W	50.8	44.0
6	2629	23;H	W	50.0	43.2
6	2629	23;I	W	51.1	44.3
6	2629	23;J	W	50.9	44.1
6	2629	23;K	S	49.1	42.4
6	2629	23;L	E	28.1	21.4
7	2629	23;A	N	47.4	40.6
7	2629	23;B	W	50.1	43.3
7	2629	23;C	W	51.0	44.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
7	2629	23;D	W	49.9	43.0
7	2629	23;E	W	51.1	44.2
7	2629	23;F	W	49.9	43.1
7	2629	23;G	W	51.0	44.2
7	2629	23;H	W	50.1	43.3
7	2629	23;I	W	51.3	44.5
7	2629	23;J	W	51.1	44.4
7	2629	23;K	S	49.3	42.6
7	2629	23;L	E	28.4	21.6
8	2629	23;A	N	47.6	40.7
8	2629	23;B	W	50.2	43.3
8	2629	23;C	W	51.1	44.3
8	2629	23;D	W	49.9	43.1
8	2629	23;E	W	51.2	44.4
8	2629	23;F	W	50.0	43.1
8	2629	23;G	W	51.2	44.3
8	2629	23;H	W	50.2	43.4
8	2629	23;I	W	51.5	44.6
8	2629	23;J	W	51.3	44.6
8	2629	23;K	S	49.5	42.7
8	2629	23;L	E	28.7	22.0
9	2629	23;A	N	47.6	40.7
9	2629	23;B	W	50.3	43.4
9	2629	23;C	W	51.2	44.4
9	2629	23;D	W	50.0	43.1
9	2629	23;E	W	51.3	44.5
9	2629	23;F	W	50.0	43.2
9	2629	23;G	W	51.2	44.4
9	2629	23;H	W	50.3	43.4
9	2629	23;I	W	51.5	44.7
9	2629	23;J	W	51.4	44.7
9	2629	23;K	S	49.6	42.9
9	2629	23;L	E	29.1	22.4
10	2629	23;A	N	47.6	40.7
10	2629	23;B	W	50.3	43.4
10	2629	23;C	W	51.3	44.4
10	2629	23;D	W	50.0	43.1
10	2629	23;E	W	51.3	44.5
10	2629	23;F	W	50.0	43.2
10	2629	23;G	W	51.3	44.5
10	2629	23;H	W	50.3	43.5
10	2629	23;I	W	51.6	44.8
10	2629	23;J	W	51.5	44.8
10	2629	23;K	S	49.7	42.9
10	2629	23;L	E	29.5	22.8
11	2629	23;A	N	47.7	40.8
11	2629	23;B	W	50.3	43.5
11	2629	23;C	W	51.3	44.5
11	2629	23;D	W	50.0	43.2
11	2629	23;E	W	51.4	44.6
11	2629	23;F	W	50.1	43.2
11	2629	23;G	W	51.3	44.5
11	2629	23;H	W	50.3	43.5
11	2629	23;I	W	51.6	44.8
11	2629	23;J	W	51.6	44.8
11	2629	23;K	S	49.8	43.0
11	2629	23;L	E	30.4	23.7
1	2630	21;A	W	31.8	24.9
1	2630	21;B	S	33.7	26.8
1	2630	21;C	W	33.8	26.9
1	2630	21;D	W	32.9	26.0
1	2630	21;E	S	47.7	40.8
1	2630	21;F	E	52.0	45.1
1	2630	21;G	E	51.5	44.5
1	2630	21;H	E	51.3	44.4
1	2630	21;I	N	47.2	40.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	2630	21;A	W	33.0	26.2
2	2630	21;B	S	35.4	28.5
2	2630	21;C	W	35.6	28.6
2	2630	21;D	W	34.4	27.5
2	2630	21;E	S	50.1	43.2
2	2630	21;F	E	54.3	47.3
2	2630	21;G	E	53.9	46.9
2	2630	21;H	E	53.7	46.7
2	2630	21;I	N	49.7	42.7
3	2630	21;A	W	29.6	22.6
3	2630	21;B	S	29.6	22.5
3	2630	21;C	W	29.5	22.5
3	2630	21;D	W	29.6	22.6
3	2630	21;E	S	50.8	43.9
3	2630	21;F	E	54.9	47.9
3	2630	21;G	E	54.5	47.5
3	2630	21;H	E	54.4	47.3
3	2630	21;I	N	50.5	43.4
4	2630	21;A	W	29.7	22.7
4	2630	21;B	S	29.5	22.5
4	2630	21;C	W	29.6	22.6
4	2630	21;D	W	29.6	22.7
4	2630	21;E	S	51.1	44.2
4	2630	21;F	E	55.1	48.1
4	2630	21;G	E	54.7	47.7
4	2630	21;H	E	54.6	47.6
4	2630	21;I	N	50.7	43.7
5	2630	21;A	W	30.1	23.1
5	2630	21;B	S	29.5	22.5
5	2630	21;C	W	29.7	22.7
5	2630	21;D	W	29.7	22.7
5	2630	21;E	S	51.3	44.3
5	2630	21;F	E	55.2	48.2
5	2630	21;G	E	54.8	47.8
5	2630	21;H	E	54.7	47.7
5	2630	21;I	N	50.8	43.8
6	2630	21;A	W	30.5	23.5
6	2630	21;B	S	29.4	22.4
6	2630	21;C	W	29.8	22.8
6	2630	21;D	W	29.7	22.7
6	2630	21;E	S	51.3	44.4
6	2630	21;F	E	55.2	48.2
6	2630	21;G	E	54.8	47.8
6	2630	21;H	E	54.7	47.7
6	2630	21;I	N	50.8	43.7
7	2630	21;A	W	30.7	23.7
7	2630	21;B	S	29.4	22.4
7	2630	21;C	W	29.1	22.1
7	2630	21;D	W	29.3	22.3
7	2630	21;E	S	51.3	44.4
7	2630	21;F	E	55.1	48.1
7	2630	21;G	E	54.8	47.7
7	2630	21;H	E	54.6	47.6
7	2630	21;I	N	50.7	43.7
8	2630	21;A	W	31.3	24.3
8	2630	21;B	S	29.3	22.3
8	2630	21;C	W	29.1	22.1
8	2630	21;D	W	29.2	22.2
8	2630	21;E	S	51.3	44.4
8	2630	21;F	E	55.1	48.1
8	2630	21;G	E	54.7	47.7
8	2630	21;H	E	54.6	47.6
8	2630	21;I	N	50.6	43.6
9	2630	21;A	W	32.3	25.3
9	2630	21;B	S	29.3	22.3
9	2630	21;C	W	29.0	22.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
9	2630	21;D	W	29.2	22.2
9	2630	21;E	S	51.3	44.4
9	2630	21;F	E	55.0	48.0
9	2630	21;G	E	54.7	47.6
9	2630	21;H	E	54.5	47.5
9	2630	21;I	N	50.6	43.5
10	2630	21;A	W	29.0	22.0
10	2630	21;B	S	29.4	22.4
10	2630	21;C	W	29.0	22.0
10	2630	21;D	W	29.2	22.2
10	2630	21;E	S	51.2	44.3
10	2630	21;F	E	55.0	48.0
10	2630	21;G	E	54.6	47.5
10	2630	21;H	E	54.4	47.4
10	2630	21;I	N	50.5	43.5
11	2630	21;A	W	29.4	22.4
11	2630	21;B	S	30.0	23.1
11	2630	21;C	W	29.4	22.4
11	2630	21;D	W	29.7	22.7
11	2630	21;E	S	51.2	44.2
11	2630	21;F	E	54.9	47.9
11	2630	21;G	E	54.5	47.5
11	2630	21;H	E	54.3	47.3
11	2630	21;I	N	50.4	43.4
1	2631	20;A	N	48.9	42.0
1	2631	20;B	W	33.0	26.1
1	2631	20;C	W	31.6	24.6
1	2631	20;D	N	32.4	25.5
1	2631	20;E	W	30.3	23.4
1	2631	20;F	W	29.5	22.5
1	2631	20;G	N	31.2	24.2
1	2631	20;H	W	29.4	22.4
1	2631	20;I	S	47.2	40.3
1	2631	20;J	E	51.4	44.5
1	2631	20;K	E	51.6	44.7
1	2631	20;L	E	52.3	45.3
1	2631	20;M	E	52.6	45.6
1	2631	20;N	E	53.3	46.3
2	2631	20;A	N	51.2	44.2
2	2631	20;B	W	34.0	27.0
2	2631	20;C	W	32.3	25.3
2	2631	20;D	N	33.2	26.3
2	2631	20;E	W	30.4	23.4
2	2631	20;F	W	29.6	22.6
2	2631	20;G	N	31.7	24.8
2	2631	20;H	W	29.5	22.5
2	2631	20;I	S	49.7	42.7
2	2631	20;J	E	53.8	46.8
2	2631	20;K	E	54.0	46.9
2	2631	20;L	E	54.5	47.5
2	2631	20;M	E	54.7	47.7
2	2631	20;N	E	55.3	48.3
3	2631	20;A	N	51.8	44.8
3	2631	20;B	W	35.0	28.0
3	2631	20;C	W	33.1	26.1
3	2631	20;D	N	34.1	27.1
3	2631	20;E	W	30.6	23.6
3	2631	20;F	W	29.7	22.7
3	2631	20;G	N	32.4	25.4
3	2631	20;H	W	29.6	22.6
3	2631	20;I	S	50.5	43.4
3	2631	20;J	E	54.4	47.4
3	2631	20;K	E	54.5	47.5
3	2631	20;L	E	55.0	48.0
3	2631	20;M	E	55.2	48.1
3	2631	20;N	E	55.8	48.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	2631	20;A	N	52.0	45.0
4	2631	20;B	W	35.7	28.7
4	2631	20;C	W	33.7	26.7
4	2631	20;D	N	34.8	27.8
4	2631	20;E	W	30.8	23.8
4	2631	20;F	W	29.8	22.8
4	2631	20;G	N	33.0	26.0
4	2631	20;H	W	29.8	22.8
4	2631	20;I	S	50.7	43.7
4	2631	20;J	E	54.7	47.6
4	2631	20;K	E	54.7	47.7
4	2631	20;L	E	55.2	48.2
4	2631	20;M	E	55.3	48.3
4	2631	20;N	E	55.9	48.9
5	2631	20;A	N	52.2	45.1
5	2631	20;B	W	36.3	29.3
5	2631	20;C	W	34.4	27.4
5	2631	20;D	N	35.4	28.4
5	2631	20;E	W	31.5	24.5
5	2631	20;F	W	30.3	23.3
5	2631	20;G	N	33.6	26.5
5	2631	20;H	W	30.1	23.1
5	2631	20;I	S	50.8	43.8
5	2631	20;J	E	54.8	47.7
5	2631	20;K	E	54.8	47.8
5	2631	20;L	E	55.3	48.3
5	2631	20;M	E	55.4	48.4
5	2631	20;N	E	56.0	49.0
6	2631	20;A	N	52.2	45.1
6	2631	20;B	W	36.7	29.7
6	2631	20;C	W	34.7	27.7
6	2631	20;D	N	35.8	28.8
6	2631	20;E	W	32.0	25.1
6	2631	20;F	W	31.1	24.2
6	2631	20;G	N	34.2	27.2
6	2631	20;H	W	30.8	23.8
6	2631	20;I	S	50.8	43.8
6	2631	20;J	E	54.7	47.7
6	2631	20;K	E	54.8	47.8
6	2631	20;L	E	55.2	48.2
6	2631	20;M	E	55.3	48.3
6	2631	20;N	E	55.9	48.9
7	2631	20;A	N	52.1	45.1
7	2631	20;B	W	36.7	29.6
7	2631	20;C	W	35.3	28.2
7	2631	20;D	N	36.5	29.5
7	2631	20;E	W	33.8	26.8
7	2631	20;F	W	32.3	25.3
7	2631	20;G	N	34.9	27.9
7	2631	20;H	W	31.3	24.3
7	2631	20;I	S	50.8	43.7
7	2631	20;J	E	54.7	47.6
7	2631	20;K	E	54.7	47.7
7	2631	20;L	E	55.2	48.1
7	2631	20;M	E	55.3	48.2
7	2631	20;N	E	55.9	48.8
8	2631	20;A	N	52.1	45.0
8	2631	20;B	W	35.4	28.4
8	2631	20;C	W	32.9	25.9
8	2631	20;D	N	34.9	27.9
8	2631	20;E	W	31.4	24.4
8	2631	20;F	W	31.8	24.8
8	2631	20;G	N	35.4	28.4
8	2631	20;H	W	32.9	25.9
8	2631	20;I	S	50.7	43.7
8	2631	20;J	E	54.6	47.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
8	2631	20;K	E	54.7	47.7
8	2631	20;L	E	55.1	48.1
8	2631	20;M	E	55.2	48.2
8	2631	20;N	E	55.8	48.7
9	2631	20;A	N	52.0	45.0
9	2631	20;B	W	35.5	28.5
9	2631	20;C	W	33.0	26.0
9	2631	20;D	N	35.0	28.0
9	2631	20;E	W	30.4	23.4
9	2631	20;F	W	29.4	22.4
9	2631	20;G	N	34.0	27.0
9	2631	20;H	W	29.1	22.0
9	2631	20;I	S	50.7	43.6
9	2631	20;J	E	54.5	47.5
9	2631	20;K	E	54.6	47.6
9	2631	20;L	E	55.0	48.0
9	2631	20;M	E	55.1	48.1
9	2631	20;N	E	55.7	48.6
10	2631	20;A	N	51.9	44.9
10	2631	20;B	W	35.4	28.4
10	2631	20;C	W	33.2	26.2
10	2631	20;D	N	35.2	28.2
10	2631	20;E	W	30.5	23.6
10	2631	20;F	W	29.4	22.4
10	2631	20;G	N	34.1	27.0
10	2631	20;H	W	29.1	22.1
10	2631	20;I	S	50.6	43.6
10	2631	20;J	E	54.5	47.4
10	2631	20;K	E	54.5	47.5
10	2631	20;L	E	54.9	47.9
10	2631	20;M	E	55.0	48.0
10	2631	20;N	E	55.6	48.5
11	2631	20;A	N	51.9	44.8
11	2631	20;B	W	32.7	25.7
11	2631	20;C	W	32.6	25.5
11	2631	20;D	N	35.0	27.9
11	2631	20;E	W	30.7	23.7
11	2631	20;F	W	30.0	23.0
11	2631	20;G	N	34.3	27.3
11	2631	20;H	W	29.5	22.5
11	2631	20;I	S	50.5	43.5
11	2631	20;J	E	54.4	47.4
11	2631	20;K	E	54.4	47.4
11	2631	20;L	E	54.8	47.8
11	2631	20;M	E	54.9	47.8
11	2631	20;N	E	55.4	48.4
1	2632	26;A	SW	43.6	36.8
1	2632	26;B	SW	41.9	35.2
1	2632	26;C	SW	42.7	36.0
1	2632	26;D	SE	30.5	23.8
1	2632	26;E	NE	26.9	20.1
1	2632	26;F	NE	26.7	19.9
1	2632	26;G	NE	26.5	19.7
1	2632	26;H	NE	28.6	21.9
1	2632	26;I	NW	44.4	37.7
1	2632	26;J	SW	45.7	38.9
1	2632	26;K	SW	44.2	37.5
2	2632	26;A	SW	45.5	38.7
2	2632	26;B	SW	43.7	37.0
2	2632	26;C	SW	44.5	37.7
2	2632	26;D	SE	31.1	24.4
2	2632	26;E	NE	27.1	20.3
2	2632	26;F	NE	26.9	20.2
2	2632	26;G	NE	26.6	19.8
2	2632	26;H	NE	30.2	23.5
2	2632	26;I	NW	46.5	39.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	2632	26;J	SW	47.7	41.0
2	2632	26;K	SW	46.2	39.4
3	2632	26;A	SW	47.1	40.3
3	2632	26;B	SW	45.4	38.7
3	2632	26;C	SW	46.1	39.4
3	2632	26;D	SE	32.1	25.4
3	2632	26;E	NE	27.1	20.3
3	2632	26;F	NE	27.0	20.2
3	2632	26;G	NE	26.7	19.9
3	2632	26;H	NE	31.9	25.2
3	2632	26;I	NW	47.8	41.0
3	2632	26;J	SW	49.1	42.3
3	2632	26;K	SW	47.8	41.0
4	2632	26;A	SW	48.0	41.2
4	2632	26;B	SW	46.4	39.7
4	2632	26;C	SW	47.1	40.3
4	2632	26;D	SE	33.3	26.6
4	2632	26;E	NE	27.7	20.9
4	2632	26;F	NE	27.7	20.9
4	2632	26;G	NE	27.0	20.2
4	2632	26;H	NE	33.0	26.3
4	2632	26;I	NW	48.7	41.8
4	2632	26;J	SW	50.1	43.3
4	2632	26;K	SW	48.7	41.9
5	2632	26;A	SW	48.9	42.1
5	2632	26;B	SW	47.2	40.5
5	2632	26;C	SW	47.9	41.1
5	2632	26;D	SE	35.8	29.1
5	2632	26;E	NE	28.7	21.9
5	2632	26;F	NE	29.1	22.2
5	2632	26;G	NE	27.8	21.0
5	2632	26;H	NE	34.9	28.1
5	2632	26;I	NW	49.4	42.6
5	2632	26;J	SW	50.8	44.0
5	2632	26;K	SW	49.6	42.8
6	2632	26;A	SW	49.4	42.7
6	2632	26;B	SW	47.9	41.2
6	2632	26;C	SW	48.6	41.8
6	2632	26;D	SE	37.6	30.9
6	2632	26;E	NE	29.9	23.1
6	2632	26;F	NE	30.3	23.4
6	2632	26;G	NE	28.3	21.4
6	2632	26;H	NE	36.0	29.3
6	2632	26;I	NW	49.7	42.9
6	2632	26;J	SW	51.1	44.3
6	2632	26;K	SW	50.0	43.3
7	2632	26;A	SW	49.7	43.0
7	2632	26;B	SW	48.3	41.6
7	2632	26;C	SW	48.9	42.2
7	2632	26;D	SE	39.1	32.4
7	2632	26;E	NE	30.5	23.6
7	2632	26;F	NE	30.7	23.8
7	2632	26;G	NE	28.7	21.9
7	2632	26;H	NE	36.7	30.0
7	2632	26;I	NW	49.8	43.0
7	2632	26;J	SW	51.3	44.5
7	2632	26;K	SW	50.3	43.5
8	2632	26;A	SW	50.0	43.3
8	2632	26;B	SW	48.6	41.9
8	2632	26;C	SW	49.3	42.6
8	2632	26;D	SE	40.3	33.7
8	2632	26;E	NE	31.0	24.1
8	2632	26;F	NE	31.1	24.2
8	2632	26;G	NE	29.2	22.3
8	2632	26;H	NE	37.2	30.5
8	2632	26;I	NW	49.9	43.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
8	2632	26;J	SW	51.4	44.6
8	2632	26;K	SW	50.5	43.7
9	2632	26;A	SW	50.3	43.5
9	2632	26;B	SW	49.0	42.3
9	2632	26;C	SW	49.8	43.1
9	2632	26;D	SE	41.9	35.3
9	2632	26;E	NE	31.4	24.5
9	2632	26;F	NE	31.5	24.6
9	2632	26;G	NE	29.6	22.7
9	2632	26;H	NE	37.4	30.7
9	2632	26;I	NW	49.9	43.1
9	2632	26;J	SW	51.5	44.7
9	2632	26;K	SW	50.6	43.9
10	2632	26;A	SW	50.4	43.7
10	2632	26;B	SW	49.3	42.6
10	2632	26;C	SW	50.0	43.3
10	2632	26;D	SE	43.3	36.6
10	2632	26;E	NE	31.9	25.0
10	2632	26;F	NE	31.9	25.0
10	2632	26;G	NE	30.1	23.2
10	2632	26;H	NE	37.5	30.8
10	2632	26;I	NW	50.0	43.2
10	2632	26;J	SW	51.6	44.8
10	2632	26;K	SW	50.8	44.0
11	2632	26;A	SW	50.5	43.7
11	2632	26;B	SW	49.4	42.7
11	2632	26;C	SW	50.1	43.4
11	2632	26;D	SE	43.8	37.1
11	2632	26;E	NE	32.5	25.6
11	2632	26;F	NE	32.5	25.6
11	2632	26;G	NE	31.0	24.1
11	2632	26;H	NE	37.7	31.0
11	2632	26;I	NW	50.0	43.2
11	2632	26;J	SW	51.6	44.8
11	2632	26;K	SW	50.8	44.1
1	2633	60;A	NW	30.7	24.1
1	2633	60;B	NE	30.7	24.2
1	2633	60;C	NW	43.8	37.2
1	2633	60;D	SW	48.6	42.0
1	2633	60;E	SE	45.5	38.9
1	2633	60;F	NE	31.4	24.9
2	2633	60;A	NW	30.7	24.2
2	2633	60;B	NE	30.8	24.2
2	2633	60;C	NW	46.6	40.0
2	2633	60;D	SW	51.6	45.0
2	2633	60;E	SE	48.4	41.9
2	2633	60;F	NE	31.6	25.1
3	2633	60;A	NW	30.8	24.3
3	2633	60;B	NE	30.8	24.3
3	2633	60;C	NW	48.3	41.8
3	2633	60;D	SW	53.2	46.7
3	2633	60;E	SE	50.0	43.5
3	2633	60;F	NE	32.1	25.6
4	2633	60;A	NW	31.0	24.4
4	2633	60;B	NE	30.9	24.4
4	2633	60;C	NW	49.4	42.8
4	2633	60;D	SW	54.2	47.7
4	2633	60;E	SE	51.0	44.5
4	2633	60;F	NE	33.1	26.6
5	2633	60;A	NW	31.5	25.0
5	2633	60;B	NE	31.4	24.8
5	2633	60;C	NW	50.0	43.4
5	2633	60;D	SW	54.8	48.2
5	2633	60;E	SE	51.7	45.2
5	2633	60;F	NE	36.1	29.6
6	2633	60;A	NW	34.0	27.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	2633	60;B	NE	33.1	26.6
6	2633	60;C	NW	50.5	43.9
6	2633	60;D	SW	55.0	48.5
6	2633	60;E	SE	52.1	45.6
6	2633	60;F	NE	38.2	31.7
1	2634	54;A	N	54.4	47.8
1	2634	54;B	N	54.2	47.7
1	2634	54;C	N	53.8	47.3
1	2634	54;D	W	50.9	44.4
1	2634	54;E	W	49.7	43.2
1	2634	54;F	N	50.5	43.9
1	2634	54;G	S	33.4	26.9
1	2634	54;H	W	41.7	35.1
1	2634	54;I	W	43.5	37.0
1	2634	54;J	S	32.3	25.8
1	2634	54;K	S	32.4	25.9
1	2634	54;L	E	40.3	33.8
1	2634	54;M	S	33.4	26.9
1	2634	54;N	S	33.6	27.1
1	2634	54;O	E	50.4	43.9
1	2634	54;P	N	53.1	46.6
1	2634	54;Q	N	51.7	45.2
1	2634	54;R	E	51.6	45.1
1	2634	54;S	E	52.5	46.0
2	2634	54;A	N	57.3	50.8
2	2634	54;B	N	57.2	50.6
2	2634	54;C	N	56.8	50.3
2	2634	54;D	W	54.0	47.5
2	2634	54;E	W	53.0	46.5
2	2634	54;F	N	53.6	47.1
2	2634	54;G	S	33.4	26.9
2	2634	54;H	W	43.5	37.0
2	2634	54;I	W	46.0	39.5
2	2634	54;J	S	32.3	25.8
2	2634	54;K	S	32.4	25.9
2	2634	54;L	E	43.2	36.7
2	2634	54;M	S	33.4	26.9
2	2634	54;N	S	33.9	27.4
2	2634	54;O	E	53.4	46.9
2	2634	54;P	N	56.2	49.7
2	2634	54;Q	N	54.7	48.2
2	2634	54;R	E	54.7	48.2
2	2634	54;S	E	55.6	49.1
3	2634	54;A	N	58.2	51.7
3	2634	54;B	N	58.1	51.6
3	2634	54;C	N	57.7	51.2
3	2634	54;D	W	55.2	48.7
3	2634	54;E	W	54.5	48.0
3	2634	54;F	N	54.9	48.4
3	2634	54;G	S	33.4	26.9
3	2634	54;H	W	45.4	38.9
3	2634	54;I	W	47.8	41.3
3	2634	54;J	S	32.3	25.8
3	2634	54;K	S	32.4	25.9
3	2634	54;L	E	45.0	38.6
3	2634	54;M	S	33.4	26.9
3	2634	54;N	S	34.1	27.6
3	2634	54;O	E	54.5	48.0
3	2634	54;P	N	57.3	50.8
3	2634	54;Q	N	55.8	49.3
3	2634	54;R	E	55.8	49.2
3	2634	54;S	E	56.6	50.1
4	2634	54;A	N	58.5	52.0
4	2634	54;B	N	58.4	51.9
4	2634	54;C	N	58.0	51.5
4	2634	54;D	W	55.7	49.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	2634	54;E	W	55.1	48.6
4	2634	54;F	N	55.5	49.0
4	2634	54;G	S	33.3	26.8
4	2634	54;H	W	46.4	39.9
4	2634	54;I	W	48.8	42.3
4	2634	54;J	S	32.3	25.8
4	2634	54;K	S	32.4	25.9
4	2634	54;L	E	46.3	39.8
4	2634	54;M	S	33.3	26.8
4	2634	54;N	S	34.3	27.8
4	2634	54;O	E	54.9	48.4
4	2634	54;P	N	57.6	51.1
4	2634	54;Q	N	56.1	49.6
4	2634	54;R	E	56.1	49.5
4	2634	54;S	E	57.0	50.5
5	2634	54;A	N	58.7	52.2
5	2634	54;B	N	58.6	52.0
5	2634	54;C	N	58.2	51.6
5	2634	54;D	W	55.8	49.3
5	2634	54;E	W	55.5	49.0
5	2634	54;F	N	55.8	49.3
5	2634	54;G	S	33.3	26.8
5	2634	54;H	W	47.1	40.6
5	2634	54;I	W	49.5	43.0
5	2634	54;J	S	32.5	26.0
5	2634	54;K	S	32.6	26.1
5	2634	54;L	E	47.1	40.6
5	2634	54;M	S	33.3	26.8
5	2634	54;N	S	35.4	29.0
5	2634	54;O	E	55.1	48.6
5	2634	54;P	N	57.8	51.3
5	2634	54;Q	N	56.2	49.7
5	2634	54;R	E	56.2	49.7
5	2634	54;S	E	57.1	50.6
6	2634	54;A	N	58.7	52.2
6	2634	54;B	N	58.6	52.1
6	2634	54;C	N	58.2	51.7
6	2634	54;D	W	55.9	49.4
6	2634	54;E	W	55.7	49.2
6	2634	54;F	N	56.0	49.5
6	2634	54;G	S	33.3	26.8
6	2634	54;H	W	47.6	41.1
6	2634	54;I	W	49.9	43.3
6	2634	54;J	S	32.5	26.0
6	2634	54;K	S	32.6	26.1
6	2634	54;L	E	47.5	41.0
6	2634	54;M	S	33.3	26.7
6	2634	54;N	S	36.1	29.7
6	2634	54;O	E	55.2	48.7
6	2634	54;P	N	57.8	51.3
6	2634	54;Q	N	56.2	49.7
6	2634	54;R	E	56.3	49.8
6	2634	54;S	E	57.2	50.7
7	2634	54;A	N	58.7	52.2
7	2634	54;B	N	58.6	52.1
7	2634	54;C	N	58.2	51.7
7	2634	54;D	W	56.0	49.5
7	2634	54;E	W	55.8	49.3
7	2634	54;F	N	56.1	49.5
7	2634	54;G	S	33.2	26.7
7	2634	54;H	W	47.9	41.4
7	2634	54;I	W	50.1	43.6
7	2634	54;J	S	32.5	26.0
7	2634	54;K	S	32.6	26.1
7	2634	54;L	E	47.7	41.3
7	2634	54;M	S	33.2	26.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
7	2634	54;N	S	33.9	27.3
7	2634	54;O	E	55.2	48.7
7	2634	54;P	N	57.8	51.3
7	2634	54;Q	N	56.2	49.7
7	2634	54;R	E	56.3	49.8
7	2634	54;S	E	57.2	50.7
8	2634	54;A	N	58.7	52.2
8	2634	54;B	N	58.6	52.1
8	2634	54;C	N	58.2	51.7
8	2634	54;D	W	56.0	49.5
8	2634	54;E	W	55.8	49.3
8	2634	54;F	N	56.1	49.6
8	2634	54;G	S	33.2	26.7
8	2634	54;H	W	48.1	41.6
8	2634	54;I	W	50.2	43.7
8	2634	54;J	S	32.7	26.1
8	2634	54;K	S	32.8	26.2
8	2634	54;L	E	47.9	41.4
8	2634	54;M	S	33.1	26.6
8	2634	54;N	S	34.1	27.6
8	2634	54;O	E	55.2	48.7
8	2634	54;P	N	57.8	51.3
8	2634	54;Q	N	56.2	49.7
8	2634	54;R	E	56.2	49.7
8	2634	54;S	E	57.1	50.6
9	2634	54;A	N	58.7	52.2
9	2634	54;B	N	58.5	52.0
9	2634	54;C	N	58.1	51.6
9	2634	54;D	W	55.9	49.4
9	2634	54;E	W	55.8	49.3
9	2634	54;F	N	56.1	49.6
9	2634	54;G	S	33.1	26.6
9	2634	54;H	W	48.2	41.6
9	2634	54;I	W	50.3	43.7
9	2634	54;J	S	32.7	26.1
9	2634	54;K	S	32.8	26.2
9	2634	54;L	E	47.9	41.5
9	2634	54;M	S	33.1	26.6
9	2634	54;N	S	34.1	27.6
9	2634	54;O	E	55.1	48.6
9	2634	54;P	N	57.8	51.3
9	2634	54;Q	N	56.1	49.6
9	2634	54;R	E	56.2	49.7
9	2634	54;S	E	57.1	50.6
10	2634	54;A	N	58.6	52.1
10	2634	54;B	N	58.5	52.0
10	2634	54;C	N	58.0	51.5
10	2634	54;D	W	55.9	49.4
10	2634	54;E	W	55.8	49.3
10	2634	54;F	N	56.1	49.6
10	2634	54;G	S	33.1	26.6
10	2634	54;H	W	48.2	41.7
10	2634	54;I	W	50.3	43.8
10	2634	54;J	S	32.7	26.2
10	2634	54;K	S	32.8	26.2
10	2634	54;L	E	48.0	41.6
10	2634	54;M	S	33.0	26.5
10	2634	54;N	S	34.2	27.6
10	2634	54;O	E	55.1	48.6
10	2634	54;P	N	57.7	51.2
10	2634	54;Q	N	56.1	49.6
10	2634	54;R	E	56.1	49.6
10	2634	54;S	E	57.0	50.5
11	2634	54;A	N	58.5	52.0
11	2634	54;B	N	58.4	51.9
11	2634	54;C	N	58.0	51.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
11	2634	54;D	W	55.9	49.3
11	2634	54;E	W	55.8	49.3
11	2634	54;F	N	56.0	49.5
11	2634	54;G	S	33.1	26.6
11	2634	54;H	W	48.3	41.8
11	2634	54;I	W	50.3	43.8
11	2634	54;J	S	32.7	26.2
11	2634	54;K	S	32.8	26.2
11	2634	54;L	E	48.1	41.6
11	2634	54;M	S	33.0	26.5
11	2634	54;N	S	34.3	27.7
11	2634	54;O	E	55.0	48.5
11	2634	54;P	N	57.6	51.1
11	2634	54;Q	N	56.0	49.5
11	2634	54;R	E	56.0	49.5
11	2634	54;S	E	56.9	50.4
12	2634	54;A	N	58.4	51.9
12	2634	54;B	N	58.3	51.8
12	2634	54;C	N	57.9	51.4
12	2634	54;D	W	55.8	49.3
12	2634	54;E	W	55.8	49.3
12	2634	54;F	N	56.0	49.5
12	2634	54;G	S	33.2	26.7
12	2634	54;H	W	48.3	41.8
12	2634	54;I	W	50.4	43.8
12	2634	54;J	S	32.9	26.4
12	2634	54;K	S	32.9	26.3
12	2634	54;L	E	48.1	41.6
12	2634	54;M	S	33.1	26.6
12	2634	54;N	S	34.4	27.9
12	2634	54;O	E	54.9	48.4
12	2634	54;P	N	57.6	51.1
12	2634	54;Q	N	55.9	49.4
12	2634	54;R	E	55.9	49.4
12	2634	54;S	E	56.8	50.3
13	2634	54;A	N	58.3	51.8
13	2634	54;B	N	58.2	51.7
13	2634	54;C	N	57.8	51.3
13	2634	54;D	W	55.7	49.2
13	2634	54;E	W	55.8	49.2
13	2634	54;F	N	56.0	49.5
13	2634	54;G	S	34.2	27.7
13	2634	54;H	W	48.4	41.9
13	2634	54;I	W	50.4	43.9
13	2634	54;J	S	33.6	27.1
13	2634	54;K	S	33.3	26.8
13	2634	54;L	E	48.1	41.7
13	2634	54;M	S	34.0	27.5
13	2634	54;N	S	35.3	28.7
13	2634	54;O	E	54.8	48.3
13	2634	54;P	N	57.5	51.0
13	2634	54;Q	N	55.8	49.3
13	2634	54;R	E	55.9	49.4
13	2634	54;S	E	56.7	50.2
1	2635	48;A	SW	33.8	27.3
1	2635	48;B	SW	33.9	27.4
1	2635	48;C	SW	34.0	27.5
1	2635	48;D	NW	50.8	44.3
1	2635	48;E	NE	54.7	48.1
1	2635	48;F	NE	54.8	48.3
1	2635	48;G	NE	54.8	48.3
1	2635	48;H	NE	54.8	48.3
1	2635	48;I	SE	53.1	46.6
1	2635	48;J	NE	53.4	46.9
1	2635	48;K	SE	49.6	43.0
1	2635	48;L	SW	33.6	27.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2635	48;M	SW	33.5	26.9
1	2635	48;N	SW	33.6	27.1
2	2635	48;A	SW	33.8	27.2
2	2635	48;B	SW	33.9	27.4
2	2635	48;C	SW	34.0	27.5
2	2635	48;D	NW	53.8	47.3
2	2635	48;E	NE	57.6	51.1
2	2635	48;F	NE	57.8	51.3
2	2635	48;G	NE	57.7	51.2
2	2635	48;H	NE	57.7	51.2
2	2635	48;I	SE	56.0	49.5
2	2635	48;J	NE	56.4	49.8
2	2635	48;K	SE	52.6	46.1
2	2635	48;L	SW	33.6	27.1
2	2635	48;M	SW	33.5	26.9
2	2635	48;N	SW	33.6	27.1
3	2635	48;A	SW	33.8	27.2
3	2635	48;B	SW	33.9	27.4
3	2635	48;C	SW	34.0	27.5
3	2635	48;D	NW	54.9	48.4
3	2635	48;E	NE	58.5	52.0
3	2635	48;F	NE	58.6	52.1
3	2635	48;G	NE	58.6	52.0
3	2635	48;H	NE	58.5	52.0
3	2635	48;I	SE	57.1	50.6
3	2635	48;J	NE	57.4	50.9
3	2635	48;K	SE	53.7	47.2
3	2635	48;L	SW	33.6	27.1
3	2635	48;M	SW	33.4	26.9
3	2635	48;N	SW	33.6	27.1
4	2635	48;A	SW	33.7	27.2
4	2635	48;B	SW	33.9	27.3
4	2635	48;C	SW	34.0	27.5
4	2635	48;D	NW	55.3	48.8
4	2635	48;E	NE	58.9	52.3
4	2635	48;F	NE	59.0	52.5
4	2635	48;G	NE	59.0	52.5
4	2635	48;H	NE	59.0	52.5
4	2635	48;I	SE	57.7	51.2
4	2635	48;J	NE	58.1	51.6
4	2635	48;K	SE	54.0	47.5
4	2635	48;L	SW	33.6	27.1
4	2635	48;M	SW	33.4	26.9
4	2635	48;N	SW	33.6	27.1
5	2635	48;A	SW	33.7	27.2
5	2635	48;B	SW	33.8	27.3
5	2635	48;C	SW	34.0	27.4
5	2635	48;D	NW	55.5	49.0
5	2635	48;E	NE	59.0	52.5
5	2635	48;F	NE	59.2	52.6
5	2635	48;G	NE	59.2	52.6
5	2635	48;H	NE	59.2	52.6
5	2635	48;I	SE	58.0	51.5
5	2635	48;J	NE	58.4	51.9
5	2635	48;K	SE	54.1	47.6
5	2635	48;L	SW	33.6	27.0
5	2635	48;M	SW	33.4	26.9
5	2635	48;N	SW	33.6	27.0
6	2635	48;A	SW	33.6	27.1
6	2635	48;B	SW	33.8	27.3
6	2635	48;C	SW	33.9	27.4
6	2635	48;D	NW	55.6	49.1
6	2635	48;E	NE	59.1	52.6
6	2635	48;F	NE	59.2	52.7
6	2635	48;G	NE	59.2	52.7
6	2635	48;H	NE	59.2	52.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	2635	48;I	SE	58.1	51.6
6	2635	48;J	NE	58.5	52.0
6	2635	48;K	SE	54.2	47.6
6	2635	48;L	SW	33.5	27.0
6	2635	48;M	SW	33.4	26.8
6	2635	48;N	SW	33.5	27.0
7	2635	48;A	SW	33.6	27.1
7	2635	48;B	SW	33.7	27.2
7	2635	48;C	SW	33.9	27.3
7	2635	48;D	NW	55.6	49.1
7	2635	48;E	NE	59.1	52.6
7	2635	48;F	NE	59.2	52.7
7	2635	48;G	NE	59.2	52.7
7	2635	48;H	NE	59.2	52.7
7	2635	48;I	SE	58.1	51.6
7	2635	48;J	NE	58.5	52.0
7	2635	48;K	SE	54.1	47.6
7	2635	48;L	SW	33.5	27.0
7	2635	48;M	SW	33.3	26.8
7	2635	48;N	SW	33.5	26.9
8	2635	48;A	SW	33.5	27.0
8	2635	48;B	SW	33.7	27.2
8	2635	48;C	SW	33.8	27.3
8	2635	48;D	NW	55.6	49.1
8	2635	48;E	NE	59.1	52.6
8	2635	48;F	NE	59.2	52.7
8	2635	48;G	NE	59.2	52.7
8	2635	48;H	NE	59.2	52.7
8	2635	48;I	SE	58.1	51.6
8	2635	48;J	NE	58.5	52.0
8	2635	48;K	SE	54.1	47.6
8	2635	48;L	SW	33.4	26.9
8	2635	48;M	SW	33.3	26.7
8	2635	48;N	SW	33.4	26.9
9	2635	48;A	SW	33.5	26.9
9	2635	48;B	SW	33.6	27.1
9	2635	48;C	SW	33.8	27.2
9	2635	48;D	NW	55.6	49.1
9	2635	48;E	NE	59.1	52.6
9	2635	48;F	NE	59.2	52.7
9	2635	48;G	NE	59.2	52.7
9	2635	48;H	NE	59.2	52.7
9	2635	48;I	SE	58.0	51.5
9	2635	48;J	NE	58.5	52.0
9	2635	48;K	SE	54.1	47.6
9	2635	48;L	SW	33.4	26.9
9	2635	48;M	SW	33.2	26.7
9	2635	48;N	SW	33.4	26.8
10	2635	48;A	SW	33.4	26.9
10	2635	48;B	SW	33.6	27.1
10	2635	48;C	SW	33.7	27.2
10	2635	48;D	NW	55.6	49.1
10	2635	48;E	NE	59.0	52.5
10	2635	48;F	NE	59.1	52.6
10	2635	48;G	NE	59.1	52.6
10	2635	48;H	NE	59.1	52.6
10	2635	48;I	SE	58.0	51.5
10	2635	48;J	NE	58.5	51.9
10	2635	48;K	SE	54.0	47.5
10	2635	48;L	SW	33.4	26.9
10	2635	48;M	SW	33.2	26.7
10	2635	48;N	SW	33.3	26.8
11	2635	48;A	SW	33.5	26.9
11	2635	48;B	SW	33.6	27.1
11	2635	48;C	SW	33.8	27.3
11	2635	48;D	NW	55.5	49.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
11	2635	48;E	NE	58.9	52.4
11	2635	48;F	NE	59.0	52.5
11	2635	48;G	NE	59.0	52.5
11	2635	48;H	NE	59.1	52.5
11	2635	48;I	SE	57.9	51.4
11	2635	48;J	NE	58.4	51.9
11	2635	48;K	SE	54.1	47.6
11	2635	48;L	SW	33.5	26.9
11	2635	48;M	SW	33.2	26.7
11	2635	48;N	SW	33.4	26.8
12	2635	48;A	SW	33.9	27.4
12	2635	48;B	SW	34.0	27.5
12	2635	48;C	SW	34.3	27.8
12	2635	48;D	NW	55.4	48.9
12	2635	48;E	NE	58.9	52.3
12	2635	48;F	NE	59.0	52.4
12	2635	48;G	NE	58.9	52.4
12	2635	48;H	NE	59.0	52.4
12	2635	48;I	SE	57.9	51.4
12	2635	48;J	NE	58.1	51.6
12	2635	48;K	SE	53.6	47.1
12	2635	48;L	SW	34.2	27.7
12	2635	48;M	SW	33.7	27.2
12	2635	48;N	SW	33.9	27.3
1	2636	57;A	W	50.3	43.8
1	2636	57;B	W	50.0	43.6
1	2636	57;C	W	49.4	43.0
1	2636	57;D	S	45.7	39.2
1	2636	57;E	W	46.9	40.4
1	2636	57;F	W	47.3	40.8
1	2636	57;G	S	40.3	33.8
1	2636	57;H	E	38.8	32.2
1	2636	57;I	E	39.0	32.4
1	2636	57;J	E	38.8	32.2
1	2636	57;K	E	41.2	34.6
1	2636	57;L	N	49.5	43.1
2	2636	57;A	W	53.2	46.8
2	2636	57;B	W	53.0	46.6
2	2636	57;C	W	52.4	46.0
2	2636	57;D	S	48.7	42.2
2	2636	57;E	W	50.0	43.5
2	2636	57;F	W	50.4	44.0
2	2636	57;G	S	43.4	36.9
2	2636	57;H	E	40.1	33.5
2	2636	57;I	E	40.1	33.4
2	2636	57;J	E	39.9	33.3
2	2636	57;K	E	43.3	36.8
2	2636	57;L	N	52.4	46.0
3	2636	57;A	W	54.5	48.1
3	2636	57;B	W	54.4	48.0
3	2636	57;C	W	53.8	47.4
3	2636	57;D	S	50.6	44.1
3	2636	57;E	W	51.5	45.0
3	2636	57;F	W	51.8	45.4
3	2636	57;G	S	45.2	38.7
3	2636	57;H	E	41.5	34.8
3	2636	57;I	E	41.3	34.6
3	2636	57;J	E	41.2	34.5
3	2636	57;K	E	44.9	38.3
3	2636	57;L	N	53.7	47.3
4	2636	57;A	W	55.0	48.6
4	2636	57;B	W	55.0	48.5
4	2636	57;C	W	54.4	48.0
4	2636	57;D	S	51.6	45.1
4	2636	57;E	W	52.2	45.7
4	2636	57;F	W	52.6	46.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	2636	57;G	S	46.4	39.9
4	2636	57;H	E	42.3	35.7
4	2636	57;I	E	42.0	35.3
4	2636	57;J	E	42.0	35.3
4	2636	57;K	E	45.8	39.2
4	2636	57;L	N	54.2	47.7
5	2636	57;A	W	55.2	48.8
5	2636	57;B	W	55.2	48.8
5	2636	57;C	W	54.6	48.2
5	2636	57;D	S	52.3	45.8
5	2636	57;E	W	52.6	46.1
5	2636	57;F	W	53.0	46.6
5	2636	57;G	S	47.6	41.1
5	2636	57;H	E	42.9	36.3
5	2636	57;I	E	42.5	35.8
5	2636	57;J	E	42.5	35.8
5	2636	57;K	E	46.4	39.9
5	2636	57;L	N	54.4	48.0
6	2636	57;A	W	55.4	48.9
6	2636	57;B	W	55.3	48.9
6	2636	57;C	W	54.8	48.4
6	2636	57;D	S	52.6	46.1
6	2636	57;E	W	52.8	46.4
6	2636	57;F	W	53.3	46.8
6	2636	57;G	S	48.3	41.8
6	2636	57;H	E	43.4	36.8
6	2636	57;I	E	43.0	36.3
6	2636	57;J	E	43.0	36.3
6	2636	57;K	E	46.8	40.2
6	2636	57;L	N	54.5	48.1
7	2636	57;A	W	55.4	49.0
7	2636	57;B	W	55.4	49.0
7	2636	57;C	W	54.9	48.4
7	2636	57;D	S	52.9	46.4
7	2636	57;E	W	52.9	46.5
7	2636	57;F	W	53.4	47.0
7	2636	57;G	S	48.7	42.2
7	2636	57;H	E	43.7	37.1
7	2636	57;I	E	43.3	36.6
7	2636	57;J	E	43.3	36.6
7	2636	57;K	E	47.0	40.4
7	2636	57;L	N	54.6	48.2
8	2636	57;A	W	55.4	49.0
8	2636	57;B	W	55.4	49.0
8	2636	57;C	W	54.9	48.5
8	2636	57;D	S	53.0	46.5
8	2636	57;E	W	53.0	46.6
8	2636	57;F	W	53.5	47.0
8	2636	57;G	S	48.9	42.4
8	2636	57;H	E	43.9	37.3
8	2636	57;I	E	43.4	36.7
8	2636	57;J	E	43.5	36.8
8	2636	57;K	E	47.1	40.6
8	2636	57;L	N	54.7	48.2
9	2636	57;A	W	55.4	49.0
9	2636	57;B	W	55.4	49.0
9	2636	57;C	W	54.9	48.5
9	2636	57;D	S	53.1	46.6
9	2636	57;E	W	53.0	46.6
9	2636	57;F	W	53.5	47.1
9	2636	57;G	S	49.1	42.6
9	2636	57;H	E	44.0	37.4
9	2636	57;I	E	43.5	36.8
9	2636	57;J	E	43.6	36.9
9	2636	57;K	E	47.2	40.7
9	2636	57;L	N	54.7	48.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
10	2636	57;A	W	55.4	49.0
10	2636	57;B	W	55.4	49.0
10	2636	57;C	W	54.9	48.5
10	2636	57;D	S	53.2	46.7
10	2636	57;E	W	53.1	46.6
10	2636	57;F	W	53.5	47.1
10	2636	57;G	S	49.2	42.7
10	2636	57;H	E	44.1	37.5
10	2636	57;I	E	43.6	36.9
10	2636	57;J	E	43.7	37.0
10	2636	57;K	E	47.3	40.8
10	2636	57;L	N	54.7	48.2
11	2636	57;A	W	55.4	49.0
11	2636	57;B	W	55.4	49.0
11	2636	57;C	W	54.9	48.5
11	2636	57;D	S	53.2	46.7
11	2636	57;E	W	53.1	46.6
11	2636	57;F	W	53.6	47.1
11	2636	57;G	S	49.3	42.7
11	2636	57;H	E	44.2	37.6
11	2636	57;I	E	43.8	37.1
11	2636	57;J	E	43.9	37.2
11	2636	57;K	E	47.4	40.9
11	2636	57;L	N	54.6	48.2
12	2636	57;A	W	55.3	48.9
12	2636	57;B	W	55.4	48.9
12	2636	57;C	W	54.9	48.4
12	2636	57;D	S	53.3	46.8
12	2636	57;E	W	53.1	46.6
12	2636	57;F	W	53.5	47.1
12	2636	57;G	S	49.3	42.8
12	2636	57;H	E	44.5	37.8
12	2636	57;I	E	44.0	37.3
12	2636	57;J	E	44.0	37.3
12	2636	57;K	E	47.5	41.0
12	2636	57;L	N	54.6	48.2
1	2637	53;A	E	50.3	43.8
1	2637	53;B	E	52.1	45.6
1	2637	53;C	N	54.2	47.7
1	2637	53;D	N	53.3	46.8
1	2637	53;E	N	52.7	46.2
1	2637	53;F	W	48.8	42.3
1	2637	53;G	W	47.2	40.7
1	2637	53;H	N	47.9	41.3
1	2637	53;I	S	32.8	26.3
1	2637	53;J	W	40.2	33.7
1	2637	53;K	S	32.1	25.6
1	2637	53;L	S	32.3	25.8
1	2637	53;M	S	32.4	25.9
1	2637	53;N	E	46.9	40.4
2	2637	53;A	E	53.3	46.8
2	2637	53;B	E	55.0	48.5
2	2637	53;C	N	57.2	50.7
2	2637	53;D	N	56.3	49.8
2	2637	53;E	N	55.7	49.2
2	2637	53;F	W	52.3	45.8
2	2637	53;G	W	50.9	44.3
2	2637	53;H	N	51.4	44.8
2	2637	53;I	S	32.8	26.3
2	2637	53;J	W	42.9	36.3
2	2637	53;K	S	32.1	25.6
2	2637	53;L	S	32.3	25.8
2	2637	53;M	S	32.4	25.9
2	2637	53;N	E	50.2	43.7
3	2637	53;A	E	54.4	47.9
3	2637	53;B	E	55.9	49.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	2637	53;C	N	58.2	51.6
3	2637	53;D	N	57.3	50.8
3	2637	53;E	N	56.7	50.2
3	2637	53;F	W	53.8	47.3
3	2637	53;G	W	52.7	46.2
3	2637	53;H	N	53.2	46.7
3	2637	53;I	S	32.8	26.3
3	2637	53;J	W	45.6	39.1
3	2637	53;K	S	32.1	25.6
3	2637	53;L	S	32.3	25.8
3	2637	53;M	S	32.4	25.8
3	2637	53;N	E	51.7	45.2
4	2637	53;A	E	54.8	48.3
4	2637	53;B	E	56.2	49.6
4	2637	53;C	N	58.6	52.0
4	2637	53;D	N	57.6	51.1
4	2637	53;E	N	57.1	50.6
4	2637	53;F	W	54.5	48.0
4	2637	53;G	W	53.7	47.2
4	2637	53;H	N	53.9	47.4
4	2637	53;I	S	32.8	26.3
4	2637	53;J	W	47.1	40.6
4	2637	53;K	S	32.1	25.5
4	2637	53;L	S	32.3	25.7
4	2637	53;M	S	32.3	25.8
4	2637	53;N	E	52.3	45.8
5	2637	53;A	E	55.0	48.5
5	2637	53;B	E	56.3	49.8
5	2637	53;C	N	58.8	52.2
5	2637	53;D	N	57.8	51.3
5	2637	53;E	N	57.3	50.7
5	2637	53;F	W	54.7	48.2
5	2637	53;G	W	54.1	47.6
5	2637	53;H	N	54.3	47.8
5	2637	53;I	S	32.8	26.3
5	2637	53;J	W	47.9	41.4
5	2637	53;K	S	32.0	25.5
5	2637	53;L	S	32.2	25.7
5	2637	53;M	S	32.3	25.8
5	2637	53;N	E	52.6	46.2
6	2637	53;A	E	55.1	48.6
6	2637	53;B	E	56.3	49.8
6	2637	53;C	N	58.8	52.3
6	2637	53;D	N	57.9	51.4
6	2637	53;E	N	57.3	50.8
6	2637	53;F	W	54.9	48.4
6	2637	53;G	W	54.4	47.9
6	2637	53;H	N	54.5	48.0
6	2637	53;I	S	32.7	26.2
6	2637	53;J	W	48.4	41.9
6	2637	53;K	S	32.0	25.5
6	2637	53;L	S	32.2	25.7
6	2637	53;M	S	32.3	25.8
6	2637	53;N	E	52.8	46.3
7	2637	53;A	E	55.1	48.6
7	2637	53;B	E	56.3	49.8
7	2637	53;C	N	58.9	52.3
7	2637	53;D	N	57.9	51.4
7	2637	53;E	N	57.1	50.6
7	2637	53;F	W	54.6	48.1
7	2637	53;G	W	54.3	47.8
7	2637	53;H	N	54.5	48.0
7	2637	53;I	S	32.7	26.2
7	2637	53;J	W	48.7	42.2
7	2637	53;K	S	32.0	25.5
7	2637	53;L	S	32.1	25.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
7	2637	53;M	S	32.2	25.7
7	2637	53;N	E	52.9	46.4
8	2637	53;A	E	55.1	48.6
8	2637	53;B	E	56.3	49.8
8	2637	53;C	N	58.8	52.3
8	2637	53;D	N	57.9	51.4
8	2637	53;E	N	57.1	50.6
8	2637	53;F	W	54.6	48.1
8	2637	53;G	W	54.4	47.9
8	2637	53;H	N	54.6	48.1
8	2637	53;I	S	32.6	26.1
8	2637	53;J	W	48.9	42.4
8	2637	53;K	S	32.0	25.4
8	2637	53;L	S	32.1	25.6
8	2637	53;M	S	32.2	25.7
8	2637	53;N	E	53.0	46.5
9	2637	53;A	E	55.1	48.6
9	2637	53;B	E	56.2	49.7
9	2637	53;C	N	58.8	52.3
9	2637	53;D	N	57.9	51.3
9	2637	53;E	N	57.1	50.6
9	2637	53;F	W	54.7	48.1
9	2637	53;G	W	54.4	47.9
9	2637	53;H	N	54.7	48.2
9	2637	53;I	S	32.6	26.1
9	2637	53;J	W	49.1	42.5
9	2637	53;K	S	31.9	25.4
9	2637	53;L	S	32.1	25.5
9	2637	53;M	S	32.1	25.6
9	2637	53;N	E	53.0	46.5
10	2637	53;A	E	55.0	48.5
10	2637	53;B	E	56.2	49.7
10	2637	53;C	N	58.7	52.2
10	2637	53;D	N	57.8	51.3
10	2637	53;E	N	57.0	50.5
10	2637	53;F	W	54.7	48.1
10	2637	53;G	W	54.5	48.0
10	2637	53;H	N	54.7	48.2
10	2637	53;I	S	32.6	26.1
10	2637	53;J	W	49.2	42.7
10	2637	53;K	S	31.9	25.4
10	2637	53;L	S	32.0	25.5
10	2637	53;M	S	32.1	25.6
10	2637	53;N	E	53.0	46.5
11	2637	53;A	E	55.0	48.5
11	2637	53;B	E	56.1	49.6
11	2637	53;C	N	58.7	52.2
11	2637	53;D	N	57.7	51.2
11	2637	53;E	N	57.0	50.4
11	2637	53;F	W	54.6	48.1
11	2637	53;G	W	54.5	48.0
11	2637	53;H	N	54.7	48.2
11	2637	53;I	S	32.6	26.1
11	2637	53;J	W	49.3	42.7
11	2637	53;K	S	31.9	25.4
11	2637	53;L	S	32.0	25.5
11	2637	53;M	S	32.1	25.6
11	2637	53;N	E	52.9	46.4
12	2637	53;A	E	54.9	48.4
12	2637	53;B	E	56.0	49.5
12	2637	53;C	N	58.6	52.1
12	2637	53;D	N	57.7	51.1
12	2637	53;E	N	56.9	50.4
12	2637	53;F	W	54.6	48.1
12	2637	53;G	W	54.5	48.0
12	2637	53;H	N	54.7	48.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
12	2637	53;I	S	32.7	26.2
12	2637	53;J	W	49.3	42.8
12	2637	53;K	S	32.0	25.5
12	2637	53;L	S	32.1	25.5
12	2637	53;M	S	32.3	25.8
12	2637	53;N	E	52.9	46.4
13	2637	53;A	E	54.8	48.3
13	2637	53;B	E	55.9	49.4
13	2637	53;C	N	58.5	52.0
13	2637	53;D	N	57.6	51.1
13	2637	53;E	N	56.8	50.3
13	2637	53;F	W	54.6	48.0
13	2637	53;G	W	54.5	48.0
13	2637	53;H	N	54.7	48.2
13	2637	53;I	S	33.7	27.2
13	2637	53;J	W	49.4	42.8
13	2637	53;K	S	32.7	26.2
13	2637	53;L	S	32.6	26.1
13	2637	53;M	S	33.4	26.9
13	2637	53;N	E	52.9	46.4
1	2638	15;A	NW	47.5	40.6
1	2638	15;B	W	49.4	42.4
1	2638	15;C	S	45.6	38.7
1	2638	15;D	E	32.6	25.7
1	2638	15;E	S	29.9	23.0
1	2638	15;F	S	36.9	30.0
1	2638	15;G	E	27.6	20.7
1	2638	15;H	N	43.1	36.3
1	2638	15;I	N	45.6	38.8
2	2638	15;A	NW	49.8	42.8
2	2638	15;B	W	51.6	44.6
2	2638	15;C	S	47.8	40.9
2	2638	15;D	E	33.7	26.8
2	2638	15;E	S	30.8	23.8
2	2638	15;F	S	38.8	31.8
2	2638	15;G	E	28.4	21.6
2	2638	15;H	N	45.4	38.5
2	2638	15;I	N	47.8	40.9
3	2638	15;A	NW	51.0	44.0
3	2638	15;B	W	52.8	45.8
3	2638	15;C	S	49.1	42.1
3	2638	15;D	E	34.8	27.8
3	2638	15;E	S	31.9	24.9
3	2638	15;F	S	40.5	33.5
3	2638	15;G	E	29.5	22.7
3	2638	15;H	N	46.9	39.9
3	2638	15;I	N	49.2	42.2
4	2638	15;A	NW	51.5	44.5
4	2638	15;B	W	53.2	46.2
4	2638	15;C	S	49.6	42.6
4	2638	15;D	E	35.4	28.5
4	2638	15;E	S	33.0	26.0
4	2638	15;F	S	41.4	34.4
4	2638	15;G	E	30.0	23.2
4	2638	15;H	N	48.2	41.2
4	2638	15;I	N	50.0	43.0
5	2638	15;A	NW	51.7	44.7
5	2638	15;B	W	53.4	46.4
5	2638	15;C	S	49.9	42.9
5	2638	15;D	E	36.0	29.1
5	2638	15;E	S	33.9	26.9
5	2638	15;F	S	42.2	35.1
5	2638	15;G	E	30.0	23.3
5	2638	15;H	N	48.6	41.6
5	2638	15;I	N	50.3	43.3
6	2638	15;A	NW	51.9	44.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	2638	15;B	W	53.6	46.6
6	2638	15;C	S	50.1	43.1
6	2638	15;D	E	36.8	29.8
6	2638	15;E	S	35.5	28.5
6	2638	15;F	S	43.0	35.9
6	2638	15;G	E	30.5	23.7
6	2638	15;H	N	48.8	41.8
6	2638	15;I	N	50.5	43.5
1	2639	17;A	W	47.7	40.8
1	2639	17;B	W	48.0	41.1
1	2639	17;C	W	47.3	40.4
1	2639	17;D	W	47.7	40.8
1	2639	17;E	W	47.9	41.0
1	2639	17;F	N	43.6	36.7
1	2639	17;G	N	39.7	32.9
1	2639	17;H	N	37.2	30.3
1	2639	17;I	W	39.2	32.3
1	2639	17;J	W	40.1	33.2
1	2639	17;K	W	40.2	33.3
1	2639	17;L	N	31.7	24.7
1	2639	17;M	N	32.9	26.0
1	2639	17;N	N	33.5	26.6
1	2639	17;O	E	25.1	18.1
1	2639	17;P	N	25.7	18.8
1	2639	17;Q	E	25.7	18.8
1	2639	17;R	S	26.2	19.3
1	2639	17;S	E	26.5	19.6
1	2639	17;T	S	26.2	19.2
1	2639	17;U	E	26.0	19.1
1	2639	17;V	S	34.4	27.5
1	2639	17;W	W	34.4	27.5
1	2639	17;X	S	33.5	26.6
1	2639	17;Y	S	29.8	22.9
1	2639	17;Z	S	28.0	21.1
1	2639	17;AA	E	28.4	21.4
1	2639	17;AB	S	34.9	28.1
1	2639	17;AC	E	32.9	26.1
1	2639	17;AD	S	44.4	37.5
2	2639	17;A	W	50.0	43.0
2	2639	17;B	W	50.3	43.3
2	2639	17;C	W	49.6	42.6
2	2639	17;D	W	50.0	43.0
2	2639	17;E	W	50.1	43.2
2	2639	17;F	N	45.7	38.8
2	2639	17;G	N	41.7	34.8
2	2639	17;H	N	39.1	32.1
2	2639	17;I	W	40.9	34.0
2	2639	17;J	W	41.9	35.0
2	2639	17;K	W	42.0	35.1
2	2639	17;L	N	33.3	26.3
2	2639	17;M	N	34.3	27.4
2	2639	17;N	N	34.9	28.0
2	2639	17;O	E	25.1	18.1
2	2639	17;P	N	25.9	19.0
2	2639	17;Q	E	25.7	18.8
2	2639	17;R	S	26.4	19.5
2	2639	17;S	E	26.5	19.6
2	2639	17;T	S	27.7	20.8
2	2639	17;U	E	26.3	19.3
2	2639	17;V	S	36.4	29.5
2	2639	17;W	W	36.5	29.6
2	2639	17;X	S	35.6	28.7
2	2639	17;Y	S	31.9	24.9
2	2639	17;Z	S	28.6	21.6
2	2639	17;AA	E	28.9	21.9
2	2639	17;AB	S	37.2	30.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	2639	17;AC	E	34.5	27.6
2	2639	17;AD	S	46.7	39.8
3	2639	17;A	W	51.2	44.2
3	2639	17;B	W	51.5	44.5
3	2639	17;C	W	50.8	43.8
3	2639	17;D	W	51.2	44.2
3	2639	17;E	W	51.4	44.4
3	2639	17;F	N	46.9	39.9
3	2639	17;G	N	43.0	36.1
3	2639	17;H	N	40.4	33.5
3	2639	17;I	W	42.2	35.3
3	2639	17;J	W	43.2	36.2
3	2639	17;K	W	43.5	36.5
3	2639	17;L	N	36.2	29.2
3	2639	17;M	N	36.9	29.9
3	2639	17;N	N	37.0	30.0
3	2639	17;O	E	25.2	18.2
3	2639	17;P	N	26.2	19.3
3	2639	17;Q	E	25.8	18.9
3	2639	17;R	S	26.8	19.9
3	2639	17;S	E	26.6	19.7
3	2639	17;T	S	30.8	23.9
3	2639	17;U	E	26.9	20.0
3	2639	17;V	S	39.2	32.2
3	2639	17;W	W	39.7	32.7
3	2639	17;X	S	38.3	31.4
3	2639	17;Y	S	33.4	26.5
3	2639	17;Z	S	28.9	22.0
3	2639	17;AA	E	28.2	21.3
3	2639	17;AB	S	33.5	26.5
3	2639	17;AC	E	28.4	21.5
3	2639	17;AD	S	47.8	40.9
4	2639	17;A	W	51.9	44.9
4	2639	17;B	W	52.1	45.1
4	2639	17;C	W	51.4	44.4
4	2639	17;D	W	51.8	44.8
4	2639	17;E	W	52.0	45.0
4	2639	17;F	N	47.6	40.6
4	2639	17;G	N	43.9	36.9
4	2639	17;H	N	41.3	34.4
4	2639	17;I	W	43.1	36.1
4	2639	17;J	W	44.0	37.0
4	2639	17;K	W	44.4	37.4
4	2639	17;L	N	38.0	31.0
4	2639	17;M	N	38.6	31.6
4	2639	17;N	N	38.6	31.6
4	2639	17;O	E	25.4	18.4
4	2639	17;P	N	26.7	19.7
4	2639	17;Q	E	26.0	19.0
4	2639	17;R	S	27.7	20.7
4	2639	17;S	E	26.8	19.9
4	2639	17;T	S	31.5	24.6
4	2639	17;U	E	27.1	20.2
4	2639	17;V	S	39.6	32.6
4	2639	17;W	W	40.6	33.6
4	2639	17;X	S	39.5	32.5
4	2639	17;Y	S	35.8	28.9
4	2639	17;Z	S	30.0	23.0
4	2639	17;AA	E	28.5	21.5
4	2639	17;AB	S	37.1	30.2
4	2639	17;AC	E	28.8	21.8
4	2639	17;AD	S	48.6	41.6
5	2639	17;A	W	52.2	45.2
5	2639	17;B	W	52.4	45.4
5	2639	17;C	W	51.7	44.7
5	2639	17;D	W	52.1	45.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	2639	17;E	W	52.3	45.3
5	2639	17;F	N	47.9	40.9
5	2639	17;G	N	44.4	37.4
5	2639	17;H	N	42.1	35.1
5	2639	17;I	W	43.9	36.9
5	2639	17;J	W	44.7	37.7
5	2639	17;K	W	45.3	38.3
5	2639	17;L	N	40.2	33.2
5	2639	17;M	N	40.5	33.5
5	2639	17;N	N	40.0	33.0
5	2639	17;O	E	26.4	19.4
5	2639	17;P	N	28.4	21.4
5	2639	17;Q	E	26.8	19.9
5	2639	17;R	S	30.0	23.0
5	2639	17;S	E	27.6	20.7
5	2639	17;T	S	34.5	27.6
5	2639	17;U	E	28.0	21.1
5	2639	17;V	S	42.1	35.1
5	2639	17;W	W	43.2	36.2
5	2639	17;X	S	41.8	34.8
5	2639	17;Y	S	38.2	31.2
5	2639	17;Z	S	32.8	25.8
5	2639	17;AA	E	29.5	22.5
5	2639	17;AB	S	38.4	31.5
5	2639	17;AC	E	30.1	23.1
5	2639	17;AD	S	49.0	42.0
1	2640	16;A	SW	40.0	33.2
1	2640	16;B	SW	40.9	34.0
1	2640	16;C	S	41.6	34.8
1	2640	16;D	W	42.9	36.0
1	2640	16;E	W	42.9	36.0
1	2640	16;F	W	42.8	35.9
1	2640	16;G	N	38.9	32.0
1	2640	16;H	N	39.3	32.4
1	2640	16;I	W	39.8	32.9
1	2640	16;J	N	38.1	31.2
1	2640	16;K	N	37.2	30.3
1	2640	16;L	W	36.8	29.9
1	2640	16;M	W	36.5	29.7
1	2640	16;N	N	34.0	27.1
1	2640	16;O	N	34.1	27.3
1	2640	16;P	N	34.6	27.7
1	2640	16;Q	W	35.9	29.1
1	2640	16;R	N	33.9	27.1
1	2640	16;S	E	25.6	18.7
1	2640	16;T	E	25.5	18.7
1	2640	16;U	E	25.4	18.6
1	2640	16;V	E	25.4	18.6
1	2640	16;W	S	28.6	21.8
1	2640	16;X	S	26.7	19.8
1	2640	16;Y	W	26.7	19.8
1	2640	16;Z	W	26.6	19.7
1	2640	16;AA	S	25.9	19.0
1	2640	16;AB	S	25.7	18.8
1	2640	16;AC	W	25.0	18.0
1	2640	16;AD	E	25.7	18.7
1	2640	16;AE	E	25.0	18.0
1	2640	16;AF	E	25.2	18.3
1	2640	16;AG	E	25.0	18.1
1	2640	16;AH	S	36.3	29.5
2	2640	16;A	SW	41.8	34.8
2	2640	16;B	SW	42.7	35.8
2	2640	16;C	S	43.6	36.6
2	2640	16;D	W	45.0	38.0
2	2640	16;E	W	45.0	38.0
2	2640	16;F	W	45.0	38.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	2640	16;G	N	41.3	34.4
2	2640	16;H	N	41.5	34.6
2	2640	16;I	W	42.0	35.1
2	2640	16;J	N	40.3	33.4
2	2640	16;K	N	39.4	32.6
2	2640	16;L	W	39.0	32.1
2	2640	16;M	W	38.7	31.8
2	2640	16;N	N	36.3	29.4
2	2640	16;O	N	36.4	29.5
2	2640	16;P	N	36.7	29.8
2	2640	16;Q	W	37.8	30.9
2	2640	16;R	N	35.6	28.7
2	2640	16;S	E	26.1	19.2
2	2640	16;T	E	26.0	19.1
2	2640	16;U	E	25.8	19.0
2	2640	16;V	E	25.8	19.0
2	2640	16;W	S	29.5	22.6
2	2640	16;X	S	27.4	20.5
2	2640	16;Y	W	27.3	20.4
2	2640	16;Z	W	27.1	20.2
2	2640	16;AA	S	26.3	19.3
2	2640	16;AB	S	25.7	18.8
2	2640	16;AC	W	25.0	18.0
2	2640	16;AD	E	25.7	18.7
2	2640	16;AE	E	25.0	18.0
2	2640	16;AF	E	25.2	18.3
2	2640	16;AG	E	25.1	18.1
2	2640	16;AH	S	37.8	30.9
3	2640	16;A	SW	43.2	36.2
3	2640	16;B	SW	44.1	37.1
3	2640	16;C	S	45.0	38.0
3	2640	16;D	W	46.9	39.9
3	2640	16;E	W	46.9	39.9
3	2640	16;F	W	47.0	40.0
3	2640	16;G	N	44.0	37.0
3	2640	16;H	N	44.0	37.1
3	2640	16;I	W	44.5	37.6
3	2640	16;J	N	42.9	36.0
3	2640	16;K	N	42.5	35.6
3	2640	16;L	W	42.6	35.7
3	2640	16;M	W	42.0	35.1
3	2640	16;N	N	39.9	33.0
3	2640	16;O	N	40.2	33.3
3	2640	16;P	N	40.7	33.8
3	2640	16;Q	W	41.1	34.2
3	2640	16;R	N	38.7	31.8
3	2640	16;S	E	26.2	19.4
3	2640	16;T	E	26.1	19.3
3	2640	16;U	E	26.0	19.1
3	2640	16;V	E	26.0	19.1
3	2640	16;W	S	31.1	24.2
3	2640	16;X	S	28.4	21.5
3	2640	16;Y	W	28.1	21.2
3	2640	16;Z	W	27.6	20.7
3	2640	16;AA	S	26.6	19.7
3	2640	16;AB	S	25.8	18.9
3	2640	16;AC	W	25.0	18.0
3	2640	16;AD	E	25.7	18.8
3	2640	16;AE	E	25.0	18.0
3	2640	16;AF	E	25.3	18.4
3	2640	16;AG	E	25.1	18.2
3	2640	16;AH	S	39.3	32.3
4	2640	16;A	SW	44.1	37.1
4	2640	16;B	SW	45.0	38.0
4	2640	16;C	S	46.0	39.0
4	2640	16;D	W	48.4	41.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	2640	16;E	W	48.5	41.5
4	2640	16;F	W	48.6	41.6
4	2640	16;G	N	46.3	39.3
4	2640	16;H	N	46.1	39.1
4	2640	16;I	W	46.3	39.3
4	2640	16;J	N	44.9	37.9
4	2640	16;K	N	44.8	37.8
4	2640	16;L	W	45.1	38.1
4	2640	16;M	W	44.4	37.4
4	2640	16;N	N	42.7	35.8
4	2640	16;O	N	42.8	35.9
4	2640	16;P	N	43.2	36.3
4	2640	16;Q	W	43.3	36.4
4	2640	16;R	N	40.8	33.9
4	2640	16;S	E	26.3	19.5
4	2640	16;T	E	26.2	19.4
4	2640	16;U	E	26.1	19.2
4	2640	16;V	E	26.1	19.3
4	2640	16;W	S	32.2	25.2
4	2640	16;X	S	29.5	22.6
4	2640	16;Y	W	29.2	22.2
4	2640	16;Z	W	28.3	21.4
4	2640	16;AA	S	27.1	20.2
4	2640	16;AB	S	26.0	19.1
4	2640	16;AC	W	25.1	18.1
4	2640	16;AD	E	25.8	18.8
4	2640	16;AE	E	25.0	18.0
4	2640	16;AF	E	25.4	18.4
4	2640	16;AG	E	25.2	18.2
4	2640	16;AH	S	40.2	33.2
5	2640	16;A	SW	45.0	38.0
5	2640	16;B	SW	45.9	38.9
5	2640	16;C	S	46.8	39.8
5	2640	16;D	W	49.6	42.6
5	2640	16;E	W	49.8	42.8
5	2640	16;F	W	49.9	42.8
5	2640	16;G	N	47.8	40.8
5	2640	16;H	N	47.8	40.8
5	2640	16;I	W	47.9	40.9
5	2640	16;J	N	46.4	39.4
5	2640	16;K	N	46.5	39.5
5	2640	16;L	W	46.8	39.9
5	2640	16;M	W	46.1	39.1
5	2640	16;N	N	44.5	37.5
5	2640	16;O	N	44.6	37.6
5	2640	16;P	N	45.0	38.0
5	2640	16;Q	W	45.0	38.0
5	2640	16;R	N	42.6	35.6
5	2640	16;S	E	26.5	19.7
5	2640	16;T	E	26.5	19.6
5	2640	16;U	E	26.3	19.5
5	2640	16;V	E	26.3	19.5
5	2640	16;W	S	33.1	26.2
5	2640	16;X	S	30.4	23.5
5	2640	16;Y	W	30.0	23.1
5	2640	16;Z	W	29.3	22.4
5	2640	16;AA	S	28.2	21.3
5	2640	16;AB	S	26.4	19.5
5	2640	16;AC	W	25.2	18.2
5	2640	16;AD	E	25.8	18.9
5	2640	16;AE	E	25.1	18.1
5	2640	16;AF	E	25.6	18.7
5	2640	16;AG	E	25.4	18.4
5	2640	16;AH	S	40.9	33.9
6	2640	16;A	SW	45.6	38.6
6	2640	16;B	SW	46.2	39.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	2640	16;C	S	47.1	40.1
6	2640	16;D	W	50.0	43.0
6	2640	16;E	W	50.1	43.1
6	2640	16;F	W	50.2	43.2
6	2640	16;G	N	48.4	41.4
6	2640	16;H	N	48.6	41.6
6	2640	16;I	W	48.8	41.8
6	2640	16;J	N	47.2	40.2
6	2640	16;K	N	47.3	40.3
6	2640	16;L	W	47.8	40.8
6	2640	16;M	W	47.1	40.1
6	2640	16;N	N	45.6	38.6
6	2640	16;O	N	45.8	38.8
6	2640	16;P	N	46.3	39.3
6	2640	16;Q	W	46.1	39.2
6	2640	16;R	N	43.9	36.9
6	2640	16;S	E	26.7	19.9
6	2640	16;T	E	26.6	19.8
6	2640	16;U	E	26.4	19.6
6	2640	16;V	E	26.5	19.7
6	2640	16;W	S	34.2	27.2
6	2640	16;X	S	32.2	25.3
6	2640	16;Y	W	32.1	25.2
6	2640	16;Z	W	31.6	24.7
6	2640	16;AA	S	30.4	23.5
6	2640	16;AB	S	27.3	20.4
6	2640	16;AC	W	25.5	18.6
6	2640	16;AD	E	25.9	19.0
6	2640	16;AE	E	25.2	18.2
6	2640	16;AF	E	25.8	18.9
6	2640	16;AG	E	25.5	18.6
6	2640	16;AH	S	41.6	34.6
7	2640	16;A	SW	45.8	38.8
7	2640	16;B	SW	46.5	39.5
7	2640	16;C	S	47.3	40.3
7	2640	16;D	W	50.2	43.2
7	2640	16;E	W	50.3	43.3
7	2640	16;F	W	50.4	43.4
7	2640	16;G	N	48.7	41.7
7	2640	16;H	N	48.9	41.9
7	2640	16;I	W	49.1	42.1
7	2640	16;J	N	47.5	40.5
7	2640	16;K	N	47.7	40.7
7	2640	16;L	W	48.2	41.2
7	2640	16;M	W	47.7	40.7
7	2640	16;N	N	46.2	39.2
7	2640	16;O	N	46.4	39.4
7	2640	16;P	N	46.9	39.9
7	2640	16;Q	W	46.8	39.8
7	2640	16;R	N	44.6	37.6
7	2640	16;S	E	27.0	20.2
7	2640	16;T	E	26.8	20.0
7	2640	16;U	E	26.6	19.8
7	2640	16;V	E	26.7	19.9
7	2640	16;W	S	35.5	28.5
7	2640	16;X	S	33.9	27.0
7	2640	16;Y	W	33.8	26.9
7	2640	16;Z	W	33.4	26.5
7	2640	16;AA	S	32.3	25.4
7	2640	16;AB	S	28.4	21.5
7	2640	16;AC	W	26.4	19.5
7	2640	16;AD	E	26.3	19.3
7	2640	16;AE	E	25.4	18.5
7	2640	16;AF	E	26.1	19.2
7	2640	16;AG	E	25.9	19.0
7	2640	16;AH	S	41.7	34.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
8	2640	16;A	SW	46.2	39.2
8	2640	16;B	SW	46.8	39.8
8	2640	16;C	S	47.5	40.5
8	2640	16;D	W	50.3	43.3
8	2640	16;E	W	50.4	43.4
8	2640	16;F	W	50.5	43.5
8	2640	16;G	N	48.9	41.9
8	2640	16;H	N	49.1	42.1
8	2640	16;I	W	49.3	42.3
8	2640	16;J	N	47.7	40.7
8	2640	16;K	N	47.9	40.9
8	2640	16;L	W	48.5	41.5
8	2640	16;M	W	48.0	41.0
8	2640	16;N	N	46.5	39.5
8	2640	16;O	N	46.7	39.7
8	2640	16;P	N	47.3	40.2
8	2640	16;Q	W	47.2	40.2
8	2640	16;R	N	45.0	38.0
8	2640	16;S	E	27.8	20.9
8	2640	16;T	E	27.4	20.6
8	2640	16;U	E	27.2	20.4
8	2640	16;V	E	27.3	20.5
8	2640	16;W	S	36.5	29.6
8	2640	16;X	S	34.7	27.7
8	2640	16;Y	W	35.1	28.2
8	2640	16;Z	W	35.2	28.3
8	2640	16;AA	S	34.1	27.2
8	2640	16;AB	S	30.6	23.7
8	2640	16;AC	W	29.9	22.9
8	2640	16;AD	E	27.7	20.8
8	2640	16;AE	E	26.4	19.4
8	2640	16;AF	E	27.0	20.1
8	2640	16;AG	E	26.8	19.9
8	2640	16;AH	S	42.4	35.4
1	2641	13;A	W	37.9	31.1
1	2641	13;B	N	29.6	22.6
1	2641	13;C	W	29.8	22.7
1	2641	13;D	S	34.8	28.0
1	2641	13;E	W	34.6	27.8
1	2641	13;F	N	29.5	22.5
1	2641	13;G	W	29.8	22.7
1	2641	13;H	S	32.3	25.4
1	2641	13;I	W	34.7	27.8
1	2641	13;J	N	44.2	37.3
1	2641	13;K	W	38.6	31.7
1	2641	13;L	N	48.7	41.8
1	2641	13;M	E	52.4	45.4
1	2641	13;N	E	52.6	45.7
1	2641	13;O	E	52.4	45.4
1	2641	13;P	E	52.7	45.7
1	2641	13;Q	E	52.5	45.5
1	2641	13;R	E	52.7	45.7
1	2641	13;S	E	52.5	45.6
1	2641	13;T	S	47.9	41.0
1	2641	13;U	W	34.2	27.4
1	2641	13;V	S	43.4	36.5
2	2641	13;A	W	39.7	32.8
2	2641	13;B	N	29.6	22.6
2	2641	13;C	W	29.8	22.8
2	2641	13;D	S	36.3	29.4
2	2641	13;E	W	36.1	29.2
2	2641	13;F	N	29.6	22.5
2	2641	13;G	W	29.8	22.7
2	2641	13;H	S	33.3	26.4
2	2641	13;I	W	36.5	29.6
2	2641	13;J	N	47.0	40.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	2641	13;K	W	41.2	34.3
2	2641	13;L	N	51.1	44.1
2	2641	13;M	E	54.6	47.5
2	2641	13;N	E	54.8	47.8
2	2641	13;O	E	54.6	47.6
2	2641	13;P	E	54.8	47.8
2	2641	13;Q	E	54.6	47.6
2	2641	13;R	E	54.8	47.8
2	2641	13;S	E	54.7	47.7
2	2641	13;T	S	50.3	43.3
2	2641	13;U	W	35.3	28.4
2	2641	13;V	S	46.2	39.1
3	2641	13;A	W	40.6	33.7
3	2641	13;B	N	29.6	22.6
3	2641	13;C	W	29.7	22.7
3	2641	13;D	S	37.1	30.2
3	2641	13;E	W	37.1	30.1
3	2641	13;F	N	29.5	22.5
3	2641	13;G	W	29.7	22.7
3	2641	13;H	S	34.1	27.1
3	2641	13;I	W	34.4	27.5
3	2641	13;J	N	47.4	40.3
3	2641	13;K	W	35.6	28.7
3	2641	13;L	N	51.5	44.5
3	2641	13;M	E	55.1	48.0
3	2641	13;N	E	55.3	48.3
3	2641	13;O	E	55.1	48.1
3	2641	13;P	E	55.3	48.3
3	2641	13;Q	E	55.2	48.1
3	2641	13;R	E	55.3	48.3
3	2641	13;S	E	55.2	48.2
3	2641	13;T	S	51.0	44.0
3	2641	13;U	W	36.1	29.1
3	2641	13;V	S	47.4	40.3
4	2641	13;A	W	41.3	34.3
4	2641	13;B	N	29.6	22.5
4	2641	13;C	W	29.7	22.7
4	2641	13;D	S	37.7	30.7
4	2641	13;E	W	37.0	30.0
4	2641	13;F	N	29.5	22.5
4	2641	13;G	W	29.7	22.7
4	2641	13;H	S	34.6	27.6
4	2641	13;I	W	35.2	28.3
4	2641	13;J	N	47.6	40.6
4	2641	13;K	W	35.6	28.6
4	2641	13;L	N	51.8	44.8
4	2641	13;M	E	55.2	48.2
4	2641	13;N	E	55.5	48.4
4	2641	13;O	E	55.3	48.2
4	2641	13;P	E	55.5	48.5
4	2641	13;Q	E	55.3	48.3
4	2641	13;R	E	55.5	48.5
4	2641	13;S	E	55.4	48.4
4	2641	13;T	S	51.3	44.2
4	2641	13;U	W	36.9	29.9
4	2641	13;V	S	47.9	40.9
5	2641	13;A	W	41.3	34.3
5	2641	13;B	N	29.5	22.5
5	2641	13;C	W	29.7	22.6
5	2641	13;D	S	38.1	31.1
5	2641	13;E	W	37.4	30.4
5	2641	13;F	N	29.5	22.5
5	2641	13;G	W	29.6	22.6
5	2641	13;H	S	35.1	28.1
5	2641	13;I	W	34.8	27.8
5	2641	13;J	N	47.7	40.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	2641	13;K	W	29.9	22.9
5	2641	13;L	N	51.8	44.8
5	2641	13;M	E	55.3	48.3
5	2641	13;N	E	55.5	48.5
5	2641	13;O	E	55.3	48.3
5	2641	13;P	E	55.6	48.6
5	2641	13;Q	E	55.4	48.4
5	2641	13;R	E	55.6	48.5
5	2641	13;S	E	55.5	48.4
5	2641	13;T	S	51.4	44.4
5	2641	13;U	W	37.0	30.1
5	2641	13;V	S	48.2	41.1
6	2641	13;A	W	39.9	32.9
6	2641	13;B	N	29.5	22.5
6	2641	13;C	W	29.6	22.6
6	2641	13;D	S	38.6	31.6
6	2641	13;E	W	37.8	30.8
6	2641	13;F	N	29.5	22.5
6	2641	13;G	W	29.6	22.6
6	2641	13;H	S	35.3	28.3
6	2641	13;I	W	35.1	28.1
6	2641	13;J	N	47.8	40.8
6	2641	13;K	W	29.9	22.9
6	2641	13;L	N	51.8	44.8
6	2641	13;M	E	55.3	48.3
6	2641	13;N	E	55.5	48.5
6	2641	13;O	E	55.3	48.3
6	2641	13;P	E	55.6	48.6
6	2641	13;Q	E	55.4	48.4
6	2641	13;R	E	55.6	48.5
6	2641	13;S	E	55.5	48.4
6	2641	13;T	S	51.5	44.5
6	2641	13;U	W	37.1	30.1
6	2641	13;V	S	48.1	41.1
7	2641	13;A	W	29.6	22.6
7	2641	13;B	N	29.7	22.7
7	2641	13;C	W	29.7	22.7
7	2641	13;D	S	37.5	30.5
7	2641	13;E	W	37.5	30.5
7	2641	13;F	N	29.7	22.7
7	2641	13;G	W	29.7	22.7
7	2641	13;H	S	36.1	29.2
7	2641	13;I	W	35.8	28.8
7	2641	13;J	N	48.0	40.9
7	2641	13;K	W	30.1	23.0
7	2641	13;L	N	51.8	44.8
7	2641	13;M	E	55.3	48.2
7	2641	13;N	E	55.5	48.5
7	2641	13;O	E	55.3	48.3
7	2641	13;P	E	55.6	48.5
7	2641	13;Q	E	55.4	48.4
7	2641	13;R	E	55.5	48.5
7	2641	13;S	E	55.4	48.4
7	2641	13;T	S	51.5	44.4
7	2641	13;U	W	30.9	23.9
7	2641	13;V	S	48.1	41.1
8	2641	13;A	W	30.3	23.3
8	2641	13;B	N	30.8	23.8
8	2641	13;C	W	30.2	23.2
8	2641	13;D	S	31.0	24.0
8	2641	13;E	W	29.7	22.7
8	2641	13;F	N	30.9	23.9
8	2641	13;G	W	30.2	23.2
8	2641	13;H	S	35.8	28.8
8	2641	13;I	W	35.9	28.9
8	2641	13;J	N	48.0	41.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
8	2641	13;K	W	31.1	24.1
8	2641	13;L	N	51.8	44.7
8	2641	13;M	E	55.2	48.2
8	2641	13;N	E	55.4	48.4
8	2641	13;O	E	55.2	48.2
8	2641	13;P	E	55.5	48.5
8	2641	13;Q	E	55.3	48.3
8	2641	13;R	E	55.5	48.5
8	2641	13;S	E	55.4	48.4
8	2641	13;T	S	51.5	44.4
8	2641	13;U	W	31.9	24.9
8	2641	13;V	S	48.4	41.3
1	2642	34;A	NE	52.8	46.1
1	2642	34;B	NE	52.7	46.1
1	2642	34;C	NE	52.7	46.0
1	2642	34;D	NE	52.6	46.0
1	2642	34;E	NE	52.5	45.8
1	2642	34;F	NW	47.3	40.6
1	2642	34;G	SW	30.9	24.2
1	2642	34;H	SW	31.1	24.4
1	2642	34;I	SW	31.1	24.4
1	2642	34;J	SW	31.2	24.5
1	2642	34;K	SW	31.2	24.5
1	2642	34;L	SW	31.2	24.5
1	2642	34;M	SW	31.1	24.4
1	2642	34;N	SE	49.1	42.4
2	2642	34;A	NE	55.6	49.0
2	2642	34;B	NE	55.6	49.0
2	2642	34;C	NE	55.6	48.9
2	2642	34;D	NE	55.5	48.9
2	2642	34;E	NE	55.4	48.7
2	2642	34;F	NW	50.5	43.8
2	2642	34;G	SW	31.0	24.3
2	2642	34;H	SW	31.2	24.5
2	2642	34;I	SW	31.2	24.5
2	2642	34;J	SW	31.3	24.6
2	2642	34;K	SW	31.3	24.6
2	2642	34;L	SW	31.3	24.6
2	2642	34;M	SW	31.2	24.5
2	2642	34;N	SE	52.0	45.3
3	2642	34;A	NE	56.6	49.9
3	2642	34;B	NE	56.6	49.9
3	2642	34;C	NE	56.5	49.9
3	2642	34;D	NE	56.5	49.8
3	2642	34;E	NE	56.3	49.7
3	2642	34;F	NW	51.7	45.1
3	2642	34;G	SW	31.2	24.5
3	2642	34;H	SW	31.3	24.6
3	2642	34;I	SW	31.4	24.7
3	2642	34;J	SW	31.4	24.7
3	2642	34;K	SW	31.4	24.8
3	2642	34;L	SW	31.4	24.7
3	2642	34;M	SW	31.4	24.7
3	2642	34;N	SE	53.1	46.4
4	2642	34;A	NE	56.9	50.2
4	2642	34;B	NE	56.9	50.2
4	2642	34;C	NE	56.9	50.2
4	2642	34;D	NE	56.8	50.2
4	2642	34;E	NE	56.7	50.0
4	2642	34;F	NW	52.3	45.6
4	2642	34;G	SW	32.4	25.7
4	2642	34;H	SW	32.4	25.7
4	2642	34;I	SW	32.4	25.8
4	2642	34;J	SW	32.5	25.8
4	2642	34;K	SW	32.5	25.8
4	2642	34;L	SW	32.5	25.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	2642	34;M	SW	32.6	25.9
4	2642	34;N	SE	53.5	46.8
1	2643	40;A	SW	36.3	29.6
1	2643	40;B	SW	35.4	28.7
1	2643	40;C	SW	35.6	28.9
1	2643	40;D	SE	34.9	28.2
1	2643	40;E	SE	33.6	26.9
1	2643	40;F	SW	37.1	30.4
1	2643	40;G	NW	46.4	39.7
1	2643	40;H	NW	45.4	38.7
1	2643	40;I	NW	44.5	37.8
1	2643	40;J	NW	51.4	44.8
1	2643	40;K	NW	54.3	47.6
1	2643	40;L	NE	59.1	52.4
1	2643	40;M	NE	58.4	51.8
1	2643	40;N	NE	59.1	52.4
1	2643	40;O	NE	58.3	51.7
1	2643	40;P	SE	54.0	47.4
2	2643	40;A	SW	36.8	30.2
2	2643	40;B	SW	35.3	28.7
2	2643	40;C	SW	36.3	29.6
2	2643	40;D	SE	34.9	28.2
2	2643	40;E	SE	34.3	27.6
2	2643	40;F	SW	38.9	32.2
2	2643	40;G	NW	49.5	42.8
2	2643	40;H	NW	48.8	42.1
2	2643	40;I	NW	47.7	41.0
2	2643	40;J	NW	54.1	47.5
2	2643	40;K	NW	56.3	49.6
2	2643	40;L	NE	60.5	53.8
2	2643	40;M	NE	60.1	53.4
2	2643	40;N	NE	60.6	53.9
2	2643	40;O	NE	60.0	53.3
2	2643	40;P	SE	56.0	49.4
3	2643	40;A	SW	37.4	30.7
3	2643	40;B	SW	35.3	28.6
3	2643	40;C	SW	36.7	30.1
3	2643	40;D	SE	34.9	28.3
3	2643	40;E	SE	35.0	28.3
3	2643	40;F	SW	40.2	33.5
3	2643	40;G	NW	50.7	44.1
3	2643	40;H	NW	50.3	43.6
3	2643	40;I	NW	49.3	42.6
3	2643	40;J	NW	54.8	48.1
3	2643	40;K	NW	56.7	50.0
3	2643	40;L	NE	60.8	54.1
3	2643	40;M	NE	60.4	53.8
3	2643	40;N	NE	60.9	54.2
3	2643	40;O	NE	60.3	53.7
3	2643	40;P	SE	56.4	49.8
4	2643	40;A	SW	37.7	31.1
4	2643	40;B	SW	35.3	28.6
4	2643	40;C	SW	37.1	30.5
4	2643	40;D	SE	35.0	28.3
4	2643	40;E	SE	35.4	28.7
4	2643	40;F	SW	40.9	34.2
4	2643	40;G	NW	51.2	44.5
4	2643	40;H	NW	50.9	44.2
4	2643	40;I	NW	50.1	43.4
4	2643	40;J	NW	55.1	48.4
4	2643	40;K	NW	56.9	50.2
4	2643	40;L	NE	60.9	54.2
4	2643	40;M	NE	60.5	53.9
4	2643	40;N	NE	61.0	54.3
4	2643	40;O	NE	60.4	53.8
4	2643	40;P	SE	56.5	49.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	2643	40;A	SW	38.1	31.4
5	2643	40;B	SW	35.3	28.7
5	2643	40;C	SW	37.4	30.7
5	2643	40;D	SE	35.3	28.6
5	2643	40;E	SE	36.0	29.3
5	2643	40;F	SW	41.5	34.8
5	2643	40;G	NW	51.5	44.8
5	2643	40;H	NW	51.3	44.6
5	2643	40;I	NW	50.5	43.8
5	2643	40;J	NW	55.2	48.6
5	2643	40;K	NW	56.9	50.3
5	2643	40;L	NE	60.8	54.2
5	2643	40;M	NE	60.5	53.8
5	2643	40;N	NE	60.9	54.3
5	2643	40;O	NE	60.4	53.8
5	2643	40;P	SE	56.5	49.9
6	2643	40;A	SW	38.7	32.0
6	2643	40;B	SW	35.8	29.1
6	2643	40;C	SW	38.1	31.4
6	2643	40;D	SE	36.3	29.6
6	2643	40;E	SE	36.9	30.2
6	2643	40;F	SW	32.4	25.7
6	2643	40;G	NW	51.9	45.3
6	2643	40;H	NW	51.7	45.0
6	2643	40;I	NW	50.8	44.1
6	2643	40;J	NW	55.3	48.6
6	2643	40;K	NW	56.9	50.2
6	2643	40;L	NE	60.7	54.0
6	2643	40;M	NE	60.3	53.6
6	2643	40;N	NE	60.7	54.1
6	2643	40;O	NE	60.2	53.6
6	2643	40;P	SE	56.4	49.8
1	2644	59;A	NE	32.3	25.7
1	2644	59;B	SE	43.8	37.2
1	2644	59;C	SW	45.1	38.6
1	2644	59;D	SE	44.6	38.1
1	2644	59;E	SE	45.1	38.6
1	2644	59;F	SW	48.6	42.0
1	2644	59;G	NW	47.7	41.1
1	2644	59;H	SW	47.8	41.2
1	2644	59;I	SW	48.0	41.4
1	2644	59;J	NW	45.1	38.4
1	2644	59;K	NW	43.8	37.2
1	2644	59;L	NE	32.2	25.7
1	2644	59;M	SE	32.4	25.8
1	2644	59;N	NE	32.2	25.7
1	2644	59;O	NE	30.5	24.0
1	2644	59;P	NW	30.5	23.9
2	2644	59;A	NE	32.5	26.0
2	2644	59;B	SE	46.5	40.0
2	2644	59;C	SW	47.8	41.3
2	2644	59;D	SE	47.4	40.8
2	2644	59;E	SE	47.9	41.4
2	2644	59;F	SW	51.6	45.1
2	2644	59;G	NW	50.8	44.2
2	2644	59;H	SW	50.9	44.3
2	2644	59;I	SW	51.1	44.5
2	2644	59;J	NW	48.1	41.4
2	2644	59;K	NW	46.7	40.1
2	2644	59;L	NE	32.5	25.9
2	2644	59;M	SE	32.6	26.1
2	2644	59;N	NE	32.4	25.9
2	2644	59;O	NE	30.6	24.0
2	2644	59;P	NW	30.5	24.0
3	2644	59;A	NE	33.1	26.6
3	2644	59;B	SE	48.3	41.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	2644	59;C	SW	49.7	43.1
3	2644	59;D	SE	49.3	42.7
3	2644	59;E	SE	49.7	43.2
3	2644	59;F	SW	53.2	46.7
3	2644	59;G	NW	52.4	45.7
3	2644	59;H	SW	52.5	45.9
3	2644	59;I	SW	52.7	46.1
3	2644	59;J	NW	49.6	43.0
3	2644	59;K	NW	48.5	41.8
3	2644	59;L	NE	33.0	26.5
3	2644	59;M	SE	33.2	26.6
3	2644	59;N	NE	32.9	26.4
3	2644	59;O	NE	30.6	24.1
3	2644	59;P	NW	30.6	24.1
4	2644	59;A	NE	34.0	27.5
4	2644	59;B	SE	49.3	42.7
4	2644	59;C	SW	50.7	44.2
4	2644	59;D	SE	50.3	43.8
4	2644	59;E	SE	50.7	44.2
4	2644	59;F	SW	54.1	47.6
4	2644	59;G	NW	53.3	46.7
4	2644	59;H	SW	53.4	46.8
4	2644	59;I	SW	53.7	47.1
4	2644	59;J	NW	50.6	44.0
4	2644	59;K	NW	49.6	42.9
4	2644	59;L	NE	33.8	27.3
4	2644	59;M	SE	34.0	27.5
4	2644	59;N	NE	33.6	27.1
4	2644	59;O	NE	30.8	24.2
4	2644	59;P	NW	30.8	24.2
5	2644	59;A	NE	35.5	29.0
5	2644	59;B	SE	50.0	43.5
5	2644	59;C	SW	51.4	44.9
5	2644	59;D	SE	51.0	44.5
5	2644	59;E	SE	51.4	44.9
5	2644	59;F	SW	54.7	48.1
5	2644	59;G	NW	53.8	47.2
5	2644	59;H	SW	54.0	47.4
5	2644	59;I	SW	54.3	47.7
5	2644	59;J	NW	51.2	44.6
5	2644	59;K	NW	50.2	43.6
5	2644	59;L	NE	35.0	28.5
5	2644	59;M	SE	35.1	28.6
5	2644	59;N	NE	34.5	28.0
5	2644	59;O	NE	31.3	24.8
5	2644	59;P	NW	31.5	24.9
6	2644	59;A	NE	37.1	30.6
6	2644	59;B	SE	50.5	43.9
6	2644	59;C	SW	51.9	45.4
6	2644	59;D	SE	51.5	45.0
6	2644	59;E	SE	51.8	45.3
6	2644	59;F	SW	55.1	48.5
6	2644	59;G	NW	54.3	47.6
6	2644	59;H	SW	54.6	48.0
6	2644	59;I	SW	54.8	48.2
6	2644	59;J	NW	52.0	45.3
6	2644	59;K	NW	51.1	44.5
6	2644	59;L	NE	36.4	29.9
6	2644	59;M	SE	36.9	30.4
6	2644	59;N	NE	35.7	29.2
6	2644	59;O	NE	32.9	26.3
6	2644	59;P	NW	33.9	27.3
1	2645	47;A	SE	49.7	43.1
1	2645	47;B	SW	34.1	27.6
1	2645	47;C	SW	33.7	27.2
1	2645	47;D	NW	33.7	27.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2645	47;E	SW	33.8	27.2
1	2645	47;F	SW	33.8	27.2
1	2645	47;G	SW	33.7	27.2
1	2645	47;H	SW	33.5	26.9
1	2645	47;I	SW	33.7	27.1
1	2645	47;J	SW	33.5	26.9
1	2645	47;K	SW	33.5	26.9
1	2645	47;L	SW	33.3	26.7
1	2645	47;M	SW	33.4	26.8
1	2645	47;N	NW	48.9	42.3
1	2645	47;O	NE	52.6	46.0
1	2645	47;P	NW	52.3	45.7
1	2645	47;Q	NE	54.3	47.7
1	2645	47;R	NE	53.6	47.0
1	2645	47;S	NW	53.2	46.7
1	2645	47;T	NE	55.2	48.6
1	2645	47;U	SE	54.4	47.8
1	2645	47;V	NE	54.5	47.9
1	2645	47;W	NE	55.2	48.7
1	2645	47;X	SE	53.4	46.9
1	2645	47;Y	NE	53.8	47.2
2	2645	47;A	SE	52.7	46.2
2	2645	47;B	SW	34.1	27.6
2	2645	47;C	SW	33.7	27.2
2	2645	47;D	NW	33.7	27.2
2	2645	47;E	SW	33.8	27.2
2	2645	47;F	SW	33.8	27.2
2	2645	47;G	SW	33.7	27.2
2	2645	47;H	SW	33.5	26.9
2	2645	47;I	SW	33.7	27.1
2	2645	47;J	SW	33.5	26.9
2	2645	47;K	SW	33.5	26.9
2	2645	47;L	SW	33.3	26.7
2	2645	47;M	SW	33.4	26.8
2	2645	47;N	NW	52.1	45.5
2	2645	47;O	NE	55.7	49.1
2	2645	47;P	NW	55.4	48.8
2	2645	47;Q	NE	57.3	50.7
2	2645	47;R	NE	56.6	50.0
2	2645	47;S	NW	56.2	49.7
2	2645	47;T	NE	58.1	51.5
2	2645	47;U	SE	57.3	50.8
2	2645	47;V	NE	57.5	50.9
2	2645	47;W	NE	58.1	51.6
2	2645	47;X	SE	56.4	49.9
2	2645	47;Y	NE	56.7	50.2
3	2645	47;A	SE	53.8	47.3
3	2645	47;B	SW	34.1	27.6
3	2645	47;C	SW	33.7	27.2
3	2645	47;D	NW	33.7	27.2
3	2645	47;E	SW	33.8	27.2
3	2645	47;F	SW	33.7	27.2
3	2645	47;G	SW	33.7	27.1
3	2645	47;H	SW	33.5	26.9
3	2645	47;I	SW	33.7	27.1
3	2645	47;J	SW	33.5	26.9
3	2645	47;K	SW	33.4	26.9
3	2645	47;L	SW	33.2	26.7
3	2645	47;M	SW	33.4	26.8
3	2645	47;N	NW	53.4	46.8
3	2645	47;O	NE	56.9	50.3
3	2645	47;P	NW	56.6	50.0
3	2645	47;Q	NE	58.2	51.7
3	2645	47;R	NE	57.6	51.1
3	2645	47;S	NW	57.2	50.7
3	2645	47;T	NE	58.9	52.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	2645	47;U	SE	58.2	51.6
3	2645	47;V	NE	58.3	51.8
3	2645	47;W	NE	58.9	52.4
3	2645	47;X	SE	57.4	50.9
3	2645	47;Y	NE	57.8	51.3
4	2645	47;A	SE	54.1	47.6
4	2645	47;B	SW	34.1	27.5
4	2645	47;C	SW	33.7	27.2
4	2645	47;D	NW	33.7	27.1
4	2645	47;E	SW	33.7	27.2
4	2645	47;F	SW	33.7	27.2
4	2645	47;G	SW	33.7	27.1
4	2645	47;H	SW	33.4	26.9
4	2645	47;I	SW	33.6	27.1
4	2645	47;J	SW	33.4	26.9
4	2645	47;K	SW	33.4	26.9
4	2645	47;L	SW	33.2	26.7
4	2645	47;M	SW	33.3	26.8
4	2645	47;N	NW	53.7	47.1
4	2645	47;O	NE	57.3	50.7
4	2645	47;P	NW	56.9	50.3
4	2645	47;Q	NE	58.6	52.1
4	2645	47;R	NE	58.0	51.4
4	2645	47;S	NW	57.6	51.0
4	2645	47;T	NE	59.2	52.7
4	2645	47;U	SE	58.5	52.0
4	2645	47;V	NE	58.6	52.1
4	2645	47;W	NE	59.2	52.7
4	2645	47;X	SE	57.7	51.2
4	2645	47;Y	NE	58.2	51.7
5	2645	47;A	SE	54.3	47.7
5	2645	47;B	SW	34.0	27.5
5	2645	47;C	SW	33.7	27.1
5	2645	47;D	NW	33.6	27.1
5	2645	47;E	SW	33.7	27.2
5	2645	47;F	SW	33.7	27.1
5	2645	47;G	SW	33.6	27.1
5	2645	47;H	SW	33.4	26.9
5	2645	47;I	SW	33.6	27.0
5	2645	47;J	SW	33.4	26.9
5	2645	47;K	SW	33.4	26.8
5	2645	47;L	SW	33.2	26.6
5	2645	47;M	SW	33.3	26.7
5	2645	47;N	NW	54.1	47.5
5	2645	47;O	NE	57.5	50.9
5	2645	47;P	NW	57.2	50.6
5	2645	47;Q	NE	58.8	52.3
5	2645	47;R	NE	58.1	51.6
5	2645	47;S	NW	57.7	51.2
5	2645	47;T	NE	59.3	52.8
5	2645	47;U	SE	58.6	52.1
5	2645	47;V	NE	58.8	52.2
5	2645	47;W	NE	59.4	52.8
5	2645	47;X	SE	57.9	51.4
5	2645	47;Y	NE	58.4	51.9
6	2645	47;A	SE	54.3	47.8
6	2645	47;B	SW	34.0	27.5
6	2645	47;C	SW	33.6	27.1
6	2645	47;D	NW	33.6	27.1
6	2645	47;E	SW	33.7	27.1
6	2645	47;F	SW	33.6	27.1
6	2645	47;G	SW	33.6	27.0
6	2645	47;H	SW	33.4	26.8
6	2645	47;I	SW	33.6	27.0
6	2645	47;J	SW	33.4	26.8
6	2645	47;K	SW	33.4	26.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	2645	47;L	SW	33.2	26.6
6	2645	47;M	SW	33.3	26.7
6	2645	47;N	NW	54.3	47.7
6	2645	47;O	NE	57.7	51.1
6	2645	47;P	NW	57.3	50.7
6	2645	47;Q	NE	58.9	52.4
6	2645	47;R	NE	58.2	51.7
6	2645	47;S	NW	57.8	51.2
6	2645	47;T	NE	59.4	52.9
6	2645	47;U	SE	58.7	52.2
6	2645	47;V	NE	58.8	52.3
6	2645	47;W	NE	59.4	52.9
6	2645	47;X	SE	58.0	51.5
6	2645	47;Y	NE	58.6	52.0
7	2645	47;A	SE	54.3	47.8
7	2645	47;B	SW	34.0	27.4
7	2645	47;C	SW	33.6	27.0
7	2645	47;D	NW	33.6	27.0
7	2645	47;E	SW	33.6	27.1
7	2645	47;F	SW	33.6	27.0
7	2645	47;G	SW	33.5	27.0
7	2645	47;H	SW	33.3	26.8
7	2645	47;I	SW	33.5	27.0
7	2645	47;J	SW	33.3	26.8
7	2645	47;K	SW	33.3	26.8
7	2645	47;L	SW	33.1	26.6
7	2645	47;M	SW	33.2	26.7
7	2645	47;N	NW	54.5	47.9
7	2645	47;O	NE	57.8	51.2
7	2645	47;P	NW	57.3	50.7
7	2645	47;Q	NE	59.0	52.4
7	2645	47;R	NE	58.2	51.7
7	2645	47;S	NW	57.8	51.2
7	2645	47;T	NE	59.4	52.9
7	2645	47;U	SE	58.7	52.2
7	2645	47;V	NE	58.8	52.3
7	2645	47;W	NE	59.4	52.9
7	2645	47;X	SE	58.0	51.5
7	2645	47;Y	NE	58.6	52.1
8	2645	47;A	SE	54.3	47.8
8	2645	47;B	SW	33.9	27.4
8	2645	47;C	SW	33.5	27.0
8	2645	47;D	NW	33.5	27.0
8	2645	47;E	SW	33.6	27.0
8	2645	47;F	SW	33.5	27.0
8	2645	47;G	SW	33.5	26.9
8	2645	47;H	SW	33.3	26.7
8	2645	47;I	SW	33.4	26.9
8	2645	47;J	SW	33.3	26.7
8	2645	47;K	SW	33.3	26.7
8	2645	47;L	SW	33.1	26.5
8	2645	47;M	SW	33.2	26.6
8	2645	47;N	NW	54.4	47.8
8	2645	47;O	NE	57.7	51.1
8	2645	47;P	NW	57.3	50.7
8	2645	47;Q	NE	59.0	52.4
8	2645	47;R	NE	58.2	51.7
8	2645	47;S	NW	57.8	51.2
8	2645	47;T	NE	59.4	52.9
8	2645	47;U	SE	58.7	52.2
8	2645	47;V	NE	58.8	52.3
8	2645	47;W	NE	59.4	52.9
8	2645	47;X	SE	58.0	51.5
8	2645	47;Y	NE	58.6	52.1
9	2645	47;A	SE	54.3	47.7
9	2645	47;B	SW	33.9	27.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
9	2645	47;C	SW	33.5	27.0
9	2645	47;D	NW	33.5	26.9
9	2645	47;E	SW	33.5	27.0
9	2645	47;F	SW	33.5	26.9
9	2645	47;G	SW	33.4	26.9
9	2645	47;H	SW	33.2	26.7
9	2645	47;I	SW	33.4	26.8
9	2645	47;J	SW	33.2	26.7
9	2645	47;K	SW	33.2	26.7
9	2645	47;L	SW	33.1	26.5
9	2645	47;M	SW	33.2	26.6
9	2645	47;N	NW	54.4	47.8
9	2645	47;O	NE	57.7	51.1
9	2645	47;P	NW	57.3	50.7
9	2645	47;Q	NE	58.9	52.4
9	2645	47;R	NE	58.2	51.6
9	2645	47;S	NW	57.7	51.2
9	2645	47;T	NE	59.4	52.8
9	2645	47;U	SE	58.7	52.2
9	2645	47;V	NE	58.8	52.2
9	2645	47;W	NE	59.4	52.8
9	2645	47;X	SE	57.9	51.4
9	2645	47;Y	NE	58.6	52.1
10	2645	47;A	SE	54.2	47.7
10	2645	47;B	SW	33.8	27.3
10	2645	47;C	SW	33.4	26.9
10	2645	47;D	NW	33.5	26.9
10	2645	47;E	SW	33.5	26.9
10	2645	47;F	SW	33.4	26.9
10	2645	47;G	SW	33.4	26.8
10	2645	47;H	SW	33.2	26.6
10	2645	47;I	SW	33.4	26.8
10	2645	47;J	SW	33.2	26.6
10	2645	47;K	SW	33.2	26.6
10	2645	47;L	SW	33.0	26.5
10	2645	47;M	SW	33.2	26.6
10	2645	47;N	NW	54.4	47.7
10	2645	47;O	NE	57.7	51.1
10	2645	47;P	NW	57.2	50.6
10	2645	47;Q	NE	58.9	52.3
10	2645	47;R	NE	58.1	51.6
10	2645	47;S	NW	57.7	51.1
10	2645	47;T	NE	59.3	52.7
10	2645	47;U	SE	58.6	52.1
10	2645	47;V	NE	58.7	52.2
10	2645	47;W	NE	59.3	52.8
10	2645	47;X	SE	57.9	51.4
10	2645	47;Y	NE	58.6	52.1
11	2645	47;A	SE	54.1	47.6
11	2645	47;B	SW	33.9	27.4
11	2645	47;C	SW	33.5	26.9
11	2645	47;D	NW	33.6	27.1
11	2645	47;E	SW	33.5	27.0
11	2645	47;F	SW	33.5	26.9
11	2645	47;G	SW	33.4	26.9
11	2645	47;H	SW	33.2	26.7
11	2645	47;I	SW	33.4	26.8
11	2645	47;J	SW	33.2	26.7
11	2645	47;K	SW	33.2	26.7
11	2645	47;L	SW	33.1	26.5
11	2645	47;M	SW	33.3	26.7
11	2645	47;N	NW	54.3	47.7
11	2645	47;O	NE	57.6	51.0
11	2645	47;P	NW	57.1	50.5
11	2645	47;Q	NE	58.8	52.3
11	2645	47;R	NE	58.1	51.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
11	2645	47;S	NW	57.6	51.0
11	2645	47;T	NE	59.2	52.6
11	2645	47;U	SE	58.5	52.0
11	2645	47;V	NE	58.6	52.1
11	2645	47;W	NE	59.2	52.7
11	2645	47;X	SE	57.8	51.3
11	2645	47;Y	NE	58.5	52.0
12	2645	47;A	SE	54.0	47.5
12	2645	47;B	SW	34.5	28.0
12	2645	47;C	SW	33.9	27.4
12	2645	47;D	NW	34.5	27.9
12	2645	47;E	SW	34.0	27.5
12	2645	47;F	SW	34.0	27.4
12	2645	47;G	SW	33.9	27.3
12	2645	47;H	SW	33.6	27.1
12	2645	47;I	SW	33.9	27.3
12	2645	47;J	SW	33.6	27.1
12	2645	47;K	SW	33.7	27.1
12	2645	47;L	SW	33.6	27.0
12	2645	47;M	SW	34.2	27.6
12	2645	47;N	NW	54.3	47.7
12	2645	47;O	NE	57.6	51.0
12	2645	47;P	NW	57.1	50.5
12	2645	47;Q	NE	58.7	52.2
12	2645	47;R	NE	58.0	51.4
12	2645	47;S	NW	57.5	50.9
12	2645	47;T	NE	59.1	52.6
12	2645	47;U	SE	58.5	51.9
12	2645	47;V	NE	58.5	52.0
12	2645	47;W	NE	59.1	52.6
12	2645	47;X	SE	57.7	51.2
12	2645	47;Y	NE	58.4	51.9
1	2646	58;A	NW	51.1	44.6
1	2646	58;B	NE	50.9	44.5
1	2646	58;C	NW	52.1	45.6
1	2646	58;D	NW	51.9	45.4
1	2646	58;E	NW	51.7	45.2
1	2646	58;F	NW	51.5	45.0
1	2646	58;G	NW	51.2	44.8
1	2646	58;H	SW	49.0	42.5
1	2646	58;I	SE	41.6	35.0
1	2646	58;J	SE	40.9	34.3
1	2646	58;K	SE	39.3	32.6
1	2646	58;L	SE	38.3	31.6
1	2646	58;M	SE	33.0	26.5
1	2646	58;N	SE	39.9	33.2
1	2646	58;O	SE	41.2	34.6
1	2646	58;P	NE	48.7	42.1
2	2646	58;A	NW	53.7	47.3
2	2646	58;B	NE	53.5	47.0
2	2646	58;C	NW	54.7	48.3
2	2646	58;D	NW	54.6	48.1
2	2646	58;E	NW	54.4	48.0
2	2646	58;F	NW	54.3	47.8
2	2646	58;G	NW	54.0	47.6
2	2646	58;H	SW	51.9	45.4
2	2646	58;I	SE	43.8	37.3
2	2646	58;J	SE	42.9	36.3
2	2646	58;K	SE	40.9	34.2
2	2646	58;L	SE	39.7	33.0
2	2646	58;M	SE	33.5	27.0
2	2646	58;N	SE	41.6	34.9
2	2646	58;O	SE	43.1	36.4
2	2646	58;P	NE	51.1	44.6
3	2646	58;A	NW	54.7	48.3
3	2646	58;B	NE	54.5	48.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	2646	58;C	NW	55.7	49.3
3	2646	58;D	NW	55.6	49.2
3	2646	58;E	NW	55.5	49.0
3	2646	58;F	NW	55.4	49.0
3	2646	58;G	NW	55.1	48.7
3	2646	58;H	SW	53.2	46.8
3	2646	58;I	SE	45.0	38.5
3	2646	58;J	SE	44.1	37.5
3	2646	58;K	SE	42.3	35.6
3	2646	58;L	SE	41.0	34.3
3	2646	58;M	SE	33.9	27.4
3	2646	58;N	SE	42.9	36.2
3	2646	58;O	SE	44.3	37.7
3	2646	58;P	NE	52.2	45.8
4	2646	58;A	NW	55.1	48.6
4	2646	58;B	NE	54.9	48.5
4	2646	58;C	NW	56.1	49.7
4	2646	58;D	NW	56.0	49.6
4	2646	58;E	NW	55.8	49.4
4	2646	58;F	NW	55.8	49.4
4	2646	58;G	NW	55.6	49.1
4	2646	58;H	SW	53.7	47.3
4	2646	58;I	SE	45.7	39.2
4	2646	58;J	SE	44.9	38.3
4	2646	58;K	SE	43.1	36.4
4	2646	58;L	SE	41.9	35.2
4	2646	58;M	SE	34.3	27.7
4	2646	58;N	SE	43.7	37.0
4	2646	58;O	SE	45.2	38.5
4	2646	58;P	NE	52.7	46.2
5	2646	58;A	NW	55.2	48.8
5	2646	58;B	NE	55.0	48.6
5	2646	58;C	NW	56.3	49.8
5	2646	58;D	NW	56.1	49.7
5	2646	58;E	NW	56.0	49.6
5	2646	58;F	NW	56.1	49.7
5	2646	58;G	NW	55.8	49.4
5	2646	58;H	SW	54.0	47.6
5	2646	58;I	SE	46.0	39.5
5	2646	58;J	SE	45.3	38.7
5	2646	58;K	SE	43.8	37.1
5	2646	58;L	SE	42.6	35.9
5	2646	58;M	SE	34.6	28.0
5	2646	58;N	SE	44.3	37.6
5	2646	58;O	SE	45.6	39.0
5	2646	58;P	NE	52.9	46.4
6	2646	58;A	NW	55.2	48.8
6	2646	58;B	NE	55.0	48.6
6	2646	58;C	NW	56.3	49.9
6	2646	58;D	NW	56.2	49.8
6	2646	58;E	NW	56.1	49.7
6	2646	58;F	NW	56.2	49.8
6	2646	58;G	NW	55.9	49.5
6	2646	58;H	SW	54.1	47.7
6	2646	58;I	SE	46.2	39.7
6	2646	58;J	SE	45.6	39.0
6	2646	58;K	SE	44.3	37.6
6	2646	58;L	SE	43.1	36.4
6	2646	58;M	SE	34.9	28.3
6	2646	58;N	SE	44.6	37.9
6	2646	58;O	SE	45.9	39.2
6	2646	58;P	NE	53.0	46.5
7	2646	58;A	NW	55.2	48.8
7	2646	58;B	NE	55.0	48.6
7	2646	58;C	NW	56.4	50.0
7	2646	58;D	NW	56.3	49.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
7	2646	58;E	NW	56.2	49.8
7	2646	58;F	NW	56.3	49.9
7	2646	58;G	NW	55.9	49.5
7	2646	58;H	SW	54.2	47.8
7	2646	58;I	SE	46.3	39.8
7	2646	58;J	SE	45.7	39.1
7	2646	58;K	SE	44.5	37.8
7	2646	58;L	SE	43.4	36.7
7	2646	58;M	SE	35.1	28.5
7	2646	58;N	SE	44.8	38.1
7	2646	58;O	SE	46.0	39.3
7	2646	58;P	NE	53.0	46.5
8	2646	58;A	NW	55.2	48.8
8	2646	58;B	NE	55.0	48.6
8	2646	58;C	NW	56.4	50.0
8	2646	58;D	NW	56.3	49.9
8	2646	58;E	NW	56.2	49.8
8	2646	58;F	NW	56.3	49.9
8	2646	58;G	NW	55.9	49.5
8	2646	58;H	SW	54.3	47.8
8	2646	58;I	SE	46.4	39.9
8	2646	58;J	SE	45.8	39.2
8	2646	58;K	SE	44.7	38.0
8	2646	58;L	SE	43.6	36.9
8	2646	58;M	SE	35.3	28.7
8	2646	58;N	SE	44.9	38.2
8	2646	58;O	SE	46.1	39.4
8	2646	58;P	NE	53.0	46.5
9	2646	58;A	NW	55.1	48.7
9	2646	58;B	NE	55.0	48.5
9	2646	58;C	NW	56.4	49.9
9	2646	58;D	NW	56.3	49.8
9	2646	58;E	NW	56.1	49.7
9	2646	58;F	NW	56.3	49.9
9	2646	58;G	NW	55.9	49.5
9	2646	58;H	SW	54.3	47.9
9	2646	58;I	SE	46.5	40.0
9	2646	58;J	SE	45.9	39.3
9	2646	58;K	SE	44.8	38.1
9	2646	58;L	SE	43.7	37.0
9	2646	58;M	SE	35.5	28.8
9	2646	58;N	SE	45.0	38.3
9	2646	58;O	SE	46.1	39.5
9	2646	58;P	NE	53.0	46.5
10	2646	58;A	NW	55.1	48.7
10	2646	58;B	NE	54.9	48.5
10	2646	58;C	NW	56.3	49.9
10	2646	58;D	NW	56.2	49.8
10	2646	58;E	NW	56.1	49.7
10	2646	58;F	NW	56.3	49.9
10	2646	58;G	NW	55.9	49.5
10	2646	58;H	SW	54.3	47.8
10	2646	58;I	SE	46.5	40.0
10	2646	58;J	SE	46.0	39.4
10	2646	58;K	SE	44.9	38.2
10	2646	58;L	SE	43.7	37.0
10	2646	58;M	SE	35.7	29.1
10	2646	58;N	SE	45.0	38.3
10	2646	58;O	SE	46.2	39.5
10	2646	58;P	NE	53.0	46.5
11	2646	58;A	NW	55.0	48.6
11	2646	58;B	NE	54.8	48.4
11	2646	58;C	NW	56.3	49.8
11	2646	58;D	NW	56.2	49.7
11	2646	58;E	NW	56.1	49.6
11	2646	58;F	NW	56.2	49.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
11	2646	58;G	NW	55.8	49.4
11	2646	58;H	SW	54.2	47.8
11	2646	58;I	SE	46.6	40.0
11	2646	58;J	SE	46.0	39.4
11	2646	58;K	SE	44.9	38.2
11	2646	58;L	SE	43.8	37.1
11	2646	58;M	SE	35.8	29.2
11	2646	58;N	SE	45.0	38.3
11	2646	58;O	SE	46.2	39.5
11	2646	58;P	NE	52.9	46.4
12	2646	58;A	NW	54.9	48.5
12	2646	58;B	NE	54.8	48.3
12	2646	58;C	NW	56.2	49.8
12	2646	58;D	NW	56.1	49.7
12	2646	58;E	NW	56.0	49.6
12	2646	58;F	NW	56.2	49.8
12	2646	58;G	NW	55.8	49.4
12	2646	58;H	SW	54.2	47.8
12	2646	58;I	SE	46.6	40.1
12	2646	58;J	SE	46.0	39.4
12	2646	58;K	SE	45.0	38.3
12	2646	58;L	SE	43.8	37.2
12	2646	58;M	SE	36.2	29.6
12	2646	58;N	SE	45.1	38.4
12	2646	58;O	SE	46.2	39.5
12	2646	58;P	NE	52.9	46.4
1	2647	30;A	S	42.7	36.0
1	2647	30;B	E	43.2	36.5
1	2647	30;C	N	31.0	24.3
1	2647	30;D	E	38.5	31.8
1	2647	30;E	E	32.5	25.8
1	2647	30;F	N	35.5	28.8
1	2647	30;G	W	25.9	19.2
1	2647	30;H	S	27.5	20.8
1	2647	30;I	W	28.6	21.9
1	2647	30;J	W	28.5	21.8
1	2647	30;K	S	42.8	36.1
2	2647	30;A	S	46.1	39.4
2	2647	30;B	E	46.7	40.0
2	2647	30;C	N	31.3	24.6
2	2647	30;D	E	41.6	34.9
2	2647	30;E	E	35.7	29.0
2	2647	30;F	N	37.9	31.2
2	2647	30;G	W	25.9	19.2
2	2647	30;H	S	27.7	21.0
2	2647	30;I	W	28.7	22.0
2	2647	30;J	W	28.5	21.8
2	2647	30;K	S	45.9	39.2
3	2647	30;A	S	48.5	41.8
3	2647	30;B	E	49.0	42.3
3	2647	30;C	N	31.8	25.1
3	2647	30;D	E	44.7	38.0
3	2647	30;E	E	37.6	30.9
3	2647	30;F	N	39.2	32.5
3	2647	30;G	W	25.9	19.2
3	2647	30;H	S	28.2	21.5
3	2647	30;I	W	28.7	22.0
3	2647	30;J	W	28.6	21.9
3	2647	30;K	S	48.1	41.4
4	2647	30;A	S	49.5	42.8
4	2647	30;B	E	49.9	43.3
4	2647	30;C	N	32.6	25.9
4	2647	30;D	E	45.8	39.2
4	2647	30;E	E	38.5	31.8
4	2647	30;F	N	40.1	33.4
4	2647	30;G	W	25.9	19.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	2647	30;H	S	29.3	22.6
4	2647	30;I	W	28.7	22.0
4	2647	30;J	W	28.7	22.0
4	2647	30;K	S	49.1	42.5
5	2647	30;A	S	50.0	43.3
5	2647	30;B	E	50.4	43.7
5	2647	30;C	N	34.2	27.5
5	2647	30;D	E	46.7	40.0
5	2647	30;E	E	39.7	33.0
5	2647	30;F	N	40.7	34.0
5	2647	30;G	W	26.5	19.8
5	2647	30;H	S	31.4	24.7
5	2647	30;I	W	29.3	22.6
5	2647	30;J	W	29.4	22.7
5	2647	30;K	S	49.7	43.0
1	2648	14;A	SE	42.0	35.1
1	2648	14;B	NE	47.4	40.5
1	2648	14;C	NE	46.9	40.1
1	2648	14;D	SE	46.5	39.6
1	2648	14;E	NE	43.2	36.3
1	2648	14;F	NW	31.5	24.7
1	2648	14;G	SW	24.8	17.8
2	2648	14;A	SE	44.1	37.2
2	2648	14;B	NE	49.8	42.8
2	2648	14;C	NE	49.3	42.3
2	2648	14;D	SE	48.9	41.9
2	2648	14;E	NE	45.6	38.7
2	2648	14;F	NW	32.9	26.0
2	2648	14;G	SW	24.8	17.8
3	2648	14;A	SE	45.3	38.3
3	2648	14;B	NE	50.9	43.9
3	2648	14;C	NE	50.4	43.4
3	2648	14;D	SE	49.9	42.9
3	2648	14;E	NE	46.8	39.8
3	2648	14;F	NW	34.7	27.8
3	2648	14;G	SW	25.0	18.0
4	2648	14;A	SE	46.1	39.1
4	2648	14;B	NE	51.2	44.2
4	2648	14;C	NE	50.8	43.8
4	2648	14;D	SE	50.4	43.4
4	2648	14;E	NE	47.3	40.3
4	2648	14;F	NW	35.7	28.8
4	2648	14;G	SW	25.6	18.6
1	2660	3;A	N	42.4	35.7
1	2660	3;B	N	43.8	37.1
1	2660	3;C	N	44.4	37.7
1	2660	3;D	W	48.1	41.4
1	2660	3;E	S	46.0	39.3
1	2660	3;F	S	44.8	38.2
1	2660	3;G	E	33.6	26.9
2	2660	3;A	N	45.0	38.3
2	2660	3;B	N	46.5	39.8
2	2660	3;C	N	47.1	40.4
2	2660	3;D	W	50.8	44.2
2	2660	3;E	S	48.6	41.9
2	2660	3;F	S	47.3	40.6
2	2660	3;G	E	34.4	27.7
3	2660	3;A	N	46.6	39.9
3	2660	3;B	N	48.1	41.4
3	2660	3;C	N	48.6	41.9
3	2660	3;D	W	52.3	45.6
3	2660	3;E	S	50.1	43.5
3	2660	3;F	S	48.9	42.2
3	2660	3;G	E	35.7	29.0
4	2660	3;A	N	47.6	40.9
4	2660	3;B	N	49.0	42.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	2660	3;C	N	49.6	42.9
4	2660	3;D	W	53.3	46.6
4	2660	3;E	S	51.1	44.5
4	2660	3;F	S	49.9	43.2
4	2660	3;G	E	37.2	30.5
1	2661	32;A	N	38.2	31.5
1	2661	32;B	N	41.4	34.7
1	2661	32;C	N	41.7	35.0
1	2661	32;D	N	42.8	36.1
1	2661	32;E	N	42.8	36.0
1	2661	32;F	W	46.9	40.2
1	2661	32;G	S	45.6	39.0
1	2661	32;H	S	43.6	36.9
1	2661	32;I	S	41.8	35.1
1	2661	32;J	E	33.6	26.9
2	2661	32;A	N	40.8	34.1
2	2661	32;B	N	44.3	37.6
2	2661	32;C	N	44.6	37.9
2	2661	32;D	N	46.0	39.3
2	2661	32;E	N	46.3	39.6
2	2661	32;F	W	50.6	43.9
2	2661	32;G	S	48.4	41.7
2	2661	32;H	S	46.3	39.6
2	2661	32;I	S	44.4	37.7
2	2661	32;J	E	34.5	27.8
3	2661	32;A	N	42.7	36.0
3	2661	32;B	N	46.4	39.7
3	2661	32;C	N	46.7	40.0
3	2661	32;D	N	48.1	41.4
3	2661	32;E	N	48.5	41.8
3	2661	32;F	W	52.5	45.8
3	2661	32;G	S	49.8	43.2
3	2661	32;H	S	47.8	41.1
3	2661	32;I	S	45.9	39.2
3	2661	32;J	E	35.8	29.0
4	2661	32;A	N	43.8	37.1
4	2661	32;B	N	47.4	40.7
4	2661	32;C	N	47.6	40.9
4	2661	32;D	N	49.1	42.4
4	2661	32;E	N	49.5	42.8
4	2661	32;F	W	53.4	46.7
4	2661	32;G	S	50.8	44.1
4	2661	32;H	S	48.8	42.1
4	2661	32;I	S	46.8	40.1
4	2661	32;J	E	37.1	30.4
1	2662	31;A	E	35.1	28.4
1	2662	31;B	S	40.7	34.0
1	2662	31;C	S	42.4	35.7
1	2662	31;D	S	44.7	38.0
1	2662	31;E	W	48.1	41.4
1	2662	31;F	N	44.4	37.7
1	2662	31;G	N	44.0	37.3
1	2662	31;H	N	43.0	36.3
1	2662	31;I	N	43.0	36.3
1	2662	31;J	N	41.6	34.8
1	2662	31;K	E	35.6	28.9
2	2662	31;A	E	36.3	29.6
2	2662	31;B	S	43.7	37.0
2	2662	31;C	S	45.7	39.0
2	2662	31;D	S	47.9	41.2
2	2662	31;E	W	50.9	44.2
2	2662	31;F	N	47.0	40.2
2	2662	31;G	N	46.5	39.8
2	2662	31;H	N	45.3	38.5
2	2662	31;I	N	45.2	38.5
2	2662	31;J	N	43.6	36.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	2662	31;K	E	36.9	30.2
3	2662	31;A	E	37.7	30.9
3	2662	31;B	S	45.9	39.2
3	2662	31;C	S	47.9	41.2
3	2662	31;D	S	49.9	43.2
3	2662	31;E	W	52.4	45.7
3	2662	31;F	N	48.2	41.4
3	2662	31;G	N	47.8	41.0
3	2662	31;H	N	46.7	39.9
3	2662	31;I	N	46.7	39.9
3	2662	31;J	N	45.1	38.3
3	2662	31;K	E	38.3	31.6
4	2662	31;A	E	38.9	32.1
4	2662	31;B	S	46.9	40.2
4	2662	31;C	S	48.9	42.2
4	2662	31;D	S	50.8	44.1
4	2662	31;E	W	53.2	46.5
4	2662	31;F	N	49.1	42.4
4	2662	31;G	N	48.8	42.0
4	2662	31;H	N	47.7	41.0
4	2662	31;I	N	47.6	40.9
4	2662	31;J	N	46.0	39.3
4	2662	31;K	E	39.5	32.8
1	2663	33;A	E	33.6	26.9
1	2663	33;B	S	42.3	35.6
1	2663	33;C	S	43.8	37.1
1	2663	33;D	S	45.6	38.9
1	2663	33;E	W	48.2	41.5
1	2663	33;F	N	44.3	37.6
1	2663	33;G	N	43.8	37.1
1	2663	33;H	N	42.1	35.4
1	2663	33;I	N	42.1	35.4
2	2663	33;A	E	34.4	27.7
2	2663	33;B	S	44.8	38.1
2	2663	33;C	S	46.4	39.7
2	2663	33;D	S	48.3	41.6
2	2663	33;E	W	51.0	44.4
2	2663	33;F	N	47.2	40.5
2	2663	33;G	N	46.7	40.0
2	2663	33;H	N	44.9	38.2
2	2663	33;I	N	44.6	37.9
3	2663	33;A	E	35.6	28.9
3	2663	33;B	S	46.3	39.6
3	2663	33;C	S	47.9	41.3
3	2663	33;D	S	49.8	43.1
3	2663	33;E	W	52.5	45.8
3	2663	33;F	N	48.8	42.1
3	2663	33;G	N	48.3	41.7
3	2663	33;H	N	46.7	40.0
3	2663	33;I	N	46.2	39.5
4	2663	33;A	E	37.0	30.3
4	2663	33;B	S	47.2	40.6
4	2663	33;C	S	48.9	42.2
4	2663	33;D	S	50.8	44.1
4	2663	33;E	W	53.4	46.7
4	2663	33;F	N	49.7	43.0
4	2663	33;G	N	49.3	42.6
4	2663	33;H	N	47.6	41.0
4	2663	33;I	N	47.1	40.4
1	2664	19;A	E	53.5	46.5
1	2664	19;B	N	50.1	43.1
1	2664	19;C	N	49.3	42.3
1	2664	19;D	W	39.3	32.3
1	2664	19;E	W	38.9	32.0
1	2664	19;F	W	35.8	28.8
1	2664	19;G	W	35.5	28.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2664	19;H	S	49.4	42.5
2	2664	19;A	E	55.4	48.4
2	2664	19;B	N	52.3	45.3
2	2664	19;C	N	51.6	44.6
2	2664	19;D	W	41.6	34.6
2	2664	19;E	W	41.1	34.1
2	2664	19;F	W	37.5	30.5
2	2664	19;G	W	37.3	30.3
2	2664	19;H	S	51.6	44.6
3	2664	19;A	E	55.9	48.8
3	2664	19;B	N	52.9	45.9
3	2664	19;C	N	52.3	45.3
3	2664	19;D	W	42.6	35.6
3	2664	19;E	W	42.1	35.1
3	2664	19;F	W	38.5	31.5
3	2664	19;G	W	38.4	31.4
3	2664	19;H	S	52.1	45.1
4	2664	19;A	E	56.0	49.0
4	2664	19;B	N	53.2	46.2
4	2664	19;C	N	52.5	45.5
4	2664	19;D	W	43.0	35.9
4	2664	19;E	W	42.7	35.7
4	2664	19;F	W	39.3	32.3
4	2664	19;G	W	39.2	32.2
4	2664	19;H	S	52.4	45.3
5	2664	19;A	E	56.1	49.1
5	2664	19;B	N	53.3	46.2
5	2664	19;C	N	52.7	45.6
5	2664	19;D	W	43.0	36.0
5	2664	19;E	W	42.7	35.7
5	2664	19;F	W	39.6	32.5
5	2664	19;G	W	39.5	32.5
5	2664	19;H	S	52.4	45.4
6	2664	19;A	E	56.0	49.0
6	2664	19;B	N	52.9	45.9
6	2664	19;C	N	52.4	45.3
6	2664	19;D	W	37.8	30.8
6	2664	19;E	W	41.4	34.4
6	2664	19;F	W	39.2	32.1
6	2664	19;G	W	38.9	31.9
6	2664	19;H	S	52.3	45.3
7	2664	19;A	E	56.0	49.0
7	2664	19;B	N	52.5	45.5
7	2664	19;C	N	52.0	44.9
7	2664	19;D	W	32.3	25.3
7	2664	19;E	W	32.3	25.3
7	2664	19;F	W	31.7	24.7
7	2664	19;G	W	37.6	30.6
7	2664	19;H	S	52.3	45.2
8	2664	19;A	E	55.9	48.9
8	2664	19;B	N	52.4	45.4
8	2664	19;C	N	51.9	44.8
8	2664	19;D	W	33.2	26.2
8	2664	19;E	W	33.2	26.2
8	2664	19;F	W	33.0	26.0
8	2664	19;G	W	33.0	26.0
8	2664	19;H	S	52.2	45.2
1	2665	;A	SE	41.3	34.6
1	2665	;B	SE	44.2	37.5
1	2665	;C	SE	44.9	38.2
1	2665	;D	SE	42.5	35.8
1	2665	;E	SE	46.2	39.6
1	2665	;F	SW	49.5	42.8
1	2665	;G	SW	49.6	42.9
1	2665	;H	NW	45.7	39.0
1	2665	;I	NE	30.6	23.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2665	;J	NW	36.0	29.3
1	2665	;K	NE	27.8	21.2
1	2666	;A	NW	29.1	22.5
1	2666	;B	NE	29.3	22.6
1	2666	;C	NE	29.1	22.5
1	2666	;D	NE	29.2	22.5
1	2666	;E	NE	29.1	22.4
1	2666	;F	NE	29.4	22.7
1	2666	;G	NW	45.6	38.9
1	2666	;H	SW	48.7	42.0
1	2666	;I	SW	49.1	42.4
1	2666	;J	SW	48.6	41.9
1	2666	;K	SW	49.0	42.4
1	2666	;L	SW	48.6	41.9
1	2666	;M	SW	48.9	42.2
1	2666	;N	SE	47.8	41.1
1	2666	;O	SW	48.0	41.3
1	2666	;P	SW	48.5	41.8
1	2666	;Q	SE	45.2	38.6
1	2666	;R	SE	43.8	37.1
1	2666	;S	SE	40.8	34.2
1	2666	;T	NE	29.5	22.9
1	2667	36;A	NW	46.2	39.6
1	2667	36;B	NW	45.1	38.5
1	2667	36;C	NW	49.2	42.5
1	2667	36;D	NE	53.0	46.4
1	2667	36;E	SE	48.5	41.8
1	2667	36;F	SE	46.3	39.7
1	2667	36;G	SE	42.8	36.1
1	2667	36;H	SE	43.9	37.2
1	2667	36;I	SW	30.4	23.7
2	2667	36;A	NW	49.5	42.8
2	2667	36;B	NW	48.3	41.7
2	2667	36;C	NW	52.2	45.5
2	2667	36;D	NE	56.0	49.3
2	2667	36;E	SE	51.6	44.9
2	2667	36;F	SE	49.6	43.0
2	2667	36;G	SE	46.2	39.5
2	2667	36;H	SE	47.1	40.5
2	2667	36;I	SW	30.4	23.7
3	2667	36;A	NW	50.9	44.2
3	2667	36;B	NW	49.7	43.0
3	2667	36;C	NW	53.2	46.5
3	2667	36;D	NE	57.0	50.3
3	2667	36;E	SE	53.2	46.5
3	2667	36;F	SE	51.2	44.5
3	2667	36;G	SE	47.8	41.2
3	2667	36;H	SE	48.6	42.0
3	2667	36;I	SW	30.6	23.9
4	2667	36;A	NW	51.4	44.7
4	2667	36;B	NW	50.2	43.5
4	2667	36;C	NW	53.6	46.9
4	2667	36;D	NE	57.3	50.7
4	2667	36;E	SE	53.7	47.1
4	2667	36;F	SE	52.2	45.5
4	2667	36;G	SE	49.0	42.3
4	2667	36;H	SE	49.7	43.0
4	2667	36;I	SW	31.5	24.8
1	2668	;A	NE	29.8	23.1
1	2668	;B	NW	44.3	37.6
1	2668	;C	SW	47.2	40.5
1	2668	;D	SW	47.3	40.7
1	2668	;E	SW	46.6	39.9
1	2668	;F	SW	47.7	41.0
1	2668	;G	SW	47.7	41.0
1	2668	;H	SW	47.4	40.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2668	;I	SE	44.5	37.9
1	2668	;J	NE	30.3	23.6
1	2668	;K	NE	30.0	23.4
1	2668	;L	NE	29.8	23.2
1	2668	;M	NE	29.8	23.1
1	2669	43;A	NE	58.5	51.8
1	2669	43;B	NE	59.0	52.3
1	2669	43;C	NE	58.1	51.4
1	2669	43;D	NW	54.3	47.6
1	2669	43;E	SW	39.7	33.0
1	2669	43;F	NW	41.7	35.0
1	2669	43;G	SW	38.9	32.2
1	2669	43;H	SE	36.0	29.4
1	2669	43;I	SW	37.9	31.2
1	2669	43;J	NW	34.5	27.8
1	2669	43;K	NW	34.5	27.8
1	2669	43;L	NW	33.5	26.9
1	2669	43;M	NW	35.4	28.8
1	2669	43;N	SW	36.7	30.0
1	2669	43;O	SE	49.0	42.3
1	2669	43;P	E	53.9	47.2
2	2669	43;A	NE	60.1	53.5
2	2669	43;B	NE	60.5	53.8
2	2669	43;C	NE	59.8	53.1
2	2669	43;D	NW	56.4	49.7
2	2669	43;E	SW	41.9	35.2
2	2669	43;F	NW	44.8	38.1
2	2669	43;G	SW	40.9	34.3
2	2669	43;H	SE	36.9	30.2
2	2669	43;I	SW	40.0	33.3
2	2669	43;J	NW	34.5	27.9
2	2669	43;K	NW	34.6	27.9
2	2669	43;L	NW	33.6	26.9
2	2669	43;M	NW	38.3	31.6
2	2669	43;N	SW	38.5	31.9
2	2669	43;O	SE	52.1	45.4
2	2669	43;P	E	56.4	49.7
3	2669	43;A	NE	60.5	53.8
3	2669	43;B	NE	60.8	54.1
3	2669	43;C	NE	60.1	53.4
3	2669	43;D	NW	56.8	50.2
3	2669	43;E	SW	42.8	36.2
3	2669	43;F	NW	46.0	39.3
3	2669	43;G	SW	42.0	35.4
3	2669	43;H	SE	37.8	31.1
3	2669	43;I	SW	40.8	34.2
3	2669	43;J	NW	34.5	27.9
3	2669	43;K	NW	34.7	28.0
3	2669	43;L	NW	33.7	27.0
3	2669	43;M	NW	39.7	33.0
3	2669	43;N	SW	39.6	32.9
3	2669	43;O	SE	53.4	46.7
3	2669	43;P	E	57.0	50.3
4	2669	43;A	NE	60.6	53.9
4	2669	43;B	NE	60.9	54.2
4	2669	43;C	NE	60.2	53.5
4	2669	43;D	NW	57.0	50.4
4	2669	43;E	SW	43.4	36.8
4	2669	43;F	NW	46.7	40.0
4	2669	43;G	SW	42.7	36.0
4	2669	43;H	SE	38.4	31.7
4	2669	43;I	SW	41.5	34.8
4	2669	43;J	NW	34.6	28.0
4	2669	43;K	NW	34.9	28.2
4	2669	43;L	NW	33.9	27.2
4	2669	43;M	NW	40.6	34.0

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	2669	43;N	SW	40.3	33.6
4	2669	43;O	SE	53.8	47.1
4	2669	43;P	E	57.2	50.5
5	2669	43;A	NE	60.5	53.9
5	2669	43;B	NE	60.9	54.2
5	2669	43;C	NE	60.1	53.5
5	2669	43;D	NW	57.1	50.4
5	2669	43;E	SW	43.5	36.9
5	2669	43;F	NW	46.8	40.2
5	2669	43;G	SW	43.0	36.3
5	2669	43;H	SE	39.0	32.3
5	2669	43;I	SW	41.6	34.9
5	2669	43;J	NW	35.0	28.3
5	2669	43;K	NW	35.2	28.6
5	2669	43;L	NW	34.3	27.6
5	2669	43;M	NW	41.1	34.4
5	2669	43;N	SW	40.8	34.1
5	2669	43;O	SE	54.1	47.5
5	2669	43;P	E	57.3	50.6
6	2669	43;A	NE	60.4	53.7
6	2669	43;B	NE	60.7	54.0
6	2669	43;C	NE	59.9	53.3
6	2669	43;D	NW	57.0	50.3
6	2669	43;E	SW	43.7	37.0
6	2669	43;F	NW	47.0	40.3
6	2669	43;G	SW	43.4	36.7
6	2669	43;H	SE	40.1	33.5
6	2669	43;I	SW	41.7	35.1
6	2669	43;J	NW	36.3	29.6
6	2669	43;K	NW	36.2	29.6
6	2669	43;L	NW	35.1	28.5
6	2669	43;M	NW	41.4	34.7
6	2669	43;N	SW	32.7	26.0
6	2669	43;O	SE	54.4	47.7
6	2669	43;P	E	57.3	50.6
1	2670	44;A	NE	38.0	31.4
1	2670	44;B	NW	32.3	25.6
1	2670	44;C	NE	31.3	24.7
1	2670	44;D	NE	31.5	24.9
1	2670	44;E	NE	32.2	25.5
1	2670	44;F	NE	34.1	27.4
1	2670	44;G	NE	40.2	33.5
1	2670	44;H	NE	37.7	31.0
1	2670	44;I	NE	31.6	25.0
1	2670	44;J	NW	32.1	25.4
1	2670	44;K	NE	31.3	24.7
1	2670	44;L	NE	30.9	24.3
1	2670	44;M	SE	31.7	25.1
1	2670	44;N	NE	36.2	29.5
1	2670	44;O	NW	41.7	35.0
1	2670	44;P	NE	41.0	34.3
1	2670	44;Q	NW	38.9	32.2
1	2670	44;R	SW	29.2	22.5
1	2670	44;S	SE	44.8	38.1
1	2670	44;T	NE	45.1	38.4
1	2670	44;U	SE	44.2	37.5
2	2670	44;A	NE	40.3	33.6
2	2670	44;B	NW	32.4	25.7
2	2670	44;C	NE	31.5	24.9
2	2670	44;D	NE	32.2	25.6
2	2670	44;E	NE	32.8	26.1
2	2670	44;F	NE	36.0	29.3
2	2670	44;G	NE	43.0	36.3
2	2670	44;H	NE	40.3	33.6
2	2670	44;I	NE	32.3	25.6
2	2670	44;J	NW	32.3	25.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	2670	44;K	NE	31.6	24.9
2	2670	44;L	NE	31.1	24.4
2	2670	44;M	SE	31.8	25.2
2	2670	44;N	NE	38.5	31.8
2	2670	44;O	NW	44.5	37.8
2	2670	44;P	NE	43.7	37.0
2	2670	44;Q	NW	41.4	34.7
2	2670	44;R	SW	29.2	22.5
2	2670	44;S	SE	47.8	41.1
2	2670	44;T	NE	48.2	41.5
2	2670	44;U	SE	47.2	40.5
3	2670	44;A	NE	42.6	36.0
3	2670	44;B	NW	32.6	25.9
3	2670	44;C	NE	31.8	25.2
3	2670	44;D	NE	33.4	26.7
3	2670	44;E	NE	34.3	27.7
3	2670	44;F	NE	37.2	30.5
3	2670	44;G	NE	44.3	37.6
3	2670	44;H	NE	41.6	34.9
3	2670	44;I	NE	33.7	27.1
3	2670	44;J	NW	32.7	26.0
3	2670	44;K	NE	32.1	25.4
3	2670	44;L	NE	31.5	24.9
3	2670	44;M	SE	31.9	25.3
3	2670	44;N	NE	39.8	33.2
3	2670	44;O	NW	45.8	39.2
3	2670	44;P	NE	44.9	38.3
3	2670	44;Q	NW	42.8	36.1
3	2670	44;R	SW	29.3	22.6
3	2670	44;S	SE	49.4	42.7
3	2670	44;T	NE	50.0	43.3
3	2670	44;U	SE	49.1	42.4
4	2670	44;A	NE	43.7	37.1
4	2670	44;B	NW	32.5	25.8
4	2670	44;C	NE	33.6	26.9
4	2670	44;D	NE	35.2	28.5
4	2670	44;E	NE	35.7	29.1
4	2670	44;F	NE	38.5	31.9
4	2670	44;G	NE	45.2	38.5
4	2670	44;H	NE	42.5	35.8
4	2670	44;I	NE	34.8	28.2
4	2670	44;J	NW	33.6	26.9
4	2670	44;K	NE	33.4	26.7
4	2670	44;L	NE	32.8	26.2
4	2670	44;M	SE	31.7	25.0
4	2670	44;N	NE	40.8	34.2
4	2670	44;O	NW	46.8	40.1
4	2670	44;P	NE	45.9	39.3
4	2670	44;Q	NW	43.7	37.1
4	2670	44;R	SW	29.7	23.0
4	2670	44;S	SE	50.4	43.7
4	2670	44;T	NE	51.0	44.3
4	2670	44;U	SE	50.1	43.4
1	2671	;A	NE	30.5	23.9
1	2671	;B	NW	29.5	22.8
1	2671	;C	NE	29.4	22.8
1	2671	;D	NE	29.5	22.8
1	2671	;E	NW	43.0	36.3
1	2671	;F	SW	43.5	36.8
1	2671	;G	SW	43.3	36.6
1	2671	;H	SW	42.9	36.3
1	2671	;I	SW	39.9	33.2
1	2671	;J	SW	40.5	33.8
1	2671	;K	SE	36.8	30.2
1	2671	;L	SW	37.8	31.2
1	2671	;M	SW	39.1	32.4

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2671	;N	SE	36.8	30.1
1	2672	;A	SE	43.9	37.2
1	2672	;B	SE	44.8	38.1
1	2672	;C	SW	43.4	36.8
1	2672	;D	NW	41.6	35.0
1	2672	;E	NW	41.6	34.9
1	2672	;F	NW	35.5	28.8
1	2672	;G	NW	40.2	33.6
1	2672	;H	NW	34.7	28.1
1	2672	;I	NE	30.8	24.2
1	2673	;A	N	39.8	33.1
1	2673	;B	W	41.2	34.5
1	2673	;C	W	40.7	34.0
1	2673	;D	S	34.7	28.0
1	2673	;E	E	30.5	23.8
1	2674	45;A	SE	49.2	42.7
1	2674	45;B	SW	31.5	24.9
1	2674	45;C	SE	32.4	25.8
1	2674	45;D	SW	30.7	24.1
1	2674	45;E	NW	47.7	41.0
1	2674	45;F	W	50.3	43.6
1	2674	45;G	N	58.6	51.9
1	2674	45;H	N	59.4	52.7
1	2674	45;I	E	57.2	50.5
1	2674	45;J	NE	56.8	50.1
1	2674	45;K	SE	51.9	45.4
2	2674	45;A	SE	52.3	45.8
2	2674	45;B	SW	32.4	25.8
2	2674	45;C	SE	35.9	29.3
2	2674	45;D	SW	31.7	25.0
2	2674	45;E	NW	51.0	44.3
2	2674	45;F	W	53.2	46.5
2	2674	45;G	N	60.4	53.7
2	2674	45;H	N	60.9	54.2
2	2674	45;I	E	59.3	52.6
2	2674	45;J	NE	59.3	52.6
2	2674	45;K	SE	54.8	48.3
1	2675	61;A	NW	38.7	32.0
1	2675	61;B	NW	37.4	30.7
1	2675	61;C	NE	31.3	24.8
1	2675	61;D	NW	46.2	39.6
1	2675	61;E	NW	47.7	41.1
1	2675	61;F	SW	50.4	43.9
1	2675	61;G	SE	47.6	41.0
1	2675	61;H	NE	38.1	31.5
1	2675	61;I	NW	37.3	30.7
2	2675	61;A	NW	40.6	34.0
2	2675	61;B	NW	39.1	32.4
2	2675	61;C	NE	31.7	25.2
2	2675	61;D	NW	49.1	42.6
2	2675	61;E	NW	50.7	44.2
2	2675	61;F	SW	53.5	47.0
2	2675	61;G	SE	50.3	43.7
2	2675	61;H	NE	39.3	32.8
2	2675	61;I	NW	39.3	32.7
3	2675	61;A	NW	42.7	36.1
3	2675	61;B	NW	41.2	34.6
3	2675	61;C	NE	32.5	25.9
3	2675	61;D	NW	50.7	44.1
3	2675	61;E	NW	52.2	45.6
3	2675	61;F	SW	55.0	48.5
3	2675	61;G	SE	52.0	45.4
3	2675	61;H	NE	41.2	34.7
3	2675	61;I	NW	41.2	34.7
4	2675	61;A	NW	44.0	37.4
4	2675	61;B	NW	42.8	36.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	2675	61;C	NE	34.1	27.5
4	2675	61;D	NW	51.7	45.1
4	2675	61;E	NW	53.0	46.5
4	2675	61;F	SW	55.9	49.3
4	2675	61;G	SE	53.0	46.5
4	2675	61;H	NE	42.6	36.1
4	2675	61;I	NW	42.6	36.0
1	2676	;A	NE	42.7	36.1
1	2676	;B	SE	57.1	50.6
1	2676	;C	SW	61.3	54.7
1	2676	;D	SW	61.5	55.0
1	2676	;E	NW	57.1	50.6
1	2677	51;A	NE	52.4	45.9
1	2677	51;B	SE	52.1	45.6
1	2677	51;C	NE	55.1	48.6
1	2677	51;D	NW	52.4	45.9
1	2677	51;E	NW	50.7	44.1
1	2677	51;F	SW	32.8	26.2
1	2677	51;G	NW	44.6	38.1
1	2677	51;H	SW	31.3	24.7
1	2677	51;I	NW	33.9	27.4
1	2677	51;J	SW	29.8	23.3
1	2677	51;K	NW	29.7	23.2
1	2677	51;L	SW	29.4	22.9
1	2677	51;M	SE	43.9	37.4
1	2677	51;N	NE	46.4	39.8
1	2677	51;O	SE	46.2	39.6
1	2677	51;P	NE	47.0	40.4
1	2677	51;Q	SE	46.0	39.5
1	2677	51;R	NE	48.1	41.6
1	2677	51;S	SE	47.5	41.0
1	2677	51;T	NE	47.8	41.3
1	2677	51;U	SE	45.2	38.7
1	2677	51;V	SW	36.3	29.8
2	2677	51;A	NE	55.5	49.0
2	2677	51;B	SE	55.3	48.8
2	2677	51;C	NE	57.9	51.4
2	2677	51;D	NW	55.2	48.6
2	2677	51;E	NW	53.6	47.0
2	2677	51;F	SW	32.8	26.2
2	2677	51;G	NW	47.9	41.4
2	2677	51;H	SW	31.3	24.7
2	2677	51;I	NW	37.3	30.8
2	2677	51;J	SW	29.8	23.3
2	2677	51;K	NW	29.7	23.2
2	2677	51;L	SW	29.4	22.9
2	2677	51;M	SE	46.5	40.0
2	2677	51;N	NE	49.3	42.7
2	2677	51;O	SE	49.3	42.8
2	2677	51;P	NE	50.0	43.5
2	2677	51;Q	SE	49.5	43.0
2	2677	51;R	NE	51.4	44.9
2	2677	51;S	SE	50.8	44.3
2	2677	51;T	NE	51.1	44.6
2	2677	51;U	SE	48.6	42.1
2	2677	51;V	SW	38.6	32.1
3	2677	51;A	NE	56.6	50.0
3	2677	51;B	SE	56.4	49.9
3	2677	51;C	NE	58.7	52.2
3	2677	51;D	NW	55.9	49.4
3	2677	51;E	NW	54.7	48.2
3	2677	51;F	SW	32.7	26.2
3	2677	51;G	NW	49.5	42.9
3	2677	51;H	SW	31.3	24.7
3	2677	51;I	NW	39.1	32.6
3	2677	51;J	SW	29.8	23.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	2677	51;K	NW	29.7	23.2
3	2677	51;L	SW	29.4	22.9
3	2677	51;M	SE	48.4	41.9
3	2677	51;N	NE	51.1	44.6
3	2677	51;O	SE	51.1	44.6
3	2677	51;P	NE	51.7	45.2
3	2677	51;Q	SE	51.3	44.8
3	2677	51;R	NE	53.0	46.5
3	2677	51;S	SE	52.5	46.0
3	2677	51;T	NE	52.7	46.2
3	2677	51;U	SE	50.3	43.8
3	2677	51;V	SW	39.6	33.1
4	2677	51;A	NE	57.0	50.5
4	2677	51;B	SE	56.8	50.3
4	2677	51;C	NE	59.1	52.6
4	2677	51;D	NW	56.5	50.0
4	2677	51;E	NW	55.4	48.8
4	2677	51;F	SW	32.7	26.2
4	2677	51;G	NW	50.3	43.7
4	2677	51;H	SW	31.2	24.7
4	2677	51;I	NW	40.1	33.6
4	2677	51;J	SW	29.8	23.2
4	2677	51;K	NW	29.8	23.2
4	2677	51;L	SW	29.4	22.9
4	2677	51;M	SE	49.5	43.0
4	2677	51;N	NE	52.3	45.8
4	2677	51;O	SE	52.3	45.8
4	2677	51;P	NE	53.0	46.5
4	2677	51;Q	SE	52.4	45.9
4	2677	51;R	NE	53.9	47.4
4	2677	51;S	SE	53.4	46.9
4	2677	51;T	NE	53.6	47.1
4	2677	51;U	SE	51.2	44.7
4	2677	51;V	SW	40.5	34.0
5	2677	51;A	NE	57.2	50.7
5	2677	51;B	SE	57.0	50.5
5	2677	51;C	NE	59.2	52.7
5	2677	51;D	NW	56.7	50.1
5	2677	51;E	NW	55.7	49.2
5	2677	51;F	SW	32.7	26.2
5	2677	51;G	NW	50.8	44.3
5	2677	51;H	SW	31.2	24.7
5	2677	51;I	NW	40.9	34.4
5	2677	51;J	SW	29.7	23.2
5	2677	51;K	NW	29.8	23.3
5	2677	51;L	SW	29.4	22.9
5	2677	51;M	SE	50.3	43.8
5	2677	51;N	NE	53.0	46.5
5	2677	51;O	SE	53.1	46.5
5	2677	51;P	NE	53.6	47.0
5	2677	51;Q	SE	53.0	46.5
5	2677	51;R	NE	54.4	47.9
5	2677	51;S	SE	53.9	47.4
5	2677	51;T	NE	54.1	47.6
5	2677	51;U	SE	51.7	45.2
5	2677	51;V	SW	41.6	35.0
6	2677	51;A	NE	57.3	50.7
6	2677	51;B	SE	57.0	50.5
6	2677	51;C	NE	59.3	52.8
6	2677	51;D	NW	56.7	50.2
6	2677	51;E	NW	55.8	49.3
6	2677	51;F	SW	32.6	26.1
6	2677	51;G	NW	51.4	44.9
6	2677	51;H	SW	31.2	24.7
6	2677	51;I	NW	41.2	34.7
6	2677	51;J	SW	29.7	23.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	2677	51;K	NW	29.9	23.3
6	2677	51;L	SW	29.4	22.8
6	2677	51;M	SE	50.8	44.3
6	2677	51;N	NE	53.4	46.9
6	2677	51;O	SE	53.4	46.9
6	2677	51;P	NE	53.9	47.4
6	2677	51;Q	SE	53.3	46.8
6	2677	51;R	NE	54.6	48.1
6	2677	51;S	SE	54.1	47.6
6	2677	51;T	NE	54.3	47.8
6	2677	51;U	SE	51.9	45.4
6	2677	51;V	SW	40.7	34.2
7	2677	51;A	NE	57.3	50.8
7	2677	51;B	SE	57.1	50.6
7	2677	51;C	NE	59.3	52.8
7	2677	51;D	NW	56.7	50.2
7	2677	51;E	NW	55.9	49.4
7	2677	51;F	SW	32.6	26.1
7	2677	51;G	NW	51.5	45.0
7	2677	51;H	SW	31.2	24.7
7	2677	51;I	NW	41.3	34.8
7	2677	51;J	SW	29.7	23.2
7	2677	51;K	NW	30.3	23.8
7	2677	51;L	SW	29.4	22.8
7	2677	51;M	SE	50.5	44.0
7	2677	51;N	NE	53.3	46.8
7	2677	51;O	SE	53.4	46.8
7	2677	51;P	NE	53.9	47.4
7	2677	51;Q	SE	53.1	46.6
7	2677	51;R	NE	54.6	48.1
7	2677	51;S	SE	54.1	47.6
7	2677	51;T	NE	54.3	47.8
7	2677	51;U	SE	51.8	45.3
7	2677	51;V	SW	40.8	34.3
8	2677	51;A	NE	57.3	50.8
8	2677	51;B	SE	57.0	50.5
8	2677	51;C	NE	59.2	52.7
8	2677	51;D	NW	56.7	50.2
8	2677	51;E	NW	55.9	49.4
8	2677	51;F	SW	32.6	26.1
8	2677	51;G	NW	51.5	45.0
8	2677	51;H	SW	31.2	24.6
8	2677	51;I	NW	41.4	34.9
8	2677	51;J	SW	29.7	23.2
8	2677	51;K	NW	30.5	23.9
8	2677	51;L	SW	29.3	22.8
8	2677	51;M	SE	50.2	43.7
8	2677	51;N	NE	53.2	46.7
8	2677	51;O	SE	53.3	46.8
8	2677	51;P	NE	53.8	47.3
8	2677	51;Q	SE	53.0	46.5
8	2677	51;R	NE	54.6	48.1
8	2677	51;S	SE	54.1	47.6
8	2677	51;T	NE	54.3	47.8
8	2677	51;U	SE	51.9	45.4
8	2677	51;V	SW	40.8	34.3
9	2677	51;A	NE	57.2	50.7
9	2677	51;B	SE	57.0	50.5
9	2677	51;C	NE	59.2	52.7
9	2677	51;D	NW	56.7	50.1
9	2677	51;E	NW	55.9	49.4
9	2677	51;F	SW	32.6	26.1
9	2677	51;G	NW	51.5	45.0
9	2677	51;H	SW	31.2	24.6
9	2677	51;I	NW	41.5	34.9
9	2677	51;J	SW	29.7	23.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
9	2677	51;K	NW	30.6	24.1
9	2677	51;L	SW	29.4	22.8
9	2677	51;M	SE	50.2	43.7
9	2677	51;N	NE	53.2	46.7
9	2677	51;O	SE	53.3	46.8
9	2677	51;P	NE	53.8	47.3
9	2677	51;Q	SE	53.0	46.5
9	2677	51;R	NE	54.6	48.1
9	2677	51;S	SE	54.2	47.7
9	2677	51;T	NE	54.4	47.9
9	2677	51;U	SE	51.9	45.4
9	2677	51;V	SW	40.9	34.4
10	2677	51;A	NE	57.2	50.7
10	2677	51;B	SE	57.0	50.5
10	2677	51;C	NE	59.1	52.6
10	2677	51;D	NW	56.6	50.1
10	2677	51;E	NW	55.8	49.3
10	2677	51;F	SW	32.8	26.3
10	2677	51;G	NW	51.5	45.0
10	2677	51;H	SW	31.2	24.7
10	2677	51;I	NW	41.5	35.0
10	2677	51;J	SW	29.7	23.2
10	2677	51;K	NW	30.9	24.3
10	2677	51;L	SW	29.4	22.9
10	2677	51;M	SE	50.3	43.8
10	2677	51;N	NE	53.3	46.8
10	2677	51;O	SE	53.4	46.9
10	2677	51;P	NE	53.8	47.3
10	2677	51;Q	SE	53.1	46.6
10	2677	51;R	NE	54.6	48.1
10	2677	51;S	SE	54.2	47.7
10	2677	51;T	NE	54.4	47.9
10	2677	51;U	SE	52.0	45.5
10	2677	51;V	SW	40.9	34.4
11	2677	51;A	NE	57.2	50.6
11	2677	51;B	SE	56.9	50.4
11	2677	51;C	NE	59.0	52.5
11	2677	51;D	NW	56.5	50.0
11	2677	51;E	NW	55.8	49.3
11	2677	51;F	SW	33.7	27.2
11	2677	51;G	NW	51.6	45.1
11	2677	51;H	SW	31.7	25.2
11	2677	51;I	NW	41.8	35.3
11	2677	51;J	SW	30.2	23.7
11	2677	51;K	NW	31.5	24.9
11	2677	51;L	SW	30.0	23.5
11	2677	51;M	SE	50.3	43.8
11	2677	51;N	NE	53.3	46.8
11	2677	51;O	SE	53.4	46.9
11	2677	51;P	NE	53.9	47.4
11	2677	51;Q	SE	53.1	46.6
11	2677	51;R	NE	54.7	48.2
11	2677	51;S	SE	54.2	47.7
11	2677	51;T	NE	54.4	47.9
11	2677	51;U	SE	52.0	45.5
11	2677	51;V	SW	41.2	34.7
1	2678	52;A	NW	46.8	40.3
1	2678	52;B	NW	47.6	41.1
1	2678	52;C	NW	51.5	45.0
1	2678	52;D	NE	51.9	45.4
1	2678	52;E	SE	45.1	38.5
1	2678	52;F	SE	39.5	33.0
1	2678	52;G	SW	29.5	23.0
2	2678	52;A	NW	50.1	43.6
2	2678	52;B	NW	50.9	44.4
2	2678	52;C	NW	54.6	48.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	2678	52;D	NE	55.1	48.6
2	2678	52;E	SE	48.4	41.8
2	2678	52;F	SE	42.4	35.9
2	2678	52;G	SW	29.6	23.1
3	2678	52;A	NW	51.6	45.0
3	2678	52;B	NW	52.6	46.1
3	2678	52;C	NW	56.4	49.9
3	2678	52;D	NE	56.7	50.2
3	2678	52;E	SE	50.0	43.5
3	2678	52;F	SE	44.3	37.8
3	2678	52;G	SW	29.7	23.2
4	2678	52;A	NW	52.6	46.1
4	2678	52;B	NW	53.4	46.9
4	2678	52;C	NW	56.7	50.2
4	2678	52;D	NE	57.2	50.7
4	2678	52;E	SE	50.8	44.3
4	2678	52;F	SE	45.3	38.8
4	2678	52;G	SW	30.4	23.9
1	2679	55;A	SW	45.3	38.8
1	2679	55;B	NW	48.8	42.2
1	2679	55;C	SW	48.2	41.7
1	2679	55;D	NW	52.0	45.5
1	2679	55;E	NW	52.3	45.8
1	2679	55;F	NW	51.9	45.4
1	2679	55;G	NE	47.6	41.1
1	2679	55;H	SE	34.9	28.4
1	2679	55;I	SE	33.2	26.7
1	2679	55;J	SE	32.1	25.6
1	2679	55;K	NE	32.0	25.4
1	2679	55;L	NW	35.4	29.0
1	2679	55;M	SE	30.6	24.1
1	2679	55;N	NE	34.2	27.7
1	2679	55;O	SE	30.2	23.7
1	2679	55;P	SW	44.5	37.9
2	2679	55;A	SW	48.5	42.0
2	2679	55;B	NW	52.0	45.5
2	2679	55;C	SW	51.6	45.1
2	2679	55;D	NW	55.1	48.5
2	2679	55;E	NW	55.4	48.9
2	2679	55;F	NW	55.1	48.6
2	2679	55;G	NE	50.8	44.3
2	2679	55;H	SE	36.5	30.0
2	2679	55;I	SE	33.8	27.3
2	2679	55;J	SE	32.3	25.8
2	2679	55;K	NE	32.2	25.7
2	2679	55;L	NW	36.5	30.0
2	2679	55;M	SE	30.7	24.2
2	2679	55;N	NE	35.5	29.1
2	2679	55;O	SE	30.3	23.8
2	2679	55;P	SW	47.5	41.0
3	2679	55;A	SW	50.1	43.6
3	2679	55;B	NW	53.6	47.0
3	2679	55;C	SW	53.3	46.8
3	2679	55;D	NW	56.3	49.8
3	2679	55;E	NW	56.6	50.1
3	2679	55;F	NW	56.5	50.0
3	2679	55;G	NE	52.5	46.0
3	2679	55;H	SE	37.7	31.2
3	2679	55;I	SE	34.5	28.0
3	2679	55;J	SE	32.6	26.1
3	2679	55;K	NE	33.0	26.5
3	2679	55;L	NW	38.3	31.8
3	2679	55;M	SE	31.0	24.5
3	2679	55;N	NE	37.3	31.0
3	2679	55;O	SE	30.5	24.0
3	2679	55;P	SW	49.2	42.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	2679	55;A	SW	51.0	44.5
4	2679	55;B	NW	54.2	47.7
4	2679	55;C	SW	54.1	47.6
4	2679	55;D	NW	56.8	50.3
4	2679	55;E	NW	57.5	51.0
4	2679	55;F	NW	57.7	51.2
4	2679	55;G	NE	53.8	47.4
4	2679	55;H	SE	38.9	32.4
4	2679	55;I	SE	35.6	29.1
4	2679	55;J	SE	33.8	27.3
4	2679	55;K	NE	35.8	29.3
4	2679	55;L	NW	40.4	34.0
4	2679	55;M	SE	32.0	25.5
4	2679	55;N	NE	39.0	32.6
4	2679	55;O	SE	31.6	25.1
4	2679	55;P	SW	50.3	43.7
1	2680	56;A	SE	34.5	27.9
1	2680	56;B	NW	47.7	41.3
1	2680	56;C	NE	45.2	38.7
1	2680	56;D	NE	50.5	44.0
1	2680	56;E	NW	51.2	44.7
1	2680	56;F	SW	47.4	40.8
1	2680	56;G	SW	45.8	39.2
1	2680	56;H	SW	42.7	36.2
1	2680	56;I	SW	43.0	36.5
1	2680	56;J	NW	41.5	35.0
1	2680	56;K	SW	31.9	25.4
1	2680	56;L	SE	31.8	25.3
1	2680	56;M	E	35.1	28.5
1	2680	56;N	SE	33.4	26.7
1	2680	56;O	NE	43.3	36.8
1	2680	56;P	NE	41.4	34.9
2	2680	56;A	SE	35.2	28.6
2	2680	56;B	NW	50.9	44.5
2	2680	56;C	NE	48.5	42.0
2	2680	56;D	NE	53.3	46.8
2	2680	56;E	NW	54.3	47.9
2	2680	56;F	SW	50.7	44.2
2	2680	56;G	SW	49.2	42.7
2	2680	56;H	SW	46.1	39.5
2	2680	56;I	SW	46.3	39.8
2	2680	56;J	NW	44.8	38.2
2	2680	56;K	SW	33.4	26.9
2	2680	56;L	SE	32.1	25.5
2	2680	56;M	E	35.8	29.2
2	2680	56;N	SE	33.8	27.1
2	2680	56;O	NE	46.1	39.7
2	2680	56;P	NE	43.9	37.5
3	2680	56;A	SE	36.1	29.6
3	2680	56;B	NW	52.4	45.9
3	2680	56;C	NE	50.0	43.5
3	2680	56;D	NE	54.4	47.9
3	2680	56;E	NW	55.8	49.3
3	2680	56;F	SW	52.5	46.0
3	2680	56;G	SW	50.8	44.3
3	2680	56;H	SW	47.6	41.1
3	2680	56;I	SW	47.7	41.2
3	2680	56;J	NW	46.2	39.7
3	2680	56;K	SW	34.7	28.2
3	2680	56;L	SE	32.7	26.1
3	2680	56;M	E	37.0	30.5
3	2680	56;N	SE	34.5	27.9
3	2680	56;O	NE	47.7	41.3
3	2680	56;P	NE	45.6	39.2
4	2680	56;A	SE	37.4	30.8
4	2680	56;B	NW	53.1	46.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	2680	56;C	NE	50.8	44.4
4	2680	56;D	NE	54.7	48.3
4	2680	56;E	NW	56.6	50.2
4	2680	56;F	SW	53.5	47.0
4	2680	56;G	SW	51.8	45.3
4	2680	56;H	SW	48.8	42.3
4	2680	56;I	SW	48.9	42.4
4	2680	56;J	NW	47.5	41.0
4	2680	56;K	SW	36.8	30.3
4	2680	56;L	SE	33.6	27.0
4	2680	56;M	E	38.4	31.9
4	2680	56;N	SE	35.5	28.9
4	2680	56;O	NE	48.7	42.3
4	2680	56;P	NE	46.7	40.3
1	2681	;F	NE	47.0	40.3
1	2681	;G	NE	47.7	41.0
1	2681	;H	NW	39.6	32.9
1	2681	;I	SW	26.6	19.9
1	2681	;J	SW	28.5	21.9
1	2681	;K	SW	29.1	22.5
1	2681	;M	NW	29.9	23.3
1	2682	;A	NW	47.2	40.6
1	2682	;B	NW	43.6	36.9
1	2682	;C	SW	36.8	30.2
1	2682	;D	SW	35.1	28.5
1	2682	;E	NW	32.5	25.9
1	2682	;F	SW	33.6	27.0
1	2682	;G	SE	27.9	21.3
1	2682	;H	SW	28.7	22.1
1	2682	;I	SW	33.4	26.9
1	2682	;J	SE	31.2	24.5
1	2682	;K	SW	27.7	21.1
1	2682	;L	SE	43.8	37.1
1	2682	;M	NE	49.6	42.9
1	2682	;N	NW	48.8	42.1
1	2682	;O	NW	48.8	42.1
1	2682	;P	NE	48.3	41.6
1	2682	;Q	NE	49.1	42.4
1	2682	;R	NE	49.5	42.8
1	2683	;A	NW	27.1	20.4
1	2683	;B	SW	27.2	20.6
1	2683	;C	NW	49.7	43.0
1	2683	;D	NE	48.9	42.2
1	2683	;E	SE	41.0	34.3
1	2685	;C	NW	26.4	19.6
1	2685	;D	NW	24.8	18.0
1	2685	;E	NW	23.2	16.5
1	2685	;F	NW	23.9	17.1
1	2685	;G	NW	23.6	16.8
1	2685	;H	NE	16.3	9.6
1	2685	;I	SE	20.8	14.1
1	2685	;J	SE	19.3	12.6
1	2685	;K	SE	20.6	13.9
1	2686	;A	NW	35.0	28.3
1	2686	;B	NW	35.7	29.0
1	2686	;C	NE	36.3	29.6
1	2686	;D	NE	36.7	30.0
1	2686	;E	NE	36.9	30.2
1	2686	;F	NE	37.1	30.4
1	2686	;G	SE	30.9	24.2
1	2686	;H	SE	31.0	24.3
1	2686	;I	SE	30.4	23.7
1	2686	;J	SE	29.3	22.7
1	2686	;K	SE	29.3	22.6
1	2686	;L	SW	28.9	22.2
1	2686	;M	SW	27.3	20.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2686	;N	NW	28.6	21.9
1	2686	;O	NW	28.3	21.5
1	2686	;P	SW	28.4	21.7
1	2686	;Q	SW	27.3	20.6
1	2687	27;A	N	44.5	37.7
1	2687	27;B	N	44.5	37.8
1	2687	27;C	N	45.9	39.2
1	2687	27;D	N	46.4	39.7
1	2687	27;E	N	46.7	39.9
1	2687	27;F	N	48.5	41.8
1	2687	27;G	E	52.6	45.9
1	2687	27;H	E	52.3	45.6
1	2687	27;I	E	53.0	46.3
1	2687	27;J	E	53.1	46.4
1	2687	27;K	S	49.2	42.6
1	2687	27;L	W	31.9	25.2
1	2687	27;M	W	31.6	24.9
1	2687	27;N	W	31.4	24.7
1	2687	27;O	W	31.6	24.9
1	2687	27;P	S	31.2	24.5
1	2687	27;Q	S	35.2	28.6
1	2687	27;R	S	36.6	29.9
1	2687	27;S	W	37.5	30.8
1	2687	27;T	N	43.1	36.3
1	2687	27;U	N	44.5	37.7
1	2687	27;V	N	44.5	37.8
1	2687	27;W	N	45.9	39.2
1	2687	27;X	N	46.4	39.7
2	2687	27;A	N	47.4	40.7
2	2687	27;B	N	47.5	40.8
2	2687	27;C	N	48.9	42.1
2	2687	27;D	N	49.3	42.6
2	2687	27;E	N	49.6	42.8
2	2687	27;F	N	51.3	44.5
2	2687	27;G	E	55.4	48.7
2	2687	27;H	E	55.1	48.4
2	2687	27;I	E	55.8	49.1
2	2687	27;J	E	56.0	49.3
2	2687	27;K	S	52.1	45.5
2	2687	27;L	W	32.0	25.3
2	2687	27;M	W	31.7	25.0
2	2687	27;N	W	31.5	24.8
2	2687	27;O	W	31.6	24.9
2	2687	27;P	S	31.2	24.5
2	2687	27;Q	S	38.2	31.5
2	2687	27;R	S	39.9	33.2
2	2687	27;S	W	39.8	33.1
2	2687	27;T	N	45.9	39.1
2	2687	27;U	N	47.4	40.7
2	2687	27;V	N	47.5	40.8
2	2687	27;W	N	48.9	42.1
2	2687	27;X	N	49.3	42.6
3	2687	27;A	N	48.7	42.0
3	2687	27;B	N	48.8	42.1
3	2687	27;C	N	50.2	43.5
3	2687	27;D	N	50.6	43.9
3	2687	27;E	N	50.8	44.0
3	2687	27;F	N	52.2	45.5
3	2687	27;G	E	56.3	49.6
3	2687	27;H	E	55.9	49.2
3	2687	27;I	E	56.6	49.9
3	2687	27;J	E	56.7	50.0
3	2687	27;K	S	53.2	46.6
3	2687	27;L	W	32.2	25.5
3	2687	27;M	W	31.8	25.1
3	2687	27;N	W	31.6	24.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	2687	27;O	W	31.7	25.1
3	2687	27;P	S	31.3	24.6
3	2687	27;Q	S	39.7	33.1
3	2687	27;R	S	41.4	34.7
3	2687	27;S	W	41.2	34.5
3	2687	27;T	N	47.3	40.5
3	2687	27;U	N	48.7	42.0
3	2687	27;V	N	48.8	42.1
3	2687	27;W	N	50.2	43.5
3	2687	27;X	N	50.6	43.9
4	2687	27;A	N	49.5	42.8
4	2687	27;B	N	49.5	42.7
4	2687	27;C	N	50.7	43.9
4	2687	27;D	N	51.0	44.3
4	2687	27;E	N	51.1	44.4
4	2687	27;F	N	52.5	45.7
4	2687	27;G	E	56.6	49.9
4	2687	27;H	E	56.1	49.4
4	2687	27;I	E	56.9	50.2
4	2687	27;J	E	57.0	50.3
4	2687	27;K	S	53.6	46.9
4	2687	27;L	W	32.7	26.0
4	2687	27;M	W	32.2	25.5
4	2687	27;N	W	31.9	25.2
4	2687	27;O	W	32.0	25.3
4	2687	27;P	S	31.8	25.1
4	2687	27;Q	S	40.8	34.1
4	2687	27;R	S	42.5	35.8
4	2687	27;S	W	42.0	35.3
4	2687	27;T	N	48.1	41.4
4	2687	27;U	N	49.5	42.8
4	2687	27;V	N	49.5	42.7
4	2687	27;W	N	50.7	43.9
4	2687	27;X	N	51.0	44.3
5	2687	27;A	N	49.8	43.0
5	2687	27;B	N	49.8	43.0
5	2687	27;C	N	50.9	44.1
5	2687	27;D	N	51.2	44.5
5	2687	27;E	N	51.3	44.6
5	2687	27;F	N	52.6	45.9
5	2687	27;G	E	56.7	50.0
5	2687	27;H	E	56.2	49.5
5	2687	27;I	E	57.0	50.3
5	2687	27;J	E	57.1	50.4
5	2687	27;K	S	53.8	47.2
5	2687	27;L	W	34.1	27.4
5	2687	27;M	W	33.4	26.7
5	2687	27;N	W	33.1	26.4
5	2687	27;O	W	33.2	26.5
5	2687	27;P	S	34.2	27.5
5	2687	27;Q	S	41.5	34.9
5	2687	27;R	S	43.0	36.3
5	2687	27;S	W	42.7	36.0
5	2687	27;T	N	48.5	41.7
5	2687	27;U	N	49.8	43.0
5	2687	27;V	N	49.8	43.0
5	2687	27;W	N	50.9	44.1
5	2687	27;X	N	51.2	44.5
1	2688	29;A	S	35.9	29.2
1	2688	29;B	S	34.8	28.1
1	2688	29;C	S	34.0	27.3
1	2688	29;D	W	26.0	19.3
1	2688	29;E	S	26.2	19.4
1	2688	29;F	S	27.4	20.7
1	2688	29;G	W	25.2	18.5
1	2688	29;H	W	25.3	18.6

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2688	29;I	W	25.3	18.6
1	2688	29;J	W	25.3	18.6
1	2688	29;K	W	25.4	18.6
1	2688	29;L	W	25.3	18.5
1	2688	29;M	W	25.3	18.5
1	2688	29;N	N	39.2	32.4
1	2688	29;O	E	41.6	34.9
1	2688	29;P	E	41.5	34.8
1	2688	29;Q	E	41.4	34.6
1	2688	29;R	E	41.4	34.7
1	2688	29;S	E	41.3	34.5
1	2688	29;T	N	41.9	35.2
1	2688	29;U	N	42.0	35.3
1	2688	29;V	N	41.5	34.8
1	2688	29;W	N	42.1	35.4
1	2688	29;X	N	41.9	35.2
1	2688	29;Y	N	42.7	36.0
1	2688	29;Z	N	42.7	35.9
1	2688	29;AA	E	38.5	31.7
2	2688	29;A	S	38.7	32.0
2	2688	29;B	S	37.3	30.6
2	2688	29;C	S	36.2	29.5
2	2688	29;D	W	26.0	19.3
2	2688	29;E	S	26.2	19.5
2	2688	29;F	S	28.3	21.6
2	2688	29;G	W	25.2	18.5
2	2688	29;H	W	25.3	18.6
2	2688	29;I	W	25.4	18.6
2	2688	29;J	W	25.3	18.6
2	2688	29;K	W	25.4	18.7
2	2688	29;L	W	25.3	18.6
2	2688	29;M	W	25.3	18.6
2	2688	29;N	N	40.8	34.0
2	2688	29;O	E	43.6	36.9
2	2688	29;P	E	43.5	36.7
2	2688	29;Q	E	43.3	36.6
2	2688	29;R	E	43.4	36.6
2	2688	29;S	E	43.1	36.3
2	2688	29;T	N	43.9	37.1
2	2688	29;U	N	44.1	37.4
2	2688	29;V	N	43.7	36.9
2	2688	29;W	N	44.4	37.7
2	2688	29;X	N	44.3	37.5
2	2688	29;Y	N	45.2	38.5
2	2688	29;Z	N	45.3	38.5
2	2688	29;AA	E	40.9	34.1
3	2688	29;A	S	40.0	33.4
3	2688	29;B	S	38.7	32.0
3	2688	29;C	S	37.5	30.9
3	2688	29;D	W	26.0	19.3
3	2688	29;E	S	26.4	19.6
3	2688	29;F	S	29.1	22.4
3	2688	29;G	W	25.3	18.6
3	2688	29;H	W	25.4	18.6
3	2688	29;I	W	25.4	18.7
3	2688	29;J	W	25.4	18.6
3	2688	29;K	W	25.4	18.7
3	2688	29;L	W	25.3	18.6
3	2688	29;M	W	25.3	18.6
3	2688	29;N	N	42.4	35.6
3	2688	29;O	E	45.3	38.6
3	2688	29;P	E	45.2	38.4
3	2688	29;Q	E	45.1	38.3
3	2688	29;R	E	45.1	38.3
3	2688	29;S	E	44.8	38.0
3	2688	29;T	N	45.6	38.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	2688	29;U	N	45.8	39.0
3	2688	29;V	N	45.3	38.6
3	2688	29;W	N	46.1	39.3
3	2688	29;X	N	45.8	39.1
3	2688	29;Y	N	46.8	40.0
3	2688	29;Z	N	46.8	40.0
3	2688	29;AA	E	42.7	35.8
4	2688	29;A	S	41.1	34.4
4	2688	29;B	S	39.6	32.9
4	2688	29;C	S	38.4	31.7
4	2688	29;D	W	26.1	19.4
4	2688	29;E	S	26.8	20.0
4	2688	29;F	S	30.1	23.4
4	2688	29;G	W	25.4	18.7
4	2688	29;H	W	25.5	18.8
4	2688	29;I	W	25.5	18.8
4	2688	29;J	W	25.5	18.7
4	2688	29;K	W	25.6	18.8
4	2688	29;L	W	25.5	18.7
4	2688	29;M	W	25.5	18.8
4	2688	29;N	N	43.4	36.6
4	2688	29;O	E	46.2	39.5
4	2688	29;P	E	46.1	39.3
4	2688	29;Q	E	46.0	39.2
4	2688	29;R	E	46.0	39.2
4	2688	29;S	E	45.7	39.0
4	2688	29;T	N	46.5	39.7
4	2688	29;U	N	46.7	40.0
4	2688	29;V	N	46.2	39.5
4	2688	29;W	N	47.0	40.3
4	2688	29;X	N	46.8	40.0
4	2688	29;Y	N	47.7	41.0
4	2688	29;Z	N	47.7	41.0
4	2688	29;AA	E	43.7	36.9
5	2688	29;A	S	41.8	35.1
5	2688	29;B	S	40.4	33.7
5	2688	29;C	S	39.2	32.5
5	2688	29;D	W	26.8	20.1
5	2688	29;E	S	28.5	21.7
5	2688	29;F	S	31.7	25.0
5	2688	29;G	W	26.1	19.4
5	2688	29;H	W	26.3	19.6
5	2688	29;I	W	26.3	19.6
5	2688	29;J	W	26.3	19.5
5	2688	29;K	W	26.4	19.6
5	2688	29;L	W	26.3	19.6
5	2688	29;M	W	26.5	19.8
5	2688	29;N	N	44.0	37.2
5	2688	29;O	E	46.9	40.2
5	2688	29;P	E	46.8	40.0
5	2688	29;Q	E	46.7	39.9
5	2688	29;R	E	46.7	39.9
5	2688	29;S	E	46.5	39.7
5	2688	29;T	N	47.2	40.4
5	2688	29;U	N	47.4	40.7
5	2688	29;V	N	47.0	40.2
5	2688	29;W	N	47.7	40.9
5	2688	29;X	N	47.4	40.7
5	2688	29;Y	N	48.3	41.5
5	2688	29;Z	N	48.2	41.4
5	2688	29;AA	E	44.6	37.8
1	2689	;A	SE	18.3	11.6
1	2689	;B	SE	19.6	12.9
1	2689	;C	SW	27.5	20.8
1	2689	;D	SW	27.8	21.1
1	2689	;E	NW	33.6	26.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2689	;F	SW	26.0	19.2
1	2689	;G	NW	36.4	29.7
1	2689	;H	NE	37.7	31.0
1	2689	;I	NW	37.7	31.0
1	2689	;J	NE	36.1	29.4
1	2689	;K	NE	35.7	29.0
1	2689	;L	SE	15.8	9.1
1	2689	;M	NE	30.9	24.2
1	2689	;N	NE	33.6	26.9
1	2689	;O	SE	18.8	12.1
1	2689	;P	SW	22.6	15.8
1	2689	;Q	SW	22.2	15.4
1	2689	;R	SW	23.6	16.9
1	2689	;S	SW	24.4	17.6
1	2689	;T	NW	22.8	16.0
1	2689	;U	SW	22.2	15.5
1	2689	;V	SW	22.0	15.3
1	2689	;W	SW	21.2	14.5
1	2689	;X	SE	21.1	14.4
1	2689	;Y	SE	21.0	14.3
1	2689	;Z	SE	20.2	13.4
1	2690	;A	NW	31.3	24.6
1	2690	;B	NE	30.9	24.2
1	2690	;C	NW	31.2	24.5
1	2690	;D	NW	28.0	21.3
1	2690	;E	NE	19.4	12.7
1	2690	;F	NE	17.9	11.2
1	2690	;G	SE	21.2	14.5
1	2690	;H	SE	21.7	15.0
1	2690	;I	SE	21.3	14.7
1	2690	;J	SE	22.0	15.4
1	2690	;K	SE	22.3	15.6
1	2690	;L	SW	27.1	20.4
1	2690	;M	SW	28.5	21.8
1	2691	49;A	NE	53.3	46.7
1	2691	49;B	SE	51.9	45.4
1	2691	49;C	NE	52.3	45.8
1	2691	49;D	SE	49.3	42.8
1	2691	49;E	SW	33.5	26.9
1	2691	49;F	NW	33.5	27.0
1	2691	49;G	SW	33.6	27.1
2	2691	49;A	NE	56.3	49.8
2	2691	49;B	SE	55.1	48.5
2	2691	49;C	NE	55.4	48.9
2	2691	49;D	SE	52.5	46.0
2	2691	49;E	SW	33.5	26.9
2	2691	49;F	NW	33.5	27.0
2	2691	49;G	SW	33.6	27.1
3	2691	49;A	NE	57.6	51.1
3	2691	49;B	SE	56.4	49.9
3	2691	49;C	NE	56.7	50.2
3	2691	49;D	SE	53.8	47.3
3	2691	49;E	SW	33.4	26.9
3	2691	49;F	NW	33.5	27.0
3	2691	49;G	SW	33.6	27.1
4	2691	49;A	NE	58.4	51.9
4	2691	49;B	SE	57.2	50.7
4	2691	49;C	NE	57.5	51.0
4	2691	49;D	SE	54.4	47.9
4	2691	49;E	SW	33.4	26.9
4	2691	49;F	NW	33.5	27.0
4	2691	49;G	SW	33.6	27.0
5	2691	49;A	NE	58.7	52.2
5	2691	49;B	SE	57.6	51.1
5	2691	49;C	NE	58.0	51.5
5	2691	49;D	SE	54.8	48.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
5	2691	49;E	SW	33.4	26.9
5	2691	49;F	NW	33.5	27.0
5	2691	49;G	SW	33.5	27.0
6	2691	49;A	NE	58.8	52.3
6	2691	49;B	SE	57.7	51.2
6	2691	49;C	NE	58.1	51.6
6	2691	49;D	SE	55.0	48.5
6	2691	49;E	SW	33.4	26.9
6	2691	49;F	NW	33.4	26.9
6	2691	49;G	SW	33.5	27.0
7	2691	49;A	NE	58.9	52.3
7	2691	49;B	SE	57.8	51.3
7	2691	49;C	NE	58.2	51.7
7	2691	49;D	SE	55.0	48.5
7	2691	49;E	SW	33.4	26.8
7	2691	49;F	NW	33.4	26.9
7	2691	49;G	SW	33.5	26.9
8	2691	49;A	NE	58.9	52.3
8	2691	49;B	SE	57.8	51.3
8	2691	49;C	NE	58.2	51.7
8	2691	49;D	SE	55.1	48.5
8	2691	49;E	SW	33.4	26.8
8	2691	49;F	NW	33.5	26.9
8	2691	49;G	SW	33.5	26.9
9	2691	49;A	NE	58.9	52.3
9	2691	49;B	SE	57.8	51.3
9	2691	49;C	NE	58.2	51.7
9	2691	49;D	SE	55.0	48.5
9	2691	49;E	SW	33.5	26.9
9	2691	49;F	NW	33.6	27.1
9	2691	49;G	SW	33.5	27.0
10	2691	49;A	NE	58.8	52.3
10	2691	49;B	SE	57.8	51.3
10	2691	49;C	NE	58.2	51.7
10	2691	49;D	SE	55.0	48.5
10	2691	49;E	SW	34.1	27.6
10	2691	49;F	NW	34.6	28.1
10	2691	49;G	SW	34.1	27.6
1	2693	37;A	SW	31.7	25.1
1	2693	37;B	SW	31.9	25.2
1	2693	37;C	SW	31.7	25.1
1	2693	37;D	NW	46.0	39.4
1	2693	37;E	NW	48.1	41.5
1	2693	37;F	NE	52.2	45.5
1	2693	37;G	NE	53.0	46.3
1	2693	37;H	NE	52.8	46.1
1	2693	37;I	NE	53.2	46.6
1	2693	37;J	NE	52.8	46.1
1	2693	37;K	NE	52.6	45.9
1	2693	37;L	NE	51.4	44.8
1	2693	37;M	SE	50.3	43.6
1	2693	37;N	NE	49.5	42.8
1	2693	37;O	SE	46.0	39.4
1	2693	37;P	SW	30.2	23.5
1	2693	37;Q	SW	30.3	23.6
1	2693	37;R	NW	31.2	24.6
1	2693	37;S	NW	31.5	24.9
1	2693	37;T	NW	31.8	25.1
1	2693	37;U	SW	31.9	25.2
1	2693	37;V	SW	31.8	25.1
1	2693	37;W	SW	31.9	25.2
2	2693	37;A	SW	31.8	25.1
2	2693	37;B	SW	32.0	25.3
2	2693	37;C	SW	31.8	25.1
2	2693	37;D	NW	49.6	42.9
2	2693	37;E	NW	51.6	44.9

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
2	2693	37;F	NE	55.3	48.6
2	2693	37;G	NE	55.9	49.2
2	2693	37;H	NE	55.7	49.1
2	2693	37;I	NE	56.1	49.5
2	2693	37;J	NE	55.7	49.0
2	2693	37;K	NE	55.6	49.0
2	2693	37;L	NE	54.9	48.2
2	2693	37;M	SE	53.3	46.6
2	2693	37;N	NE	52.5	45.9
2	2693	37;O	SE	49.2	42.6
2	2693	37;P	SW	30.3	23.6
2	2693	37;Q	SW	30.3	23.6
2	2693	37;R	NW	31.7	25.1
2	2693	37;S	NW	31.9	25.2
2	2693	37;T	NW	31.9	25.3
2	2693	37;U	SW	32.0	25.3
2	2693	37;V	SW	31.8	25.2
2	2693	37;W	SW	32.0	25.3
3	2693	37;A	SW	31.9	25.3
3	2693	37;B	SW	32.1	25.4
3	2693	37;C	SW	32.0	25.3
3	2693	37;D	NW	51.8	45.2
3	2693	37;E	NW	53.6	47.0
3	2693	37;F	NE	56.6	49.9
3	2693	37;G	NE	57.0	50.4
3	2693	37;H	NE	56.7	50.1
3	2693	37;I	NE	57.0	50.4
3	2693	37;J	NE	56.7	50.0
3	2693	37;K	NE	57.0	50.4
3	2693	37;L	NE	56.8	50.2
3	2693	37;M	SE	54.6	47.9
3	2693	37;N	NE	53.9	47.2
3	2693	37;O	SE	50.7	44.0
3	2693	37;P	SW	30.5	23.8
3	2693	37;Q	SW	30.5	23.8
3	2693	37;R	NW	32.8	26.1
3	2693	37;S	NW	32.7	26.0
3	2693	37;T	NW	32.4	25.7
3	2693	37;U	SW	32.2	25.5
3	2693	37;V	SW	32.0	25.3
3	2693	37;W	SW	32.1	25.5
4	2693	37;A	SW	32.9	26.2
4	2693	37;B	SW	33.1	26.5
4	2693	37;C	SW	33.0	26.3
4	2693	37;D	NW	52.6	46.0
4	2693	37;E	NW	54.0	47.3
4	2693	37;F	NE	56.9	50.2
4	2693	37;G	NE	57.4	50.7
4	2693	37;H	NE	57.1	50.4
4	2693	37;I	NE	57.4	50.7
4	2693	37;J	NE	57.0	50.3
4	2693	37;K	NE	57.4	50.7
4	2693	37;L	NE	57.2	50.5
4	2693	37;M	SE	55.0	48.4
4	2693	37;N	NE	54.7	48.1
4	2693	37;O	SE	52.2	45.5
4	2693	37;P	SW	31.7	25.0
4	2693	37;Q	SW	31.3	24.7
4	2693	37;R	NW	35.0	28.3
4	2693	37;S	NW	35.4	28.7
4	2693	37;T	NW	34.6	28.0
4	2693	37;U	SW	33.3	26.7
4	2693	37;V	SW	33.0	26.3
4	2693	37;W	SW	33.2	26.5
1	2694	39;A	SW	33.1	26.5
1	2694	39;B	SW	32.0	25.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2694	39;C	SW	32.2	25.5
1	2694	39;D	SW	32.3	25.6
1	2694	39;E	SW	32.6	26.0
1	2694	39;F	SW	32.6	26.0
1	2694	39;G	SE	44.9	38.2
1	2694	39;H	SE	49.2	42.5
1	2694	39;I	NE	53.0	46.4
1	2694	39;J	NE	53.2	46.5
1	2694	39;K	NE	52.6	45.9
1	2694	39;L	NE	53.3	46.6
1	2694	39;M	NE	53.0	46.4
1	2694	39;N	NE	53.3	46.6
1	2694	39;O	NE	52.8	46.1
1	2694	39;P	NE	53.2	46.5
1	2694	39;Q	NE	52.6	45.9
1	2694	39;R	NW	49.0	42.4
2	2694	39;A	SW	34.8	28.1
2	2694	39;B	SW	32.1	25.4
2	2694	39;C	SW	32.3	25.6
2	2694	39;D	SW	32.3	25.6
2	2694	39;E	SW	32.7	26.0
2	2694	39;F	SW	32.6	25.9
2	2694	39;G	SE	48.2	41.5
2	2694	39;H	SE	52.1	45.4
2	2694	39;I	NE	55.9	49.2
2	2694	39;J	NE	56.0	49.4
2	2694	39;K	NE	55.4	48.7
2	2694	39;L	NE	56.1	49.4
2	2694	39;M	NE	55.9	49.2
2	2694	39;N	NE	56.2	49.5
2	2694	39;O	NE	55.7	49.0
2	2694	39;P	NE	56.0	49.4
2	2694	39;Q	NE	55.5	48.8
2	2694	39;R	NW	52.0	45.4
3	2694	39;A	SW	35.8	29.1
3	2694	39;B	SW	32.2	25.5
3	2694	39;C	SW	32.4	25.7
3	2694	39;D	SW	32.4	25.8
3	2694	39;E	SW	32.8	26.1
3	2694	39;F	SW	32.7	26.0
3	2694	39;G	SE	49.4	42.8
3	2694	39;H	SE	52.9	46.2
3	2694	39;I	NE	56.7	50.0
3	2694	39;J	NE	56.9	50.2
3	2694	39;K	NE	56.2	49.5
3	2694	39;L	NE	56.9	50.3
3	2694	39;M	NE	56.8	50.1
3	2694	39;N	NE	57.0	50.3
3	2694	39;O	NE	56.6	49.9
3	2694	39;P	NE	56.9	50.3
3	2694	39;Q	NE	56.4	49.8
3	2694	39;R	NW	53.2	46.5
4	2694	39;A	SW	37.3	30.6
4	2694	39;B	SW	33.2	26.5
4	2694	39;C	SW	33.4	26.7
4	2694	39;D	SW	33.3	26.6
4	2694	39;E	SW	33.6	26.9
4	2694	39;F	SW	33.4	26.7
4	2694	39;G	SE	49.9	43.2
4	2694	39;H	SE	53.2	46.5
4	2694	39;I	NE	57.0	50.3
4	2694	39;J	NE	57.2	50.5
4	2694	39;K	NE	56.4	49.7
4	2694	39;L	NE	57.3	50.6
4	2694	39;M	NE	57.1	50.5
4	2694	39;N	NE	57.3	50.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
4	2694	39;O	NE	56.9	50.2
4	2694	39;P	NE	57.3	50.6
4	2694	39;Q	NE	56.8	50.2
4	2694	39;R	NW	53.8	47.1
1	2695	42;A	SW	32.6	26.0
1	2695	42;B	NW	41.2	34.5
1	2695	42;C	NE	45.4	38.8
1	2695	42;D	NW	46.2	39.6
1	2695	42;E	NE	43.6	36.9
1	2695	42;F	SE	34.2	27.5
1	2695	42;G	NE	34.0	27.3
1	2695	42;H	SE	33.6	26.9
2	2695	42;A	SW	32.7	26.0
2	2695	42;B	NW	44.0	37.3
2	2695	42;C	NE	48.2	41.5
2	2695	42;D	NW	49.2	42.5
2	2695	42;E	NE	46.7	40.1
2	2695	42;F	SE	34.3	27.6
2	2695	42;G	NE	34.1	27.4
2	2695	42;H	SE	33.9	27.2
3	2695	42;A	SW	32.0	25.4
3	2695	42;B	NW	45.2	38.5
3	2695	42;C	NE	49.3	42.6
3	2695	42;D	NW	50.4	43.7
3	2695	42;E	NE	48.0	41.3
3	2695	42;F	SE	34.4	27.7
3	2695	42;G	NE	34.3	27.6
3	2695	42;H	SE	34.1	27.4
4	2695	42;A	SW	31.8	25.2
4	2695	42;B	NW	45.5	38.8
4	2695	42;C	NE	49.5	42.8
4	2695	42;D	NW	50.6	43.9
4	2695	42;E	NE	48.3	41.6
4	2695	42;F	SE	34.6	28.0
4	2695	42;G	NE	34.6	28.0
4	2695	42;H	SE	34.9	28.2
5	2695	42;A	SW	33.2	26.5
5	2695	42;B	NW	45.7	39.0
5	2695	42;C	NE	49.7	43.0
5	2695	42;D	NW	50.7	44.1
5	2695	42;E	NE	48.5	41.8
5	2695	42;F	SE	35.2	28.5
5	2695	42;G	NE	35.4	28.7
5	2695	42;H	SE	38.9	32.2
6	2695	42;A	SW	31.7	25.0
6	2695	42;B	NW	45.8	39.2
6	2695	42;C	NE	49.8	43.1
6	2695	42;D	NW	50.8	44.1
6	2695	42;E	NE	48.7	42.0
6	2695	42;F	SE	36.6	29.9
6	2695	42;G	NE	37.4	30.7
6	2695	42;H	SE	35.1	28.5
1	2696	50;A	NE	53.4	46.9
1	2696	50;B	NE	53.9	47.4
1	2696	50;C	NE	54.3	47.7
1	2696	50;D	NW	50.6	44.0
1	2696	50;E	SW	34.2	27.7
1	2696	50;F	SW	33.7	27.2
1	2696	50;G	SW	33.6	27.1
2	2696	50;A	NE	56.4	49.9
2	2696	50;B	NE	56.9	50.4
2	2696	50;C	NE	57.2	50.7
2	2696	50;D	NW	53.6	47.0
2	2696	50;E	SW	34.2	27.7
2	2696	50;F	SW	33.7	27.2
2	2696	50;G	SW	33.6	27.1

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
3	2696	50;A	NE	57.5	51.0
3	2696	50;B	NE	58.0	51.5
3	2696	50;C	NE	58.2	51.7
3	2696	50;D	NW	54.6	48.1
3	2696	50;E	SW	34.2	27.7
3	2696	50;F	SW	33.7	27.2
3	2696	50;G	SW	33.6	27.0
4	2696	50;A	NE	58.3	51.8
4	2696	50;B	NE	58.7	52.2
4	2696	50;C	NE	58.8	52.3
4	2696	50;D	NW	54.9	48.4
4	2696	50;E	SW	34.2	27.7
4	2696	50;F	SW	33.7	27.2
4	2696	50;G	SW	33.5	27.0
5	2696	50;A	NE	58.5	52.0
5	2696	50;B	NE	58.9	52.4
5	2696	50;C	NE	59.0	52.5
5	2696	50;D	NW	55.0	48.5
5	2696	50;E	SW	34.2	27.6
5	2696	50;F	SW	33.7	27.1
5	2696	50;G	SW	33.5	27.0
6	2696	50;A	NE	58.6	52.1
6	2696	50;B	NE	59.0	52.5
6	2696	50;C	NE	59.1	52.6
6	2696	50;D	NW	55.1	48.6
6	2696	50;E	SW	34.1	27.6
6	2696	50;F	SW	33.6	27.1
6	2696	50;G	SW	33.5	26.9
7	2696	50;A	NE	58.6	52.1
7	2696	50;B	NE	59.0	52.5
7	2696	50;C	NE	59.1	52.6
7	2696	50;D	NW	55.1	48.6
7	2696	50;E	SW	34.1	27.6
7	2696	50;F	SW	33.6	27.0
7	2696	50;G	SW	33.4	26.9
8	2696	50;A	NE	58.6	52.1
8	2696	50;B	NE	59.0	52.5
8	2696	50;C	NE	59.1	52.6
8	2696	50;D	NW	55.1	48.5
8	2696	50;E	SW	34.1	27.6
8	2696	50;F	SW	33.6	27.0
8	2696	50;G	SW	33.4	26.9
9	2696	50;A	NE	58.5	52.0
9	2696	50;B	NE	58.9	52.4
9	2696	50;C	NE	59.1	52.6
9	2696	50;D	NW	55.0	48.5
9	2696	50;E	SW	34.2	27.6
9	2696	50;F	SW	33.6	27.1
9	2696	50;G	SW	33.5	26.9
10	2696	50;A	NE	58.5	52.0
10	2696	50;B	NE	58.9	52.4
10	2696	50;C	NE	59.0	52.5
10	2696	50;D	NW	55.0	48.4
10	2696	50;E	SW	34.8	28.3
10	2696	50;F	SW	34.1	27.6
10	2696	50;G	SW	34.0	27.5
1	2698	;A	SE	25.9	19.3
1	2698	;B	SW	32.4	25.8
1	2698	;C	NW	44.4	37.7
1	2698	;D	NW	46.0	39.3
1	2698	;E	NE	49.5	42.8
1	2698	;F	SE	27.0	20.4
1	2701	;A	SW	39.5	32.9
1	2701	;B	NW	46.5	39.9
1	2701	;C	NW	48.2	41.5
1	2701	;D	NE	48.0	41.3

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2701	;E	SE	44.8	38.1
1	2701	;F	NE	45.6	38.9
1	2701	;G	SE	41.3	34.6
1	2701	;H	SW	35.3	28.7
1	2702	;A	NW	40.5	33.9
1	2702	;B	NW	45.1	38.5
1	2702	;C	NW	46.1	39.5
1	2702	;D	NE	49.4	42.7
1	2702	;E	NE	49.3	42.7
1	2702	;F	SE	43.2	36.6
1	2702	;G	SW	29.9	23.2
1	2703	;A	NW	37.5	30.7
1	2703	;B	NE	46.0	39.1
1	2703	;C	SE	42.0	35.2
1	2703	;D	SW	28.9	22.0
1	2704	24;A	N	43.4	36.6
1	2704	24;B	W	47.4	40.6
1	2704	24;C	S	43.5	36.7
1	2704	24;D	E	27.7	20.8
2	2704	24;A	N	45.6	38.6
2	2704	24;B	W	49.6	42.7
2	2704	24;C	S	45.6	38.7
2	2704	24;D	E	27.8	20.9
3	2704	24;A	N	46.8	39.9
3	2704	24;B	W	50.8	43.9
3	2704	24;C	S	46.8	39.9
3	2704	24;D	E	27.8	21.0
4	2704	24;A	N	47.6	40.7
4	2704	24;B	W	51.5	44.6
4	2704	24;C	S	47.6	40.7
4	2704	24;D	E	27.9	21.1
5	2704	24;A	N	48.0	41.0
5	2704	24;B	W	51.8	44.9
5	2704	24;C	S	48.0	41.1
5	2704	24;D	E	28.2	21.4
6	2704	24;A	N	48.3	41.3
6	2704	24;B	W	52.0	45.1
6	2704	24;C	S	48.2	41.3
6	2704	24;D	E	28.6	21.7
7	2704	24;A	N	48.4	41.4
7	2704	24;B	W	52.2	45.3
7	2704	24;C	S	48.4	41.5
7	2704	24;D	E	29.3	22.5
1	2705	25;A	N	43.5	36.7
1	2705	25;B	W	47.4	40.6
1	2705	25;C	S	43.3	36.5
1	2705	25;D	E	27.7	20.9
2	2705	25;A	N	45.6	38.7
2	2705	25;B	W	49.5	42.7
2	2705	25;C	S	45.4	38.6
2	2705	25;D	E	27.8	21.0
3	2705	25;A	N	46.8	39.9
3	2705	25;B	W	50.7	43.9
3	2705	25;C	S	46.9	40.0
3	2705	25;D	E	27.9	21.1
4	2705	25;A	N	47.6	40.7
4	2705	25;B	W	51.5	44.6
4	2705	25;C	S	47.7	40.9
4	2705	25;D	E	28.0	21.2
5	2705	25;A	N	47.9	41.0
5	2705	25;B	W	51.8	44.9
5	2705	25;C	S	48.1	41.3
5	2705	25;D	E	28.3	21.5
6	2705	25;A	N	48.1	41.2
6	2705	25;B	W	52.0	45.1
6	2705	25;C	S	48.4	41.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
6	2705	25;D	E	28.7	21.9
7	2705	25;A	N	48.3	41.4
7	2705	25;B	W	52.2	45.3
7	2705	25;C	S	48.6	41.7
7	2705	25;D	E	29.5	22.7
1	2706	;A	N	43.2	36.5
1	2706	;B	W	47.2	40.5
1	2706	;C	S	44.9	38.2
1	2706	;D	E	34.0	27.3
1	2707	;A	NW	43.4	36.7
1	2707	;B	NW	45.8	39.1
1	2707	;C	SW	46.5	39.9
1	2707	;D	SW	46.4	39.8
1	2707	;E	NW	47.0	40.3
1	2707	;F	SW	45.1	38.4
1	2707	;G	SW	43.6	36.9
1	2707	;H	SW	42.9	36.2
1	2707	;I	SE	39.6	33.0
1	2707	;J	SE	40.1	33.4
1	2707	;K	NE	29.6	23.0
1	2707	;L	NE	29.2	22.6
1	2707	;M	SE	29.4	22.7
1	2707	;N	SE	31.2	24.6
1	2707	;O	NE	30.9	24.2
1	2708	;A	NW	36.3	29.7
1	2708	;B	SW	43.8	37.1
1	2708	;C	SW	44.5	37.8
1	2708	;D	SE	44.2	37.5
1	2708	;E	NE	30.7	24.0
1	2709	;A	E	53.4	46.4
1	2709	;B	NE	52.9	45.9
1	2709	;C	NW	45.1	38.1
1	2709	;D	NW	38.3	31.3
1	2709	;E	NW	37.7	30.9
1	2709	;F	SW	24.6	17.7
1	2709	;G	SE	38.3	31.4
1	2709	;H	SE	48.5	41.6
1	2709	;I	SE	51.1	44.2
1	2734	4;A	NE	48.8	42.1
1	2734	4;C	SW	33.7	27.0
1	2734	4;D	SE	32.9	26.2
1	2734	4;E	SW	46.8	40.1
1	2734	4;F	NW	51.9	45.2
1	2735	;A	SW	33.5	26.5
1	2735	;B	NW	44.4	37.5
1	2735	;C	NE	49.9	42.9
1	2735	;D	SE	31.8	24.9
1	2737	;A	NW	44.4	37.7
1	2737	;B	SE	31.6	24.9
1	2738	;A	NE	43.1	36.4
1	2739	;A	NW	40.6	33.9
1	2739	;B	NE	30.1	23.4
1	2739	;C	SE	41.8	35.1
1	2739	;D	SW	48.6	42.0
1	2740	;A	N	36.2	29.5
1	2740	;B	E	33.0	26.3
1	2740	;C	S	33.5	26.7
1	2740	;D	W	25.3	18.7
1	2741	;A	S	36.5	29.9
1	2741	;B	E	27.5	21.0
1	2741	;C	N	29.4	22.9
1	2742	;A	S	46.1	39.6
1	2742	;B	E	52.0	45.6
1	2742	;C	N	61.4	54.9
1	2742	;D	W	61.0	54.5
1	2744	;A	SW	43.5	36.8

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2744	;B	NW	61.3	54.6
1	2744	;C	NE	58.1	51.4
1	2744	;D	SE	34.7	28.0
1	2745	;A	NW	53.3	46.4
1	2745	;B	SW	54.2	47.3
1	2745	;C	SW	53.2	46.2
1	2745	;D	SE	45.3	38.3
1	2745	;E	NE	44.1	37.2
1	2748	;B	S	41.9	35.2
1	2748	;C	NW	27.4	20.9
1	2748	;D	N	27.7	21.1
1	2749	;A	W	49.9	43.2
1	2749	;B	S	41.5	34.8
1	2749	;C	E	41.6	34.9
1	2749	;D	N	46.9	40.2
1	2750	;A	W	49.8	43.1
1	2750	;B	S	47.9	41.2
1	2750	;C	E	42.3	35.6
1	2750	;D	N	41.7	35.0
1	2751	;A	NW	55.6	49.0
1	2751	;B	SE	46.1	39.6
1	2752	;A	SW	46.6	40.0
1	2752	;B	SE	37.1	30.5
1	2752	;C	NE	44.5	37.9
1	2752	;D	NW	54.5	47.9
1	2753	;A	SE	43.4	36.8
1	2753	;B	SW	52.6	46.2
1	2753	;C	NW	55.0	48.5
1	2753	;D	NE	51.0	44.3
1	2754	;A	NW	40.1	33.4
1	2754	;B	SE	34.6	28.0
1	2755	;A	W	38.9	32.2
1	2755	;B	E	34.3	27.7
1	2756	;A	SW	56.2	49.8
1	2756	;B	NE	45.3	38.7
1	2757	;A	NW	47.3	40.9
1	2757	;B	SW	59.2	52.8
1	2757	;C	SE	61.2	54.8
1	2757	;D	NE	54.4	47.9
1	2758	;A	E	59.2	52.8
1	2758	;B	W	47.2	40.7
1	2759	;A	NW	51.5	45.1
1	2759	;B	SW	46.8	40.3
1	2759	;C	SE	33.1	26.6
1	2761	67;A	SW	48.4	41.9
1	2761	67;B	NE	47.4	40.9
1	2763	;A	NW	31.5	25.0
1	2763	;B	SE	49.3	42.8
1	2764	;A	NW	36.3	29.5
1	2764	;B	SE	50.1	43.5
1	2765	;A	NW	44.7	37.8
1	2765	;B	SW	48.0	41.1
1	2765	;C	SE	52.1	45.1
1	2765	;D	NE	52.0	45.0
1	2766	;A	NW	51.9	45.0
1	2766	;B	SW	52.1	45.2
1	2766	;C	SE	37.6	30.6
1	2766	;D	NE	42.8	35.9
1	2767	;A	NW	48.7	42.1
1	2767	;B	NE	34.3	27.7
1	2767	;C	SE	50.0	43.4
1	2767	;D	SW	52.9	46.2
1	2768	;A	NW	45.2	38.5
1	2768	;B	SW	48.6	41.9
1	2768	;C	SE	40.0	33.3
1	2768	;D	NE	30.4	23.7

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2769	;A	NW	40.7	34.0
1	2769	;B	SW	48.6	41.9
1	2769	;C	SE	45.4	38.7
1	2769	;D	NE	30.5	23.8
1	2770	;A	NW	45.3	38.6
1	2770	;B	SW	48.5	41.8
1	2770	;C	SE	44.7	38.1
1	2770	;D	NE	31.4	24.7
1	2771	;A	NW	52.8	46.1
1	2771	;B	SE	34.7	28.0
1	2772	;A	NE	33.6	27.2
1	2772	;B	SW	47.9	41.4
1	2773	;A	N	32.9	26.3
1	2773	;B	S	36.6	30.2
1	2774	;A	N	37.3	30.6
1	2774	;B	S	30.9	24.4
1	2775	;A	SE	28.1	21.5
1	2775	;B	NW	42.1	35.5
1	2777	;A	S	30.1	23.1
1	2777	;B	E	40.9	34.0
1	2777	;C	N	42.4	35.5
1	2777	;D	W	27.5	20.5
1	2778	;A	SW	37.2	30.5
1	2778	;B	SE	50.2	43.5
1	2778	;C	NE	57.1	50.4
1	2778	;D	NW	53.4	46.8
1	2779	;A	NW	49.9	43.2
1	2779	;B	SW	36.5	29.8
1	2779	;C	SE	53.3	46.6
1	2779	;D	NE	56.8	50.1
1	2780	;A	SW	35.9	29.2
1	2780	;B	SE	53.4	46.7
1	2780	;C	NE	57.2	50.5
1	2780	;D	NW	46.9	40.3
1	2781	;A	SW	36.0	29.3
1	2781	;B	SE	47.0	40.3
1	2781	;C	NE	56.7	50.0
1	2781	;D	NW	53.1	46.4
1	2782	;A	SW	37.7	31.1
1	2782	;B	SE	36.4	29.8
1	2782	;C	NE	33.5	26.8
1	2782	;D	NW	37.3	30.6
1	2783	;A	NW	39.1	32.4
1	2783	;B	NE	47.7	41.0
1	2783	;C	SE	57.0	50.3
1	2783	;D	SW	55.6	48.9
1	2784	65;A	NE	42.2	35.5
1	2784	65;B	NE	46.7	40.0
1	2784	65;C	SW	47.0	40.3
1	2784	65;D	NW	35.9	29.2
1	2785	;A	NW	51.0	44.4
1	2785	;B	NE	55.7	49.0
1	2785	;C	SE	53.6	46.9
1	2785	;D	SW	45.4	38.7
1	2786	;A	SE	54.1	47.5
1	2786	;B	NE	57.2	50.5
1	2786	;C	SW	41.9	35.2
1	2787	;A	SW	48.0	41.3
1	2787	;B	NE	56.8	50.1
1	2787	;C	NE	57.2	50.5
1	2787	;D	NW	54.4	47.8
1	2788	;A	SW	49.9	43.2
1	2788	;B	SE	47.8	41.1
1	2788	;C	NE	42.8	36.1
1	2788	;D	NW	47.1	40.5
1	2789	;A	SE	49.2	42.5

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2789	;B	NW	49.8	43.2
1	2790	;A	SW	49.6	42.9
1	2790	;B	SE	46.8	40.1
1	2790	;C	NE	42.7	36.0
1	2790	;D	NW	47.9	41.2
1	2791	;A	N	38.0	31.3
1	2791	;B	S	29.5	23.0
1	2792	;A	N	38.2	31.5
1	2792	;B	S	34.8	28.1
1	2793	;A	N	62.4	55.9
1	2793	;B	E	59.5	53.0
1	2793	;C	S	43.9	37.4
1	2793	;D	W	58.7	52.2
1	2798	;A	SE	49.5	42.8
1	2798	;B	NW	52.0	45.3
1	2800	;A	SW	46.5	39.8
1	2800	;B	SE	47.5	40.8
1	2800	;C	NE	39.3	32.6
1	2800	;D	NW	30.3	23.7
1	2801	;A	NW	52.2	45.3
1	2801	;B	SW	53.1	46.2
1	2801	;C	SE	46.3	39.4
1	2801	;D	SE	45.4	38.4
1	2801	;E	NE	41.1	34.1
1	2801	;F	NW	51.2	44.3
1	2802	;A	N	56.7	50.2
1	2802	;B	W	53.6	47.1
1	2802	;C	S	36.9	30.3
1	2802	;D	E	53.3	46.8
1	2803	;A	NE	61.9	55.4
1	2803	;B	NW	58.8	52.2
1	2803	;C	SW	47.7	41.1
1	2803	;D	SE	58.4	51.9
1	2804	;A	SW	46.0	39.5
1	2804	;B	NE	61.2	54.7
1	2805	;A	SE	36.5	29.9
1	2805	;B	NE	40.0	33.3
1	2805	;C	NW	39.2	32.5
1	2805	;D	SW	30.9	24.2
1	2806	;A	W	32.3	25.6
1	2806	;B	S	45.7	39.0
1	2806	;C	E	48.6	42.0
1	2806	;D	N	43.9	37.2
1	2807	;A	E	49.0	42.1
1	2807	;B	S	46.2	39.4
1	2807	;C	W	29.7	22.9
1	2807	;D	N	37.1	30.3
1	2808	;A	W	32.2	25.3
1	2808	;B	E	49.5	42.7
1	2809	;A	S	48.0	41.4
1	2811	;A	SE	55.5	49.1
1	2811	;B	NW	40.6	34.1
1	2812	;A	SW	41.5	34.8
1	2812	;B	SE	43.8	37.1
1	2812	;C	NE	39.5	32.8
1	2812	;D	NW	25.7	19.1
1	2813	;A	NW	23.2	16.6
1	2813	;B	SW	42.1	35.4
1	2813	;C	SE	43.4	36.7
1	2813	;D	NE	37.0	30.3
1	2814	;A	NE	39.4	32.8
1	2814	;B	NW	23.5	17.0
1	2814	;C	SW	40.7	34.0
1	2815	;A	SE	44.3	37.6
1	2815	;B	NW	26.0	19.5
1	2815	;C	SW	40.9	34.2

Piętro	Nr budynku	Oznaczenie elewacji	Kierunki wg stron świata	Poziom hałasu - dzień	Poziom hałasu - noc
1	2816	;A	NE	39.6	32.7
1	2816	;B	NW	47.9	41.0
1	2816	;C	SW	49.1	42.2
1	2816	;D	SE	43.1	36.2
1	2817	;A	NW	46.3	39.4
1	2817	;B	SW	47.8	40.9
1	2818	;A	NE	38.2	31.5
1	2818	;B	NW	49.8	43.1
1	2818	;C	SW	47.0	40.3
1	2818	;D	SE	49.5	42.8
1	2819	;A	SW	57.4	50.7
1	2819	;B	SE	52.8	46.2
1	2819	;C	NE	42.1	35.4
1	2819	;D	NW	53.1	46.5
1	2820	;A	NW	52.9	46.3
1	2820	;B	SW	57.4	50.7
1	2820	;C	SE	53.2	46.5
1	2820	;D	NE	41.8	35.1
1	2821	;A	NE	60.8	54.1
1	2821	;B	NW	57.1	50.4
1	2821	;C	SW	46.0	39.4
1	2821	;D	SE	56.7	50.1
1	2822	;A	NW	56.7	50.0
1	2822	;B	NE	60.8	54.1
1	2822	;C	SE	56.8	50.1
1	2822	;D	SW	42.0	35.3
1	2823	;A	NE	48.0	41.3
1	2823	;B	NW	41.3	34.7
1	2823	;C	SW	42.7	36.0
1	2823	;D	SE	52.7	46.1
1	2824	;A	SE	41.4	34.7
1	2824	;B	NE	44.4	37.7
1	2824	;C	NW	46.5	39.8
1	2824	;D	SW	38.7	32.0
1	2825	;A	SE	46.6	39.9
1	2825	;B	NE	47.4	40.8
1	2825	;C	NW	55.4	48.8
1	2825	;D	NE	54.9	48.3
1	2825	;E	NW	53.2	46.6
1	2825	;F	SW	41.9	35.2
1	2826	;A	NE	41.3	34.7
1	2826	;B	NW	42.0	35.3
1	2826	;C	SW	33.6	26.9
1	2826	;D	SE	49.1	42.4
1	2827	;A	SE	41.8	35.1
1	2827	;B	NE	44.5	37.8
1	2827	;C	NW	49.9	43.3
1	2827	;D	SW	32.9	26.2
1	2828	;A	N	50.2	43.4
1	2828	;B	E	39.5	32.7
1	2828	;C	S	52.3	45.6
1	2828	;D	W	54.7	48.0
1	2829	;A	N	48.7	41.9
1	2829	;B	E	36.2	29.5
1	2829	;C	S	50.4	43.7
1	2829	;D	W	38.2	31.4